# My first R Markdown

## dede

## 03/01/2020

## R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```r
summary(cars)
```

```
##      speed           dist
##  Min.   : 4.0   Min.   :  2.00
##  1st Qu.:12.0   1st Qu.: 26.00
##  Median :15.0   Median : 36.00
##  Mean   :15.4   Mean   : 42.98
##  3rd Qu.:19.0   3rd Qu.: 56.00
##  Max.   :25.0   Max.   :120.00
```

## Including Plots

You can also embed plots, for example:

Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

## My code here

```
print("Hello world")
```

```
## [1] "Hello world"
```

### Bullet list

- Uno
- Due
- Tre

## Let's try Python:

```python
list1=[.5,2,"uga buga",10]
#print(list1[2])

for i in range(len(list1)):
  print("item",i,"=",list1[i])
  #i=i+1
```

```
## ('item', 0, '=', 0.5)
## ('item', 1, '=', 2)
## ('item', 2, '=', 'uga buga')
## ('item', 3, '=', 10)
```