The sttools collection

Sigitas Tolušis sigitas@vtex.lt

2016.06.28

1 Introduction

This is collection of various packages historically placed in a bundle and maintained by Sigitas Tolušis.

2 Usage

• cuted.sty, v1.5 2012/10/04 – place some material page width wide at any place on twocolumn page with existing text reformatted under inserted material;

TODO: add optional rules to separate from text;

- floatpag.sty, v1.1 2012/05/29 set pagestyle for floats page;
- flushend.sty, v3.2 2016/06/21 balance page in twocolumn mode;

(2014/03/03): totally rewritten with new algorithm to support footnotes,

top floats and column break before one line section title.

(2014/04/24): bugfix version;

(2015/03/27): bugfix version with improved funcionality:

- spreaded or fixed right column height;
- optional old algorithm for backward compatability;

(2015/04/14): set debug option off by default; keeplastbox modified;

(2016/06/21): bugfix compatibility with luatexja package;

• midfloat.sty, v1.1 2012/05/29 – insert one column stuff in two column page;

TODO: extend to work on both columns;

- stabular.sty, v2.0 2014/03/20 use modified tabular environment;
 (2014/03/20): removed extra stuff and left only possibility to break on page boundary;
 added tabular variant from array package;
- stfloats.sty, v3.2 2016/06/28 enable enriched floats output mechanism; (2016/06/28): compatibility bugfix with 2015 latexrelease;

 \bullet texsort.sty, v1.1 2012/05/29 – sort numerical values; TODO: extend (rewrite) to support alphnanumerical values for sorting.

Just load any of the provided packages in the standard way: $\spackage{\langle package \rangle}$ or $\spackage{\langle package \rangle}$.

To read documentation: texdoc $\langle package \rangle$.