






NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1200 17 Apr to 1300 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 2.7E+03 mg/m2
Minimum: 5.6E+00 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1300 17 Apr to 1400 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.5E+03 mg/m2
Minimum: 2.2E+00 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1400 17 Apr to 1500 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 2.4E+03 mg/m2
Minimum: 2.7E-03 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1500 17 Apr to 1600 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
725 m to 3725 m
Source ☆ 2.303 N 125.374 E
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.6E+03 mg/m2
Minimum: 5.6E-03 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1600 17 Apr to 1700 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
725 m to 3725 m
Source ☆ 2.303 N 125.374 E
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.3E+03 mg/m2
Minimum: 6.6E+00 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1700 17 Apr to 1800 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.3E+03 mg/m2
Minimum: 5.5E-02 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1800 17 Apr to 1900 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 9.2E+02 mg/m2
Minimum: 3.2E+00 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1900 17 Apr to 2000 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
3.0
2.5
2.0
1.5
1.0
0.5
0.0
124.0
124.5
125.5
126.0
126.5
127.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 6.5E+02 mg/m2
Minimum: 1.2E+00 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 2000 17 Apr to 2100 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 4.1E+02 mg/m2
Minimum: 8.6E-01 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 2100 17 Apr to 2200 17 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
3.0
2.5
2.0
1.5
1.0
0.5
0.0
124.0
124.5
125.0
125.5
126.0
126.5
127.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 5.6E+02 mg/m2
Minimum: 1.3E-02 mg/m2
GDAS METEOROLOGICAL DATA

NOAA HYSPLIT MODEL


Mass loading (mg/m2) between 0 m and 18000 m


Integrated from 2200 17 Apr to 2300 17 Apr 24 (UTC)


SUM Release started at 1200 17 Apr 24 (UTC)





GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 2300 17 Apr to 0000 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 3.4E+02 mg/m2
Minimum: 5.7E-03 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0000 18 Apr to 0100 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 3.3E+02 mg/m2
Minimum: 1.3E-03 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0100 18 Apr to 0200 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 3.0E+02 mg/m2
Minimum: 3.1E-04 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0200 18 Apr to 0300 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 2.3E+02 mg/m2
Minimum: 3.6E-05 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0300 18 Apr to 0400 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 2.1E+02 mg/m2
Minimum: 1.1E-06 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0400 18 Apr to 0500 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.8E+02 mg/m2
Minimum: 9.8E-04 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0500 18 Apr to 0600 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.6E+02 mg/m2
Minimum: 5.6E-04 mg/m2
GDAS METEOROLOGICAL DATA



NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0600 18 Apr to 0700 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.7E+02 mg/m2
Minimum: 2.9E-06 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0700 18 Apr to 0800 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.4E+02 mg/m2
Minimum: 5.0E-06 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0800 18 Apr to 0900 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
3.0
2.5
2.0
1.5
1.0
0.5
0.0
124.0
124.5
125.0
125.5
126.0
126.5
127.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.3E+02 mg/m2
Minimum: 8.8E-04 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 0900 18 Apr to 1000 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.1E+02 mg/m2
Minimum: 8.3E-05 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1000 18 Apr to 1100 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 1.1E+02 mg/m2
Minimum: 2.2E-05 mg/m2
GDAS METEOROLOGICAL DATA


NOAA HYSPLIT MODEL
Mass loading (mg/m2) between 0 m and 18000 m
Integrated from 1100 18 Apr to 1200 18 Apr 24 (UTC)
SUM Release started at 1200 17 Apr 24 (UTC)
Source ☆ 2.303 N 125.374 E 725 m to 3725 m
124.0
124.5
125.0
125.5
126.0
126.5
127.0
3.0
2.5
2.0
1.5
1.0
0.5
0.0
>1000 mg/m2
>316 mg/m2
>100 mg/m2
>31 mg/m2
>10 mg/m2
>3 mg/m2
Maximum: 9.1E+01 mg/m2
Minimum: 6.1E-08 mg/m2
GDAS METEOROLOGICAL DATA