



PHINMA University of Iloilo

College of Information Technology Education

ProfitLens

A Web-Based Platform for Smart Profit Monitoring and Business Insights
for Auto Parts Sales

Prepared by:

Ojeda, Dee Lord | Abolucion, Marc Emmanuel | Echalar, Wesley

Panizales, Kent Justin | Dolorfino, Jhoana Angela

BSIT — Year 3

Course: Applied Analytics in Business for IT (BAM)

Second Semester

2025–2026

TABLE OF CONTENTS

Part I — Project Overview

- **Chapter 1 · Introduction**
 - **1.1 Background of the Study**
 - **1.2 Statement of the Problem**
 - **1.3 Objectives of the Study**
 - **1.4 Scope and Delimitation**
 - **1.5 Significance of the Study**
 - **1.6 Definition of Terms**
 - **Chapter 2 · Review of Related Literature and Studies**
 - **2.1 Theoretical Framework**
 - **2.2 The Evolution of Financial Monitoring Systems**
 - **2.3 Foreign Studies on SME Automation**
 - **2.4 Local Studies: The Philippine SME Landscape**
 - **2.5 Conceptual Framework**
 - **2.6 Research Gap and System Positioning**
 - **Chapter 3 · Methodology**
 - **3.1 Research Design**
 - **3.2 System Development Methodology**
 - **3.3 Data Gathering Techniques**
 - **3.4 System Architecture**
 - **3.5 Tools and Technologies Used**
-

- **3.6 Database Design**
- **3.7 Testing Procedures**
- **3.8 Evaluation Criteria**
- **Appendices**
 - **Appendix A — User Manual and System Walkthrough**
 - **Appendix B — Installation and Deployment Guide**
 - **Appendix C — Test Case Documentation**
 - **Appendix D — SQL Schema and Sample Data**
 - **Appendix E — Foreign Studies**
 - **Appendix F — Local Studies**

End of Table of Contents

Chapter 1

Introduction

1.1 Background of the Study

ProfitLens was developed to address the difficulties faced by small and medium enterprise (SME) owners in tracking sales, expenses, and profit in a simple and accurate way. In many small auto parts businesses, financial records are still kept manually through notebooks, receipts, or basic spreadsheets, which can lead to delays, computation errors, and incomplete summaries. Because of this, business owners may have difficulty identifying their actual profit, controlling expenses, and making timely decisions.

The study was conducted in the context of a local auto parts store owned by French Joy Salvador in Cebu City. Based on observation and discussions during requirements gathering, the store relied on manual recording of daily sales and operating expenses. Monthly profit was computed only after the records were gathered and checked, which made the process time-consuming and vulnerable to missing entries and inaccurate totals.

These issues reflect common challenges in SME financial management, especially for businesses that operate with limited staff and simple record-keeping tools. Without a centralized system, it becomes harder to review past transactions, compare monthly performance, monitor spending patterns, and receive warnings when expenses begin to exceed the budget. A system that automatically records transactions and presents financial information in a clear format can help improve visibility and support better business decisions.

ProfitLens was created as a web-based financial tracking platform to simplify this process. It automatically computes net profit from sales and expense entries, stores records in a centralized MySQL database, and displays financial trends through charts and reports. The system also includes expense monitoring features that help highlight high-spending categories and provide early awareness of possible overspending. The platform uses PHP, MySQL, HTML, CSS, and JavaScript, making it suitable for a browser-based environment that is accessible to small business users.

1.2 Statement of the Problem

The central operational challenge addressed by ProfitLens can be summarized as follows: the auto parts store operated by French Joy Salvador in Cebu City lacked any automated system for tracking, aggregating, visualizing, or reporting financial data. All financial management was conducted through manual methods that were inadequate in precision, transparency, and actionability.

The following four specific problems, identified through direct observation of the store's operations and through structured interviews with the owner and staff, define the problem space that ProfitLens was engineered to resolve:

Problem 1 — Profit Monitoring Difficulty

Calculating monthly net profit required the manual aggregation of all individual sales transactions across the month, followed by a manual subtraction of all recorded expenses. This process was performed at the end of each month, typically by the owner herself, and regularly required several hours of work to complete. The manual nature of the calculation introduced multiple points of potential error: individual entries could be

missed, transcription errors could propagate through the calculation, and the lack of any validation mechanism meant that erroneous totals could be accepted without detection. The result was a monthly profit figure that the owner acknowledged she could not rely upon with full confidence, and that provided no granular insight into the relative contribution of different products or expense categories to the overall financial outcome.

ProfitLens addresses this problem by automatically computing net profit in real time whenever sales and expense records are entered into the system. The computation is performed using a clearly defined formula applied consistently by the PHP backend, ensuring mathematical accuracy and eliminating the manual aggregation step entirely.

Problem 2 — Absence of Structured Financial Reports

No formal mechanism existed for producing monthly, quarterly, or annual financial summaries. Historical financial data was stored in physical documents and informal spreadsheets that were not organized in a way that would support retrospective reporting. When the owner needed to review past performance - for example, to assess whether a particular month's revenue was sufficient to sustain a planned purchase of additional inventory, she was required to manually reconstruct the relevant figures from archived receipts and notes. This process was impractical for any period longer than a few months and impossible for periods where physical records had been lost or damaged.

ProfitLens resolves this by maintaining all financial data in a structured MySQL database and providing a dedicated Financial Reports module that generates comprehensive profit-and-loss summaries, monthly expense breakdowns, and a full January-to-December grouped bar chart comparing revenue against expenses — all available on demand within the system, with no manual reconstruction required.

Problem 3 — No Trend Analysis Capability

Without a centralized data store and automated reporting tools, it was impossible for the store owner to visualize performance trends, identify seasonal demand patterns, compare monthly or annual results, or make data-driven predictions about future revenue. The store had no way of knowing, for instance, whether June was consistently its strongest month, whether demand for oil-based consumables peaked before the rainy season, or whether year-over-year revenue was growing, declining, or stable. These are the kinds of insights that enable proactive business decision-making — adjusting inventory orders in advance of high-demand periods, negotiating better purchase terms with suppliers during low-revenue months, or setting realistic revenue targets and their absence left the owner operating largely on intuition rather than evidence.

ProfitLens addresses this through its Revenue Analysis module, which presents monthly revenue trends in bar and line chart formats, supports year-over-year comparison across any two calendar years, and identifies the top five products by revenue and units sold, all computed dynamically from the database and rendered visually in the browser without requiring any external chart library.

Problem 4 — Undetected Overspending

Operating expenses at the store encompassed a diverse range of cost categories: utilities, office supplies, advertising, salaries and wages, and various miscellaneous operational costs. Without automated monitoring, the cumulative total of these expenses frequently exceeded the budget available for a given month without the owner becoming aware of the overrun until she conducted her end-of-month manual reconciliation. This lag between the occurrence of overspending and its detection meant that corrective action such as deferring a

discretionary expense or renegotiating a supplier payment schedule could not be taken in time to prevent the financial impact from materializing.

ProfitLens addresses this through its Expense Tracking module, which maintains a real-time running total of all recorded expenses for the current month, categorizes them for granular visibility, and provides visual indicators that highlight high-spend categories relative to overall revenue giving the owner and staff an always-current view of the expense position without requiring any manual computation.

1.3 Objectives of the Study

1.3.1 General Objective

The overarching objective of this study is to design, develop, and deploy ProfitLens — a smart, web-based profit monitoring platform that delivers automated business insights, accurate financial tracking, and proactive alerts for overspending in an auto parts sales and services environment. The platform is intended to replace the manual financial management practices currently in use at the reference business and to provide its users with a reliable, easy-to-use, and visually informative system that supports daily operational decision-making and longer-term financial planning.

1.3.2 Specific Objectives

In support of the general objective, this study aims to accomplish the following four specific objectives:

1. To provide a module for tracking monthly profit by recording individual sales transactions each defined by a selected product, an entered quantity, and a specified sale date against a live-updated register of product costs and operating expenses. The module must automatically compute the total value of each sale from the product's selling price, deduct the sold quantity from the corresponding stock record, and present a continuously updated net profit figure computed as the difference between the period's total sales revenue and total recorded expenses.
2. To implement a financial reporting module that displays monthly, quarterly, and annual profit-and-loss summaries within the system's web interface. The module must present a full January-to-December comparison of revenue and expenses in both tabular and graphical formats, support the selection of specific calendar years for historical review, and make all reported data available without requiring the export of raw records to an external application for processing.
3. To implement automated revenue insights that display bar graphs comparing monthly revenue versus expenses across the full calendar year (January through December), supplemented by line chart representations of revenue trends and year-over-year comparative visualizations. These visual outputs must

be computed dynamically from the database without relying on any external charting library, ensuring that the system remains self-contained and does not depend on third-party service availability.

4. To develop an expense tracking module with category-based expense breakdowns covering categories including Office Supplies, Advertising, Utilities, and Salaries and Wages and visual indicators that highlight high-spend areas relative to total revenue for the current period. The module must support the addition, editing, and deletion of individual expense records, maintain accurate running totals, and provide the owner and staff with immediate visual feedback when expense levels in any category represent a disproportionately high share of the period's revenue.

1.4 Scope and Delimitation

1.4.1 Functional Scope

ProfitLens covers the following functional areas, all of which are fully implemented in the delivered system:

- **User Authentication:** Secure login and registration for admin-level users, including password hashing using PHP's `password_hash()` function and session-based access management.
- **Product Management:** The ability to add, edit, and delete products with associated attributes including name, category, selling price, cost price, and current stock quantity.
- **Sales Recording:** A form-based interface for entering sales transactions, with automatic total calculation, stock deduction, and validation to prevent recording of sales that would result in negative stock.
- **Expense Tracking:** A categorized expense logging system supporting addition, editing, and deletion of records, with real-time totaling and category-level breakdowns.
- **Revenue Analysis:** A dedicated module presenting monthly revenue trends in bar and line chart formats, year-over-year comparisons, and a ranked list of top-performing products.
- **Profit and Loss Reporting:** A comprehensive reporting module providing a January-to-December grouped bar chart of revenue versus expenses, a tabular profit-and-loss summary, and a monthly expense breakdown report with year selection capability.
- **Financial Dashboard:** A centralized landing page presenting key performance indicators net profit for the current month, growth percentage relative to the prior month, a mini bar chart of the current year's revenue distribution, the best-selling product alongside visual summaries from the expense and revenue modules.
- **Role-Based Access Control:** Differentiated access levels for admin users (full system access) and standard users (restricted access), enforced through PHP session validation on every protected page.

1.4.2 Delimitations

The following functional areas are explicitly outside the scope of ProfitLens as designed and implemented. These delimitations reflect deliberate decisions made to keep the system focused, maintainable, and appropriate for the scale and technical environment of the reference business:

- **Point-of-Sale Hardware Integration:** ProfitLens does not interface with barcode scanners, receipt printers, cash drawers, or any other physical POS hardware. Sales are entered manually through the web interface.
- **Payroll Processing:** While salaries and wages are trackable as an expense category, ProfitLens does not compute individual employee payroll, manage attendance records, or generate payslips.
- **Tax Filing and Compliance:** The system does not generate BIR-compliant tax documents, compute VAT obligations, or integrate with any government tax reporting platform.
- **External Accounting System Integration:** ProfitLens does not connect to or synchronize data with any third-party accounting application such as QuickBooks, Xero, or any cloud-based ERP system.
- **Multi-Branch Management:** The system is designed for a single-location business. It does not support consolidated reporting across multiple branch locations or inter-branch inventory transfer tracking.
- **Customer Relationship Management (CRM):** ProfitLens does not maintain a customer database, track individual customer purchase histories, or support customer communication functions.
- **Full Warehouse Management:** While product stock quantities are maintained and updated upon each sale, the system does not support purchase order management, supplier tracking, reorder-level alerts, or warehouse location tracking.
- **Email Notifications:** Although a forgot-password page is provided, the system does not send automated email notifications of any kind in its current implementation, as email server configuration is outside the deployment environment's scope.

1.5 Significance of the Study

The development and documentation of ProfitLens carries significance that extends beyond the immediate operational benefits to the reference business. The following stakeholder groups stand to benefit from the outcomes of this study:

1.5.1 Business Owners

For the primary user of the system, the small auto parts store owner ProfitLens provides real-time profit visibility that was previously unavailable without laborious manual calculation. The platform's dashboard presents net profit for the current month alongside a growth indicator showing whether performance is improving or declining relative to the previous period. The full January-to-December revenue versus expense bar chart enables the owner to identify seasonal patterns, assess whether the business is on track relative to prior years, and make informed decisions about inventory investment, staffing levels, and discretionary spending. The categorized expense breakdown gives immediate visibility into which cost categories are consuming the largest proportions of revenue, enabling targeted cost management rather than undifferentiated expense reduction.

1.5.2 Staff Members

Store staff benefit from a guided, form-based system for recording sales and expenses that replaces the informal and inconsistency-prone manual process. The system's automatic total calculation for each sales

entry removes the arithmetic burden from staff and eliminates the most common source of data entry errors. The searchable product dropdown in the sales recording form reduces the time required to locate and select the correct product, particularly as the product catalog grows. Staff can complete routine financial recording tasks more quickly, with greater confidence in the accuracy of the records they are creating.

1.5.3 Researchers and Future Developers

ProfitLens serves as a practical reference model for researchers interested in automated financial monitoring systems designed for small businesses in the Philippine context. The system's architecture, a PHP-MySQL client-server application with inline SVG chart generation, role-based access control implemented through PHP sessions, and a deliberately limited feature scope targeted at a specific operational problem illustrates design decisions that are transferable to analogous contexts. Future researchers can use the system as a baseline against which more feature-rich or differently architected solutions can be compared, and can build upon the theoretical framework and literature review provided in Chapter 2 as a foundation for further scholarly inquiry.

1.5.4 The Auto Parts Sales and Services Industry

More broadly, ProfitLens demonstrates the feasibility of developing cost-effective, fit-for-purpose financial monitoring solutions for small auto parts retailers in the Philippine market. By standardizing the data structures and reporting formats used for financial tracking within a single store, the platform establishes a basis upon which industry-level data collection and benchmarking could eventually be built. If similar systems were adopted across multiple stores whether through replication of the ProfitLens model or through adaptation to different technology stacks it would become possible to develop aggregate insights about the financial performance, cost structures, and demand patterns of the Philippine auto parts retail sector that are currently unavailable due to the fragmented and informal nature of financial record-keeping across the industry.

1.5.5 Academic Institutions

For BSIT students and faculty at PHINMA University of Iloilo and comparable institutions, ProfitLens provides a thoroughly documented capstone project that demonstrates the integration of multiple competencies developed across the BSIT curriculum: user-centered interface design, relational database design and implementation, PHP backend development with security best practices, agile project management methodology, and the application of systems thinking to a real-world business problem. The platform's code, this documentation, and the theoretical framework presented in Chapter 2 collectively constitute a resource that future capstone teams can consult as they undertake their own projects.

1.6 Definition of Terms

The following terms are used throughout this documentation with the specific meanings defined below. Where terms have both a general meaning and a system-specific technical meaning, the system-specific meaning is provided.

Term	Definition as Used in This Document
ProfitLens	The web-based platform for smart profit monitoring and business insights that is the subject of this documentation. Built with PHP 8, MySQL, HTML5, CSS3, and JavaScript, and deployed on an Apache/XAMPP local server environment.
Dashboard	The system's primary landing page after login (dashboard.php), which displays real-time financial summaries including net profit for the current month, growth percentage relative to the prior month, the best-selling product, expense breakdown, and revenue trend visualizations.
Sales Module	The system module implemented in profit.php enables admin users to record sales transactions by selecting a product from a searchable dropdown, entering a sale quantity, and specifying a sale date. The module automatically computes the transaction total from the product's stored selling price and deducts the sold quantity from the product's stock record.
Expense Tracking	The system module implemented in expenses.php provides functionality for adding, editing, and deleting business expense records, categorized by type (Office Supplies, Advertising, Utilities, Salaries and Wages, and others). The module maintains real-time monthly and annual expense totals.
Revenue Analysis	The system module implemented in revenue.php that presents visual representations of monthly revenue trends, year-over-year performance comparisons, and a ranked listing of top-performing products by units sold and total revenue.
Financial Reports	The system module is implemented in reports.php that presents a comprehensive January-to-December grouped bar chart comparing revenue and expenses, a tabular profit-and-loss summary, and a detailed monthly expense breakdown report. Supports year selection for historical review.
Product Management	The system module implemented in products.php provides full create, read, update, and delete

	(CRUD) functionality for product records, each of which carries attributes including name, category, selling price, cost price, and current stock quantity.
Authentication	The process by which the system verifies a user's identity before permitting access to protected pages. ProfitLens implements authentication through a login form (index.php) that validates submitted credentials against hashed passwords stored in the users database table using PHP's password_verify() function.
Session	PHP's built-in mechanism for maintaining state across multiple HTTP requests from the same user, implemented via the \$_SESSION superglobal. ProfitLens stores the authenticated user's user_id, email, and role in the session upon successful login, and checks the session on every protected page to verify continued authorization.
Net Profit	The financial metric computed by the system as: $\text{Net Profit} = \text{Sum of Sales Totals} - \text{Sum of Expense Amounts}$ for a given period. Displayed on the dashboard, profit module, and reports module. A positive value indicates a profitable period; a negative value indicates that expenses exceeded revenue.
formatMoney()	A PHP helper function defined in includes/config.php that formats a numeric amount as a Philippine Peso currency string. Syntax: formatMoney(\$amount) returns a string in the form ₱15,000.00. Used consistently across all modules wherever monetary amounts are displayed to the user.
Prepared Statement	A database query technique in which SQL commands are compiled separately from user-supplied data values, which are then bound to the compiled query as parameters. ProfitLens uses MySQL's prepared statement implementation (via PHP's MySQLi extension) throughout the system to prevent SQL injection attacks.
Admin Role	The user role designation (role = 'admin' in the users table) grants full access to all system modules, including the ability to add, edit, and delete products, sales, and expenses. Non-admin users who attempt to access admin-protected pages are redirected to

	an access-denied page by the requireAdmin() function.
XAMPP	A cross-platform local web server environment bundling Apache (web server), MariaDB/MySQL (database server), and PHP. ProfitLens was developed and tested on XAMPP and is designed for deployment in XAMPP or any equivalent Apache/PHP/MySQL environment.
profit_lens Database	The MySQL database that stores all system data. Contains four primary tables: users, products, sales, and expenses. All system modules interact with this database exclusively through the getDB() connection function defined in includes/config.php.
SME	Small and Medium Enterprise. In the Philippine context, as used in this document, refers to businesses with fewer than 200 employees and annual revenue below the threshold defined by the Philippine Department of Trade and Industry. The auto parts store that serves as the reference business for ProfitLens is classified as a micro-enterprise by this definition.
DFD	Data Flow Diagram. A graphical representation of how data moves through a system, showing sources, destinations, processes, and data stores. ProfitLens is documented using DFD Level 0 (context diagram showing high-level interactions) and DFD Level 1 (detailed process diagram) conventions.
ERD	Entity Relationship Diagram. A visual representation of the relationships between the entities (tables) in a database. The ProfitLens ERD defines the structure of and relationships among the users, products, sales, and expenses tables.

Note on Currency Formatting: All monetary amounts presented in system interfaces and in this documentation are expressed in Philippine Pesos (PHP), formatted as using the helper function. This formatting is applied consistently across all modules and reports to ensure that all financial figures are immediately recognizable as peso-denominated values.

With the conceptual and definitional groundwork established in this chapter, the following chapter reviews the theoretical and empirical literature that informed the design of ProfitLens, situating the system within the broader scholarly conversation about financial automation, SME digital transformation, and the specific challenges of the Philippine small business context.

CHAPTER 2

REVIEW OF RELATED LITERATURE AND STUDIES

This chapter presents the theoretical foundation and empirical research that shaped the design and development of ProfitLens. It reviews relevant literature on technology acceptance, systems theory, financial monitoring, and small business automation, both locally and internationally. The chapter also identifies research gaps that ProfitLens aims to address, positioning the system within the broader scholarly conversation on SME digital transformation.

2.1 Theoretical Framework

The development of ProfitLens is anchored on established theories that explain the transition of business operations from manual processes to digital automation. These frameworks helped the research team understand how end-users adopt new systems and how business components interact to produce meaningful outcomes.

2.1.1 Technology Acceptance Model (TAM)

The Technology Acceptance Model (TAM), originally developed by Davis (1989), provides a theoretical foundation for understanding how end-users—specifically store owners and staff—adopt new information systems. According to TAM, two key factors determine technology adoption: Perceived Usefulness (PU), which refers to the degree to which a user believes that using a particular system will enhance their job performance, and Perceived Ease of Use (PEOU), which refers to the degree to which a user believes that using the system will be free of effort (Davis, 1989; Venkatesh & Davis, 2000).

In the context of ProfitLens, the system was designed to maximize perceived usefulness by providing automated profit calculation, visual financial summaries, and real-time expense monitoring—features that directly address the pain points identified in the auto parts store. The interface was kept simple and intuitive to enhance perceived ease of use, ensuring that staff with limited technical expertise could operate the platform without extensive training. These design considerations align with TAM's core principles, which suggest that systems perceived as both useful and easy to use are more likely to achieve widespread adoption (Davis, 1989).

2.1.2 Systems Theory in Business

Systems theory, originally proposed by von Bertalanffy (1968), provides a complementary framework for understanding business operations as interconnected components. In this model, a business is viewed as a system composed of interdependent parts that work together toward common goals. Inputs—such as daily sales, inventory, and operating expenses—are processed to produce outputs, including financial reports, profit summaries, and strategic decisions. Feedback loops allow business owners to evaluate performance and make adjustments (Johnson & Johnson, 2004).

ProfitLens was designed under this systems-theoretic perspective. The system treats sales and expenses as inputs, processes them through automated calculation and aggregation, and produces visual outputs in the form of dashboards and reports. The feedback loop is completed when users review these outputs to make informed business decisions. This framework ensures that the system functions not as a isolated data entry tool, but as an integrated component of the business's operational ecosystem.

2.2 The Evolution of Financial Monitoring Systems

Financial monitoring has evolved significantly over the past several decades, moving from manual record-keeping ledgers to sophisticated digital platforms. Understanding this evolution helps contextualize ProfitLens within the broader trajectory of financial technology development.

2.2.1 Traditional vs. Digital Ledgers

Traditional financial record-keeping, commonly practiced in small businesses across the Philippines, relies on manual methods such as handwritten receipts, notebooks, and basic spreadsheets. While these methods are simple and require no technical infrastructure, they are prone to several limitations. Research indicates that manual record-keeping often leads to human arithmetic errors, inconsistent data summaries, duplicate entries, and incomplete records (Laudon & Laudon, 2020). Furthermore, manual systems lack validation mechanisms, meaning that errors may go undetected until they propagate into larger financial discrepancies.

Digital ledgers, by contrast, enforce structured data entry through form-based interfaces that require specific fields before submission. Digital systems also support automated calculations, ensuring mathematical accuracy and eliminating the need for manual summation. Studies on SME financial management have shown that businesses transitioning from manual to digital ledgers experience significant improvements in data accuracy, reporting speed, and decision-support capability (McKinney & Yoos, 2010). ProfitLens leverages these advantages by providing a structured, form-based interface that ensures data integrity while maintaining the simplicity needed for small business operations.

2.2.2 Web-Based Architecture (PHP/MySQL)

Modern web-based financial systems offer several advantages over traditional desktop applications. Web platforms provide centralized data storage, allowing multiple users to access the same information from different locations without installing software on each device. These platforms also support real-time data access, enabling business owners to view up-to-date financial summaries at any time (Laudon & Laudon, 2020).

PHP and MySQL remain among the most widely used technologies for web-based financial applications, particularly in small and medium enterprise (SME) contexts. PHP's server-side scripting capabilities allow for dynamic content generation, while MySQL's relational database model supports efficient data storage and retrieval (MySQL AB, 2022; PHP Documentation, 2023). Additionally, PHP's support for prepared statements provides a robust defense against SQL injection attacks—one of the most common security threats in web applications (OWASP Foundation, 2021). ProfitLens was developed using PHP 8 and MySQL to ensure reliability, security, and ease of deployment in the target operational environment.

2.3 Foreign Studies on SME Automation

International research on SME automation provides valuable insights into the benefits and challenges of digital financial management. Several global studies have examined how small businesses adopt automated tools and the impact these tools have on operational efficiency.

Studies on global SME performance indicate that businesses utilizing automated financial tools consistently outperform those relying on manual methods in terms of accuracy, error reduction, and reporting speed (Rogers, 2003). A key finding from international research is that automated systems reduce the time required for financial reconciliation from days to minutes, freeing up staff time for more value-adding activities.

Research on data-driven decision making further supports the value of automated financial systems. Studies show that having immediate access to revenue trends, expense breakdowns, and profit summaries empowers business owners to make more confident and rapid financial decisions (Laudon & Laudon, 2020). In contrast, businesses relying on manual record-keeping often make decisions based on outdated or incomplete information, leading to missed opportunities and undetected financial problems.

The benefits documented in foreign studies informed the design of ProfitLens, particularly in the areas of automated profit calculation, real-time dashboard summaries, and visual reporting. The system aims to bring the same level of financial visibility to a small auto parts store in the Philippines that larger businesses enjoy in more developed markets.

2.4 Local Studies: The Philippine SME Landscape

Research specific to the Philippine SME context provides important insights into the challenges and opportunities facing small businesses in the country. The Philippine government, through the Department of Trade and Industry (DTI), has identified SME digitalization as a national priority, recognizing that most small businesses in the Philippines continue to operate with limited automation and manual record-keeping (DTI, 2020).

2.4.1 The Cebu City Context

Cebu City is one of the major economic hubs in the Visayas region, with a diverse mix of retail, manufacturing, and service businesses. Local research focusing on auto parts retailers in Cebu emphasizes that mobile-responsive and intuitive interfaces are essential for staff members who may have limited technical expertise (PSA, 2022). Studies also indicate that many small retail businesses in Cebu rely on manual cash registers and handwritten receipts, creating inefficiencies similar to those identified in the reference business for this study.

The auto parts industry in Cebu, particularly among micro and small enterprises, faces unique challenges including limited capital, difficulty accessing credit, and competition from larger retailers. These challenges are compounded by inadequate financial tracking tools that prevent business owners from understanding their true profitability and making data-driven decisions (DTI Region VII, 2021). ProfitLens was designed to address these specific challenges by providing a simple, affordable, and purpose-built financial monitoring tool tailored to the needs of small auto parts retailers.

2.4.2 Financial Irregularities

Research within the Philippine context suggests that manual financial tracking often leads to what practitioners describe as "unnoticed overspending" (McKinney & Yoos, 2010). Without automated monitoring, small business owners may not realize that expenses have exceeded revenue until the end of the month—or worse, at the end of the quarter—when manual reconciliation is performed. This delay prevents timely corrective action and can lead to cash flow problems that threaten business viability.

Local studies also highlight the prevalence of financial irregularities in small businesses, including arithmetic errors in receipt calculations, misplaced or 丢失 records, and inconsistent categorization of expenses (PSA, 2022). These irregularities undermine the reliability of financial data and make it difficult for business owners to assess true financial performance. ProfitLens addresses these issues by standardizing data entry, automating calculations, and providing visual indicators that highlight potential problems such as high-spending categories.

2.5 Conceptual Framework

The conceptual framework of ProfitLens is designed around a structured process that transforms raw business data into meaningful financial insights. As illustrated in Figure 1 (described in Chapter 1), the system follows a linear flow from data input to information output, organized into four interconnected layers.

2.5.1 Input Layer

The input layer represents the fundamental data that the system receives from users, specifically:

- Sales Data: Product selection, quantity sold, sale date, and computed sale total
- Expense Data: Expense category, amount, description, and date
- Product Data: Product name, category, cost price, selling price, and current stock quantity
- User Credentials: Email and hashed password for authentication

2.5.2 Processing Layer

The processing layer handles the transformation of raw data into useful information:

- Sales Computation: Automatically calculates total sale value by multiplying quantity by selling price
- Stock Deduction: Reduces product stock quantity based on recorded sales
- Profit Calculation: Computes net profit by subtracting total expenses from total revenue
- Data Aggregation: Groups transactions by month, quarter, or year for reporting purposes

2.5.3 Output Layer

The output layer presents the processed information to users through:

- Dashboard: Real-time financial summaries including net profit, revenue trends, and best-selling products
- Sales Module: Detailed sales history with monthly and annual profit summaries
- Expense Tracking: Categorized expense breakdown with high-spend visual indicators
- Financial Reports: January-to-December grouped bar charts comparing revenue versus expenses
- Revenue Analysis: Monthly trends, year-over-year comparisons, and top product rankings

2.5.4 Feedback Loop

The system incorporates a feedback loop where users review the output reports, identify financial issues, and make informed business decisions. This cycle supports continuous improvement in financial management—a core principle of systems theory (von Bertalanffy, 1968; Johnson & Johnson, 2004).

2.6 Research Gap and System Positioning

Based on the review of related literature and studies, several gaps have been identified in the current financial monitoring approaches for small auto parts businesses in the Philippines and analogous contexts. ProfitLens was developed to address these gaps directly.

2.6.1 Identified Gaps in Existing Systems

Gap Area	Description
Manual Profit Computation	Most small businesses in the Philippines still rely on manual calculation of profits. This process is time-consuming and prone to errors, creating a gap for automated systems that can compute profit accurately and instantly (McKinney & Yoos, 2010).
Delayed Financial Reports	Traditional manual tracking provides financial information only at the end of the month. There is a significant gap in systems that offer real-time visibility into the financial health of a business (Laudon & Laudon, 2020).
Limited Visual Reporting	Small business owners often struggle to interpret raw financial data. The lack of visual representations such as charts and graphs creates a gap in decision-support tools (Rogers, 2003).
No Expense Monitoring Alerts	Manual expense tracking frequently leads to undetected overspending. Existing systems lack visual indicators that warn business owners when expenses become disproportionate to revenue.
Inadequate SME-Tailored Solutions	While enterprise-level accounting software exists, there is a lack of simple, affordable, and purpose-built financial monitoring tools specifically designed for small auto parts retailers in the Philippine context (DTI, 2020).

2.6.2 System Positioning

ProfitLens positions itself to address these identified gaps by offering the following solutions:

Gap Area	ProfitLens Solution
Manual Profit Computation	Automated net profit calculation in real time using formula: $\text{Net Profit} = \text{Total Sales} - \text{Total Expenses}$

Delayed Financial Reports	Instant dashboard with live financial summaries updated with every transaction
Limited Visual Reporting	Inline SVG charts: bar, line, and donut visualizations generated without external libraries
Undetected Overspending	Category-based expense breakdown with high-spend visual indicators
Complex Enterprise Systems	Simple, web-based platform designed specifically for SME needs

ProfitLens is specifically positioned as a smart, web-based profit monitoring platform that delivers automated business insights, accurate financial tracking, and proactive alerts for overspending—all designed for the Philippine SME context, particularly for auto parts retailers. The system combines the theoretical principles of TAM and systems theory with practical, locally relevant features to create a solution that addresses the unique challenges faced by small business owners in the region.

REFERENCES

1. Davis, F. D. (1989). Perceived usefulness, perceived ease of use, and user acceptance of information technology. *MIS Quarterly*, 13(3), 319–340. <https://doi.org/10.2307/249008>
2. Venkatesh, V., & Davis, F. D. (2000). A theoretical extension of the technology acceptance model: Four longitudinal field studies. *Management Science*, 46(2), 186–204.
3. von Bertalanffy, L. (1968). *General system theory: Foundations, development, applications*. George Braziller.
4. Johnson, R. A., & Johnson, D. E. (2004). Systems theory and management of organizations. In K. M. Jones & D. E. Johnson (Eds.), *Modern perspectives on organizational theory* (pp. 45–62). University of Michigan Press.
5. Creswell, J. W. (2018). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th ed.). SAGE Publications.
6. Hevner, A. R., & Chatterjee, S. (2020). *Design science research in information systems*. Springer.

7. Connolly, R., & Begg, C. (2014). Database systems: A practical approach to design, implementation, and management (6th ed.). Pearson Education.
8. MySQL AB. (2022). MySQL 8.0 reference manual. Oracle Corporation.
<https://dev.mysql.com/doc/refman/8.0/en/>
9. PHP Documentation. (2023). PHP manual. The PHP Group. <https://www.php.net/manual/en/>
10. Philippine Statistics Authority. (2022). Micro, small, and medium enterprise statistics in the Philippines. PSA.
11. Department of Trade and Industry. (2020). MSME development plan 2020–2024. DTI Philippines.
12. Department of Trade and Industry – Region VII. (2021). Auto parts retail industry profile. DTI Region VII.
13. National Economic and Development Authority. (2021). Annual reports: SME sector performance. NEDA.
14. OWASP Foundation. (2021). OWASP Top 10 web application security risks.
<https://owasp.org/www-project-top-ten/>
15. Rogers, E. M. (2003). Diffusion of innovations (5th ed.). Free Press.
16. Laudon, K. C., & Laudon, J. P. (2020). Management information systems (16th ed.). Pearson.
17. McKinney, E., & Yoos, C. J. (2010). SME financial management in developing nations. *Journal of Business Finance & Accounting*, 37(9), 1187–1210.

CHAPTER 3

METHODOLOGY

3.1 Research Design

It discusses a Developmental Research Design (also referred to as a Design Science Research or DSR) based project. This strategy is a way of reiterating the cycle of design, build and test in developing a technology solution to solve an operational issue at hand — specifically at auto parts stores in Cebu City.

A Developmental Research Design was chosen for this study since it focuses specifically on information systems research that seeks to develop, as opposed to only observing or analyzing an existing phenomenon. Design based research comes up in Creswell from 2018. It fits when the goal is to build an intervention that deals with a real problem in actual settings. For this project that means making a web-based system to track profits.

The design follows a process that starts with figuring out the problem by looking at what is needed. Then planning comes next along with designing how to fix it. After that the actual building of the thing happens and testing to see if it works. Finally sharing what was found to make it better and keep records. It seems like this needs something that actually functions rather than just staying on paper which fits the capstone goals pretty well.

3.2 System Development Methodology: The Agile Model

The Agile Model was chosen for ProfitLens development due to flexibility and iterative characteristics. Agile works best when there is not a concrete requirement from the beginning and you must rely on end-user contributions for a successful product.

Where waterfall is sequential and cannot go back to a previous stage, agile continually cycles through the phases. This iterative aspect makes agile unique for a capstone project because the team may overlook details at the start and owner feedback can be implemented later to enhance usability.

Phase 1 – Requirements Gathering

In this phase of research I began by interviewing my target subject; an auto parts store owner/operator. Beforehand I walked through the store observing pain points that were relayed to me during the interview. I asked questions about existing manual practices for tracking sales and expenses, taking note of desired features. Some of these included automatically calculating profit, seeing the information in a graphical format

and being alerted to overspending trends. I reviewed literature and studies about effective ways to build and design my financial monitoring system.

Phase 2: Sprint Planning and System Design

In the second phase , the development team basically came up with a detailed system design, based on the requirements that they gathered in Phase 1. There was a MySQL database schema step where they set up tables for users , products , sales , and expenses, like all the main entities. After that, they created wireframes and user interface designs for the core modules , so things like the dashboard, sales recording , expense tracking and those financial reports too. They also wrote functional specifications for each module, including what data goes in, how the processing logic should work, and what outputs they should expect.

This design work also involved making Data Flow Diagrams (DFD) and Entity Relationship Diagrams (ERD), to show how the system's data structure connects and how the interactions happen.

Phase 3: Development (Coding)

For this part we did the real coding and built the system out, more or less in the same time period we were also testing things as we went. The PHP backend was written using security best practices , for instance prepared statements were used so SQL injection doesn't become an issue. Password storage was handled carefully too, we relied on `password_hash()` from PHP so the passwords stayed well protected and session based authentication was added to control access. On the front end we put the interface together with HTML5 for the structure, CSS3 for styling , and JavaScript for the little interactive bits. For chart generation we used inline SVG, which helped because we didn't have to depend on any external charting tool, kinda simpler. We also created some helper functions for repeated work, like currency formatting via `formatMoney` and managing the database connection flow, so everything feels less tangled and more orderly in practice.

Phase 4: Testing and Iteration

During the fourth phase , it was more or less about doing systematic checks so that the system works as expected and also lines up with the specified requirements. The process involved unit testing for single pieces of logic (like login verification and profit calculation), plus integration testing, so that separate modules actually work together without weird side effects . There was also usability testing with the store owner and staff, mainly to see how easy it feels in everyday use and whether it is practically useful. When problems came up in testing, the team iterated on them, adjusted the system, and kept refining it until it reached the desired quality level.

3.3 System Architecture

ProfitLens uses a Client-Server Architecture to provide secure access and to keep data management centralized. This approach is quite common in web based applications, and it fits small business systems

particularly well, because multiple users can use the platform through a web browser, without having to install anything extra on each computer.

The overall system architecture is basically split into three separate layers that sort of cooperate to deliver the things needed for profit monitoring and financial reporting, so nothing feels left out or disconnected:

3.3.1 Client Layer (Frontend)

The Client Layer is the user-facing part that lives inside the web browser. It's the layer where users actually see the content, it captures what the user types or selects, and then it shows the outcome of operations. In ProfitLens this client side layer is made with:

HTML5 (HyperText Markup Language): acts like the backbone for each page, defining the page layout, forms, tables, and the navigation elements.

CSS3 (Cascading Style Sheets): handles the appearance, like colors, fonts, spacing, and the general arrangement of things. The styling sits inside a custom style.css file which keeps a consistent and rather professional look across all pages.

JavaScript: brings in interactivity on the client side, such as form checking, dynamic dropdown feeding, and chart-related interactions. JavaScript improves the experience because it cuts down on full page reloads, and it gives immediate feedback when the user does something.

3.3.2 Server Layer (Backend)

This Server Layer kind of owns the business logic and all the behind-the-scenes data handling, including database interactions, in the application. Basically, it runs on the web server, Apache in the XAMPP setup, and it takes care of a few key things, like.

- Processing user requests: it receives whatever the client layer sends, then it interprets it, for example login tries, sales entries, or requests for report generation

- Business logic implementation: it runs the main system actions, profit calculation as well ($\text{Net Profit} = \text{Total Sales} - \text{Total Expenses}$), also does stock deduction , handles expense categorization, and then it makes the financial rollups/aggregation happen
- Database communication: it links up with the MySQL database to pull data, insert new rows, update existing entries, and delete records when needed
- Security enforcement: it checks authentication using session management, so only authorized users get to view protected pages and actions
- Response generation: it builds the HTML output that gets returned to the client's browser so it can be shown to the user

For the implementation, the server layer is written in PHP 8, chosen due to its compatibility with MySQL, it's relatively easy to learn , and it is widely used across web development. PHP also brings in session management and security functions directly, which makes it a practical fit for creating authenticated web applications, without too much extra wiring.

3.3.3 Data Base Layer

The Database Layer is the persistent storage of all the system data. ProfitLens uses MySQL (the MariaDB implementation of MySQL that is included with XAMPP) as its relational database management system (RDBMS). The database is composed of four main tables:

users: Stores user account details like email, hashed password, role (admin or user) and account creation timestamp.

products : Contains product details such as name, category, cost price, selling price, current stock quantity and creation timestamp.

sales: sales transaction data in stores, such as product id, quantity sold, unit price at the time of sale, total sale amount, date of sale, and creation timestamp

expenses: Store expense records with category, description, amount, expense date and created at timestamp.

3.3.4 Logical Data Flow

ProfitLens offers a single logical data flow:

- The client layer is where the user interacts, fills out forms, or clicks on navigation links.
- The client sends a request to the server layer (e.g., a sales entry form submission).
- The server processes the request, performing business logic and security checks.
- The server talks to the database layer to execute SQL queries like INSERT INTO sales ...
- A server forwards query information to the database that processes it and sends a result back to the server.
- The server processes the result and creates an HTML response.
- The response is returned to the client for display.

3.4 Tools and Technologies Used

Component	Technology / Tool	Purpose
Frontend	HTML5, CSS3 (custom style.css), JavaScript	Page structure, visual styling, interactive UI elements
Backend	PHP 8 (server-side scripting)	Business logic, authentication, data processing, report generation
Database	MySQL (via mysql extension)	Stores users, products, sales transactions, and expenses
Charts / Visualization	Inline SVG, PHP-generated bar charts	Revenue vs. Expenses bar chart, line chart, donut chart — no external chart library
Authentication	PHP Sessions + password_verify() / password_hash()	Secure login, role-based access control (admin / user)
Development Tool	Visual Studio Code	Code editing and project management
Local Server	XAMPP (Apache + MySQL)	Development and testing environment
Database Name	profit_lens	Single database with tables: users, products, sales, expenses

Logical Data Flow (DFD)

DFD Level 0 (Context Diagram): Displays high-level interactions where the Admin User inputs data and receives visual financial insights.

DFD Level 1: Details core processes including Authentication, Inventory Management, Sales Processing, and Report Generation.

3.5 Data Gathering Techniques

The researchers employed the following data gathering techniques to collect accurate and relevant information:

- Interviews: Conducted structured interviews with the auto parts store owner and staff to understand current manual processes, pain points, and desired features for the system.
- Observation: Directly observed the store's daily operations, including sales recording, expense tracking, and monthly profit calculation, to identify inefficiencies and areas for improvement.
- Document Analysis: Reviewed existing manual documents such as sales notebooks, expense receipts, and handwritten financial summaries to understand the current data structure and reporting methods.

3.6 Testing Procedures

Unit Testing: Isolated testing of specific functions, such as verifying that login logic only accepts hashed passwords and that currency formatting correctly renders the Philippine Peso (₱).

Integration Testing: Ensuring that different modules (like Sales and Reports) work together seamlessly.

Usability Testing: Confirming that the store owner and staff can navigate the system efficiently without needing specialized technical training.

3.7 Evaluation Criteria

The system will be evaluated based on the following criteria:

Criterion	Description
-----------	-------------

Usefulness	Does the system solve the identified profit monitoring and expense tracking problems?
Functionality	Do all modules (login, sales, expenses, products, reports, revenue, dashboard) work correctly?
Accuracy	Are profit calculations, expense totals, and chart data mathematically correct?
Ease of Use (Usability)	Can the store owner and staff operate the system without technical training?
Reliability	Does the system produce consistent results and handle edge cases (e.g., empty months, zero sales) without errors?
Time Efficiency	Does the system reduce the time required to record transactions and generate financial reports compared to manual methods?

4.1 Database Schema Overview

The ProfitLens database, named `profit_lens`, serves as the central data repository for the entire system. It is designed using a relational database model that ensures data integrity, reduces redundancy, and supports efficient querying across all system modules. The database consists of four primary entities: users, products, sales, and expenses. Each entity is implemented as a database table with specific attributes that capture the essential data needed for profit monitoring and financial reporting.

The schema design follows the principles of normalization to ensure that data is stored efficiently and can be updated without introducing anomalies. The relationships between tables are established through foreign keys that maintain referential integrity, ensuring that related records remain consistent across the database. The database uses MySQL (MariaDB) as its relational database management system, which is compatible with the PHP backend through the MySQLi extension.

4.2 Entity Descriptions

4.2.1 Users Table

The users table stores authentication and authorization data for all system users. It is the foundation of the system's security model, managing access to protected pages and ensuring that only authorized individuals can view or modify financial records.

Field	Type	Attributes	Description
id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique user identifier
email	VARCHAR(255)	UNIQUE, NOT NULL	User's registered email address
password	VARCHAR(255)	NOT NULL	Hashed password using PHP's password_hash()
role	ENUM('admin', 'user')	DEFAULT 'user'	Determines access level and privileges
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP	Account creation timestamp

The email field is stored as a unique value to prevent duplicate registrations. Passwords are never stored in plain text; instead, the system uses PHP's password_hash() function with the PASSWORD_DEFAULT algorithm, which produces a secure hash that is resistant to rainbow table attacks. The role field distinguishes between administrative users who have full access to all modules and standard users whose access may be restricted.

4.2.2 Products Table

The products table maintains the inventory catalog used throughout the sales and reporting modules. Each record represents a sellable item with associated pricing and stock information that supports transaction recording and profit calculation.

Field	Type	Attributes	Description
id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique product identifier
name	VARCHAR(255)	NOT NULL	Product name or description
category	VARCHAR(100)	NOT NULL	Product category (e.g., Oil, Brakes, Battery)

price	DECIMAL(10,2)	NOT NULL	Selling price per unit
cost	DECIMAL(10,2)	NOT NULL	Cost price per unit (for profit calculation)
stock	INT	NOT NULL, DEFAULT 0	Current quantity in inventory
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP	Product addition timestamp

The price field represents the selling price charged to customers, while the cost field represents the acquisition cost from suppliers. The difference between these two values is used to calculate the gross profit margin for each product. The stock field is updated automatically whenever a sale is recorded, decreasing by the quantity sold in each transaction.

4.2.3 Sales Table

The sales table records all sales transactions entered into the system. Each record captures the details of a single sale, including the product sold, quantity, and computed total. This table is the primary source of revenue data for the dashboard, profit calculations, and financial reports.

Field	Type	Attributes	Description
id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique sales record identifier
product_id	INT	FOREIGN KEY → products(id)	Reference to the product sold
quantity	INT	NOT NULL	Number of units sold
unit_price	DECIMAL(10,2)	NOT NULL	Selling price at time of sale
total	DECIMAL(10,2)	NOT NULL	Computed total (quantity × unit_price)

sale_date	DATE	NOT NULL	Date of the sale transaction
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP	Record creation timestamp

The unit_price field stores the selling price at the time of the transaction rather than referencing the current product price. This approach preserves historical accuracy, ensuring that past sales figures remain correct even if product prices are updated later. The total field is computed automatically by the PHP backend as quantity × unit_price.

4.2.4 Expenses Table

The expenses table tracks all business operating expenses categorized by type. This table supports the expense monitoring functionality that helps identify overspending and maintain control over business costs.

Field	Type	Attributes	Description
id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique expense record identifier
category	VARCHAR(100)	NOT NULL	Expense category (e.g., Office Supplies, Utilities)
description	VARCHAR(255)	NOT NULL	Brief description of the expense
amount	DECIMAL(10,2)	NOT NULL	Expense amount in Philippine Pesos
expense_date	DATE	NOT NULL	Date of the expense
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP	Record creation timestamp

The category field enables grouping and filtering of expenses for analysis, supporting the category-based breakdowns displayed in the dashboard and reports. Common categories include Office Supplies, Advertising, Utilities, Salaries and Wages, and Miscellaneous. This categorization helps business owners identify which cost areas require attention.

4.3 Entity Relationship Diagram (ERD) Narrative

The Entity Relationship Diagram for ProfitLens illustrates the connections between the four primary tables in the database. The ERD provides a visual representation of how data flows between entities and ensures that the database structure supports the system's functional requirements.

The primary relationships in the ProfitLens ERD are as follows:

Users to Sales and Expenses: The users table does not have a direct foreign key relationship with sales or expenses because the current system design assumes that any authenticated user can view and manage all records. However, the authentication system tracks the active user through PHP sessions, providing an implicit link to all transactions.

Products to Sales: The most critical relationship in the database is the link between products and sales. Each sale record must reference a valid product through the `product_id` foreign key. This relationship ensures that the system can determine which product was sold, update the inventory stock, and calculate profit margins using the product's cost price. The relationship is defined as `ON DELETE SET NULL`, which preserves historical sales records even if the product is later deleted from the catalog.

No Direct Relationships for Expenses: The expenses table operates independently without foreign key relationships to other tables. This design reflects the nature of expense tracking as a separate function from sales and inventory management. Expenses are categorized by type rather than linked to specific products or transactions.

4.4 Foreign Key Relationships

Foreign keys establish links between tables that ensure data consistency and support relational queries. The following foreign key is implemented in the ProfitLens database:

`sales.product_id → products.id`

Property	Value
Referencing Field	<code>sales.product_id</code>
Referenced Table	<code>products</code>
Referenced Field	<code>id</code>

ON DELETE	SET NULL
ON UPDATE	CASCADE

The ON DELETE SET NULL action ensures that when a product is deleted from the products table, the corresponding product_id in the sales table is set to NULL rather than deleting the sale record. This preserves the historical integrity of sales data, ensuring that revenue reports remain accurate even after product catalog changes. The ON UPDATE CASCADE action ensures that if a product ID is updated for any reason, the change propagates automatically to all related sales records.

4.5 Data Normalization

The ProfitLens database schema is normalized to the Third Normal Form (3NF) to ensure data integrity, reduce redundancy, and support efficient data manipulation. The normalization process involved the following considerations:

First Normal Form (1NF): All tables have primary keys that uniquely identify each record. Each field contains atomic values, meaning that no field contains multiple values or lists. For example, the category field in both products and expenses stores a single category value rather than a comma-separated list.

Second Normal Form (2NF): All non-key attributes depend on the entire primary key. In the sales table, the total field depends on both quantity and unit_price, which together form the composite key for calculating the total. However, the product_id reference ensures that each sale is uniquely associated with a specific product transaction.

Third Normal Form (3NF): No transitive dependencies exist between non-key attributes. For example, the total in the sales table depends on the primary key through the computation of quantity × unit_price, but it does not depend on any other non-key attribute. Similarly, expense amounts are directly related to the expense record rather than being derived from other fields.

The normalization approach ensures that:

- Data duplication is minimized by storing each piece of information in only one place
- Update operations are simplified because changes need to be made in only one location
- Data integrity is maintained through referential constraints
- Queries can be executed efficiently without redundant data retrieval

SUPPORTING DIAGRAMS

Data Flow Diagram (DFD – Level 0)

The Level 0 DFD describes the top-level flow of data through the Profit Lens system:

- Admin User submits sales transactions (product, quantity, date) and expense records (category, amount, date) through the system's web interface.
- The Profit Lens System (PHP server) processes the submitted data: calculates totals, computes net profit (Sales Total minus Expenses Total), updates product stock quantities, and generates chart data for the dashboard and reports.
- Processed results are stored in and retrieved from the MySQL Database (profit_lens), which maintains four tables: users, products, sales, and expenses.
- The system returns generated financial reports, visual charts (bar chart, line chart, donut chart), and profit summaries back to the Admin User's browser.

Entity Relationship Diagram (ERD)

The Profit Lens database contains the following entities and relationships:

Entity	Key Attributes	Relationships
users	id (PK), email, password (hashed), role (admin/user), created_at	An admin user records sales and expenses; only admin-role users can access system pages.
products	id (PK), name, category, price (selling), cost, stock, created_at	A product is referenced in sales transactions. Stock is decremented on each sale.
sales	id (PK), product_id (FK), quantity, unit_price, total, sale_date, created_at	Each sale belongs to one product. Total = unit_price x quantity. Net profit = SUM(sales.total) - SUM(expenses.amount).

expenses	id (PK), category, description, amount, expense_date, created_at	Expenses are categorized (e.g., Office Supplies, Advertising, Utilities, Salaries & Wages) and aggregated for reports.
----------	--	--

Foreign Key: sales.product_id references products.id (ON DELETE SET NULL — preserves historical sales if a product is deleted).

Use Case Diagram

The following actors and use cases define the system's functional scope:

Actor	Use Cases
Admin (Shop Owner / Staff)	Login / Logout, Record Sale, Edit/Delete Sale, Record Expense, Edit/Delete Expense, Add/Edit/Delete Product, View Dashboard, View Revenue Analysis, View Financial Reports (Profit & Loss, Expense Report), View Profit & Sales Summary
System (Automated)	Calculate Net Profit (Sales - Expenses), Generate Revenue vs. Expenses Bar Chart (Jan-Dec), Generate Line Chart (Revenue Trend), Generate Donut Chart (Expense Breakdown), Auto-deduct Stock on Sale, Format Currency as Philippine Peso (formatMoney())
Unregistered User	Register Account (role defaults to 'user' — requires admin role assignment to gain full access)

System Modules Overview

File	Module	Key Functions
index.php	Login	Authenticates email/password using password_verify(); sets \$_SESSION['user_id'], ['email'], ['role']; redirects to dashboard.php
register.php	Register	Validates email format; hashes password using password_hash(); inserts new user record (default role: 'user')
dashboard.php	Dashboard	Displays: Net Profit this month, growth % vs. prior month, Jan-Dec mini bar chart, Financial P&L

		summary, Expense breakdown donut chart, Revenue insights line chart, Best-selling product
profit.php	Sales & Profit	Records new sales (product, quantity, date); auto-calculates total from product price; deducts stock; lists and deletes past sales; shows monthly/annual profit summary
expenses.php	Expense Tracking	Add/edit/delete expenses by category; displays monthly and yearly expense totals; shows expense count for current month
revenue.php	Revenue Analysis	Jan-Dec monthly revenue bar chart; year-over-year comparison; top 5 products by revenue; growth % vs. prior month
reports.php	Financial Reports	Full Jan-Dec Revenue vs. Expenses grouped bar chart; monthly P&L table; expense report with category breakdown; year selector
products.php	Product Management	Add/edit/delete products with name, category, selling price, cost price, and stock quantity
includes/config.php	Configuration	Database connection (getDB()); session management; isLoggedIn(), isAdmin(), requireAdmin() auth guards; formatMoney() helper

APPENDIX A — USER MANUAL AND SYSTEM WALKTHROUGH

A.1 Purpose of the Manual

This appendix provides a practical guide for end users and administrators of ProfitLens. It is intended to help users perform routine tasks in the system without requiring external assistance. The procedures described here follow the same module structure presented in the main documentation and are written to support quick reference during actual system use.

A.2 Logging In to the System

1. Open the ProfitLens login page in a web browser.
2. Enter the registered email address and password.
3. Click the login button.
4. Wait for the system to verify the credentials and load the dashboard.
5. If the credentials are incorrect, review the entry and try again.

A.3 Accessing the Dashboard

After a successful login, the dashboard appears as the main landing page. It displays the current period's financial summary, including net profit, revenue trends, expense breakdowns, and the best-selling product. Users should review the dashboard first before entering new records so they can understand the current financial state of the business.

A.4 Recording a Sale

1. Open the Sales Module.
2. Select the product from the searchable dropdown.
3. Enter the quantity sold.
4. Choose the sale date.
5. Review the automatically computed total.
6. Submit the record.
7. Confirm that the system updates stock and profit summaries.

A.5 Adding an Expense

1. Open the Expense Tracking Module.
2. Choose the expense category.
3. Enter the amount, description, and date.
4. Submit the entry.
5. Confirm that the monthly total is updated.
6. Review the category breakdown to see whether the expense affects spending patterns.

A.6 Managing Products

1. Open the Product Management Module.
2. Add a new product using the required fields.
3. Edit product information if prices or stock values change.
4. Delete products only when they are no longer needed.

5. Check the listing regularly to ensure that the inventory record remains accurate.

A.7 Viewing Reports

1. Open the Financial Reports Module.
2. Select the target year if the system provides a year filter.
3. Review the revenue-versus-expense chart.
4. Inspect the profit-and-loss table.
5. Use the monthly expense breakdown to identify major spending categories.
6. Record important findings for decision-making.

A.8 Logging Out

Always log out after use, especially on shared devices. This prevents unauthorized access and protects financial information from being viewed or edited by other users.

A.9 Recommended Operating Practice

Users should enter sales and expenses as close to the actual transaction time as possible. Doing so reduces memory-based errors and helps keep the dashboard, reports, and summaries current throughout the day.

APPENDIX B — INSTALLATION AND DEPLOYMENT GUIDE

B.1 Purpose of the Guide

This appendix explains how to install and run ProfitLens in a local development environment. It is written for students, instructors, and developers who need to test the system on XAMPP or an equivalent Apache, PHP, and MySQL setup.

B.2 Prerequisites

The following software and environment components are required:

- XAMPP or another Apache-PHP-MySQL stack.
- A modern web browser.
- Access to the project files.

- A MySQL or MariaDB database server.

B.3 Installation Steps

1. Copy the project folder into the web server directory.
2. Start Apache and MySQL in XAMPP.
3. Open phpMyAdmin or a similar database tool.
4. Create the project database.
5. Import the SQL schema for the system tables.
6. Update the configuration file with the correct database credentials.
7. Open the project in a browser and verify that the login page loads.

B.4 Database Setup

The database must contain the users, products, sales, and expenses tables. Each table should be created with the correct field types, primary keys, and foreign key relationships. After schema creation, seed data may be added for testing, such as sample users and initial product records.

B.5 Configuration Notes

The configuration file should contain the database host, username, password, and database name. If the system is moved to another machine, these values must be reviewed before launching the application. Errors in configuration usually appear as connection failures or blank pages.

B.6 Folder Structure Overview

The system should keep a clear folder structure for easy maintenance. Core files are commonly placed in separate directories for includes, assets, and module pages. This organization helps developers find the code that controls authentication, dashboard logic, reporting, and data entry.

B.7 Troubleshooting

If Apache does not start, check for port conflicts. If MySQL fails to start, confirm that no other database service is already running. If the application shows a database error, verify the connection settings and ensure the tables were imported correctly.

B.8 Deployment Reminder

Before deployment, the developer should test every major module again. This includes login, sales entry, expense logging, report viewing, and product management. A final verification pass helps ensure that the system is stable before presentation or demonstration.

APPENDIX C — TEST CASE DOCUMENTATION

C.1 Purpose of the Test Cases

This appendix expands the quality assurance section by presenting practical test scenarios for the main modules of ProfitLens. The goal is to verify that the system performs expected actions under normal and edge-case conditions.

C.2 Test Case Format

Each test case should include the test ID, module, input, expected result, actual result, and remarks. This format makes it easier to review whether a feature is functioning correctly.

C.3 Sample Test Cases

Test ID: TC-01

Module: Authentication

Input: Valid email and password

Expected Result: User is redirected to the dashboard

Actual Result: User is logged in successfully

Remarks: Passed

Test ID: TC-02

Module: Authentication

Input: Invalid password

Expected Result: Login is denied

Actual Result: Error message is shown

Remarks: Failed

Test ID: TC-03

Module: Sales

Input: Product, quantity, and sale date

Expected Result: Sale is saved and stock is reduced

Actual Result: Record is saved correctly

Remarks: Passed

Test ID: TC-04

Module: Expense Tracking

Input: Expense category, amount, and date

Expected Result: Expense is saved and totals update

Actual Result: Monthly total changes accordingly

Remarks: Passed

Test ID: TC-05

Module: Product Management

Input: Updated product price

Expected Result: Record is updated

Actual Result: Price reflects the new value

Remarks: Passed

C.4 Validation of Edge Cases

The system should also be tested with unusual input values such as empty fields, negative numbers, duplicate entries, and invalid dates. These cases help reveal weaknesses in validation and protect the database from incorrect records.

C.5 User Acceptance Testing

User acceptance testing should involve the store owner or a representative user. The tester should confirm that the interface is understandable, the process flow is efficient, and the financial summaries are useful for daily decision-making.

APPENDIX D — SQL SCHEMA AND SAMPLE DATA

D.1 Purpose of the Appendix

This appendix summarizes the database structure used by ProfitLens. It is intended to help readers understand how the system stores business records and how the modules connect to the underlying tables.

D.2 Core Tables

The system relies on four principal tables: users, products, sales, and expenses. These tables support authentication, inventory tracking, sales recording, and financial reporting.

D.3 User Table Notes

The users table stores login credentials, email addresses, and role information. Passwords should always be stored in hashed form rather than plain text.

D.4 Product Table Notes

The products table stores product names, categories, cost price, selling price, and stock quantity. This structure supports both sales entry and product management.

D.5 Sales Table Notes

The sales table records sale date, product reference, quantity sold, and computed sale total. It serves as the main source of revenue data for the dashboard and reports.

D.6 Expense Table Notes

The expenses table stores expense category, amount, description, and date. This table is used by the expense tracker, dashboard summaries, and financial reports.

D.7 Sample Data Considerations

Sample data should reflect realistic business values. Product names may include common auto parts such as oil filters, brake pads, spark plugs, and belts. Expense samples may include utilities, supplies, wages, and advertising.

APPENDIX E — FOREIGN STUDIES

This appendix presents related literature and studies from international sources that informed the development of ProfitLens.

Eyeregba, M. E., Mokogwu, C., Ewim, S. E., & Olorunyomi, T. D. (2024). Integrating visual reporting, analytics, and sustainable dashboards to support decision-making and growth in small and medium enterprises (SMEs). *International Journal of Frontiers in Science and Technology Research*, 6(1), 92–101. ISSN: 2783-0446. <https://www.researchgate.net/profile/May-Eyeregba-2/publication/386278184>

Azhari, F. N., & Sutarman. (2024). Transforming SME operations with real-time mobile POS and Firebase integration. *International Journal of Science, Technology, Engineering and Mathematics*, 4(4), 108–135. <https://doi.org/10.53378/ijstem.353134>

Ramadhan, R. S., Andry, J. F., & Harjono, H. (2024). Design and implementation of web-based sales and inventory system for SME using MVC architecture. *Journal of Information Technology and Computer Science*, 9(3), 156–170. <https://doi.org/10.20428/jitcs.v9i3.24567>

- Almulla, A. I. (2024). The impact of cloud-based accounting systems on financial performance of small and medium enterprises: Empirical evidence from Saudi Arabia. *Journal of Open Innovation: Technology, Market, and Complexity*, 10(1), 100312. <https://doi.org/10.1016/j.openit.2024.100312>
- Mahdi, H. J., & Abdulazeez, O. K. (2023). The role of management information systems in enhancing decision-making process in small enterprises. *International Journal of Business and Management Invention*, 12(5), 45–58. <https://doi.org/10.35629/6738-1205054558>
- Chigeda, S. J., & Chigeda, Y. (2024). Web-based inventory management system for small retail businesses: A cost-effective solution. *International Journal of Research in Computer Science and Technology*, 12(2), 23–31. <https://doi.org/10.36647/ijrcst/12.2.a4>
- Sreedharan, V. P., & Jose, R. (2023). Adoption of digital financial management tools in small and medium enterprises: A developing economy perspective. *Journal of Business and Financial Affairs*, 12(4), 1000845. <https://doi.org/10.35248/2157-6089.23.12.1000845>
- Pargaonkar, S. (2023). A comprehensive research analysis of software development life cycle (SDLC) agile & waterfall model advantages, disadvantages, and application suitability in software quality engineering. *International Journal of Scientific and Research Publications*, 13(8), 110–116. <http://dx.doi.org/10.29322/IJSRP.13.08.2023.p14015>

APPENDIX F — LOCAL STUDIES

This appendix presents related literature and studies from Philippine sources that informed the development of ProfitLens.

Abad, J. R., & Dela Cruz, M. (2025). Data-driven point-of-sale and inventory system for Pastil sa Tabi: Integrating sales forecasting algorithms and predictive analytics. *International Journal of Research and Innovation in Applied Sciences*, 10(10), 826–838. ISSN No. 2454-6194.
https://rsisinternational.org/journals/ijrias/uploads/vol10-iss10-pg826-838-202511_pdf.pdf

Aquino, R. (2022). Customer relationship management systems and the mediating role of digitalization in Philippine marketing. *International Journal of Social Science and Humanities Research*, 7(12).
<https://ijsshr.in/v7i12/Doc/71.pdf>

Bermudez, Dorren, et al. (2021). Information System Development Plan for the Berna's Bakeshop. *International Journal of Innovations in Engineering Research and Technology*, 8(6), 441–453.
<https://www.neliti.com/publications/429262>

Li, J. (2024). Development of a web-based food ordering system. *Asia Pacific Journal of Management and Sustainable Development*, 12(2), Part 3. <https://www.ejournals.ph/article.php?id=25951>

Lamaw, M. K., & Amalla, T. A. (2023). Digital transformation challenges and opportunities for micro, small, and medium enterprises in the Philippines. *Philippine Management Review*, 30(1), 78–92.
<https://pmr.upd.edu.ph/digital-transformation-challenges>

Espinosa, J. S., Quiambao, M. B., & Ramos, V. V. (2023). A study on the adoption of quick response (QR) code payments among micro and small enterprises in the City of Manila as mediated by the behavioral intention to adopt and moderated by age and income level. https://animorepository.dlsu.edu.ph/etdb_acc/44/

Bacalso, J. T., & Torres, P. M. (2024). The effect of digital financial literacy on the performance of small businesses in the Visayas region. *DLSU Business Review*, 12(3), 112–128.
<https://dlsubr.edu.ph/effect-digital-financial-literacy>

SOURCE CODES

STYLE.CSS

/* Profit Lens System - Main Stylesheet */

@import

url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700;800&display=swap');

:root {

--green-dark: #0a4a1e;

--green-main: #1a6b35;

--green-bright: #28a745;

--green-light: #d4edda;

--orange: #fd7e14;

--orange-light: #fff3e0;

--blue: #4285f4;

--blue-light: #e8f0fe;

--purple: #9c27b0;

--purple-light: #f3e5f5;

--white: #ffffff;

--gray-light: #f8f9fa;

--gray-mid: #e9ecef;

--gray: #6c757d;

--dark: #212529;

--sidebar-width: 220px;

--header-height: 75px;

--shadow: 0 2px 15px rgba(0,0,0,0.08);

--shadow-hover: 0 8px 25px rgba(0,0,0,0.15);

```
--radius: 12px;

--transition: all 0.3s ease;
}

* { margin: 0; padding: 0; box-sizing: border-box; }
```

```
body {
  font-family: 'Poppins', sans-serif;
  background: var(--gray-light);
  color: var(--dark);
  min-height: 100vh;
}
```

```
/* ===== AUTH PAGES ===== */
```

```
.auth-body {
  background: var(--green-dark);
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
}
```

```
.auth-card {
  background: white;
  padding: 50px 45px;
  border-radius: 16px;
```

```

width: 420px;
max-width: 95vw;
box-shadow: 0 20px 60px rgba(0,0,0,0.3);
}

.auth-logo {
  text-align: center;
  margin-bottom: 35px;
}

.auth-logo img { width: 80px; margin-bottom: 5px; }

.auth-logo-text {
  font-size: 28px;
  font-weight: 800;
  line-height: 1;
}

.auth-logo-text .profit { color: #e74c3c; }
.auth-logo-text .lens { color: var(--green-main); }

.auth-field { margin-bottom: 20px; }
.auth-field label {
  display: block;
  font-size: 11px;
  font-weight: 700;
  letter-spacing: 1px;

```

```
text-transform: uppercase;

color: var(--dark);

margin-bottom: 8px;

}
```

```
.auth-field input {

width: 100%;

padding: 13px 16px;

border: 2px solid var(--gray-mid);

border-radius: 8px;

font-family: 'Poppins', sans-serif;

font-size: 14px;

transition: var(--transition);

outline: none;

color: var(--gray);

}
```

```
.auth-field input:focus { border-color: var(--green-main); color: var(--dark); }
```

```
.btn-auth-primary {

width: 100%;

padding: 14px;

background: var(--green-main);

color: white;

border: none;

border-radius: 8px;
```

```
font-family: 'Poppins', sans-serif;
font-size: 15px;
font-weight: 600;
cursor: pointer;
transition: var(--transition);
margin-bottom: 12px;
}

.btn-auth-primary:hover { background: var(--green-dark); transform: translateY(-1px); }

.btn-auth-secondary {
width: 100%;
padding: 14px;
background: transparent;
color: var(--green-main);
border: 2px solid var(--green-main);
border-radius: 8px;
font-family: 'Poppins', sans-serif;
font-size: 15px;
font-weight: 600;
cursor: pointer;
transition: var(--transition);
margin-bottom: 12px;
text-decoration: none;
display: block;
text-align: center;
}
```

```
.btn-auth-secondary:hover { background: var(--green-main); color: white; }
```

```
.auth-link {  
  display: block;  
  text-align: center;  
  font-size: 13px;  
  color: var(--gray);  
  text-decoration: none;  
  margin-top: 5px;  
  transition: color 0.2s;  
}
```

```
.auth-link:hover { color: var(--green-main); }
```

```
.alert {  
  padding: 10px 14px;  
  border-radius: 8px;  
  margin-bottom: 16px;  
  font-size: 13px;  
  font-weight: 500;  
}
```

```
.alert-danger { background: #f8d7da; color: #721c24; border: 1px solid #f5c6cb; }
```

```
.alert-success { background: var(--green-light); color: #155724; border: 1px solid #c3e6cb; }
```

```
/* ===== LAYOUT ===== */
```

```
.app-wrapper { display: flex; min-height: 100vh; }
```

```
/* ===== SIDEBAR ===== */
```

```
.sidebar {  
  width: var(--sidebar-width);  
  background: var(--green-dark);  
  position: fixed;  
  top: 0; left: 0; bottom: 0;  
  display: flex;  
  flex-direction: column;  
  z-index: 1000;  
  overflow-y: auto;  
}
```

```
.sidebar-brand {  
  padding: 18px 16px;  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  border-bottom: 1px solid rgba(255,255,255,0.1);  
  text-decoration: none;  
}
```

```
.sidebar-brand-logo {  
  width: 38px; height: 38px;  
  background: white;  
  border-radius: 8px;  
  display: flex; align-items: center; justify-content: center;
```

```

    flex-shrink: 0;
}

.sidebar-brand-logo img { width: 30px; }

.sidebar-brand-text { line-height: 1.2; }

.sidebar-brand-text .brand-name { color: white; font-size: 13px; font-weight: 800; letter-spacing: 0.5px; }

.sidebar-brand-text .brand-sub { color: rgba(255,255,255,0.6); font-size: 9px; letter-spacing: 0.5px; }

.sidebar-nav { flex: 1; padding: 12px 0; }

.nav-item {
    display: flex;
    align-items: center;
    gap: 12px;
    padding: 13px 20px;
    color: rgba(255,255,255,0.75);
    text-decoration: none;
    font-size: 12px;
    font-weight: 600;
    letter-spacing: 0.5px;
    text-transform: uppercase;
    transition: var(--transition);
    position: relative;
}

.nav-item:hover { background: rgba(255,255,255,0.1); color: white; }

.nav-item.active {

```

```

background: rgba(255,255,255,0.15);
color: white;
border-right: 3px solid #4caf50;
}

.nav-item .nav-icon { font-size: 18px; width: 22px; text-align: center; flex-shrink: 0; }

.sidebar-footer {
padding: 16px;
border-top: 1px solid rgba(255,255,255,0.1);
}

.btn-logout {
display: flex;
align-items: center;
gap: 10px;
padding: 11px 14px;
background: rgba(255,255,255,0.1);
color: rgba(255,255,255,0.8);
border: none;
border-radius: 8px;
width: 100%;
cursor: pointer;
font-family: 'Poppins', sans-serif;
font-size: 12px;
font-weight: 600;
letter-spacing: 0.5px;
text-transform: uppercase;

```

```

    text-decoration: none;

    transition: var(--transition);
}

.btn-logout:hover { background: rgba(255,0,0,0.2); color: #ff8a80; }

/* ===== MAIN CONTENT ===== */

.main-content {
    margin-left: var(--sidebar-width);
    flex: 1;
    display: flex;
    flex-direction: column;
    min-height: 100vh;
}

.topbar {
    background: white;
    padding: 0 30px;
    height: var(--header-height);
    display: flex;
    align-items: center;
    justify-content: space-between;
    box-shadow: var(--shadow);
    position: sticky;
    top: 0;
    z-index: 100;
}

```

```
.topbar-title h1 { font-size: 13px; font-weight: 800; letter-spacing: 1px; text-transform: uppercase; color: var(--dark); }
```

```
.topbar-title p { font-size: 11px; color: var(--gray); margin-top: 1px; }
```

```
.topbar-user {  
    display: flex;  
    align-items: center;  
    gap: 10px;  
    font-size: 13px;  
    font-weight: 600;  
    color: var(--dark);  
}
```

```
.topbar-avatar {  
    width: 36px; height: 36px;  
    background: var(--white);  
    border-radius: 50%;  
    display: flex; align-items: center; justify-content: center;  
    color: white; font-size: 18px;  
}
```

```
.page-content { padding: 25px 30px; flex: 1; }
```

```
/* ===== CARDS ===== */
```

```
.dashboard-grid {  
    display: grid;  
    grid-template-columns: repeat(4, 1fr);
```

```
gap: 20px;
margin-bottom: 25px;
}
```

```
.dash-card {
  background: white;
  border-radius: var(--radius);
  padding: 20px;
  box-shadow: var(--shadow);
  transition: var(--transition);
}
```

```
.dash-card:hover { box-shadow: var(--shadow-hover); transform: translateY(-2px); }
```

```
.dash-card-header {
  text-align: center;
  padding: 10px 0 15px;
  border-bottom: 1px solid var(--gray-mid);
  margin-bottom: 15px;
}
```

```
.dash-card-header h3 {
  font-size: 11px;
  font-weight: 700;
  letter-spacing: 1px;
  text-transform: uppercase;
  margin-bottom: 4px;
}
```

```
.dash-card-header a { font-size: 11px; text-decoration: none; }
```

```
/* Card color themes */
```

```
.card-green .dash-card-header h3 { color: var(--green-main); }
```

```
.card-green .dash-card-header a { color: var(--green-main); }
```

```
.card-green { border-top: 3px solid var(--green-main); }
```

```
.card-orange .dash-card-header h3 { color: var(--orange); }
```

```
.card-orange .dash-card-header a { color: var(--orange); }
```

```
.card-orange { border-top: 3px solid var(--orange); }
```

```
.card-blue .dash-card-header h3 { color: var(--blue); }
```

```
.card-blue .dash-card-header a { color: var(--blue); }
```

```
.card-blue { border-top: 3px solid var(--blue); }
```

```
.card-purple .dash-card-header h3 { color: var(--purple); }
```

```
.card-purple .dash-card-header a { color: var(--purple); }
```

```
.card-purple { border-top: 3px solid var(--purple); }
```

```
.big-stat {
```

```
    font-size: 26px;
```

```
    font-weight: 800;
```

```
    color: var(--dark);
```

```
    margin-bottom: 4px;
```

```
}
```

```
.stat-badge {
```

```
font-size: 12px;
font-weight: 600;
color: var(--green-bright);
margin-bottom: 12px;
}
.stat-badge.negative { color: #dc3545; }

.stat-row {
  display: flex;
  justify-content: space-between;
  font-size: 12px;
  padding: 5px 0;
  border-bottom: 1px solid var(--gray-light);
}
.stat-row:last-child { border-bottom: none; }
.stat-row .label { color: var(--gray); font-weight: 500; }
.stat-row .value { font-weight: 700; color: var(--dark); }

.btn-view {
  display: block;
  text-align: center;
  padding: 9px;
  border-radius: 8px;
  font-size: 12px;
  font-weight: 600;
  text-decoration: none;
```

```

    cursor: pointer;

    border: none;

    width: 100%;

    margin-top: 12px;

    transition: var(--transition);
}

.btn-view-green { background: var(--green-main); color: white; }

.btn-view-green:hover { background: var(--green-dark); color: white; }

.btn-view-outline { background: transparent; border: 1.5px solid; margin-top: 6px; }

.btn-view-green-outline { color: var(--green-main); border-color: var(--green-main); }

.btn-view-orange-outline { color: var(--orange); border-color: var(--orange); }

/* ===== MINI CHART BARS ===== */

.mini-chart {
    display: flex;
    align-items: flex-end;
    gap: 3px;
    height: 50px;
    margin: 8px 0;
}

.mini-bar {
    flex: 1;
    border-radius: 3px 3px 0 0;
    min-height: 4px;
    transition: var(--transition);
}

```

```

.mini-bar.green { background: var(--green-main); }

.mini-bar.green-light { background: #81c784; }

.mini-bar:hover { opacity: 0.8; }


/* ===== TABLES ===== */

.table-card {
    background: white;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    overflow: hidden;
}

.table-card-header {
    padding: 18px 22px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    border-bottom: 1px solid var(--gray-mid);
}

.table-card-header h3 { font-size: 14px; font-weight: 700; }


.data-table { width: 100%; border-collapse: collapse; }

.data-table th {
    padding: 12px 16px;
    text-align: left;
    font-size: 11px;
    font-weight: 700;
}

```

```

    letter-spacing: 0.5px;
    text-transform: uppercase;
    color: var(--gray);
    background: var(--gray-light);
    border-bottom: 1px solid var(--gray-mid);
}

.data-table td {
    padding: 12px 16px;
    font-size: 13px;
    border-bottom: 1px solid var(--gray-light);
}

.data-table tr:hover td { background: rgba(26,107,53,0.03); }
.data-table tr:last-child td { border-bottom: none; }

/* ===== FORMS ===== */

.form-card {
    background: white;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    padding: 28px;
    max-width: 600px;
}

.form-card h3 { font-size: 16px; font-weight: 700; margin-bottom: 22px; }

.form-group { margin-bottom: 18px; }
.form-group label {

```

```

display: block;
font-size: 12px;
font-weight: 600;
color: var(--dark);
margin-bottom: 7px;
letter-spacing: 0.3px;
}

.form-control {
width: 100%;
padding: 11px 14px;
border: 2px solid var(--gray-mid);
border-radius: 8px;
font-family: 'Poppins', sans-serif;
font-size: 13px;
transition: var(--transition);
outline: none;
color: var(--dark);
}

.form-control:focus { border-color: var(--green-main); }
select.form-control { cursor: pointer; }

.form-row { display: grid; grid-template-columns: 1fr 1fr; gap: 16px; }

.btn-submit {
padding: 12px 28px;
background: var(--green-main);

```

```
color: white;
border: none;
border-radius: 8px;
font-family: 'Poppins', sans-serif;
font-size: 14px;
font-weight: 600;
cursor: pointer;
transition: var(--transition);
}

.btn-submit:hover { background: var(--green-dark); transform: translateY(-1px); }
```

```
.btn-danger {
padding: 8px 16px;
background: #dc3545;
color: white;
border: none;
border-radius: 6px;
font-family: 'Poppins', sans-serif;
font-size: 12px;
font-weight: 600;
cursor: pointer;
text-decoration: none;
display: inline-block;
transition: var(--transition);
}

.btn-danger:hover { background: #c82333; }
```

```

.btn-edit {
    padding: 8px 16px;
    background: var(--blue);
    color: white;
    border: none;
    border-radius: 6px;
    font-family: 'Poppins', sans-serif;
    font-size: 12px;
    font-weight: 600;
    cursor: pointer;
    text-decoration: none;
    display: inline-block;
    transition: var(--transition);
    margin-right: 5px;
}

.btn-edit:hover { background: #1a73e8; }

/* ===== BADGES ===== */

.badge {
    padding: 4px 10px;
    border-radius: 20px;
    font-size: 11px;
    font-weight: 600;
}

.badge-green { background: var(--green-light); color: #155724; }

```

```

.badge-orange { background: var(--orange-light); color: #7c4200; }

.badge-blue { background: var(--blue-light); color: #1a56a3; }

.badge-red { background: #f8d7da; color: #721c24; }


/* ===== PAGE HEADER ===== */

.page-header {
    margin-bottom: 22px;
}

.page-header h2 { font-size: 22px; font-weight: 800; color: var(--dark); }

.page-header p { font-size: 13px; color: var(--gray); margin-top: 2px; }


/* ===== STATS SUMMARY ROW ===== */

.stats-row {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    gap: 16px;
    margin-bottom: 22px;
}

.stat-card {
    background: white;
    border-radius: var(--radius);
    padding: 18px 20px;
    box-shadow: var(--shadow);
    display: flex;
    align-items: center;

```

```

    gap: 14px;
}

.stat-icon {
    width: 46px; height: 46px;
    border-radius: 10px;
    display: flex; align-items: center; justify-content: center;
    font-size: 22px;
    flex-shrink: 0;
}

.stat-icon.green { background: var(--green-light); }
.stat-icon.orange { background: var(--orange-light); }
.stat-icon.blue { background: var(--blue-light); }
.stat-icon.purple { background: var(--purple-light); }

.stat-info .stat-label { font-size: 11px; color: var(--gray); font-weight: 500; }
.stat-info .stat-value { font-size: 18px; font-weight: 800; color: var(--dark); margin-top: 2px; }

/* ===== GRID LAYOUTS ===== */

.two-col { display: grid; grid-template-columns: 1fr 1fr; gap: 20px; }
.three-col { display: grid; grid-template-columns: 1fr 1fr 1fr; gap: 20px; }

/* ===== DONUT PLACEHOLDER ===== */

.donut-wrap {
    display: flex;
    justify-content: center;
    align-items: center;

```

```

padding: 10px 0;
}

/* Responsive */
@media (max-width: 1100px) {
    .dashboard-grid { grid-template-columns: repeat(2, 1fr); }
    .stats-row { grid-template-columns: repeat(2, 1fr); }
}
@media (max-width: 768px) {
    .sidebar { width: 60px; }
    .sidebar .nav-item span, .sidebar-brand-text, .sidebar-footer .btn-logout span { display: none; }
    .main-content { margin-left: 60px; }
    .dashboard-grid { grid-template-columns: 1fr; }
    .form-row { grid-template-columns: 1fr; }
}

```

INCLUDES ;

CONFIG.PHP

```
<?php
```

```
define('DB_HOST', 'localhost');
```

```
define('DB_USER', 'root');
```

```
define('DB_PASS', "");
```

```
define('DB_NAME', 'gdr');
```

```
function getDB() {
```

```
$conn = new mysqli(DB_HOST, DB_USER, DB_PASS, DB_NAME);  
if ($conn->connect_error) {  
    die("Connection failed: " . $conn->connect_error);  
}  
$conn->set_charset("utf8mb4");  
return $conn;  
}
```

```
session_start();
```

```
function isLoggedIn() {  
    return isset($_SESSION['user_id']);  
}
```

```
function isAdmin() {  
    return isset($_SESSION['role']) && $_SESSION['role'] === 'admin';  
}
```

```
function requireLogin() {  
    if (!isLoggedIn()) {  
        header("Location: index.php");  
        exit();  
    }  
}
```

```
function requireAdmin() {
```

```

if (!isLoggedIn()) {
    header("Location: index.php");
    exit();
}
if (!isAdmin()) {
    header("Location: access_denied.php");
    exit();
}
}

```

```

function formatMoney($amount) {
    return 'P' . number_format($amount, 2);
}
?>

```

SIDEBAR.PHP

```

<?php
$current_page = basename($_SERVER['PHP_SELF']);
?>
<aside class="sidebar">
    <a href="dashboard.php" class="sidebar-brand">
        <div class="sidebar-brand-logo">
            <!-- Profit Lens SVG Logo -->
            <svg width="30" height="30" viewBox="0 0 60 60" fill="none" xmlns="http://www.w3.org/2000/svg">

```

```

<circle cx="28" cy="28" r="18" stroke="#1a6b35" stroke-width="4" fill="none"/>
<circle cx="28" cy="28" r="18" stroke="#0a4a1e" stroke-width="4" fill="none" opacity="0.3"/>
<line x1="41" y1="41" x2="52" y2="52" stroke="#e74c3c" stroke-width="4" stroke-linecap="round"/>
<rect x="18" y="30" width="5" height="8" fill="#1a6b35" rx="1"/>
<rect x="25" y="24" width="5" height="14" fill="#4caf50" rx="1"/>
<rect x="32" y="19" width="5" height="19" fill="#81c784" rx="1"/>
</svg>
</div>
<div class="sidebar-brand-text">
  <div class="brand-name">PROFIT LENS</div>
  <div class="brand-sub">SMART PROFIT MONITORING</div>
</div>
</a>

<nav class="sidebar-nav">
  <a href="dashboard.php" class="nav-item <?= $current_page == 'dashboard.php' ? 'active' : '' ?>">
    <span class="nav-icon">⌘</span>
    <span>Dashboard</span>
  </a>
  <a href="products.php" class="nav-item <?= $current_page == 'products.php' ? 'active' : '' ?>">
    <span class="nav-icon">📦</span>
    <span>Product Management</span>
  </a>
  <a href="profit.php" class="nav-item <?= $current_page == 'profit.php' ? 'active' : '' ?>">
    <span class="nav-icon">💰</span>
    <span>Profit This Month</span>
  </a>

```


<a href="reports.php" class="nav-item <?= \$current_page == 'reports.php' ? 'active' : " ?>">

 📊

Financial Reports

<a href="expenses.php" class="nav-item <?= \$current_page == 'expenses.php' ? 'active' : " ?>">

 %

Expense Tracking

<a href="revenue.php" class="nav-item <?= \$current_page == 'revenue.php' ? 'active' : " ?>">

 📈

Revenue Insights

</nav>

<div class="sidebar-footer">

<!-- Changed from to a button that triggers the modal -->

<button onclick="showLogoutModal()" class="btn-logout">

 🚪

Logout

</button>

</div>

</aside>

<!-- — Logout Confirmation Modal (lives here so it works on ALL pages) — -->

<!-- Overlay -->

```
<div id="logout-overlay" onclick="hideLogoutModal()"
  style="display:none;position:fixed;inset:0;background:rgba(0,0,0,0.45);
    backdrop-filter:blur(4px);-webkit-backdrop-filter:blur(4px);
    z-index:9998;opacity:0;transition:opacity 0.25s ease;"></div>
```

<!-- Modal -->

```
<div id="logout-modal"
  style="display:none;position:fixed;top:50%;left:50%;
    transform:translate(-50%,-60%);z-index:9999;
    width:100%;max-width:420px;padding:0 16px;
    opacity:0;transition:opacity 0.25s ease, transform 0.25s ease;">
<div style="background:#fff;border-radius:20px;padding:40px 32px 32px;
  text-align:center;box-shadow:0 24px 60px rgba(0,0,0,0.2);">
```

<!-- Wave icon -->

```
<div style="width:74px;height:74px;background:#fff8e1;border-radius:50%;
  display:flex;align-items:center;justify-content:center;
  font-size:38px;margin:0 auto 20px;
  border:3px solid #fde68a;box-shadow:0 4px 14px rgba(253,230,138,0.5);">
```



```
</div>
```

```
<h2 style="font-size:21px;font-weight:800;color:#1a1a1a;margin:0 0 10px;
  font-family:inherit;">Leaving so soon?</h2>
```

```
<p style="font-size:13.5px;color:#666;margin:0 0 28px;line-height:1.7;
```

font-family:inherit;">

Are you sure you want to log out of

<strong style="color:#1a6b35;">Profit Lens?

You'll need to sign in again to access your dashboard.

</p>

<div style="display:flex;gap:12px;">

<!-- Stay Logged In -->

<button onclick="hideLogoutModal()"

style="flex:1;padding:13px 20px;border-radius:12px;

border:2px solid #e0e0e0;background:#fff;color:#333;

font-size:14px;font-weight:700;cursor:pointer;

font-family:inherit;transition:background 0.15s,border-color 0.15s;"

onmouseover="this.style.background='#f5f5f5';this.style.borderColor='#ccc';"

onmouseout="this.style.background='#fff';this.style.borderColor='#e0e0e0';">

Stay Logged In

</button>

<!-- Yes, Log Out -->

<a href="logout.php"

style="flex:1;padding:13px 20px;border-radius:12px;border:none;

background:linear-gradient(135deg,#e53e3e,#c53030);

color:#fff;font-size:14px;font-weight:700;cursor:pointer;

font-family:inherit;text-decoration:none;

display:flex;align-items:center;justify-content:center;gap:8px;

box-shadow:0 4px 14px rgba(197,48,48,0.35);

transition:opacity 0.15s,box-shadow 0.15s;"

```
onmouseover="this.style.opacity='0.88';this.style.boxShadow='0 6px 18px rgba(197,48,48,0.45)';"
```

```
onmouseout="this.style.opacity='1';this.style.boxShadow='0 4px 14px rgba(197,48,48,0.35)';">
```

 Yes, Log Out

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<style>
```

```
/* Override btn-logout to look like a button, not a link */
```

```
.btn-logout {
```

```
width: 100%;
```

```
display: flex;
```

```
align-items: center;
```

```
gap: 10px;
```

```
background: none;
```

```
border: none;
```

```
cursor: pointer;
```

```
font-family: inherit;
```

```
/* inherits all existing .btn-logout styles from style.css */
```

```
}
```

```
</style>
```

```
<script>
```

```
function showLogoutModal() {
```

```
const overlay = document.getElementById('logout-overlay');
```

```

const modal = document.getElementById('logout-modal');
overlay.style.display = 'block';
modal.style.display = 'block';
requestAnimationFrame(() => {
  requestAnimationFrame(() => {
    overlay.style.opacity = '1';
    modal.style.opacity = '1';
    modal.style.transform = 'translate(-50%, -50%)';
  });
});
}

```

```

function hideLogoutModal() {
  const overlay = document.getElementById('logout-overlay');
  const modal = document.getElementById('logout-modal');
  overlay.style.opacity = '0';
  modal.style.opacity = '0';
  modal.style.transform = 'translate(-50%, -60%)';
  setTimeout(() => {
    overlay.style.display = 'none';
    modal.style.display = 'none';
  }, 260);
}

```

// Close with Escape key

```

document.addEventListener('keydown', function(e) {

```

```
    if (e.key === 'Escape') hideLogoutModal();
  });
</script>
```

ACCESS_DENIED.PHP

```
<?php
require_once 'includes/config.php';
?>

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Access Denied - Profit Lens</title>

  <link rel="stylesheet" href="assets/css/style.css">

</head>

<body class="auth-body">

  <div class="auth-card" style="text-align:center;">

    <div style="font-size:64px; margin-bottom:18px;">❌</div>

    <div style="font-size:22px; font-weight:800; color:#dc3545; margin-bottom:10px;">Access Denied</div>

    <p style="font-size:14px; color:#6c757d; margin-bottom:28px; line-height:1.7;">

      You do not have permission to view this page.<br>
```

This area is restricted to Admin accounts only.

</p>

← Back to Login

</div>

</body>

</html>

DASHBOARD.PHP

<?php

require_once 'includes/config.php';

requireAdmin();

\$db = getDB();

// Current month stats — using YEAR()+MONTH() for reliable matching

\$cur_year = intval(date('Y'));

\$cur_month = intval(date('m'));

if (\$cur_month == 1) { \$last_year = \$cur_year - 1; \$last_mon = 12; }

else { \$last_year = \$cur_year; \$last_mon = \$cur_month - 1; }

\$sales = \$db->query("SELECT SUM(total) as total, COUNT(*) as cnt FROM sales WHERE YEAR(sale_date)=\$cur_year AND MONTH(sale_date)=\$cur_month")->fetch_assoc();

\$expenses = \$db->query("SELECT SUM(amount) as total FROM expenses WHERE YEAR(expense_date)=\$cur_year AND MONTH(expense_date)=\$cur_month")->fetch_assoc();

\$total_sales = floatval(\$sales['total'] ?? 0);

\$total_expenses = floatval(\$expenses['total'] ?? 0);

\$net_profit = \$total_sales - \$total_expenses;

```

// Last month comparison — also using YEAR()+MONTH()

$last_sales = $db->query("SELECT SUM(total) as total FROM sales WHERE YEAR(sale_date)=$last_year
AND MONTH(sale_date)=$last_mon")->fetch_assoc();

$last_total = floatval($last_sales['total'] ?? 0);

$growth = $last_total > 0 ? (($total_sales - $last_total) / $last_total) * 100 : ($total_sales > 0 ? 100 : 0);


// Monthly sales for chart (Jan - Dec current year)

$chart_data = [];

for ($i = 1; $i <= 12; $i++) {

    $label = date('M', mktime(0, 0, 0, $i, 1));

    $r = $db->query("SELECT SUM(total) as t FROM sales WHERE YEAR(sale_date)=$cur_year AND
MONTH(sale_date)=$i")->fetch_assoc();

    $chart_data[] = ['label' => $label, 'value' => floatval($r['t'] ?? 0)];

}


// Financial summary (current year) — using YEAR() consistently

$year = $cur_year;

$year_sales = $db->query("SELECT SUM(total) as total FROM sales WHERE
YEAR(sale_date)=$year")->fetch_assoc();

$year_exp = $db->query("SELECT SUM(amount) as total FROM expenses WHERE
YEAR(expense_date)=$year")->fetch_assoc();

$year_total = floatval($year_sales['total'] ?? 0);

$year_expenses = floatval($year_exp['total'] ?? 0);

$year_profit = $year_total - $year_expenses;


// Best selling product — this month

```

```
$best = $db->query("SELECT p.name, SUM(s.total) as total FROM sales s JOIN products p ON
s.product_id=p.id WHERE YEAR(s.sale_date)=$cur_year AND MONTH(s.sale_date)=$cur_month GROUP BY
p.id ORDER BY total DESC LIMIT 1")->fetch_assoc();
```

```
// Fallback to year if no sales this month
```

```
if (!$best) {
```

```
    $best = $db->query("SELECT p.name, SUM(s.total) as total FROM sales s JOIN products p ON
s.product_id=p.id WHERE YEAR(s.sale_date)=$cur_year GROUP BY p.id ORDER BY total DESC LIMIT
1")->fetch_assoc();
```

```
}
```

```
// Month revenue stats for Revenue Insights card
```

```
$month_revenue_sales = $db->query("SELECT SUM(total) as total FROM sales WHERE
YEAR(sale_date)=$cur_year AND MONTH(sale_date)=$cur_month")->fetch_assoc();
```

```
$month_revenue_exp = $db->query("SELECT SUM(amount) as total FROM expenses WHERE
YEAR(expense_date)=$cur_year AND MONTH(expense_date)=$cur_month")->fetch_assoc();
```

```
$month_rev_sales = floatval($month_revenue_sales['total'] ?? 0);
```

```
$month_rev_exp = floatval($month_revenue_exp['total'] ?? 0);
```

```
$month_rev_profit = $month_rev_sales - $month_rev_exp;
```

```
// Revenue last 6 months (dynamic: last 6 months from today)
```

```
$revenue_6 = [];
```

```
for ($i = 5; $i >= 0; $i--) {
```

```
    $ts = mktime(0, 0, 0, $cur_month - $i, 1, $cur_year);
```

```
    $my = intval(date('Y', $ts));
```

```
    $mm = intval(date('m', $ts));
```

```
    $label = date('M', $ts);
```

```
    $r = $db->query("SELECT SUM(total) as t FROM sales WHERE YEAR(sale_date)=$my AND
MONTH(sale_date)=$mm")->fetch_assoc();
```

```
    $revenue_6[] = ['label' => $label, 'value' => floatval($r['t'] ?? 0)];
```

```

}

$max_rev = max(array_column($revenue_6, 'value')) ?: 1;

// Expense breakdown by category

$exp_breakdown = $db->query("SELECT category, SUM(amount) as total FROM expenses GROUP BY
category ORDER BY total DESC");

$exp_cats = [];

while ($row = $exp_breakdown->fetch_assoc()) $exp_cats[] = $row;

$total_exp_cat = array_sum(array_column($exp_cats, 'total')) ?: 1;

// All months that have expenses (for month picker)

$exp_months_res = $db->query("SELECT DISTINCT DATE_FORMAT(expense_date,'%Y-%m') as ym,
DATE_FORMAT(expense_date,'%M %Y') as label FROM expenses ORDER BY ym DESC");

$exp_months = [];

while ($row = $exp_months_res->fetch_assoc()) $exp_months[] = $row;

// Expense data grouped by month+category for JS

$exp_all_res = $db->query("SELECT DATE_FORMAT(expense_date,'%Y-%m') as ym, category,
SUM(amount) as total FROM expenses GROUP BY ym, category ORDER BY ym DESC, total DESC");

$exp_all_data = [];

while ($row = $exp_all_res->fetch_assoc()) {
    $exp_all_data[$row['ym']][] = ['category' => $row['category'], 'total' => floatval($row['total'])];
}

$max_chart = max(array_column($chart_data, 'value')) ?: 1;

$db->close();

?>

```

```

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Dashboard - Profit Lens</title>

  <link rel="stylesheet" href="assets/css/style.css">

  <style>

    .logout-modal-overlay {

      display: none; position: fixed; inset: 0;

      background: rgba(0,0,0,.5);

      backdrop-filter: blur(4px); -webkit-backdrop-filter: blur(4px);

      z-index: 99999; align-items: center; justify-content: center;

    }

    .logout-modal-overlay.active { display: flex; animation: lmoFade .2s ease; }

    .logout-modal-box {

      background: #fff; border-radius: 20px;

      box-shadow: 0 24px 64px rgba(0,0,0,.22);

      padding: 40px 36px 32px; width: 100%; max-width: 380px;

      text-align: center; animation: lmoPop .25s cubic-bezier(.34,1.56,.64,1);

    }

    .logout-modal-icon {

      width: 70px; height: 70px; border-radius: 50%;

      background: #fff3e0; border: 3px solid #ffe0b2;

      display: flex; align-items: center; justify-content: center;

      font-size: 32px; margin: 0 auto 20px;

```

```

}

.logout-modal-box h3 { font-size: 20px; font-weight: 800; color: #1a1a2e; margin: 0 0 10px; }

.logout-modal-box p { font-size: 13px; color: #888; margin: 0 0 28px; line-height: 1.6; }

.logout-modal-actions { display: flex; gap: 12px; }

.btn-stay {
  flex: 1; padding: 13px 0; border-radius: 12px;
  border: 2px solid #e0e0e0; background: #f7f7f7;
  color: #555; font-size: 13px; font-weight: 700;
  cursor: pointer; font-family: inherit; transition: background .18s;
}

.btn-stay:hover { background: #ebebeb; }

.btn-logout-confirm {
  flex: 1; padding: 13px 0; border-radius: 12px; border: none;
  background: linear-gradient(135deg, #e74c3c, #c0392b);
  color: #fff; font-size: 13px; font-weight: 700;
  cursor: pointer; font-family: inherit;
  box-shadow: 0 4px 14px rgba(192,57,43,.35);
  transition: transform .15s, box-shadow .15s;
  text-decoration: none; display: flex;
  align-items: center; justify-content: center; gap: 6px;
}

.btn-logout-confirm:hover { transform: translateY(-1px); box-shadow: 0 6px 18px rgba(192,57,43,.4); }

@keyframes lmoFade { from{opacity:0} to{opacity:1} }

@keyframes lmoPop { from{opacity:0;transform:scale(.85)} to{opacity:1;transform:scale(1)} }

</style>

</head>

```

```
<body>
```

```
<!-- LOGOUT CONFIRMATION MODAL -->
```

```
<div class="logout-modal-overlay" id="logoutModal">
```

```
  <div class="logout-modal-box">
```

```
    <div class="logout-modal-icon"> 🚪 </div>
```

```
    <h3>Leaving so soon?</h3>
```

```
    <p>Are you sure you want to log out of <strong>Profit Lens</strong>?<br>You'll need to sign in again to  
access your dashboard.</p>
```

```
    <div class="logout-modal-actions">
```

```
      <button class="btn-stay" onclick="closeLogoutModal()">Stay Logged In</button>
```

```
      <a href="logout.php" class="btn-logout-confirm"> 🚪 Yes, Log Out</a>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<script>
```

```
function openLogoutModal() {
```

```
  document.getElementById('logoutModal').classList.add('active');
```

```
  document.body.style.overflow = 'hidden';
```

```
}
```

```
function closeLogoutModal() {
```

```
  document.getElementById('logoutModal').classList.remove('active');
```

```
  document.body.style.overflow = "";
```

```
}
```

```
document.addEventListener('DOMContentLoaded', function() {
```

```

document.getElementById('logoutModal').addEventListener('click', function(e) {
    if (e.target === this) closeLogoutModal();
});
document.addEventListener('keydown', function(e) {
    if (e.key === 'Escape') closeLogoutModal();
});
document.querySelectorAll('a[href="logout.php"]').forEach(function(link) {
    if (link.classList.contains('btn-logout-confirm')) return;
    link.addEventListener('click', function(e) {
        e.preventDefault();
        openLogoutModal();
    });
});
});
</script>

```

```

<div class="app-wrapper">
    <?php include 'includes/sidebar.php'; ?>
    <div class="main-content">
        <div class="topbar">
            <div class="topbar-title">
                <p>Welcome, Admin!</p>
                <h1>Dashboard Overview!</h1>
            </div>
            <div class="topbar-user">
                <div class="topbar-avatar">  </div>

```

```

        <span class="admin-badge">🔑 Admin</span>
    </div>
</div>

<div class="page-content">
    <div class="dashboard-grid">

        <!-- — Profit This Month — -->

        <div class="dash-card card-green">
            <div class="dash-card-header">
                <h3>Profit This Month</h3>
                <a href="profit.php">View Sales & Profit</a>
            </div>
            <div class="big-stat"><?= formatMoney($net_profit) ?></div>
            <div class="stat-badge <?= $growth < 0 ? 'negative' : " ?>">
                <?= $last_total <= 0 && $total_sales > 0 ? '+100%' : (($growth >= 0 ? '+' : ") .
number_format($growth, 1) . '%') ?>
            </div>
            <div class="mini-chart">
                <?php foreach ($chart_data as $i => $d):
                    $h = max(6, round(($d['value'] / $max_chart) * 50));
                    $cls = ($i + 1) == $cur_month ? 'green' : 'green-light';
                ?>
                <div class="mini-bar <?= $cls ?>" style="height:<?= $h ?>px" title="<?= $d['label'] ?>: <?=
formatMoney($d['value']) ?>"></div>
                <?php endforeach; ?>
            </div>
        </div>
    </div>

```

```

        <div
style="display:flex;justify-content:space-between;font-size:10px;color:var(--gray);margin-bottom:12px;">
            <?php foreach($chart_data as $d): ?><span><?= $d['label'] ?></span><?php endforeach; ?>
        </div>

        <div class="stat-row"><span class="label">Total Sales</span><span class="value"><?=
formatMoney($total_sales) ?></span></div>

        <div class="stat-row"><span class="label">Expenses</span><span class="value"><?=
formatMoney($total_expenses) ?></span></div>

        <div class="stat-row"><span class="label">Net Profit</span><span class="value"><?=
formatMoney($net_profit) ?></span></div>

        <div style="margin-top:10px;">

            <div class="stat-row"><span class="label">Report Summary:</span></div>

            <div class="stat-row"><span class="label"><?= date('F Y') ?></span><span class="value"><?=
formatMoney($net_profit) ?></span></div>

            <div class="stat-row"><span class="label">Last Month Sales</span><span class="value"><?=
formatMoney($last_total) ?></span></div>

        </div>

        <a href="profit.php" class="btn-view btn-view-green">View Details</a>

    </div>

<!-- — Financial Reports — -->

<div class="dash-card card-orange">

    <div class="dash-card-header">

        <h3>Financial Reports</h3>

        <a href="reports.php" style="color:var(--orange)">View Statements</a>

    </div>

    <div style="font-size:13px;font-weight:700;margin-bottom:12px;">Profit & Loss — <?=
$cur_year ?></div>

    <div class="stat-row"><span class="label">Total Income</span><span class="value"
style="color:var(--green-main)"><?= formatMoney($year_total) ?></span></div>

```

```
<div class="stat-row"><span class="label">Operating Expenses</span><span class="value" style="color:#dc3545"><?= formatMoney($year_expenses) ?></span></div>
```

```
<div class="stat-row"><span class="label">Total Profit</span><span class="value" style="font-weight:800"><?= formatMoney($year_profit) ?></span></div>
```

```
<div style="margin:14px 0 10px;padding:12px;background:<?= $year_profit >= 0 ? 'var(--gray-light)' : '#fde8e8' ?>;border-radius:8px;">
```

```
<div style="font-size:11px;color:var(--gray);font-weight:600;">Net Profit <?= $cur_year ?></div>
```

```
<div style="font-size:20px;font-weight:800;color:<?= $year_profit >= 0 ? 'var(--dark)' : '#dc3545' ?>;"><?= formatMoney($year_profit) ?></div>
```

```
</div>
```

```
<div style="font-size:11px;color:var(--gray);margin-bottom:6px;">
```

```
This Month (<?= date('M Y') ?>):
```

```
<strong style="color:var(--dark)"><?= formatMoney($total_sales) ?></strong> sales /
```

```
<strong style="color:#dc3545"><?= formatMoney($total_expenses) ?></strong> exp
```

```
</div>
```

```
<div class="mini-chart" style="height:60px;">
```

```
<?php foreach($chart_data as $i => $d):
```

```
$h = max(6, round(($d['value'] / $max_chart) * 55));
```

```
$colors =
```

```
['#fd7e14','#ff9500','#ffc107','#fd7e14','#ff9500','#ffc107','#fd7e14','#ff9500','#ffc107','#fd7e14','#ff9500','#ffc107']
;
```

```
?>
```

```
<div class="mini-bar" style="height:<?= $h ?>px;background:<?= ($i+1)==$cur_month ? '#e74c3c' : $colors[$i] ?>;" title="<?= $d['label'] ?>: <?= formatMoney($d['value']) ?>"></div>
```

```
<?php endforeach; ?>
```

```
</div>
```

```
<div
```

```
style="display:flex;justify-content:space-between;font-size:10px;color:var(--gray);margin-bottom:10px;">
```

```
<?php foreach($chart_data as $d): ?><span><?= $d['label'] ?></span><?php endforeach; ?>
```

```
</div>
```

```
<a href="reports.php?type=expense" class="btn-view btn-view-outline
btn-view-orange-outline">Expense Report</a>
```

```
<a href="reports.php?type=profit" class="btn-view btn-view-outline btn-view-orange-outline">Profit
& Loss</a>
```

```
</div>
```

```
<!-- — Expense Tracking — -->
```

```
<div class="dash-card card-blue">
```

```
<div class="dash-card-header">
```

```
<h3>Expense Tracking</h3>
```

```
<a href="expenses.php" style="color:var(--blue)">Record Expenses</a>
```

```
</div>
```

```
<div style="margin-bottom:10px;">
```

```
<select id="exp-month-picker"
```

```
onchange="renderExpenses(this.value)"
```

```
style="width:100%;padding:8px 12px;border:2px solid var(--gray-mid);border-radius:8px;
```

```
font-family:'Poppins',sans-serif;font-size:12px;font-weight:600;
```

```
outline:none;cursor:pointer;appearance:none;background:white;
```

```
background-image:url(\"data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' width='12' height='12' viewBox='0 0 24 24' fill='none' stroke='%23999'
stroke-width='2.5'%3E%3Cpolyline points='6 9 12 15 18 9'%3E%3C/svg%3E\");
```

```
background-repeat:no-repeat;background-position:right 10px center;padding-right:28px;"
```

```
onfocus="this.style.borderColor='var(--blue)'"
```

```
onblur="this.style.borderColor='var(--gray-mid)'">
```

```
<option value="all"> 🏠 All Time</option>
```

```
<?php foreach($exp_months as $em): ?>
```

```

        <option value="<?= $em['ym'] ?>" <?= $em['ym'] === date('Y-m') ? 'selected' : " ?>><?=
$em['label'] ?></option>

        <?php endforeach; ?>

    </select>

</div>

<div style="font-size:12px;font-weight:700;margin-bottom:8px;">Expenses by Category</div>
<div id="exp-cat-list" style="margin-bottom:4px;"></div>

<div style="margin-top:10px;">
    <div style="display:flex;justify-content:space-between;align-items:center;margin-bottom:8px;">
        <div style="font-size:12px;font-weight:700;">Breakdown</div>
        <span class="badge badge-orange" id="exp-pct-badge">—</span>
    </div>

    <div style="text-align:center;margin:6px 0;">
        <svg id="exp-donut" width="110" height="110" viewBox="0 0 110 110"></svg>
    </div>

    <div id="exp-legend"
style="display:flex;flex-direction:column;gap:4px;font-size:10px;max-height:100px;overflow-y:auto;"></div>
</div>

<div style="display:grid;grid-template-columns:1fr 1fr;gap:8px;margin-top:12px;">
    <a href="expenses.php" class="btn-view btn-view-green" style="margin:0;font-size:11px;">Add
Expense</a>

    <a href="expenses.php" class="btn-view btn-view-outline"
style="margin:0;font-size:11px;border-color:var(--gray-mid);">View All →</a>
</div>

```

```

    <a href="expenses.php" class="btn-view btn-view-outline"
style="border-color:var(--gray-mid);margin-top:8px;font-size:11px;">Expense Report →</a>

```

```

</div>

```

```

<script>

```

```

const EXP_ALL = <?= json_encode($exp_cats) ?>;

```

```

const EXP_BY_MONTH = <?= json_encode($exp_all_data) ?>;

```

```

const TOTAL_SALES = <?= $total_sales ?>;

```

```

const COLORS =

```

```

['#4285f4','#81c784','#ff9800','#9c27b0','#e53935','#00acc1','#f06292','#43a047','#fb8c00','#5c6bc0'];

```

```

function fmt(n) {

```

```

    return '₱' + parseFloat(n).toLocaleString('en-PH', {minimumFractionDigits:2,
maximumFractionDigits:2});

```

```

}

```

```

function renderExpenses(ym) {

```

```

    const cats = ym === 'all' ? EXP_ALL : (EXP_BY_MONTH[ym] || []);

```

```

    const grandTotal = cats.reduce((s, c) => s + parseFloat(c.total), 0) || 1;

```

```

    const list = document.getElementById('exp-cat-list');

```

```

    if (cats.length === 0) {

```

```

        list.innerHTML = '<div style="font-size:11px;color:#aaa;padding:4px 0;">No expenses for this
period.</div>';

```

```

    } else {

```

```

        list.innerHTML = cats.map(c =>

```

```

            `<div style="display:flex;justify-content:space-between;font-size:11px;padding:2px 0;">

```

```

                <span style="color:#555;">${c.category}</span>

```

```

                <span style="font-weight:700;">${fmt(c.total)}</span>

```

```

    </div>`

    ).join("");

}

const pct = TOTAL_SALES > 0 ? ((grandTotal / TOTAL_SALES) * 100).toFixed(1) : '—';

document.getElementById('exp-pct-badge').textContent = pct + (TOTAL_SALES > 0 ? '%' : '');

const svg = document.getElementById('exp-donut');

if (cats.length === 0) {

    svg.innerHTML = '<circle cx="55" cy="55" r="42" fill="#f0f0f0"/><circle cx="55" cy="55" r="24" fill="white"/><text x="55" y="59" text-anchor="middle" font-size="9" fill="#aaa">No data</text>';

    document.getElementById('exp-legend').innerHTML = "";

    return;

}

let startAngle = -90, paths = "", outerR = 42, innerR = 24;

cats.forEach((cat, ci) => {

    const angle = (cat.total / grandTotal) * 360;

    if (angle < 0.5) { startAngle += angle; return; }

    const endAngle = startAngle + angle;

    const toRad = a => a * Math.PI / 180;

    const x1=55+outerR*Math.cos(toRad(startAngle)), y1=55+outerR*Math.sin(toRad(startAngle));
    const x2=55+outerR*Math.cos(toRad(endAngle)), y2=55+outerR*Math.sin(toRad(endAngle));
    const xi1=55+innerR*Math.cos(toRad(startAngle)),yi1=55+innerR*Math.sin(toRad(startAngle));
    const xi2=55+innerR*Math.cos(toRad(endAngle)), yi2=55+innerR*Math.sin(toRad(endAngle));

    const large = angle > 180 ? 1 : 0;

    const color = COLORS[ci % COLORS.length];

    paths += <path d="M ${xi1} ${yi1} A ${innerR} ${innerR} 0 ${large} 1 ${xi2} ${yi2} L ${x2} ${y2} A ${outerR} ${outerR} 0 ${large} 0 ${x1} ${y1} Z" fill="${color}" opacity="0.92"/>;

    startAngle = endAngle;

```

```

});

svg.innerHTML = paths +

  <circle cx="55" cy="55" r="18" fill="white"/> +

  <text x="55" y="58" text-anchor="middle" font-size="9" font-weight="700"
fill="#555">${cats.length} cats</text>;

document.getElementById('exp-legend').innerHTML = cats.map((cat, ci) =>

  `<div style="display:flex;align-items:center;justify-content:space-between;gap:4px;">

    <span style="display:flex;align-items:center;gap:4px;min-width:0;">

      <span
style="flex-shrink:0;width:9px;height:9px;border-radius:50%;background:${COLORS[ci%COLORS.length]};display:inline-block;"></span>

      <span
style="overflow:hidden;text-overflow:ellipsis;white-space:nowrap;">${cat.category}</span>

    </span>

    <span
style="flex-shrink:0;font-weight:700;color:#555;">${Math.round((cat.total/grandTotal)*100)}%</span>

  </div>`

).join("");
}

```

```

document.addEventListener('DOMContentLoaded', function() {

  renderExpenses(document.getElementById('exp-month-picker').value);

});

</script>

```

```

<!-- — Revenue Insights — -->

<div class="dash-card card-purple">

  <div class="dash-card-header">

```

```

<h3>Revenue Insights</h3>

<a href="revenue.php" style="color:var(--purple)">Analyze Trends</a>

</div>

<div style="display:flex;justify-content:space-between;align-items:center;margin-bottom:6px;">

    <span style="font-size:12px;font-weight:700;">Revenue Trend:</span>

    <span style="font-size:10px;color:var(--gray);">Last 6 months</span>

</div>

<svg width="100%" height="60" viewBox="0 0 200 60" style="margin-bottom:4px;">

    <?php
    $points = "";
    foreach($revenue_6 as $i => $rv) {
        $x = 10 + ($i * 36);
        $y = 55 - (($rv['value'] / $max_rev) * 50);
        $points .= "$x,$y ";
    }
    ?>

    <polyline points="<?= trim($points) ?>" fill="none" stroke="#9c27b0" stroke-width="2"
stroke-linejoin="round"/>

    <?php foreach($revenue_6 as $i => $rv):
        $x = 10 + ($i * 36);
        $y = 55 - (($rv['value'] / $max_rev) * 50);
    ?>

    <circle cx="<?= $x ?>" cy="<?= $y ?>" r="3" fill="#9c27b0"/>

    <?php endforeach; ?>

</svg>

<div
style="display:flex;justify-content:space-between;font-size:9px;color:var(--gray);margin-bottom:14px;">

```

```

        <?php foreach($revenue_6 as $rv): ?><span><?= $rv['label'] ?></span><?php endforeach; ?>
    </div>

    <div style="display:flex;align-items:center;justify-content:space-between;margin-bottom:10px;">

        <div style="font-size:12px;font-weight:700;">Sales Highlights</div>

        <span style="font-size:10px;color:var(--gray);"><?= date('M Y') ?></span>

    </div>

    <div class="stat-row"><span class="label">Total Revenue</span><span class="value"
style="color:var(--green-main)"><?= formatMoney($month_rev_sales) ?></span></div>

    <div class="stat-row"><span class="label">Total Expenses</span><span class="value"
style="color:#dc3545"><?= formatMoney($month_rev_exp) ?></span></div>

    <div class="stat-row"><span class="label">Net Profit</span><span class="value"
style="font-weight:800;color:<?= $month_rev_profit>=0?'var(--green-main)':' #dc3545' ?>"><?=
formatMoney($month_rev_profit) ?></span></div>

    <div class="stat-row"><span class="label">Year Total Revenue</span><span class="value"><?=
formatMoney($year_total) ?></span></div>

    <div class="stat-row"><span class="label">Best Selling Product:</span><span class="value"
style="font-size:10px;"><?= $best ? htmlspecialchars($best['name']) : 'N/A' ?></span></div>

    <?php if ($best): ?>

        <div style="padding:8px
10px;background:var(--purple-light);border-radius:8px;font-size:12px;font-weight:600;color:var(--purple);margin
-top:8px;">

            🏆 <?= htmlspecialchars($best['name']) ?>

        </div>

    <?php endif; ?>

    <a href="revenue.php" class="btn-view"
style="background:var(--purple);color:white;margin-top:12px;display:block;text-align:center;padding:10px;bord
er-radius:8px;text-decoration:none;font-weight:600;font-size:13px;">View Analysis</a>

</div>

</div>

```

```
</div>
</div>
</div>
</body>
</html>
```

EXPENSES.PHP

```
<?php
if (defined('EXPENSES_PAGE_LOADED')) return;
define('EXPENSES_PAGE_LOADED', true);

require_once 'includes/config.php';
requireAdmin();
$db = getDB();

$success = $error = "";
$action = $_GET['action'] ?? 'list';
$edit_expense = null;

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
```

```

$category    = trim($_POST['category'] ?? "");
$description = trim($_POST['description'] ?? "");
$amount      = floatval($_POST['amount'] ?? 0);
$expense_date = $_POST['expense_date'] ?? date('Y-m-d');

if (empty($category) || $amount <= 0) {
    $error = 'Category and amount are required.';
} else {
    if (isset($_POST['id']) && $_POST['id']) {
        $id = intval($_POST['id']);

        $stmt = $db->prepare("UPDATE expenses SET category=?, description=?, amount=?,
expense_date=? WHERE id=?");

        $stmt->bind_param("ssdsi", $category, $description, $amount, $expense_date, $id);
    } else {
        $stmt = $db->prepare("INSERT INTO expenses (category, description, amount, expense_date)
VALUES (?, ?, ?, ?)");

        $stmt->bind_param("ssds", $category, $description, $amount, $expense_date);
    }

    if ($stmt->execute()) { $success = 'Expense saved!'; $action = 'list'; }

    else { $error = 'Error saving expense.'; }
}
}

if ($action === 'delete' && isset($_GET['id'])) {
    $id = intval($_GET['id']);

    $db->query("DELETE FROM expenses WHERE id=$id");

    $success = 'Expense deleted.';
}

```

```

$action = 'list';
}

if ($action === 'edit' && isset($_GET['id'])) {
    $id      = intval($_GET['id']);
    $edit_expense = $db->query("SELECT * FROM expenses WHERE id=$id")->fetch_assoc();
}

$month      = date('Y-m');

$total_month = $db->query("SELECT SUM(amount) as t FROM expenses WHERE
DATE_FORMAT(expense_date,'%Y-%m' 🙄 '$month')->fetch_assoc()['t'] ?? 0;

$total_year = $db->query("SELECT SUM(amount) as t FROM expenses WHERE
YEAR(expense_date)=YEAR(CURDATE())->fetch_assoc()['t'] ?? 0;

$count_month = $db->query("SELECT COUNT(*) as c FROM expenses WHERE
DATE_FORMAT(expense_date,'%Y-%m' 🙄 '$month')->fetch_assoc()['c'] ?? 0;

$categories = ['Product','Office Supplies','Advertising','Utilities','Salaries &
Wages','Rent','Transportation','Marketing','Equipment','Other'];

// Available years

$years_res      = $db->query("SELECT DISTINCT YEAR(expense_date) as y FROM expenses ORDER BY y
DESC");

$available_years = [];

while ($yr = $years_res->fetch_assoc()) $available_years[] = intval($yr['y']);

if (!in_array(intval(date('Y')), $available_years)) array_unshift($available_years, intval(date('Y')));

// Available months (from actual data)

```

```
$months_res = $db->query("SELECT DISTINCT MONTH(expense_date) as m FROM expenses ORDER BY m ASC");
```

```
$available_months = [];
```

```
while ($mo = $months_res->fetch_assoc()) $available_months[] = intval($mo['m']);
```

```
$month_names = [1=>'January',2=>'February',3=>'March',4=>'April',5=>'May',6=>'June',  
7=>'July',8=>'August',9=>'September',10=>'October',11=>'November',12=>'December'];
```

```
$month_short = [1=>'Jan',2=>'Feb',3=>'Mar',4=>'Apr',5=>'May',6=>'Jun',  
7=>'Jul',8=>'Aug',9=>'Sep',10=>'Oct',11=>'Nov',12=>'Dec'];
```

```
// Overview filter
```

```
$cat_year_param = $_GET['cat_year'] ?? date('Y');
```

```
$cat_month_param = $_GET['cat_month'] ?? '';
```

```
$show_all_years = ($cat_year_param === 'all');
```

```
$selected_cat_year = $show_all_years ? null : intval($cat_year_param);
```

```
$selected_cat_month = ($cat_month_param !== '') ? intval($cat_month_param) : null;
```

```
// Category totals
```

```
$cat_totals = [];
```

```
$grand_total = 0;
```

```
foreach ($categories as $cat) {
```

```
    $conds = ['category = ?'];
```

```
    $types = 's';
```

```
    $params = [$cat];
```

```
    if (!$show_all_years && $selected_cat_year) { $conds[] = 'YEAR(expense_date) = ?'; $types .= 'i';  
    $params[] = $selected_cat_year; }
```

```
    if ($selected_cat_month) { $conds[] = 'MONTH(expense_date) = ?'; $types .= 'i'; $params[] =  
    $selected_cat_month; }
```

```

$stmt = $db->prepare("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE " . implode('
AND ', $conds));

$stmt->bind_param($types, ...$params);

$stmt->execute();

$val = floatval($stmt->get_result()->fetch_assoc()['t']);

$cat_totals[$cat] = $val;

$grand_total += $val;

}

```

```

// All expenses for table

```

```

$all_expenses = $db->query("SELECT * FROM expenses ORDER BY expense_date DESC LIMIT 500");

$total_rows = $all_expenses ? $all_expenses->num_rows : 0;

```

```

$db->close();

```

```

?>

```

```

<!DOCTYPE html>

```

```

<html lang="en">

```

```

<head>

```

```

<meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```

<title>Expense Tracking - Profit Lens</title>

```

```

<link rel="stylesheet" href="assets/css/style.css">

```

```

<style>

```

```

    .del-modal-overlay {

```

```

        display:none; position:fixed; inset:0;

```

```

        background:rgba(0,0,0,.45);

```

```

        backdrop-filter:blur(3px); -webkit-backdrop-filter:blur(3px);
    }

```

```

    z-index:9999; align-items:center; justify-content:center;
}
.del-modal-overlay.active { display:flex; animation:fadeOverlay .2s ease; }
.del-modal {
    background:#fff; border-radius:18px;
    box-shadow:0 20px 60px rgba(0,0,0,.18);
    padding:36px 32px 28px; width:100%; max-width:380px;
    text-align:center; animation:popIn .25s cubic-bezier(.34,1.56,.64,1);
}
.del-modal-icon {
    width:64px; height:64px; background:#fff0f0; border-radius:50%;
    display:flex; align-items:center; justify-content:center;
    font-size:30px; margin:0 auto 18px; border:3px solid #ffd6d6;
}
.del-modal h3 { font-size:19px; font-weight:800; color:#1a1a2e; margin:0 0 8px; }
.del-modal p { font-size:13px; color:#888; margin:0 0 26px; line-height:1.6; }
.del-modal p strong { color:#444; font-weight:700; }
.del-modal-actions { display:flex; gap:10px; }
.btn-modal-cancel {
    flex:1; padding:12px 0; border-radius:10px;
    border:1.5px solid #e0e0e0; background:#f7f7f7;
    color:#555; font-size:13px; font-weight:700; cursor:pointer;
    transition:background .18s; font-family:inherit;
}
.btn-modal-cancel:hover { background:#ebebeb; }
.btn-modal-delete {

```

```

flex:1; padding:12px 0; border-radius:10px; border:none;

background:linear-gradient(135deg,#ff4d4d,#dc3545);

color:#fff; font-size:13px; font-weight:700; cursor:pointer;

text-decoration:none; display:flex; align-items:center; justify-content:center;

box-shadow:0 4px 14px rgba(220,53,69,.35); transition:transform .15s,box-shadow .15s;
}

.btn-modal-delete:hover { transform:translateY(-1px); box-shadow:0 6px 20px rgba(220,53,69,.45); }

/* Overview card */

.cat-overview-card {

  background:#fff; border-radius:12px;

  box-shadow:0 2px 8px rgba(0,0,0,.07);

  padding:18px 20px; margin-bottom:22px;

}

.cat-overview-header { display:flex; align-items:flex-start; flex-wrap:wrap; gap:10px; margin-bottom:14px; }

.cat-overview-header h3 { font-size:14px; font-weight:700; margin:0; }

.cat-grid { display:grid; grid-template-columns:repeat(auto-fill,minmax(190px,1fr)); gap:10px; }

.cat-item { border:1px solid #eee; border-radius:9px; padding:10px 13px; font-size:12px; }

.cat-item-name { font-weight:700; color:#333; margin-bottom:6px; display:flex;
justify-content:space-between; align-items:center; }

.cat-pct-pill { font-size:10px; font-weight:700; padding:2px 7px; border-radius:12px; }

.cat-bar-wrap { background:#f0f0f0; border-radius:4px; height:6px; overflow:hidden; margin-bottom:4px; }

.cat-bar    { height:100%; border-radius:4px; }

.cat-meta    { color:#888; font-size:10px; display:flex; justify-content:space-between; }

/* Filter pills */

.filter-pills-wrap { display:flex; align-items:center; gap:5px; flex-wrap:wrap; }

```

```

.filter-pill {
    display:inline-flex; align-items:center;

    padding:4px 11px; border-radius:20px; font-size:11px; font-weight:700;

    border:1.5px solid #e0e0e0; background:#f8f9fa; color:#555;

    text-decoration:none; transition:all .15s ease;
}

.filter-pill:hover { border-color:var(--green-main,#2d7a4f); color:var(--green-main,#2d7a4f);
background:#f0faf4; }

.filter-pill.active { background:var(--green-main,#2d7a4f); color:#fff !important;
border-color:var(--green-main,#2d7a4f); }

.pill-group-label { font-size:10px; font-weight:700; color:#aaa; white-space:nowrap; }
.pill-divider { width:1px; height:16px; background:#ddd; margin:0 3px; flex-shrink:0; }

/* Table category filter */

.cat-filter-bar {

    display:flex; align-items:center; gap:8px; flex-wrap:wrap;

    padding:10px 14px; background:#fafafa; border-bottom:1px solid #f0f0f0;
}

.cat-filter-select {

    padding:6px 12px; border-radius:8px;

    border:1.5px solid #e0e0e0; background:#fff;

    font-size:12px; font-family:inherit; color:#333;

    cursor:pointer; outline:none; transition:border-color .15s; min-width:170px;
}

.cat-filter-select:focus { border-color:var(--green-main,#2d7a4f); }

.cat-clear-btn {

    padding:5px 11px; border-radius:8px; border:1.5px solid #e0e0e0;

```

```

background:#fff; font-size:11px; font-weight:700; color:#888;

cursor:pointer; font-family:inherit; transition:all .15s;

}

.cat-clear-btn:hover { border-color:#dc3545; color:#dc3545; background:#fff5f5; }

#exp-count { font-size:10px; font-weight:700; padding:3px 9px; border-radius:12px; background:#e8f5e9;
color:#2e7d32; }

/* Scrollable table */

.table-scroll-wrap {

    max-height:420px; overflow-y:auto; overflow-x:hidden;

    border-radius:0 0 10px 10px;

    scrollbar-width:thin; scrollbar-color:#c5e1c9 #f0f0f0;

}

.table-scroll-wrap::-webkit-scrollbar { width:6px; }

.table-scroll-wrap::-webkit-scrollbar-track { background:#f0f0f0; border-radius:4px; }

.table-scroll-wrap::-webkit-scrollbar-thumb { background:#a8d5b0; border-radius:4px; }

.table-scroll-wrap::-webkit-scrollbar-thumb:hover { background:var(--green-main,#2d7a4f); }

.table-scroll-wrap .data-table thead th {

    position:sticky; top:0; z-index:2;

    background:#f8f9fa; box-shadow:0 2px 4px rgba(0,0,0,.06);

}

@keyframes fadeOverlay { from{opacity:0}to{opacity:1} }

@keyframes popIn { from{opacity:0;transform:scale(.88)}to{opacity:1;transform:scale(1)} }

</style>

</head>

<body>

```

```

<div class="del-modal-overlay" id="delModalOverlay">
  <div class="del-modal">
    <div class="del-modal-icon"> 🗑️ </div>
    <h3>Delete Expense?</h3>
    <p>You're about to permanently delete<br><strong id="delModalDesc">this expense</strong>.<br>This
    action <strong>cannot be undone</strong>.</p>
    <div class="del-modal-actions">
      <button class="btn-modal-cancel" onclick="closeDelModal()">Cancel</button>
      <a id="delModalConfirmBtn" href="#" class="btn-modal-delete">Yes, Delete</a>
    </div>
  </div>
</div>
</div>

```

```

<div class="app-wrapper">
  <?php include 'includes/sidebar.php'; ?>
  <div class="main-content">
    <div class="topbar">
      <div class="topbar-title"><p>Record Expenses</p><h1>Expense Tracking</h1></div>
      <div class="topbar-user">
        <div class="topbar-avatar"> 👤 </div>
        <span class="admin-badge"> 🔑 Admin</span>
      </div>
    </div>
  </div>
  <div class="page-content">

```

```
<?php if ($success): ?><div class="alert alert-success"><?= $success ?></div><?php endif; ?>
```

```
<?php if ($error): ?><div class="alert alert-danger"><?= $error ?></div><?php endif; ?>
```

```
<div class="stats-row" style="grid-template-columns:repeat(3,1fr);">
```

```
<div class="stat-card">
```

```
<div class="stat-icon orange">  </div>
```

```
<div class="stat-info"><div class="stat-label">This Month</div><div class="stat-value"><?=
formatMoney($total_month) ?></div></div>
```

```
</div>
```

```
<div class="stat-card">
```

```
<div class="stat-icon blue">  </div>
```

```
<div class="stat-info"><div class="stat-label">This Year</div><div class="stat-value"><?=
formatMoney($total_year) ?></div></div>
```

```
</div>
```

```
<div class="stat-card">
```

```
<div class="stat-icon purple">  </div>
```

```
<div class="stat-info"><div class="stat-label">Transactions (Month)</div><div
class="stat-value"><?= $count_month ?></div></div>
```

```
</div>
```

```
</div>
```

```
<!-- CATEGORY OVERVIEW -->
```

```
<div class="cat-overview-card">
```

```
<div class="cat-overview-header">
```

```
<div>
```

```
<h3>
```

```
  Category Spending Overview
```

```

<span style="font-weight:400;color:#888;font-size:12px;">
    —
    <?php
        if ($show_all_years) echo 'All Time';
        elseif ($selected_cat_month) echo $month_names[$selected_cat_month] . ' ' .
$selected_cat_year;
        else echo $selected_cat_year;
    ?>
    &nbsp;Total: <?= formatMoney($grand_total) ?>
</span>
</h3>
</div>

<div style="display:flex;flex-direction:column;gap:7px;margin-left:auto;">
    <!-- Year row -->
    <div class="filter-pills-wrap">
        <span class="pill-group-label"> 14 YEAR</span>
        <a href="expenses.php?cat_year=all&cat_month=<?= $cat_month_param ?>"
            class="filter-pill <?= $show_all_years ? 'active' : " ?>">All</a>
        <?php foreach ($available_years as $yr): ?>
            <a href="expenses.php?cat_year=<?= $yr ?>&cat_month=<?= $cat_month_param ?>"
                class="filter-pill <?= (!$show_all_years && $selected_cat_year == $yr) ? 'active' : " ?>">
                <?= $yr ?>
            </a>
        <?php endforeach; ?>
    </div>
    <!-- Month row -->

```

```

<div class="filter-pills-wrap">

    <span class="pill-group-label">  MONTH</span>

    <a href="expenses.php?cat_year=<?= $cat_year_param ?>&cat_month="
        class="filter-pill <?= !$selected_cat_month ? 'active' : " ?>">All</a>

    <?php foreach ($available_months as $mn): ?>

        <a href="expenses.php?cat_year=<?= $cat_year_param ?>&cat_month=<?= $mn ?>"
            class="filter-pill <?= $selected_cat_month == $mn ? 'active' : " ?>">

            <?= $month_short[$mn] ?>

        </a>

    <?php endforeach; ?>

</div>

</div>

</div>

<?php if ($grand_total == 0): ?>

    <div style="text-align:center;padding:30px;color:#aaa;font-size:13px;">🙄 No expense data for this
period.</div>

<?php else: ?>

<div class="cat-grid">

    <?php foreach ($categories as $cat):

        $total = $cat_totals[$cat] ?? 0;

        if ($total == 0) continue;

        $pct    = $grand_total > 0 ? round(($total / $grand_total) * 100, 1) : 0;

        $max_cat = max(array_values($cat_totals)) ?: 1;

        $bar_w   = $max_cat > 0 ? round(($total / $max_cat) * 100) : 0;

        $bar_color = $pct >= 30 ? '#dc3545' : ($pct >= 15 ? '#f59e0b' : '#10b981');

```

```

$pill_bg = $pct >= 30 ? '#fde8e8' : ($pct >= 15 ? '#fff3cd' : '#e8f5e9');
$pill_clr = $pct >= 30 ? '#dc3545' : ($pct >= 15 ? '#856404' : '#2e7d32');
?>

<div class="cat-item">
    <div class="cat-item-name">
        <span><?= htmlspecialchars($cat) ?></span>
        <span class="cat-pct-pill" style="background:<?= $pill_bg ?>;color:<?= $pill_clr ?>"><?= $pct
?>%</span>
    </div>
    <div class="cat-bar-wrap">
        <div class="cat-bar" style="width:<?= $bar_w ?>%;background:<?= $bar_color ?>;"></div>
    </div>
    <div class="cat-meta">
        <span style="font-weight:600;color:#333;"><?= formatMoney($total) ?></span>
        <span>of <?= formatMoney($grand_total) ?> total</span>
    </div>
</div>
<?php endforeach; ?>
</div>
<?php endif; ?>
</div>

<div class="two-col">
    <!-- Form -->
    <div class="form-card">
        <h3><?= $edit_expense ? '✎ Edit Expense' : '+ Add Expense' ?></h3>
        <form method="POST">

```

```

<?php if ($edit_expense): ?>

<input type="hidden" name="id" value="<?= $edit_expense['id'] ?>">

<?php endif; ?>

<div class="form-group">

    <label>Category</label>

    <select name="category" class="form-control" required>

        <option value="">-- Select Category --</option>

        <?php foreach($categories as $cat): ?>

            <option value="<?= $cat ?>" <?= ($edit_expense['category'] ?? ") === $cat ? 'selected' : "
?><?= $cat ?></option>

        <?php endforeach; ?>

    </select>

</div>

<div class="form-group">

    <label>Description</label>

    <input type="text" name="description" class="form-control" placeholder="Brief description"
value="<?= htmlspecialchars($edit_expense['description'] ?? ") ?>">

</div>

<div class="form-row">

    <div class="form-group">

        <label>Amount (₱)</label>

        <input type="number" name="amount" class="form-control" step="0.01" min="0"
placeholder="0.00" value="<?= $edit_expense['amount'] ?? " ?>" required>

    </div>

    <div class="form-group">

        <label>Date</label>

        <input type="date" name="expense_date" class="form-control" value="<?=
$edit_expense['expense_date'] ?? date('Y-m-d') ?>" required>

```

```

        </div>

    </div>

    <div style="display:flex;gap:10px;">

        <button type="submit" class="btn-submit"><?= $edit_expense ? 'Update Expense' : 'Add Expense' ?></button>

        <?php if ($edit_expense): ?>

            <a href="expenses.php" class="btn-submit"
style="background:var(--gray);text-decoration:none;">Cancel</a>

        <?php endif; ?>

    </div>

</form>

</div>

<!-- Expense List -->

<div class="table-card">

    <div class="table-card-header">

        <h3>All Expenses</h3>

        <div style="display:flex;align-items:center;gap:8px;">

            <a href="export_excel.php?type=expense&year=<?= date('Y') ?>"

                style="display:inline-flex;align-items:center;gap:5px;padding:7px
13px;background:#217346;color:white;border-radius:8px;font-size:11px;font-weight:700;text-decoration:none;"

                onmouseover="this.style.background='#185c38'"
onmouseout="this.style.background='#217346'">

                <svg width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2.5"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline
points="14 2 14 8 20 8"/><line x1="16" y1="13" x2="8" y2="13"/><line x1="16" y1="17" x2="8" y2="17"/></svg>

                Export Excel

            </a>

```

```
        <a href="reports.php?type=expense" class="btn-view btn-view-outline
btn-view-orange-outline" style="width:auto;padding:7px 14px;font-size:11px;">Expense Report →</a>
```

```
    </div>
```

```
</div>
```

```
<!-- Category filter bar -->
```

```
<div class="cat-filter-bar">
```

```
    <span style="font-size:11px;font-weight:700;color:#666;">🔍 Category:</span>
```

```
    <select class="cat-filter-select" id="catFilter" onchange="filterExpenses()">
```

```
        <option value="">All Categories</option>
```

```
        <?php foreach ($categories as $cat): ?>
```

```
            <option value="<?= htmlspecialchars($cat) ?>"><?= htmlspecialchars($cat) ?></option>
```

```
        <?php endforeach; ?>
```

```
    </select>
```

```
    <button class="cat-clear-btn" onclick="clearFilter()">X Clear</button>
```

```
    <span id="exp-count"><?= $total_rows ?> entries</span>
```

```
    <span id="exp-filter-label" style="font-size:11px;color:#888;"></span>
```

```
</div>
```

```
<div class="table-scroll-wrap">
```

```
    <table class="data-table">
```

```
        <thead>
```

```
<tr><th>Category</th><th>Description</th><th>Amount</th><th>Share</th><th>Date</th><th>Actions</th></tr>
```

```
        </thead>
```

```
        <tbody>
```

```

<?php if ($all_expenses && $all_expenses->num_rows > 0):
    while($e = $all_expenses->fetch_assoc()):
        $cat_total = $cat_totals[$e['category']] ?? 0;
        $cat_pct = $grand_total > 0 ? round(($cat_total / $grand_total) * 100, 1) : 0;
        $pill_bg = $cat_pct >= 30 ? '#fde8e8' : ($cat_pct >= 15 ? '#fff3cd' : '#e8f5e9');
        $pill_clr = $cat_pct >= 30 ? '#dc3545' : ($cat_pct >= 15 ? '#856404' : '#2e7d32');
        $desc_safe = addslashes(htmlspecialchars($e['description'] ? $e['category']));
    ?>

<tr class="exp-row" data-cat="<?= htmlspecialchars($e['category']) ?>">
    <td><span class="badge badge-orange"><?= htmlspecialchars($e['category'])
?></span></td>

    <td
style="font-size:12px;max-width:100px;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;"><?=
htmlspecialchars($e['description']) ?></td>

    <td style="font-weight:700;color:#dc3545"><?= formatMoney($e['amount']) ?></td>

    <td>

        <span style="font-size:10px;font-weight:700;padding:2px
7px;border-radius:12px;display:inline-block;background:<?= $pill_bg ?>;color:<?= $pill_clr ?>;"
            title="<?= htmlspecialchars($e['category']) ?> total: <?= formatMoney($cat_total)
?>">

            <?= $cat_pct ?>%

        </span>

    </td>

    <td style="font-size:11px;"><?= date('M d, Y', strtotime($e['expense_date'])) ?></td>

    <td style="white-space:nowrap;">

        <a href="expenses.php?action=edit&id=<?= $e['id'] ?>" class="btn-edit"
style="padding:5px 10px;font-size:11px;">Edit</a>

        <button class="btn-danger" style="padding:5px
10px;font-size:11px;border:none;cursor:pointer;"

```



```

const count = document.getElementById('exp-count');
const label = document.getElementById('exp-filter-label');
const noRes = document.getElementById('exp-no-results');
let n = 0;
rows.forEach(row => {
    const match = !val || row.dataset.cat === val;
    row.style.display = match ? '' : 'none';
    if (match) n++;
});
count.textContent = n + ' entr' + (n !== 1 ? 'ies' : 'y');
label.textContent = val ? '— ' + val : '';
noRes.style.display = n === 0 ? '' : 'none';
}

function clearFilter() {
    document.getElementById('catFilter').value = '';
    filterExpenses();
}

function openDelModal(id, desc) {
    document.getElementById('delModalDesc').textContent = desc || 'this expense';
    document.getElementById('delModalConfirmBtn').href = 'expenses.php?action=delete&id=' + id;
    document.getElementById('delModalOverlay').classList.add('active');
    document.body.style.overflow = 'hidden';
}

function closeDelModal() {
    document.getElementById('delModalOverlay').classList.remove('active');
}

```

```

        document.body.style.overflow = "";
    }
    document.getElementById('delModalOverlay').addEventListener('click', function(e) {
        if (e.target === this) closeDelModal();
    });
    document.addEventListener('keydown', function(e) {
        if (e.key === 'Escape') closeDelModal();
    });
</script>
</body>
</html>

```

EXPORT_EXCEL.PHP

```

<?php
require_once 'includes/config.php';
requireAdmin();

$type = $_GET['type'] ?? 'profit';
$year = intval($_GET['year'] ?? date('Y'));
$month = $_GET['month'] ?? date('Y-m');

$db = getDB();

```

```
// — Helper: send headers and build a simple XLSX via CSV-in-Excel workaround
// We use PHP's built-in output to stream a proper XLSX via PhpSpreadsheet-free method.
// We output an HTML table with Excel-compatible MIME type for maximum compatibility.
```

```
function xlsHeader($filename) {
    header('Content-Type: application/vnd.ms-excel; charset=utf-8');
    header('Content-Disposition: attachment; filename="' . $filename . '.xls"');
    header('Pragma: no-cache');
    header('Expires: 0');
    // BOM for UTF-8
    echo "\xEF\xBB\xBF";
}
```

```
function xlsCell($val) {
    $val = str_replace('"', '""', $val);
    return '"' . $val . '"';
}
```

```
$month_labels = ['January', 'February', 'March', 'April', 'May', 'June',
    'July', 'August', 'September', 'October', 'November', 'December'];
```

```
// =====
// PROFIT & LOSS REPORT
// =====
if ($type === 'profit_loss') {
    $monthly = [];
```

```

for ($m = 1; $m <= 12; $m++) {

    $ym = sprintf('%04d-%02d', $year, $m);

    $s = $db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🙄 '$ym')->fetch_assoc();

    $e = $db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE
DATE_FORMAT(expense_date,'%Y-%m' 🙄 '$ym')->fetch_assoc();

    $sv = floatval($s['t']); $ev = floatval($e['t']);

    $monthly[] = ['month'=>$month_labels[$m-1],'sales'=>$sv,'expenses'=>$ev,'profit'=>$sv-$ev];
}

$ts = array_sum(array_column($monthly,'sales'));
$te = array_sum(array_column($monthly,'expenses'));
$tp = $ts - $te;

xlsHeader("ProfitLens_Profit_Loss_$year");

echo "<table border='1'>";

echo "<tr><td colspan='4' style='font-size:16pt;font-weight:bold;background:#1a6b35;color:white;'>PROFIT
& LOSS STATEMENT — $year</td></tr>";

echo "<tr><td colspan='4' style='background:#f8f9fa;'>Generated: " . date('F d, Y H:i') . "</td></tr>";

echo "<tr></tr>";

echo "<tr style='background:#1a6b35;color:white;font-weight:bold;'>";

echo "<td>Month</td><td>Revenue (₱)</td><td>Expenses (₱)</td><td>Net Profit (₱)</td>";

echo "</tr>";

foreach ($monthly as $r) {

    $pColor = $r['profit'] >= 0 ? 'color:green;' : 'color:red;';

    echo "<tr>";

    echo "<td>" . $r['month'] . "</td>";

    echo "<td style='text-align:right;'>" . number_format($r['sales'],2) . "</td>";

```

```

        echo "<td style='text-align:right;color:red;'>" . number_format($r['expenses'],2) . "</td>";
        echo "<td style='text-align:right;$pColor font-weight:bold;'>" . number_format($r['profit'],2) . "</td>";
        echo "</tr>";
    }
    echo "<tr style='font-weight:bold;background:#e9ecef;'>";
    echo "<td>TOTAL</td>";
    echo "<td style='text-align:right;'>" . number_format($ts,2) . "</td>";
    echo "<td style='text-align:right;color:red;'>" . number_format($te,2) . "</td>";
    $tc = $tp >= 0 ? 'color:green;' : 'color:red;';
    echo "<td style='text-align:right;$tc font-weight:bold;font-size:13pt;'>" . number_format($tp,2) . "</td>";
    echo "</tr>";
    echo "<tr></tr>";

    $margin = $ts > 0 ? number_format(($tp/$ts)*100,1).'% ' : '0%';
    echo "<tr><td colspan='3'>Profit Margin</td><td style='text-align:right;font-weight:bold;'>$margin</td></tr>";
    echo "</table>";
}

// =====
// EXPENSE REPORT
// =====

elseif ($type === 'expense') {
    $expenses = $db->query("SELECT category, description, amount, expense_date FROM expenses WHERE
YEAR(expense_date)='$year' ORDER BY expense_date DESC");

    $by_cat = $db->query("SELECT category, SUM(amount) as total, COUNT(*) as cnt FROM expenses
WHERE YEAR(expense_date)='$year' GROUP BY category ORDER BY total DESC");

    $total_exp = $db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE
YEAR(expense_date)='$year'")->fetch_assoc()['t'];

```



```

if ($expenses) while ($r = $expenses->fetch_assoc()) {
    echo "<tr>";
    echo "<td>".date('M d, Y', strtotime($r['expense_date']))."</td>";
    echo "<td>".$r['category']."</td>";
    echo "<td>".htmlspecialchars($r['description'])."</td>";
    echo "<td style='text-align:right;color:red;'>".number_format($r['amount'],2)."</td>";
    echo "</tr>";
}
echo "</table>";
}

// =====
// SALES / PROFIT THIS MONTH REPORT
// =====

elseif ($type === 'sales') {
    $sales = $db->query("SELECT s.*, p.name as product_name FROM sales s LEFT JOIN products p ON
s.product_id=p.id WHERE YEAR(s.sale_date)='$year' ORDER BY s.sale_date DESC");

    $total_sales = $db->query("SELECT COALESCE(SUM(total),0) as t, COUNT(*) as c FROM sales WHERE
YEAR(sale_date)='$year'")->fetch_assoc();

    $total_exp = $db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE
YEAR(expense_date)='$year'")->fetch_assoc()['t'];

    $net = floatval($total_sales['t']) - floatval($total_exp);

    xlsHeader("ProfitLens_Sales_Report_$year");

    echo "<table border='1'>";

    echo "<tr><td colspan='6' style='font-size:16pt;font-weight:bold;background:#1a6b35;color:white;'>SALES
REPORT — $year</td></tr>";

```



```

}

echo "</table>";

}

// =====
// REVENUE INSIGHTS REPORT
// =====

elseif ($type === 'revenue') {

    $monthly = [];

    $month_short = ['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct','Nov','Dec'];

    for ($m = 1; $m <= 12; $m++) {

        $ym = sprintf('%04d-%02d', $year, $m);

        $r = $db->query("SELECT COALESCE(SUM(total),0) as t, COUNT(*) as c FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🐼 '$ym')->fetch_assoc();

        $monthly[] =
['month'=>$month_labels[$m-1],'short'=>$month_short[$m-1],'revenue'=>floatval($r['t']),'txn'=>intval($r['c'])];

    }

    $top = $db->query("SELECT p.name, p.category, SUM(s.total) as revenue, SUM(s.quantity) as units FROM
sales s JOIN products p ON s.product_id=p.id WHERE YEAR(s.sale_date)='$year' GROUP BY p.id ORDER
BY revenue DESC LIMIT 10");

    $annual = array_sum(array_column($monthly,'revenue'));

    $ann_exp = floatval($db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE
YEAR(expense_date)='$year'")->fetch_assoc()['t']);

    $ann_profit = $annual - $ann_exp;

    xlsHeader("ProfitLens_Revenue_Insights_$year");

    echo "<table border='1'>";

```

```

echo "<tr><td colspan='4'
style='font-size:16pt;font-weight:bold;background:#9c27b0;color:white;'>REVENUE INSIGHTS —
$year</td></tr>";

```

```

echo "<tr><td colspan='4' style='background:#f8f9fa;'>Generated: ".date('F d, Y H:i')."</td></tr>";

```

```

echo "<tr></tr>";

```

```

// KPIs

```

```

echo "<tr style='background:#f3e5f5;font-weight:bold;'><td colspan='4'>KEY PERFORMANCE
INDICATORS</td></tr>";

```

```

echo "<tr><td>Total Revenue</td><td
style='color:purple;font-weight:bold;'>₪".number_format($annual,2)."</td><td>Total Expenses</td><td
style='color:red;'>₪".number_format($ann_exp,2)."</td></tr>";

```

```

$pc = $ann_profit>=0?'color:green;':'color:red;';

```

```

echo "<tr><td>Net Profit</td><td style='$pc
font-weight:bold;'>₪".number_format($ann_profit,2)."</td><td>Profit Margin</td><td
style='font-weight:bold;'>".($annual>0?number_format(($ann_profit/$annual)*100,1).'%':'0%')."</td></tr>";

```

```

echo "<tr></tr>";

```

```

// Monthly breakdown

```

```

echo "<tr style='background:#9c27b0;color:white;font-weight:bold;'><td colspan='4'>MONTHLY REVENUE
BREAKDOWN</td></tr>";

```

```

echo "<tr style='background:#f3e5f5;font-weight:bold;'><td>Month</td><td>Revenue
(₪)</td><td>Transactions</td><td>Avg per Sale (₪)</td></tr>";

```

```

foreach ($monthly as $r) {

```

```

    $avg = $r['txn'] > 0 ? number_format($r['revenue']/$r['txn'],2) : '—';

```

```

    echo "<tr><td>".$r['month'].</td><td
style='text-align:right;color:purple;'>".number_format($r['revenue'],2)."</td><td
style='text-align:center;'>".$r['txn'].</td><td style='text-align:right;'>".$avg.</td></tr>";

```

```

}

```

```

echo "<tr style='font-weight:bold;background:#e9ecef;'><td>TOTAL</td><td
style='text-align:right;color:purple;'>".number_format($annual,2)."</td><td
style='text-align:center;'>".array_sum(array_column($monthly,'txn'))."</td><td></td></tr>";

```

```

echo "<tr></tr><tr></tr>";

// Top products

echo "<tr style='background:#9c27b0;color:white;font-weight:bold;'><td colspan='4'>TOP PRODUCTS BY
REVENUE</td></tr>";

echo "<tr style='background:#f3e5f5;font-weight:bold;'><td>Rank</td><td>Product</td><td>Revenue
(₹)</td><td>Units Sold</td></tr>";

$rank = 1;

if ($top) while ($r = $top->fetch_assoc()) {

    echo "<tr><td style='text-align:center;'>".$rank++."</td><td
style='font-weight:bold;'>".htmlspecialchars($r['name'])."</td><td
style='text-align:right;color:purple;'>".number_format($r['revenue'],2)."</td><td
style='text-align:center;'>".number_format($r['units'])."</td></tr>";

}

echo "</table>";

}

// =====
// PRODUCTS REPORT
// =====

elseif ($type === 'products') {

    $products = $db->query("SELECT * FROM products ORDER BY category, name");

    $stats = $db->query("SELECT COUNT(*) as total, SUM(stock) as stock, AVG(price) as avg_price,
SUM(stock*price) as inventory_val FROM products")->fetch_assoc();

    xlsHeader("ProfitLens_Products_Report");

    echo "<table border='1'>";

    echo "<tr><td colspan='6'
style='font-size:16pt;font-weight:bold;background:#4285f4;color:white;'>PRODUCT INVENTORY
REPORT</td></tr>";

```

```

echo "<tr><td colspan='6' style='background:#f8f9fa;'>Generated: ".date('F d, Y H:i')."</td></tr>";

echo "<tr></tr>";

echo "<tr style='background:#e8f0fe;font-weight:bold;'><td>Total
Products</td><td>".$stats['total']."</td><td>Total
Stock</td><td>".number_format($stats['stock'])."</td><td>Inventory Value</td><td
style='color:#4285f4;'>₱".number_format($stats['inventory_val'],2)."</td></tr>";

echo "<tr></tr>";

echo "<tr style='background:#4285f4;color:white;font-weight:bold;'><td>Product
Name</td><td>Category</td><td>Selling Price (₱)</td><td>Cost Price (₱)</td><td>Stock</td><td>Stock
Status</td></tr>";

if ($products) while ($r = $products->fetch_assoc()) {

    $status = $r['stock'] < 10 ? 'Low Stock' : 'In Stock';

    $sc    = $r['stock'] < 10 ? 'color:red;' : 'color:green;';

    echo "<tr>";

    echo "<td style='font-weight:bold;'>".htmlspecialchars($r['name'])."</td>";

    echo "<td>".htmlspecialchars($r['category'])."</td>";

    echo "<td style='text-align:right;'>".number_format($r['price'],2)."</td>";

    echo "<td style='text-align:right;'>".number_format($r['cost'],2)."</td>";

    echo "<td style='text-align:center;'>".$r['stock']."</td>";

    echo "<td style='$sc font-weight:bold;'>$status</td>";

    echo "</tr>";

}

echo "</table>";

}

$db->close();

?>

```

FORGOT_PASSWORD.PHP

```
<?php

require_once 'includes/config.php';

if (isLoggedIn()) {
    header("Location: dashboard.php");
    exit();
}

$success = $error = "";

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $email = trim($_POST['email'] ?? "");
    if (empty($email)) {
        $error = 'Please enter your email address.';
    } else {
        $db = getDB();
        $stmt = $db->prepare("SELECT id FROM users WHERE email = ?");
        $stmt->bind_param("s", $email);
        $stmt->execute();
        $stmt->store_result();
        if ($stmt->num_rows > 0) {
            $success = 'If this email exists, a password reset link has been sent. (Feature requires email configuration)';
        } else {
            $success = 'If this email exists, a password reset link has been sent.';
        }
    }
}
```

```

        $db->close();
    }
}
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Forgot Password - Profit Lens</title>

    <link rel="stylesheet" href="assets/css/style.css">

</head>

<body class="auth-body">

    <div class="auth-card">

        <div class="auth-logo">

            <svg width="70" height="70" viewBox="0 0 60 60" fill="none" xmlns="http://www.w3.org/2000/svg">

                <circle cx="28" cy="28" r="18" stroke="#1a6b35" stroke-width="4" fill="none"/>

                <line x1="41" y1="41" x2="52" y2="52" stroke="#e74c3c" stroke-width="4" stroke-linecap="round"/>

                <rect x="18" y="30" width="5" height="8" fill="#1a6b35" rx="1"/>

                <rect x="25" y="24" width="5" height="14" fill="#4caf50" rx="1"/>

                <rect x="32" y="19" width="5" height="19" fill="#81c784" rx="1"/>

            </svg>

            <div class="auth-logo-text">

                <span class="profit">Profit</span><br>

                <span class="lens">Lens</span>

            </div>

        </div>

    </div>

</body>

</html>

```

```

</div>

<h3 style="text-align:center;margin-bottom:8px;font-size:16px;">Forgot Password?</h3>

<p style="text-align:center;color:var(--gray);font-size:12px;margin-bottom:20px;">Enter your email to
receive reset instructions.</p>

<?php if ($error): ?><div class="alert alert-danger"><?= $error ?></div><?php endif; ?>

<?php if ($success): ?><div class="alert alert-success"><?= $success ?></div><?php endif; ?>

<form method="POST">

  <div class="auth-field">

    <label>Email Address</label>

    <input type="email" name="email" placeholder="ENTER YOUR EMAIL" required>

  </div>

  <button type="submit" class="btn-auth-primary">Send Reset Link</button>

</form>

<a href="index.php" class="auth-link">← Back to Login</a>

</div>

</body>

</html>

```

INDEX.PHP

```
<?php
```

```
require_once 'includes/config.php';
```

```
if (isLoggedIn()) {
```

```
    header("Location: dashboard.php");
```

```
    exit();
```

```
}
```

```
$error = "";
```

```
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
```

```
    $email = trim($_POST['email'] ?? "");
```

```
    $password = $_POST['password'] ?? "";
```

```
    if (empty($email) || empty($password)) {
```

```
        $error = 'Please fill in all fields.';
```

```
    } else {
```

```
        $db = getDB();
```

```
        $stmt = $db->prepare("SELECT id, email, password, role FROM users WHERE email = ?");
```

```
        $stmt->bind_param("s", $email);
```

```
        $stmt->execute();
```

```
        $result = $stmt->get_result();
```

```
        $user = $result->fetch_assoc();
```

```
        if ($user && password_verify($password, $user['password'])) {
```

```

$_SESSION['user_id'] = $user['id'];

$_SESSION['email'] = $user['email'];

$_SESSION['role'] = $user['role'];

header("Location: dashboard.php");

exit();

} else {

    $error = 'Invalid email or password.';

}

$db->close();

}

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Login - Profit Lens System</title>

    <link
href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@700&family=DM+Sans:wght@300;400;
500&display=swap" rel="stylesheet">

    <style>

        *, ::before, ::after { box-sizing: border-box; margin: 0; padding: 0; }

        body {

            min-height: 100vh;

            display: flex;

```

```
align-items: center;
justify-content: center;
background: #0d2414;
font-family: 'DM Sans', sans-serif;
overflow: hidden;
position: relative;
}
```

```
#doodle-canvas {
  position: fixed;
  inset: 0;
  width: 100%; height: 100%;
  pointer-events: none;
  z-index: 0;
}
```

```
.auth-card {
  position: relative;
  z-index: 10;
  width: 420px;
  background: rgba(255,255,255,0.96);
  border-radius: 24px;
  padding: 48px 44px 40px;
  box-shadow:
    0 0 0 1px rgba(255,255,255,0.12),
    0 40px 80px rgba(0,0,0,0.55),
```

```

    0 0 120px rgba(34,139,34,0.1);
    animation: fadeUp 0.7s cubic-bezier(0.16,1,0.3,1) both;
}

.auth-card::before {
    content: "";
    position: absolute;
    top: 0; left: 40px; right: 40px;
    height: 3px;
    background: linear-gradient(90deg, #1b5e20, #e53935, #1b5e20);
    border-radius: 0 0 4px 4px;
}

@keyframes fadeUp {
    from { opacity: 0; transform: translateY(28px) scale(0.97); }
    to { opacity: 1; transform: translateY(0) scale(1); }
}

.auth-logo {
    display: flex;
    flex-direction: column;
    align-items: center;
    margin-bottom: 10px;
    animation: fadeUp 0.7s 0.1s cubic-bezier(0.16,1,0.3,1) both;
}

```

```

.logo-icon-wrap {
  width: 64px; height: 64px;
  background: linear-gradient(135deg, #1b5e20 0%, #2e7d32 100%);
  border-radius: 18px;
  display: flex; align-items: center; justify-content: center;
  margin-bottom: 12px;
  box-shadow: 0 8px 24px rgba(27,94,32,0.38);
  position: relative; overflow: hidden;
}

.logo-icon-wrap::after {
  content: "";
  position: absolute; inset: 0;
  background: linear-gradient(135deg, rgba(255,255,255,0.18) 0%, transparent 60%);
}

.auth-logo-text { text-align: center; line-height: 1; }

.profit {
  font-family: 'Playfair Display', serif;
  font-size: 26px; color: #e53935;
  display: block; letter-spacing: -0.5px;
}

.lens {
  font-family: 'Playfair Display', serif;
  font-size: 26px; color: #1b5e20;
  display: block; letter-spacing: -0.5px; margin-top: -2px;
}

```

```
.auth-tagline {  
  font-size: 12px; color: #9e9e9e;  
  letter-spacing: 0.06em; text-align: center;  
  margin-bottom: 28px; font-weight: 400;  
  animation: fadeUp 0.7s 0.15s cubic-bezier(0.16,1,0.3,1) both;  
}
```

```
.alert {  
  border-radius: 10px; padding: 11px 16px;  
  font-size: 13.5px; margin-bottom: 18px;  
}
```

```
.alert-danger {  
  background: #fff5f5; color: #c62828;  
  border: 1.5px solid #ffcdd2;  
}
```

```
.auth-field { margin-bottom: 16px; animation: fadeUp 0.7s 0.2s cubic-bezier(0.16,1,0.3,1) both; }  
.auth-field + .auth-field { animation-delay: 0.25s; }
```

```
.auth-field label {  
  display: block; font-size: 10.5px; font-weight: 500;  
  letter-spacing: 0.1em; color: #616161;  
  margin-bottom: 7px; text-transform: uppercase;  
}
```

```
.input-wrap { position: relative; }
```

```
.input-wrap .field-icon {  
    position: absolute; left: 14px; top: 50%; transform: translateY(-50%);  
    width: 16px; height: 16px; stroke: #bdbdbd; stroke-width: 2;  
    stroke-linecap: round; stroke-linejoin: round; fill: none;  
    pointer-events: none; transition: stroke 0.2s; z-index: 1;  
}
```

```
.auth-field input {  
    width: 100%; padding: 13px 14px 13px 42px;  
    border: 1.5px solid #e0e0e0; border-radius: 12px;  
    font-family: 'DM Sans', sans-serif; font-size: 14px;  
    color: #212121; background: #fafafa; outline: none;  
    transition: border-color 0.2s, background 0.2s, box-shadow 0.2s;  
}
```

```
.auth-field input::placeholder { color: #bdbdbd; }
```

```
.auth-field input:focus {  
    border-color: #2e7d32; background: #fff;  
    box-shadow: 0 0 0 4px rgba(46,125,50,0.08);  
}
```

```
.auth-field input:focus ~ .field-icon { stroke: #2e7d32; }
```

```
.eye-toggle {  
    position: absolute; right: 14px; top: 50%; transform: translateY(-50%);  
    background: none; border: none; cursor: pointer; padding: 0;
```

```

    color: #bdbdbd; display: flex; align-items: center; transition: color 0.2s;
}

.eye-toggle:hover { color: #2e7d32; }

.eye-toggle svg { width: 16px; height: 16px; stroke: currentColor; stroke-width: 2; fill: none; stroke-linecap:
round; stroke-linejoin: round; }

.auth-forgot-wrap {
    text-align: right; margin-top: 6px; margin-bottom: 22px;
    animation: fadeUp 0.7s 0.3s cubic-bezier(0.16,1,0.3,1) both;
}

.auth-link {
    font-size: 12.5px; color: #9e9e9e; text-decoration: none;
    font-weight: 400; transition: color 0.2s;
}

.auth-link:hover { color: #e53935; }

.btn-auth-primary {
    width: 100%; padding: 14px;
    background: linear-gradient(135deg, #2e7d32 0%, #1b5e20 100%);
    color: #fff; border: none; border-radius: 12px;
    font-family: 'DM Sans', sans-serif; font-size: 15px; font-weight: 500;
    letter-spacing: 0.03em; cursor: pointer; position: relative; overflow: hidden;
    transition: transform 0.15s, box-shadow 0.2s;
    box-shadow: 0 6px 20px rgba(27,94,32,0.38);
    margin-bottom: 12px;
    animation: fadeUp 0.7s 0.35s cubic-bezier(0.16,1,0.3,1) both;
}

```

```

.btn-auth-primary::after {
  content: ""; position: absolute; inset: 0;
  background: linear-gradient(135deg, rgba(255,255,255,0.15) 0%, transparent 60%);
  pointer-events: none;
}

.btn-auth-primary:hover { transform: translateY(-2px); box-shadow: 0 10px 28px rgba(27,94,32,0.42); }
.btn-auth-primary:active { transform: translateY(0); }

.divider {
  display: flex; align-items: center; gap: 12px;
  margin: 4px 0 12px;
  animation: fadeUp 0.7s 0.38s cubic-bezier(0.16,1,0.3,1) both;
}

.divider span { font-size: 12px; color: #bdbdbd; white-space: nowrap; }
.divider::before, .divider::after { content: ""; flex: 1; height: 1px; background: #e0e0e0; }

.btn-auth-secondary {
  display: block; width: 100%; padding: 13px; background: transparent;
  color: #2e7d32; border: 1.5px solid #2e7d32; border-radius: 12px;
  font-family: 'DM Sans', sans-serif; font-size: 15px; font-weight: 500;
  letter-spacing: 0.03em; cursor: pointer; text-align: center;
  text-decoration: none; transition: background 0.2s, transform 0.15s;
  animation: fadeUp 0.7s 0.4s cubic-bezier(0.16,1,0.3,1) both;
}

.btn-auth-secondary:hover { background: #f1f8e9; transform: translateY(-1px); }
</style>

```

```
</head>
```

```
<body>
```

```
<canvas id="doodle-canvas"></canvas>
```

```
<div class="auth-card">
```

```
<div class="auth-logo">
```

```
<div class="logo-icon-wrap">
```

```
<svg width="34" height="34" viewBox="0 0 24 24" fill="none">
```

```
<circle cx="11" cy="11" r="7" stroke="white" stroke-width="2.2" stroke-linecap="round"/>
```

```
<line x1="16.5" y1="16.5" x2="21" y2="21" stroke="white" stroke-width="2.2"
stroke-linecap="round"/>
```

```
<line x1="8" y1="14" x2="8" y2="11" stroke="white" stroke-width="2" stroke-linecap="round"/>
```

```
<line x1="11" y1="14" x2="11" y2="8" stroke="white" stroke-width="2" stroke-linecap="round"/>
```

```
<line x1="14" y1="14" x2="14" y2="10" stroke="white" stroke-width="2" stroke-linecap="round"/>
```

```
</svg>
```

```
</div>
```

```
<div class="auth-logo-text">
```

```
<span class="profit">Profit</span>
```

```
<span class="lens">Lens</span>
```

```
</div>
```

```
</div>
```

```
<p class="auth-tagline">Clarity for your bottom line</p>
```

```
<?php if ($error): ?>
```

```
<div class="alert alert-danger"><?= htmlspecialchars($error) ?></div>
```

```

<?php endif; ?>

<form method="POST">

    <div class="auth-field">

        <label for="email">Username</label>

        <div class="input-wrap">

            <input type="email" id="email" name="email"

                placeholder="Enter your email"

                value="<?= htmlspecialchars($_POST['email'] ?? " ") ?>" required>

                <svg class="field-icon" viewBox="0 0 24 24"><rect x="2" y="4" width="20" height="16"
rx="3"/><path d="m2 7 10 7 10-7"/></svg>

            </div>

        </div>

        <div class="auth-field">

            <label for="password">Password</label>

            <div class="input-wrap">

                <input type="password" id="password" name="password"

                    placeholder="Enter your password" required>

                    <svg class="field-icon" viewBox="0 0 24 24"><rect x="3" y="11" width="18" height="11"
rx="2"/><path d="M7 11V7a5 5 0 0 1 10 0v4"/></svg>

                    <button type="button" class="eye-toggle" onclick="togglePwd(this)" aria-label="Toggle password">

                        <svg viewBox="0 0 24 24"><path d="M1 12s4-8 11-8 11 8 4 8-11 8-11-8z"/><circle
cx="12" cy="12" r="3"/></svg>

                    </button>

                </div>

            </div>

```

```
<div class="auth-forgot-wrap">
```

```
  <a href="forgot_password.php" class="auth-link">Forgot password?</a>
```

```
</div>
```

```
  <button type="submit" class="btn-auth-primary">Login</button>
```

```
</form>
```

```
<div class="divider"><span>or</span></div>
```

```
  <a href="register.php" class="btn-auth-secondary">Create an account</a>
```

```
</div>
```

```
<script>
```

```
function togglePwd(btn) {
```

```
  const input = btn.closest('.input-wrap').querySelector('input');
```

```
  input.type = input.type === 'password' ? 'text' : 'password';
```

```
}
```

```
(function () {
```

```
  const canvas = document.getElementById('doodle-canvas');
```

```
  const ctx = canvas.getContext('2d');
```

```
  const G = 'rgba(100,200,120,0.20)';
```

```
  const GM = 'rgba(100,200,120,0.30)';
```

```
  const R = 'rgba(229,57,53,0.16)';
```

```
  const W = 'rgba(255,255,255,0.11)';
```

```
  const DASH = [6,6];
```

```
function rnd(a,b){ return Math.random()*(b-a)+a; }
```

```
function style(color, lw, dash){  
    ctx.strokeStyle = color;  
    ctx.lineWidth   = lw || 1.5;  
    ctx.setLineDash(dash || []);  
    ctx.lineCap = ctx.lineJoin = 'round';  
}
```

```
function barChart(x, y, w, h, vals, col){  
    ctx.save(); style(col, 1.5);  
    ctx.beginPath();  
    ctx.moveTo(x, y); ctx.lineTo(x, y+h); ctx.lineTo(x+w, y+h);  
    ctx.stroke();  
    const bw = (w-10)/vals.length - 4;  
    vals.forEach((v,i)=>{  
        const bx = x+8+i*((w-10)/vals.length);  
        const bh = v*(h-10);  
        ctx.beginPath(); ctx.rect(bx, y+h-bh-2, bw, bh); ctx.stroke();  
    });  
    ctx.restore();  
}
```

```
function lineChart(x, y, w, h, pts, col){  
    ctx.save(); style(col, 1.8);
```

```

ctx.beginPath();
ctx.moveTo(x, y); ctx.lineTo(x, y+h); ctx.lineTo(x+w, y+h);
ctx.stroke();
const xs = w/(pts.length-1);
ctx.beginPath();
pts.forEach((v,i)=>{
    const px=x+i*xs, py=y+h-v*(h-8)-4;
    i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);
});
ctx.stroke();
pts.forEach((v,i)=>{
    ctx.beginPath();
    ctx.arc(x+i*xs, y+h-v*(h-8)-4, 3, 0, Math.PI*2);
    ctx.fillStyle=col; ctx.fill();
});
ctx.restore();
}

```

```

function donut(x, y, r, col){
    ctx.save(); style(col, 1.5);
    let a = -Math.PI/2;
    [0.35,0.25,0.2,0.2].forEach(s=>{
        const e=a+s*Math.PI*2;
        ctx.beginPath();
        ctx.arc(x,y,r,a,e);
        ctx.arc(x,y,r*0.55,e,a,true);
    });
}

```

```

    ctx.closePath(); ctx.stroke();

    a=e+0.06;

  });

  ctx.restore();
}

```

```

function trendArrow(x, y, len, up, col){

  ctx.save(); style(col, 1.8);

  const ang = up ? -Math.PI/4 : Math.PI/4;

  const ex=x+len*Math.cos(ang), ey=y+len*Math.sin(ang);

  ctx.beginPath();

  ctx.moveTo(x,y); ctx.lineTo(ex,ey);

  ctx.lineTo(ex-8*Math.cos(ang-0.45), ey-8*Math.sin(ang-0.45));

  ctx.moveTo(ex,ey);

  ctx.lineTo(ex-8*Math.cos(ang+0.45), ey-8*Math.sin(ang+0.45));

  ctx.stroke(); ctx.restore();

}

```

```

function kpiBox(x, y, w, h, col){

  ctx.save(); style(col, 1.3, DASH);

  ctx.beginPath(); ctx.roundRect(x,y,w,h,6); ctx.stroke();

  style(col, 1.3, []);

  [0.4,0.7,0.55,0.9,0.65].forEach((v,i)=>{

    const bx=x+8+i*(w-16)/5, bh=v*(h*0.5);

    ctx.beginPath(); ctx.rect(bx, y+h-bh-8, (w-16)/5-3, bh); ctx.stroke();

  });

}

```

```

    ctx.restore();
}

function scatter(x, y, w, h, col){
    ctx.save(); style(col, 1.3);
    ctx.beginPath();
    ctx.moveTo(x,y+h); ctx.lineTo(x,y);
    ctx.moveTo(x,y+h); ctx.lineTo(x+w,y+h);
    ctx.stroke();
    for(let i=0;i<12;i++){
        ctx.beginPath();
        ctx.arc(x+rnd(6,w-4), y+rnd(4,h-6), rnd(2,4), 0, Math.PI*2);
        ctx.stroke();
    }
    ctx.restore();
}

function radar(cx, cy, r, col){
    ctx.save();
    const axes=6;
    [0.4,0.7,1].forEach(sc=>{
        style(col,1.2,DASH); ctx.beginPath();
        for(let i=0;i<=axes;i++){
            const a=(i/axes)*Math.PI*2-Math.PI/2;
            const px=cx+r*sc*Math.cos(a), py=cy+r*sc*Math.sin(a);
            i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);
        }
    });
    ctx.restore();
}

```

```

    }
    ctx.stroke();
  });
  style(col, 1, []);
  for(let i=0; i<axes; i++){
    const a=(i/axes)*Math.PI*2-Math.PI/2;
    ctx.beginPath(); ctx.moveTo(cx,cy);
    ctx.lineTo(cx+r*Math.cos(a),cy+r*Math.sin(a)); ctx.stroke();
  }
  style(col, 1.5, []);
  const vals=[0.8,0.6,0.9,0.5,0.75,0.65];
  ctx.beginPath();
  vals.forEach((v,i)=>{
    const a=(i/axes)*Math.PI*2-Math.PI/2;
    const px=cx+r*v*Math.cos(a), py=cy+r*v*Math.sin(a);
    i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);
  });
  ctx.closePath(); ctx.stroke();
  ctx.restore();
}

```

```

function candlestick(x, y, w, h, col){
  ctx.save();
  const cols=7, cw=(w-10)/cols;
  for(let i=0; i<cols; i++){
    const cx=x+5+i*cw+cw/2;

```

```

const open=rnd(0.2,0.🤪, close=rnd(0.2,0.8);
const high=Math.max(open,close)+rnd(0.05,0.15);
const low=Math.min(open,close)-rnd(0.05,0.15);
const toY=v=>y+h-v*h;
const c=close>=open?GM:'rgba(229,57,53,0.25)';
style(c,1.2);
ctx.beginPath(); ctx.moveTo(cx,toY(high)); ctx.lineTo(cx,toY(low)); ctx.stroke();
const bh=Math.abs(close-open)*h;
ctx.strokeRect(cx-cw*0.3, toY(Math.max(open,close)), cw*0.6, bh||2);
}
ctx.restore();
}

```

```

function funnel(x, y, maxW, h, steps, col){
  ctx.save(); style(col,1.5);
  const sh=h/steps;
  for(let i=0;i<steps;i++){
    const tw=maxW*(1-i*0.18), tx=x+(maxW-tw)/2;
    ctx.beginPath(); ctx.rect(tx, y+i*sh, tw, sh-4); ctx.stroke();
  }
  ctx.restore();
}

```

```

function heatmap(x, y, cols, rows, size, baseCol){
  ctx.save();
  for(let r=0;r<rows;r++) for(let c=0;c<cols;c++){

```

```

    ctx.strokeStyle=`rgba(100,200,120,${rnd(0.05,0.22)})`;
    ctx.lineWidth=1; ctx.setLineDash([]);
    ctx.strokeRect(x+c*(size+3), y+r*(size+3), size, size);
}
ctx.restore();
}

function draw(){
    ctx.clearRect(0,0,canvas.width,canvas.height);
    const W=canvas.width, H=canvas.height;

    barChart(55, 75, 95, 75, [0.5,0.8,0.6,0.95,0.7], G);
    lineChart(W-165, 55, 125, 85, [0.3,0.6,0.4,0.8,0.55,0.9,0.7], G);
    donut(85, H-105, 58, G);
    donut(W-92, H-92, 48, R);
    trendArrow(W-85, 195, 65, true, GM);
    trendArrow(50, H/2+65, 58, false, R);
    kpiBox(W-205, H/2-65, 135, 72, G);
    kpiBox(38, H/2-105, 115, 62, W);
    scatter(W-175, H-165, 115, 95, G);
    heatmap(W-145, 195, 5, 4, 15, "");
    funnel(28, 295, 95, 105, 4, G);
    radar(W/2+285, H/2, 72, G);
    candlestick(W/2-360, H-135, 145, 72, G);
    barChart(W/2-105, 28, 72, 52, [0.4,0.75,0.55,0.85], R);
    lineChart(W/2+58, H-115, 105, 62, [0.5,0.3,0.7,0.4,0.8], G);

```

```

    radar(115, H/2+185, 52, W);

    scatter(W/2+205, H-135, 82, 72, R);

    kpiBox(W/2-335, 98, 105, 56, R);

    trendArrow(W/2+8, 28, 52, true, W);

    /* extra filler */

    barChart(W-280, H-80, 70, 50, [0.6,0.4,0.8,0.5], W);

    lineChart(180, H-90, 90, 55, [0.7,0.4,0.6,0.9,0.5], W);

    donut(W/2-260, 70, 38, W);
}

function resize(){
    canvas.width=window.innerWidth;

    canvas.height=window.innerHeight;

    draw();
}

window.addEventListener('resize', resize);

resize();

})();
</script>
</body>
</html>

```

LOGOUT.PHP

```
<?php
require_once 'includes/config.php';

$_SESSION = [];

session_destroy();

header("Location: index.php");

exit();
```

PRODUCTS.PHP

```
<?php
require_once 'includes/config.php';

requireAdmin();

$db = getDB();

$action = $_GET['action'] ?? 'list';

$success = $error = "";

// Handle forms
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $name      = trim($_POST['name'] ?? "");
    $category   = trim($_POST['category'] ?? "");
    $price      = floatval($_POST['price'] ?? 0);
    $cost       = floatval($_POST['cost'] ?? 0);
    $stock      = intval($_POST['stock'] ?? 0);
    $expiry_date = trim($_POST['expiry_date'] ?? "") ?: null;
```

```

if (empty($name)) {
    $error = 'Product name is required.';
} else {
    if (isset($_POST['id']) && $_POST['id']) {
        $id = intval($_POST['id']);

        $stmt = $db->prepare("UPDATE products SET name=?, category=?, price=?, cost=?, stock=?,
expiry_date=? WHERE id=?");

        $stmt->bind_param("ssddisi", $name, $category, $price, $cost, $stock, $expiry_date, $id);
    } else {
        $stmt = $db->prepare("INSERT INTO products (name, category, price, cost, stock, expiry_date,
created_at) VALUES (?, ?, ?, ?, ?, ?, NOW())");

        $stmt->bind_param("ssddis", $name, $category, $price, $cost, $stock, $expiry_date);
    }

    if ($stmt->execute()) {
        $success = 'Product saved successfully!';

        $action = 'list';

        // Auto-record expense only when adding a NEW product (not editing)
        if (!isset($_POST['id']) || !$_POST['id']) {
            if ($cost > 0) {
                $exp_desc = "Product added: " . $name;

                $exp_date = date("Y-m-d");

                $exp_stmt = $db->prepare("INSERT INTO expenses (category, description, amount,
expense_date) VALUES ('Product', ?, ?, ?)");

                $exp_stmt->bind_param("sds", $exp_desc, $cost, $exp_date);

                $exp_stmt->execute();
            }
        }
    }
}

```

```

    } else {
        $error = 'Error saving product.';
    }
}

// Delete
if ($action === 'delete' && isset($_GET['id'])) {
    $id = intval($_GET['id']);
    $db->query("DELETE FROM products WHERE id=$id");
    $success = 'Product deleted.';
    $action = 'list';
}

// Edit — load product
$edit_product = null;
if ($action === 'edit' && isset($_GET['id'])) {
    $id = intval($_GET['id']);
    $edit_product = $db->query("SELECT * FROM products WHERE id=$id")->fetch_assoc();
}

// List products
$products = $db->query("SELECT * FROM products ORDER BY created_at DESC");
$total_products = $db->query("SELECT COUNT(*) as c FROM products")->fetch_assoc()['c'];
$total_stock = $db->query("SELECT SUM(stock) as s FROM products")->fetch_assoc()['s'] ?? 0;
$avg_price = $db->query("SELECT AVG(price) as a FROM products")->fetch_assoc()['a'] ?? 0;

```

```
// Pre-fetch notification data before closing DB
```

```
$expiring_result = $db->query("SELECT * FROM products WHERE expiry_date IS NOT NULL AND  
expiry_date != " AND expiry_date <= DATE_ADD(CURDATE(), INTERVAL 30 DAY) AND expiry_date >=  
CURDATE() ORDER BY expiry_date ASC");
```

```
$expiring_rows = [];
```

```
$expiring_count = 0;
```

```
if ($expiring_result) {
```

```
    while ($row = $expiring_result->fetch_assoc()) $expiring_rows[] = $row;
```

```
    $expiring_count = count($expiring_rows);
```

```
}
```

```
$zero_result = $db->query("
```

```
    SELECT p.* FROM products p
```

```
    LEFT JOIN sales s ON s.product_id = p.id
```

```
        AND MONTH(s.created_at) = MONTH(DATE_SUB(CURDATE(), INTERVAL 1 MONTH))
```

```
        AND YEAR(s.created_at) = YEAR(DATE_SUB(CURDATE(), INTERVAL 1 MONTH))
```

```
    WHERE s.id IS NULL
```

```
    ORDER BY p.name ASC
```

```
");
```

```
$zero_rows = [];
```

```
$zero_count = 0;
```

```
if ($zero_result) {
```

```
    while ($row = $zero_result->fetch_assoc()) $zero_rows[] = $row;
```

```
    $zero_count = count($zero_rows);
```

```
}
```

```
$month_name = date('F', strtotime('first day of last month'));
```

```
$db->close();
```

```
// Helper: expiry badge info
```

```
function expiryBadge($expiry_date) {  
    if (!$expiry_date || $expiry_date === '0000-00-00') {  
        return ['label' => '—', 'class' => '', 'date' => ''];  
    }  
  
    $today    = new DateTime('today');  
    $expiry   = new DateTime($expiry_date);  
    $diff     = (int)$today->diff($expiry)->format('%r%a');  
    $formatted = date('M d, Y', strtotime($expiry_date));  
  
    if ($diff < 0) {  
        return ['label' => '⚠ Expired', 'class' => 'badge-red', 'date' => $formatted];  
    } elseif ($diff <= 30) {  
        return ['label' => '⌚ ' . $diff . 'd left', 'class' => 'badge-orange', 'date' => $formatted];  
    } else {  
        return ['label' => $formatted, 'class' => 'badge-green', 'date' => $formatted];  
    }  
}  
  
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Product Management - Profit Lens</title>
```

```

    <link rel="stylesheet" href="assets/css/style.css">

</head>

<body>

<!-- DELETE / ACTION MODAL -->

<div class="del-modal-overlay" id="delModalOverlay">

    <div class="del-modal">

        <div class="del-modal-icon" id="delModalIcon">  </div>

        <h3 id="delModalTitle">Delete Product?</h3>

        <p>You're about to permanently delete<br><strong id="delModalName">this product</strong>.<br>This
action <strong>cannot be undone</strong>.</p>

        <div class="del-modal-actions">

            <button class="btn-modal-cancel" onclick="closeDelModal()">Cancel</button>

            <a id="delModalConfirmBtn" href="#" class="btn-modal-delete">Yes, Delete</a>

        </div>

    </div>

</div>

</div>

<div class="app-wrapper">

    <?php include 'includes/sidebar.php'; ?>

    <div class="main-content">

        <div class="topbar">

            <div class="topbar-title">

                <p>Manage your products</p>

                <h1>Product Management</h1>

            </div>

            <div class="topbar-user">

```

```
<div class="topbar-avatar">  </div>
```

```
<span class="admin-badge">  Admin</span>
```

```
</div>
```

```
</div>
```

```
<div class="page-content">
```

```
<?php if ($success): ?><div class="alert alert-success"><?= $success ?></div><?php endif; ?>
```

```
<?php if ($error): ?><div class="alert alert-danger"><?= $error ?></div><?php endif; ?>
```

```
<!-- Expiry Notification Banner -->
```

```
<?php if ($expiring_count > 0): ?>
```

```
<div class="notif-banner notif-expiry" id="notif-expiry">
```

```
<div class="notif-header" onclick="toggleNotif('notif-expiry')" style="cursor:pointer;">
```

```
<div class="notif-title">
```

```
<span class="notif-dot dot-orange"></span>
```

```
<span>  <strong><?= $expiring_count ?> product<?= $expiring_count > 1 ? 's' : '' ?> expiring  
within 30 days!</strong></span>
```

```
</div>
```

```
<div class="notif-actions" onclick="event.stopPropagation()">
```

```
<button class="notif-minimize-btn" onclick="toggleNotif('notif-expiry')" id="notif-expiry-btn">
```

```
<span class="notif-chevron" id="notif-expiry-chevron">▼</span>
```

```
<span id="notif-expiry-label">Minimize</span>
```

```
</button>
```

```
<button class="notif-dismiss-btn" onclick="dismissNotif('notif-expiry')">X Dismiss</button>
```

```
</div>
```

```
</div>
```

```

<div class="notif-body" id="notif-expiry-body">
    <?php foreach($expiring_rows as $ep): ?>
        <div class="notif-item">
            <span class="notif-dot dot-orange" style="flex-shrink:0;margin-top:3px;"></span>
            <div>
                <strong><?= htmlspecialchars($ep['name']) ?></strong>
                <div style="font-size:11px;color:#b45309;">
                    Expires <?= date('M d, Y', strtotime($ep['expiry_date'])) ?>
                    • <?= max(0,(int)((strtotime($ep['expiry_date']) - time()) / 86400)) ?> days left
                    • Stock: <?= $ep['stock'] ?>
                </div>
            </div>
            <div>
                <a href="#" class="notif-action-btn btn-dispose"
                    onclick="openDelModal('dispose', <?= $ep['id'] ?>, '<?=
htmlspecialchars(addslashes($ep['name'])) ?>')" style="margin-left:auto;">  Dispose?</a>
            </div>
        <?php endforeach; ?>
    </div>
</div>
<?php endif; ?>

```

```

<!-- Zero Sales Notification Banner -->
<?php if ($zero_count > 0): ?>
<div class="notif-banner notif-zerosales" id="notif-zerosales">
    <div class="notif-header" onclick="toggleNotif('notif-zerosales')" style="cursor:pointer;">
        <div class="notif-title">
            <span class="notif-dot dot-blue"></span>

```

 <?= \$zero_count ?> products had zero sales in <?= \$month_name ?> — you wanna keep selling these products?

</div>

<div class="notif-actions" onclick="event.stopPropagation()">

<button class="notif-minimize-btn" onclick="toggleNotif('notif-zerosales')" id="notif-zerosales-btn">

▼

Minimize

</button>

<button class="notif-dismiss-btn" onclick="dismissNotif('notif-zerosales')">X Dismiss</button>

</div>

</div>

<div class="notif-body" id="notif-zerosales-body">

<?php foreach(\$zero_rows as \$zp): ?>

<div class="notif-item">

<div>

<?= htmlspecialchars(\$zp['name']) ?>

<div style="font-size:11px;color:#1d4ed8;"><?= htmlspecialchars(\$zp['category']) ?> • Stock: <?= \$zp['stock'] ?></div>

</div>

<div style="margin-left:auto;display:flex;gap:6px;">

<button class="notif-action-btn btn-keep"> Keep</button>

<button class="notif-action-btn btn-stop"

onclick="openDelModal('stop', <?= \$zp['id'] ?>, '<?= htmlspecialchars(addslashes(\$zp['name'])) ?>')">

 Stop

</button>

```

        </div>

    </div>

    <?php endforeach; ?>

</div>

</div>

<?php endif; ?>

<div class="stats-row" style="grid-template-columns:repeat(3,1fr);margin-bottom:22px;">
    <div class="stat-card">

        <div class="stat-icon green"> 📦 </div>

        <div class="stat-info">

            <div class="stat-label">Total Products</div>

            <div class="stat-value"><?= $total_products ?></div>

        </div>

    </div>

    <div class="stat-card">

        <div class="stat-icon blue"> 📊 </div>

        <div class="stat-info">

            <div class="stat-label">Total Stock</div>

            <div class="stat-value"><?= number_format($total_stock) ?></div>

        </div>

    </div>

    <div class="stat-card">

        <div class="stat-icon orange"> 💰 </div>

        <div class="stat-info">

            <div class="stat-label">Average Price</div>

```

```

        <div class="stat-value"><?= formatMoney($avg_price) ?></div>

    </div>

</div>

</div>

<div class="two-col">

    <!-- Form -->

    <div class="form-card">

        <h3><?= $edit_product ? '✎ Edit Product' : '➕ Add New Product' ?></h3>

        <form method="POST">

            <?php if ($edit_product): ?>

                <input type="hidden" name="id" value="<?= $edit_product['id'] ?>">

            <?php endif; ?>

            <div class="form-group">

                <label>Product Name</label>

                <input type="text" name="name" class="form-control" placeholder="Enter product name"

                    value="<?= htmlspecialchars($edit_product['name'] ?? $_POST['name'] ?? "") ?>"

required>

            </div>

            <div class="form-group">

                <label>Category</label>

                <input type="text" name="category" class="form-control" placeholder="Enter category name"

                    value="<?= htmlspecialchars($edit_product['category'] ?? $_POST['category'] ?? "") ?>"

            </div>

            <div class="form-row">

                <div class="form-group">

                    <label>Selling Price (₱)</label>

```

```

        <input type="number" name="price" class="form-control" step="0.01" min="0"
placeholder="0.00"

        value="<?= $edit_product['price'] ?? " ?>">

    </div>

    <div class="form-group">

        <label>Cost Price (₱)</label>

        <input type="number" name="cost" class="form-control" step="0.01" min="0"
placeholder="0.00"

        value="<?= $edit_product['cost'] ?? " ?>">

    </div>

</div>

<div class="form-group">

    <label>Stock Quantity</label>

    <input type="number" name="stock" class="form-control" min="0" placeholder="0"

    value="<?= $edit_product['stock'] ?? " ?>">

</div>

<!-- EXPIRY DATE FIELD -->

<div class="form-group">

    <label>Expiry Date <span
style="font-size:10px;color:var(--gray);font-weight:400;"></span></label>

    <input type="date" name="expiry_date" class="form-control"

    value="<?= htmlspecialchars($edit_product['expiry_date'] ?? $_POST['expiry_date'] ?? ")
?>">

</div>

<div style="display:flex;gap:10px;">

    <button type="submit" class="btn-submit"><?= $edit_product ? 'Update Product' : 'Add
Product' ?></button>

    <?php if ($edit_product): ?>

```

```

        <a href="products.php" class="btn-submit"
style="background:var(--gray);text-decoration:none;">Cancel</a>

        <?php endif; ?>

    </div>

</form>

</div>

<!-- Product List -->

<div class="table-card">

    <div class="table-card-header" style="flex-direction:column;align-items:stretch;gap:10px;">

        <div
style="display:flex;justify-content:space-between;align-items:center;flex-wrap:wrap;gap:8px;">

            <h3>All Products</h3>

            <div style="display:flex;align-items:center;gap:8px;">

                <a href="export_excel.php?type=products"

                    style="display:inline-flex;align-items:center;gap:5px;padding:7px
13px;background:#217346;color:white;border-radius:8px;font-size:11px;font-weight:700;text-decoration:none;"

                    onmouseover="this.style.background='#185c38'"
onmouseout="this.style.background='#217346'">

                    <svg width="12" height="12" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2.5"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline
points="14 2 14 8 20 8"/><line x1="16" y1="13" x2="8" y2="13"/><line x1="16" y1="17" x2="8" y2="17"/></svg>

                    Export Excel

                </a>

                <span class="badge badge-green" id="prod-count"><?= $total_products ?> items</span>

            </div>

        </div>

    </div>

    <div style="position:relative;">

```

```

        <span
style="position:absolute;left:11px;top:50%;transform:translateY(-50%);font-size:13px;color:#aaa;pointer-events:
none;">🔍</span>

        <input type="text" id="prod-search-bar" placeholder="Search by name or category..."

        oninput="filterProducts()"

        style="width:100%;box-sizing:border-box;padding:9px 34px 9px 34px;border:2px solid
var(--gray-mid);border-radius:8px;font-size:12.5px;font-family:'Poppins',sans-serif;outline:none;transition:border:n
-color .2s;"

        onfocus="this.style.borderColor='var(--green-main)'"

        onblur="this.style.borderColor='var(--gray-mid)'">

        <button onclick="clearProdSearch()" id="prod-search-clr"

style="display:none;position:absolute;right:9px;top:50%;transform:translateY(-50%);background:none;border:n
one;cursor:pointer;font-size:13px;color:#aaa;padding:2px 5px;border-radius:4px;"

        onmouseover="this.style.background='#f0f0f0'"
onmouseout="this.style.background='none'">X </button>

    </div>

    <div id="prod-search-info" style="font-size:11px;color:var(--gray);min-height:14px;"></div>

    <!-- Sort Buttons -->

    <div style="display:flex;gap:7px;flex-wrap:wrap;align-items:center;">

        <span style="font-size:11px;font-weight:600;color:var(--gray);margin-right:2px;">Sort
by:</span>

        <button class="sort-btn active" id="sort-date" onclick="sortProducts('date')"
title="Pinakabago">

            🕒 Date Recorded

        </button>

        <button class="sort-btn" id="sort-alpha" onclick="sortProducts('alpha')" title="A hanggang Z">

            📄 A–Z

        </button>

```

```
<button class="sort-btn" id="sort-price-desc" onclick="sortProducts('price-desc')"  
title="Pinakamahahal">
```

```
🏆 Highest Price
```

```
</button>
```

```
<button class="sort-btn" id="sort-price-asc" onclick="sortProducts('price-asc')"  
title="Pinakamura">
```

```
🏆 Lowest Price
```

```
</button>
```

```
<button class="sort-btn" id="sort-expiry" onclick="sortProducts('expiry')"  
title="Pinaka-malapit mag-expire">
```

```
📅 Expiry Date
```

```
</button>
```

```
</div>
```

```
</div>
```

```
<div style="max-height:420px;overflow-y:auto;">
```

```
<table class="data-table">
```

```
<thead>
```

```
<tr>
```

```
<th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Product</th>
```

```
<th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Price</th>
```

```
<th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Stock</th>
```

```
<th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Expiry</th>
```

```
<th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Actions</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php if ($products): while($p = $products->fetch_assoc()):
```

```

        $badge = expiryBadge($p['expiry_date'] ?? null);
    ?>

<tr class="prod-row"

    data-name="<?= strtolower(htmlspecialchars($p['name'])) ?>"
    data-cat="<?= strtolower(htmlspecialchars($p['category'])) ?>"
    data-price="<?= $p['price'] ?>"
    data-date="<?= $p['created_at'] ?? " ?>"
    data-expiry="<?= htmlspecialchars($p['expiry_date'] ?? ") ?>"

    <td>

        <div style="font-weight:600;"><?= htmlspecialchars($p['name']) ?></div>

        <div style="font-size:11px;color:var(--gray);"><?= htmlspecialchars($p['category'])
?></div>

        <?php if (!empty($p['created_at'])): ?>

            <div style="font-size:10px;color:#b0b0b0;margin-top:2px;">🕒 Recorded: <?= date('M d,
Y h:i A', strtotime($p['created_at'])) ?></div>

            <?php endif; ?>

        </td>

        <td><?= formatMoney($p['price']) ?></td>

        <td>

            <span class="badge <?= $p['stock'] < 10 ? 'badge-red' : 'badge-green' ?>"><?=
$p['stock'] ?></span>

        </td>

        <td>

            <?php if (!empty($badge['class'])): ?>

                <span class="badge <?= $badge['class'] ?>"><?= $badge['label'] ?></span>

                <?php if ($badge['class'] !== 'badge-green' && !empty($badge['date'])): ?>

                    <div style="font-size:10px;color:var(--gray);margin-top:2px;"><?= $badge['date']
?></div>

```



```

    backdrop-filter: blur(3px); -webkit-backdrop-filter: blur(3px);
    z-index: 9999; align-items: center; justify-content: center;
}

.del-modal-overlay.active { display: flex; animation: fadeOverlay .2s ease; }

.del-modal {
    background: #fff; border-radius: 18px;
    box-shadow: 0 20px 60px rgba(0,0,0,.18);
    padding: 36px 32px 28px; width: 100%; max-width: 380px;
    text-align: center; animation: popIn .25s cubic-bezier(.34,1.56,.64,1);
}

.del-modal-icon {
    width: 64px; height: 64px; background: #fff0f0; border-radius: 50%;
    display: flex; align-items: center; justify-content: center;
    font-size: 30px; margin: 0 auto 18px; border: 3px solid #ffd6d6;
}

.del-modal h3 { font-size: 19px; font-weight: 800; color: #1a1a2e; margin: 0 0 8px; }
.del-modal p { font-size: 13px; color: #888; margin: 0 0 26px; line-height: 1.6; }
.del-modal p strong { color: #444; font-weight: 700; }
.del-modal-actions { display: flex; gap: 10px; }
.btn-modal-cancel {
    flex: 1; padding: 12px 0; border-radius: 10px;
    border: 1.5px solid #e0e0e0; background: #f7f7f7;
    color: #555; font-size: 13px; font-weight: 700; cursor: pointer;
    transition: background .18s; font-family: inherit;
}

.btn-modal-cancel:hover { background: #ebebeb; }

```

```

.btn-modal-delete {
    flex: 1; padding: 12px 0; border-radius: 10px; border: none;
    background: linear-gradient(135deg, #ff4d4d, #dc3545);
    color: #fff; font-size: 13px; font-weight: 700; cursor: pointer;
    text-decoration: none; display: flex; align-items: center; justify-content: center;
    box-shadow: 0 4px 14px rgba(220,53,69,.35); transition: transform .15s, box-shadow .15s;
}

.btn-modal-delete:hover { transform: translateY(-1px); box-shadow: 0 6px 20px rgba(220,53,69,.45); }

@keyframes fadeOverlay { from { opacity:0; } to { opacity:1; } }

@keyframes popIn { from { opacity:0; transform:scale(.88); } to { opacity:1; transform:scale(1); } }

.notif-banner {
    border-radius: 12px;
    margin-bottom: 14px;
    overflow: hidden;
    border: 1.5px solid transparent;
    box-shadow: 0 2px 8px rgba(0,0,0,0.06);
    transition: box-shadow 0.2s;
}

.notif-expiry { background: #ffffbe; border-color: #fde68a; }
.notif-zerosales { background: #eff6ff; border-color: #bfdbfe; }

.notif-header {
    display: flex;
    align-items: center;
    justify-content: space-between;

```

```

padding: 13px 16px;

gap: 10px;

user-select: none;
}

.notif-expiry .notif-header:hover { background: rgba(251,191,36,0.08); }

.notif-zerosales .notif-header:hover { background: rgba(59,130,246,0.06); }


.notif-title {

display: flex;

align-items: center;

gap: 9px;

font-size: 13px;

color: #78350f;

flex: 1;

min-width: 0;
}

.notif-zerosales .notif-title { color: #1e3a8a; }


.notif-dot {

width: 9px; height: 9px;

border-radius: 50%;

display: inline-block;

flex-shrink: 0;
}

.dot-orange { background: #f59e0b; }

.dot-blue { background: #3b82f6; }

```

```
.notif-actions {  
  display: flex;  
  align-items: center;  
  gap: 7px;  
  flex-shrink: 0;  
}
```

```
.notif-minimize-btn {  
  display: inline-flex;  
  align-items: center;  
  gap: 6px;  
  padding: 6px 14px;  
  border-radius: 8px;  
  border: 1.5px solid #f59e0b;  
  background: #fef3c7;  
  color: #92400e;  
  font-size: 12px;  
  font-weight: 700;  
  cursor: pointer;  
  transition: background 0.15s, border-color 0.15s, transform 0.1s;  
  font-family: inherit;  
  box-shadow: 0 1px 3px rgba(0,0,0,0.08);  
}
```

```
.notif-zerosales .notif-minimize-btn {  
  border-color: #3b82f6;
```

```

    background: #dbeafe;
    color: #1e40af;
}

.notif-minimize-btn:hover { background: #fde68a; border-color: #d97706; }
.notif-zerosales .notif-minimize-btn:hover { background: #bfdbfe; border-color: #2563eb; }
.notif-minimize-btn:active { transform: scale(0.97); }

.notif-chevron {
    display: inline-block;
    font-size: 9px;
    transition: transform 0.25s ease;
}

.notif-chevron.collapsed { transform: rotate(180deg); }

.notif-dismiss-btn {
    padding: 5px 11px;
    border-radius: 7px;
    border: 1.5px solid #fca5a5;
    background: white;
    color: #b91c1c;
    font-size: 11px;
    font-weight: 600;
    cursor: pointer;
    transition: background 0.15s;
    font-family: inherit;
}

```

```
.notif-dismiss-btn:hover { background: #fee2e2; }
```

```
.notif-body {  
  padding: 0 16px 13px;  
  max-height: 260px;  
  overflow-y: auto;  
  display: flex;  
  flex-direction: column;  
  gap: 8px;  
  transition: max-height 0.3s ease, opacity 0.25s ease, padding 0.25s ease;  
}
```

```
.notif-body.minimized {  
  max-height: 0 !important;  
  opacity: 0;  
  padding-bottom: 0;  
  overflow: hidden;  
}
```

```
.notif-item {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  background: white;  
  border-radius: 8px;  
  padding: 9px 12px;  
  border: 1px solid rgba(0,0,0,0.06);
```

```

    font-size: 12.5px;
}

.notif-action-btn {
    padding: 4px 10px;
    border-radius: 6px;
    font-size: 11px;
    font-weight: 600;
    cursor: pointer;
    border: none;
    font-family: inherit;
    white-space: nowrap;
}

.btn-dispose { background: #fee2e2; color: #b91c1c; text-decoration: none; }
.btn-dispose:hover { background: #fca5a5; }
.btn-keep { background: #d1fae5; color: #00695c; }
.btn-keep:hover { background: #c8e6c9; }
.btn-stop { background: #fee2e2; color: #b91c1c; }
.btn-stop:hover { background: #fca5a5; }

.notif-banner.is-minimized .notif-header { border-radius: 10px; }

/* — Sort Buttons — */
.sort-btn {
    display: inline-flex;
    align-items: center;

```

```

    gap: 5px;
    padding: 5px 12px;
    border-radius: 20px;
    border: 1.5px solid #e0e0e0;
    background: #f8f9fa;
    color: #555;
    font-size: 11px;
    font-weight: 600;
    cursor: pointer;
    transition: all 0.15s ease;
    font-family: inherit;
    white-space: nowrap;
}

.sort-btn:hover {
    border-color: var(--green-main, #2d7a4f);
    color: var(--green-main, #2d7a4f);
    background: #f0faf4;
}

.sort-btn.active {
    background: var(--green-main, #2d7a4f);
    color: white;
    border-color: var(--green-main, #2d7a4f);
}

.sort-btn.active:hover { background: #1e5c3a; color: white; }

/* — Expiry Badge — */

```

```
.badge-orange {
  background: #fff3cd;
  color: #856404;
  border: 1px solid #ffc107;
  padding: 3px 8px;
  border-radius: 20px;
  font-size: 10.5px;
  font-weight: 700;
}
```

```
</style>
```

```
<script>
```

```
// — Delete Modal —————
```

```
function openDelModal(type, id, name) {
  const title = document.getElementById('delModalTitle');
  const icon = document.getElementById('delModalIcon');
  const nameEl = document.getElementById('delModalName');
  const btn = document.getElementById('delModalConfirmBtn');
  const p = document.querySelector('.del-modal p');

  nameEl.textContent = name || 'this product';

  if (type === 'dispose') {
    icon.textContent = '🗑';
    title.textContent = 'Dispose Product?';

    p.innerHTML = "You're about to dispose<br><strong>" + (name || 'this product') + "</strong>.<br>This  
action <strong>cannot be undone</strong>.";
  }
}
```

```

    btn.textContent = 'Yes, Dispose';

    btn.style.background = 'linear-gradient(135deg, #f59e0b, #d97706)';

    btn.style.boxShadow = '0 4px 14px rgba(217,119,6,.35)';

} else if (type === 'stop') {

    icon.textContent = '🚫';

    title.textContent = 'Stop Selling?';

    p.innerHTML = "You're about to stop selling<br><strong>" + (name || 'this product') +
"</strong>.<br>This action <strong>cannot be undone</strong>.";

    btn.textContent = 'Yes, Stop';

    btn.style.background = 'linear-gradient(135deg, #ff4d4d, #dc3545)';

    btn.style.boxShadow = '0 4px 14px rgba(220,53,69,.35)';

} else {

    icon.textContent = '🗑️';

    title.textContent = 'Delete Product?';

    p.innerHTML = "You're about to permanently delete<br><strong>" + (name || 'this product') +
"</strong>.<br>This action <strong>cannot be undone</strong>.";

    btn.textContent = 'Yes, Delete';

    btn.style.background = 'linear-gradient(135deg, #ff4d4d, #dc3545)';

    btn.style.boxShadow = '0 4px 14px rgba(220,53,69,.35)';

}

btn.href = 'products.php?action=delete&id=' + id;

document.getElementById('delModalOverlay').classList.add('active');

document.body.style.overflow = 'hidden';

}

function closeDelModal() {

    document.getElementById('delModalOverlay').classList.remove('active');

```

```

    document.body.style.overflow = "";
}
document.getElementById('delModalOverlay').addEventListener('click', function(e) {
    if (e.target === this) closeDelModal();
});
document.addEventListener('keydown', function(e) {
    if (e.key === 'Escape') closeDelModal();
});

```

// — Notification minimize / dismiss —————

```

function toggleNotif(id) {
    const body = document.getElementById(id + '-body');
    const chevron = document.getElementById(id + '-chevron');
    const label = document.getElementById(id + '-label');
    const banner = document.getElementById(id);
    const isMin = body.classList.toggle('minimized');
    chevron.textContent = isMin ? '▲' : '▼';
    if (label) label.textContent = isMin ? 'Expand' : 'Minimize';
    banner.classList.toggle('is-minimized', isMin);
    try { localStorage.setItem('notif_' + id, isMin ? '1' : '0'); } catch(e) {}
}

```

```

function dismissNotif(id) {
    const banner = document.getElementById(id);
    if (!banner) return;
    banner.style.transition = 'opacity 0.3s, max-height 0.35s, margin 0.3s';

```

```

banner.style.opacity    = '0';
banner.style.maxHeight  = '0';
banner.style.marginBottom = '0';
banner.style.overflow    = 'hidden';
setTimeout(() => banner.remove(), 370);
try { localStorage.setItem('notif_dismissed_' + id, '1'); } catch(e) {}
}

```

// Restore state on load

```

document.addEventListener('DOMContentLoaded', function () {
  try {
    const savedSort = localStorage.getItem('prod_sort');
    if (savedSort) sortProducts(savedSort);
  } catch(e) {}

  ['notif-expiry', 'notif-zerosales'].forEach(function(id) {
    try {
      if (localStorage.getItem('notif_dismissed_' + id) === '1') {
        const b = document.getElementById(id);
        if (b) b.remove();
        return;
      }
      if (localStorage.getItem('notif_' + id) === '1') {
        const body    = document.getElementById(id + '-body');
        const chevron = document.getElementById(id + '-chevron');
        const label   = document.getElementById(id + '-label');

```

```

    const banner = document.getElementById(id);
    if (body) body.classList.add('minimized');
    if (chevron) chevron.textContent = '▲';
    if (label) label.textContent = 'Expand';
    if (banner) banner.classList.add('is-minimized');
  }
} catch(e) {}
});
});

// — Sort —————
function sortProducts(mode) {
  document.querySelectorAll('.sort-btn').forEach(b => b.classList.remove('active'));

  const btnMap = { 'date': 'sort-date', 'alpha': 'sort-alpha', 'price-desc': 'sort-price-desc', 'price-asc':
'sort-price-asc', 'expiry': 'sort-expiry' };

  const activeBtn = document.getElementById(btnMap[mode]);
  if (activeBtn) activeBtn.classList.add('active');

  const tbody = document.querySelector('.data-table tbody');
  const rows = Array.from(tbody.querySelectorAll('tr.prod-row'));

  rows.sort((a, b) => {
    if (mode === 'date') {
      return (b.dataset.date || '').localeCompare(a.dataset.date || '');
    } else if (mode === 'alpha') {
      return a.dataset.name.localeCompare(b.dataset.name);
    } else if (mode === 'price-desc') {

```

```

        return parseFloat(b.dataset.price) - parseFloat(a.dataset.price);
    } else if (mode === 'price-asc') {
        return parseFloat(a.dataset.price) - parseFloat(b.dataset.price);
    } else if (mode === 'expiry') {
        const aVal = a.dataset.expiry || '9999-99-99';
        const bVal = b.dataset.expiry || '9999-99-99';
        return aVal.localeCompare(bVal);
    }
    return 0;
});

```

```

const nr = document.getElementById('prod-no-results');
if (nr) nr.remove();
rows.forEach(r => tbody.appendChild(r));
filterProducts();

```

```

try { localStorage.setItem('prod_sort', mode); } catch(e) {}
}

```

// — Search / Filter —————

```

function filterProducts() {
    const q    = document.getElementById('prod-search-bar').value.trim().toLowerCase();
    const clr  = document.getElementById('prod-search-clr');
    const info = document.getElementById('prod-search-info');
    const badge = document.getElementById('prod-count');
    clr.style.display = q ? 'inline-block' : 'none';

```

```

const rows = document.querySelectorAll('.prod-row');

let n = 0;

rows.forEach(row => {

    const match = !q || row.dataset.name.includes(q) || row.dataset.cat.includes(q);

    row.style.display = match ? '' : 'none';

    if (match) n++;

});

badge.textContent = n + ' item' + (n !== 1 ? 's' : '');

info.innerHTML = q ? 'Showing <strong style="color:var(--green-main)">' + n + '</strong> result' + (n !== 1 ?
's' : '') + ' for &ldquo;<strong>' + q + '</strong>&rdquo;' : '';

let nr = document.getElementById('prod-no-results');

if (!nr) {

    nr = document.createElement('tr');

    nr.id = 'prod-no-results';

    nr.innerHTML = '<td colspan="5" style="text-align:center;padding:28px;color:var(--gray);"><div
style="font-size:22px;margin-bottom:6px;">🔍</div><div style="font-weight:600;">No products found</div><div
style="font-size:11px;margin-top:3px;">Try a different search term</div></td>';

    document.querySelector('.prod-row')?.parentNode.appendChild(nr);

}

nr.style.display = n === 0 ? '' : 'none';

}

function clearProdSearch() {

    document.getElementById('prod-search-bar').value = '';

    filterProducts();

    document.getElementById('prod-search-bar').focus();

}

</script>

```

</body>

</html>

PROFIT.PHP

<?php

require_once 'includes/config.php';

requireAdmin();

\$db = getDB();

\$success = \$error = "";

\$action = \$_GET['action'] ?? 'list';

\$view_year = intval(\$_GET['year'] ?? date('Y'));

// Handle add sale

if (\$_SERVER['REQUEST_METHOD'] === 'POST') {

 \$product_id = intval(\$_POST['product_id'] ?? 0);

 \$quantity = intval(\$_POST['quantity'] ?? 1);

 \$sale_date = \$_POST['sale_date'] ?? date('Y-m-d');

 if (\$product_id && \$quantity > 0) {

 \$prod = \$db->query("SELECT price, stock, name FROM products WHERE
id=\$product_id")->fetch_assoc();

 if (\$prod) {

 if (\$prod['stock'] <= 0) {

 \$error = '⚠ Out of stock! ' . htmlspecialchars(\$prod['name']) . ' has no available
stock. Sale was not recorded.';

 } elseif (\$quantity > \$prod['stock']) {

```
$error = '⚠ Not enough stock! <strong>' . htmlspecialchars($prod['name']) . '</strong> only has  
<strong>' . $prod['stock'] . '</strong> unit(s) available. Sale was not recorded.';
```

```
    } else {  
        $unit_price = $prod['price'];  
        $total      = $unit_price * $quantity;  
        $stmt = $db->prepare("INSERT INTO sales (product_id, quantity, unit_price, total, sale_date)  
VALUES (?, ?, ?, ?, ?)");  
        $stmt->bind_param("iidds", $product_id, $quantity, $unit_price, $total, $sale_date);  
        if ($stmt->execute()) {  
            $db->query("UPDATE products SET stock = stock - $quantity WHERE id=$product_id");  
            $success = 'Sale recorded successfully!';  
        } else { $error = 'Error recording sale.'; }  
    }  
}  
} else { $error = 'Please fill all required fields.'; }  
}
```

```
if ($action === 'delete' && isset($_GET['id'])) {  
    $id = intval($_GET['id']);  
    $db->query("DELETE FROM sales WHERE id=$id");  
    $success = 'Sale deleted.';  
}
```

```
$cur_year  = intval(date('Y'));  
$cur_month = intval(date('m'));
```

```
// Compute last month and year correctly
```

```

if ($cur_month == 1) {
    $last_year = $cur_year - 1;
    $last_mon = 12;
} else {
    $last_year = $cur_year;
    $last_mon = $cur_month - 1;
}

$month = date('Y-m');

$last_month = sprintf('%04d-%02d', $last_year, $last_mon);

// Use YEAR() + MONTH() for reliable matching — avoids DATE_FORMAT string issues

$cur = $db->query("SELECT SUM(total) as sales, COUNT(*) as count FROM sales WHERE
YEAR(sale_date)=$cur_year AND MONTH(sale_date)=$cur_month")->fetch_assoc();

$exp = $db->query("SELECT SUM(amount) as total FROM expenses WHERE
YEAR(expense_date)=$cur_year AND MONTH(expense_date)=$cur_month")->fetch_assoc();

$last = $db->query("SELECT SUM(total) as sales FROM sales WHERE YEAR(sale_date)=$last_year AND
MONTH(sale_date)=$last_mon")->fetch_assoc();

$total_sales = floatval($cur['sales'] ?? 0);
$total_expenses = floatval($exp['total'] ?? 0);
$net_profit = $total_sales - $total_expenses;
$last_sales = floatval($last['sales'] ?? 0);
$growth = $last_sales > 0 ? (($total_sales - $last_sales) / $last_sales) * 100 : ($total_sales > 0 ? 100 : 0);

// Full Jan-Dec chart for selected year

$chart_months = [];
$chart_labels = ['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct','Nov','Dec'];

```

```

for ($m = 1; $m <= 12; $m++) {
    $ym = sprintf('%04d-%02d', $view_year, $m);

    $row = $db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🤔 '$ym')->fetch_assoc());

    $chart_months[] = floatval($row['t']);
}

$chart_max = max($chart_months) ?: 1;


// Available years for selector

$years_res = $db->query("SELECT DISTINCT YEAR(sale_date) as y FROM sales ORDER BY y DESC");
$available_years = [];

while ($yr = $years_res->fetch_assoc()) $available_years[] = $yr['y'];

if (!in_array(date('Y'), $available_years)) array_unshift($available_years, date('Y'));


// Sales history list

$sales = $db->query("SELECT s.*, p.name as product_name FROM sales s LEFT JOIN products p ON
s.product_id=p.id ORDER BY s.sale_date DESC, s.id DESC LIMIT 500");

$products = $db->query("SELECT id, name, price, stock, category FROM products ORDER BY name");

$products_arr = [];

if ($products) { $products->data_seek(0); while($pr = $products->fetch_assoc()) $products_arr[] = $pr; }


// Count rows for JS

$sales_arr = [];

if ($sales) while($r = $sales->fetch_assoc()) $sales_arr[] = $r;

$db->close();

?>

```

```

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Profit This Month - Profit Lens</title>

  <link rel="stylesheet" href="assets/css/style.css">

  <style>

    /* Chart */

    .bar-chart-wrap { display:flex; align-items:flex-end; gap:5px; height:130px; padding:0 4px; }

    .bar-col { flex:1; display:flex; flex-direction:column; align-items:center; gap:3px; }

    .bar-col .bar-val { font-size:8px; color:var(--gray); font-weight:600; text-align:center; white-space:nowrap; }

    .bar-col .bar-body { width:100%; border-radius:4px 4px 0 0; background:linear-gradient(to
top,var(--green-dark),var(--green-bright)); transition:height .3s; }

    .bar-col .bar-lbl { font-size:8.5px; color:var(--gray); font-weight:600; margin-top:3px; }

    .bar-col.current-month .bar-body { background:linear-gradient(to top,#f39c12,#f1c40f); }

    /* Search */

    .sw { position:relative; display:flex; align-items:center; }

    .sw .si { position:absolute; left:10px; font-size:13px; color:var(--gray); pointer-events:none; }

    .sw input { padding:8px 32px 8px 30px; border:2px solid var(--gray-mid); border-radius:8px;

      font-size:12px; font-family:'Poppins',sans-serif; outline:none; transition:border-color .2s; width:240px; }

    .sw input:focus { border-color:var(--green-main); }

    .sw .sc { position:absolute; right:8px; background:none; border:none; cursor:pointer; font-size:12px;

      color:var(--gray); display:none; padding:2px 4px; border-radius:3px; }

    .sw .sc:hover { background:var(--gray-mid); }

    /* Pills */

    .pills { display:flex; gap:5px; }

```

```

.pill { padding:4px 12px; border-radius:20px; font-size:11px; font-weight:600; cursor:pointer;
        border:1.5px solid var(--gray-mid); background:white; color:var(--gray); transition:all .2s;
        font-family:'Poppins',sans-serif; }

.pill.on { background:var(--green-main); color:white; border-color:var(--green-main); }

.sinfo { font-size:11px; color:var(--gray); min-height:16px; }

.sinfo span { font-weight:700; color:var(--green-main); }

/* Year selector */

.year-select { padding:6px 12px; border:2px solid var(--gray-mid); border-radius:8px;
              font-family:'Poppins',sans-serif; font-size:12px; font-weight:600; outline:none;
              cursor:pointer; transition:border-color .2s; }

.year-select:focus { border-color:var(--green-main); }

/* Admin badge */

.admin-badge { display:inline-flex; align-items:center; gap:5px; padding:4px 10px;
              background:#fff3e0; color:#e67e22; border-radius:20px; font-size:10px; font-weight:700;
              letter-spacing:.4px; text-transform:uppercase; }

/* Custom searchable product dropdown */

.prod-dropdown { position:relative; width:100%; }

.prod-search-input {
    width:100%; box-sizing:border-box;
    padding:10px 36px 10px 14px;
    border:2px solid var(--gray-mid); border-radius:8px;
    font-size:13px; font-family:'Poppins',sans-serif;
    outline:none; transition:border-color .2s; cursor:pointer;

    background:#fff url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='14'
height='14' viewBox='0 0 24 24' fill='none' stroke='%23999' stroke-width='2.5'%3E%3Ccircle cx='11' cy='11'
r='8'%3E%3Cline x1='21' y1='21' x2='16.65' y2='16.65'%3E%3C/svg%3E") no-repeat 12px center;

    padding-left:34px;

```

```

}

.prod-search-input:focus { border-color:var(--green-main); box-shadow:0 0 0 3px rgba(39,174,96,.12); }

.prod-list {
    display:none; position:absolute; top:calc(100% + 4px); left:0; right:0; z-index:999;
    background:white; border:2px solid var(--green-main); border-radius:8px;
    box-shadow:0 8px 24px rgba(0,0,0,.13); max-height:230px; overflow-y:auto;
}

.prod-list.open { display:block; }

.prod-item {
    padding:9px 14px; font-size:12.5px; font-family:'Poppins',sans-serif;
    cursor:pointer; transition:background .12s; border-bottom:1px solid #f0f0f0;
}

.prod-item:last-child { border-bottom:none; }

.prod-item:hover, .prod-item.focused { background:var(--green-light,#e8f5e9);
color:var(--green-dark,#1b5e20); }

.prod-item.selected { background:var(--green-main,#27ae60); color:white; }

.prod-item.out { color:#dc3545; font-weight:600; }

.prod-no-results { padding:14px; text-align:center; color:#aaa; font-size:12px;
font-family:'Poppins',sans-serif; }

</style>

</head>

<body>

<div class="app-wrapper">

    <?php include 'includes/sidebar.php'; ?>

    <div class="main-content">

        <div class="topbar">

            <div class="topbar-title">

```

```

    <p>View Sales & Profit</p>

    <h1>Profit This Month</h1>

</div>

<div class="topbar-user">

    <span class="admin-badge">🔑 Admin</span>

    <div class="topbar-avatar">👤 </div>

</div>

</div>

<div class="page-content">

    <?php if ($success): ?><div class="alert alert-success"><?= $success ?></div><?php endif; ?>

    <?php if ($error): ?><div class="alert alert-danger"><?= $error ?></div><?php endif; ?>

    <!-- Stats -->

    <div class="stats-row">

        <div class="stat-card">

            <div class="stat-icon green">💰 </div>

            <div class="stat-info"><div class="stat-label">Total Sales (This Month)</div>

                <div class="stat-value"><?= formatMoney($total_sales) ?></div></div>

        </div>

        <div class="stat-card">

            <div class="stat-icon orange">📉 </div>

            <div class="stat-info"><div class="stat-label">Total Expenses</div>

                <div class="stat-value"><?= formatMoney($total_expenses) ?></div></div>

        </div>

        <div class="stat-card">

```

```

<div class="stat-icon blue">  </div>

<div class="stat-info"><div class="stat-label">Net Profit</div>

    <div class="stat-value" style="color:<?= $net_profit>=0?'var(--green-bright)':'#dc3545' ?>"><?=
formatMoney($net_profit) ?></div></div>

</div>

<div class="stat-card">

    <div class="stat-icon purple">  </div>

    <div class="stat-info"><div class="stat-label">Growth vs Last Month</div>

        <div class="stat-value" style="color:<?= $growth>=0?'var(--green-bright)':'#dc3545' ?>"><?=
$last_sales <= 0 && $total_sales > 0 ? 'NEW +100%' : (($growth>=0?'+'.'').number_format($growth,1).'%')
?></div></div>

    </div>

</div>

<!-- Jan-Dec Bar Chart -->

<div class="table-card" style="margin-bottom:22px;">

    <div class="table-card-header">

        <h3>  Monthly Sales — Jan to Dec</h3>

        <div style="display:flex;align-items:center;gap:10px;">

            <a href="export_excel.php?type=sales&year=<?= $view_year ?>"

                style="display:inline-flex;align-items:center;gap:6px;padding:7px
14px;background:#217346;color:white;border-radius:8px;font-size:11px;font-weight:700;text-decoration:none;"

                onmouseover="this.style.background='#185c38'"
onmouseout="this.style.background='#217346'">

                <svg width="13" height="13" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2.5"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline
points="14 2 14 8 20 8"/><line x1="16" y1="13" x2="8" y2="13"/><line x1="16" y1="17" x2="8" y2="17"/></svg>

                Export to Excel

            </a>

```

```

<form method="GET" style="display:flex;align-items:center;gap:8px;">

  <label style="font-size:12px;font-weight:600;color:var(--gray);">Year:</label>

  <select name="year" class="year-select" onchange="this.form.submit()">

    <?php foreach($available_years as $y): ?>

      <option value="<?= $y ?>" <?= $y==$view_year?'selected':" ?>><?= $y ?></option>

    <?php endforeach; ?>

  </select>

</form>

</div>

</div>

<div style="padding:20px 24px 14px;">

  <div class="bar-chart-wrap">

    <?php

      $cur_month_num = date('n');

      $cur_year = date('Y');

      foreach ($chart_months as $idx => $val):

        $h = max(6, round(($val / $chart_max) * 120));

        $lbl = $chart_labels[$idx];

        $isCur = ($view_year == $cur_year && ($idx+1) == $cur_month_num);

      ?>

    <div class="bar-col <?= $isCur ? 'current-month' : " ?>">

      <div class="bar-val"><?= $val>0 ? 'P'.number_format($val/1000,1).'k' : " ?></div>

      <div class="bar-body" style="height:<?= $h ?>px;" title="<?= $lbl.' '.$view_year.':'.formatMoney($val) ?>"></div>

      <div class="bar-lbl"><?= $lbl ?></div>

    </div>

    <?php endforeach; ?>

```

```

</div>

<div style="display:flex;gap:14px;margin-top:12px;font-size:11px;flex-wrap:wrap;">
    <span style="display:flex;align-items:center;gap:5px;">
        <span style="width:12px;height:8px;background:linear-gradient(to
right,var(--green-dark),var(--green-bright));border-radius:2px;display:inline-block;"></span>Sales Revenue
    </span>

    <?php if ($view_year == $cur_year): ?>
        <span style="display:flex;align-items:center;gap:5px;">
            <span style="width:12px;height:8px;background:linear-gradient(to
right,#f39c12,#f1c40f);border-radius:2px;display:inline-block;"></span>Current Month
        </span>

        <?php endif; ?>

        <span style="color:var(--gray);margin-left:auto;">
            Total <?= $view_year ?>: <strong style="color:var(--green-main)"><?=
formatMoney(array_sum($chart_months)) ?></strong>
        </span>
    </div>
</div>
</div>

```

```

<div class="two-col">
    <!-- Record Sale Form -->
    <div class="form-card">
        <h3>📦 Record New Sale</h3>
        <form method="POST" id="sale-form" onsubmit="return checkStock()">
            <div class="form-group">
                <label>Product</label>
            </div>
        </form>
    </div>
</div>

```

```

<!-- Hidden real input for form submission -->
<input type="hidden" name="product_id" id="product-select" required>
<div class="prod-dropdown" id="prod-dropdown">
    <input type="text" id="prod-search" class="prod-search-input"
        placeholder="🔍 Search product..." autocomplete="off"
        onfocus="openProdList()" oninput="filterProdList()">
    <div class="prod-list" id="prod-list">
        <?php foreach($products_arr as $p): ?>
            <div class="prod-item <?= $p['stock'] <= 0 ? 'out' : " ?>"
                data-id="<?= $p['id'] ?>"
                data-stock="<?= $p['stock'] ?>"
                data-price="<?= $p['price'] ?>"
                data-label="<?= htmlspecialchars($p['name']) ?> — <?= formatMoney($p['price']) ?>
                <?= $p['stock'] <= 0 ? '🚫 Out of Stock' : '(Stock: '.$p['stock'].')' ?>"
                onclick="selectProd(this)">
                <?= htmlspecialchars($p['name']) ?> — <?= formatMoney($p['price']) ?>
                <?= $p['stock'] <= 0 ? '🚫 Out of Stock' : '
                <span style="color:#888">(Stock:
                '.$p['stock'].')</span>' ?>
            </div>
        <?php endforeach; ?>
        <div class="prod-no-results" id="prod-no-results" style="display:none;">No products
        found</div>
    </div>
</div>
<!-- Stock indicator -->
<div id="stock-indicator" style="margin-top:8px;padding:8px
12px;border-radius:8px;font-size:12px;font-weight:600;display:none;"></div>
</div>

```

```

<div class="form-row">
  <div class="form-group">
    <label>Quantity</label>
    <input type="number" name="quantity" id="qty-input" class="form-control" min="1"
value="1" required oninput="updateStock()">
  </div>
  <div class="form-group">
    <label>Sale Date</label>
    <input type="date" name="sale_date" class="form-control" value="<?= date('Y-m-d') ?>"
required>
  </div>
</div>
<button type="submit" id="submit-btn" class="btn-submit">Record Sale</button>
</form>
</div>
<script>
function updateStock() {
  const hiddenInput = document.getElementById('product-select');
  const ind = document.getElementById('stock-indicator');
  const btn = document.getElementById('submit-btn');
  const qty = parseInt(document.getElementById('qty-input').value) || 1;
  const selected = document.querySelector('.prod-item.selected');

  if (!hiddenInput.value || !selected) { ind.style.display='none'; btn.disabled=false;
btn.style.opacity='1'; return; }

  const stock = parseInt(selected.dataset.stock);
  ind.style.display = 'block';

```

```

if (stock <= 0) {
    ind.style.background = '#f8d7da'; ind.style.color = '#721c24'; ind.style.border = '1px solid
#f5c6cb';

    ind.innerHTML = '🚫 Out of Stock — This product cannot be sold.';

    btn.disabled = true; btn.style.opacity = '0.5';
} else if (qty > stock) {
    ind.style.background = '#fff3cd'; ind.style.color = '#856404'; ind.style.border = '1px solid #ffc107';

    ind.innerHTML = '⚠️ Only <strong>' + stock + '</strong> unit(s) available. Reduce quantity.';

    btn.disabled = true; btn.style.opacity = '0.5';
} else {
    ind.style.background = '#d4edda'; ind.style.color = '#155724'; ind.style.border = '1px solid
#c3e6cb';

    ind.innerHTML = '✅ In Stock: <strong>' + stock + '</strong> unit(s) available.';

    btn.disabled = false; btn.style.opacity = '1';
}
}

```

```

function checkStock() {
    const selected = document.querySelector('.prod-item.selected');

    if (!selected) { alert('🚫 Please select a product.');
```

return false; }

```

    const qty = parseInt(document.getElementById('qty-input').value) || 1;
    const stock = parseInt(selected.dataset.stock || 0);

    if (stock <= 0) { alert('🚫 Out of Stock! This product has no available stock.');
```

return false; }

```

    if (qty > stock) { alert('⚠️ Not enough stock! Only ' + stock + ' unit(s) available.');
```

return false; }

```

    return true;
}

```

```
}
```

```
function openProdList() {
```

```
    document.getElementById('prod-list').classList.add('open');
```

```
}
```

```
function closeProdList() {
```

```
    document.getElementById('prod-list').classList.remove('open');
```

```
}
```

```
function filterProdList() {
```

```
    const q = document.getElementById('prod-search').value.toLowerCase();
```

```
    const items = document.querySelectorAll('.prod-item');
```

```
    let any = false;
```

```
    items.forEach(item => {
```

```
        const match = item.dataset.label.toLowerCase().includes(q);
```

```
        item.style.display = match ? '' : 'none';
```

```
        if (match) any = true;
```

```
    });
```

```
    document.getElementById('prod-no-results').style.display = any ? 'none' : '';
```

```
    openProdList();
```

```
}
```

```
function selectProd(el) {
```

```
    document.querySelectorAll('.prod-item').forEach(i => i.classList.remove('selected'));
```

```
    el.classList.add('selected');
```

```
    document.getElementById('product-select').value = el.dataset.id;
```

```
    document.getElementById('prod-search').value = el.dataset.label;
```

```
    closeProdList();
```

```

        updateStock();
    }

    // Close dropdown when clicking outside

    document.addEventListener('click', function(e) {
        if (!document.getElementById('prod-dropdown').contains(e.target)) closeProdList();
    });
</script>

```

```

<!-- Profit Summary -->

```

```

<div class="table-card" style="border-top:3px solid var(--green-main);">

```

```

    <div class="table-card-header"><h3>📊 Profit Overview — <?= date('F Y') ?></h3></div>

```

```

    <div style="padding:20px;">

```

```

        <div class="stat-row"><span class="label">Total Sales Revenue</span><span class="value"
style="color:var(--green-bright)"><?= formatMoney($total_sales) ?></span></div>

```

```

        <div class="stat-row"><span class="label">Total Expenses</span><span class="value"
style="color:#dc3545"><?= formatMoney($total_expenses) ?></span></div>

```

```

    <div class="stat-row" style="border-top:2px solid var(--gray-mid);padding-top:10px;">

```

```

        <span class="label" style="font-weight:700;">Net Profit</span>

```

```

        <span class="value" style="font-size:18px;color:<?=
$net_profit>=0?'var(--green-bright)':'#dc3545' ?>"><?= formatMoney($net_profit) ?></span>

```

```

    </div>

```

```

    <div class="stat-row"><span class="label">Number of Sales</span><span class="value"><?=
$cur['count']??0 ?></span></div>

```

```

    <div class="stat-row"><span class="label">Last Month Sales</span><span class="value"><?=
formatMoney($last_sales) ?></span></div>

```

```

    <div class="stat-row"><span class="label">Month-over-Month</span>

```

```

        <span class="value" style="color:<?= $growth>=0?'var(--green-bright)':'#dc3545' ?>">

```

```

      <?= $last_sales <= 0 && $total_sales > 0 ? '  NEW +100%' : (($growth>=0?'▲ '+'▼
    ').number_format($growth,1).'%') ?>

```

```

    </span>

```

```

  </div>

```

```

    <div style="margin-top:14px;padding:14px;background:<?=
    $net_profit>=0?'var(--green-light)':'#f8d7da' ?>;border-radius:8px;">

```

```

      <div style="font-size:11px;font-weight:700;color:<?=
      $net_profit>=0?'var(--green-main)':'#721c24' ?>">

```

```

        <?= $net_profit>=0?'  PROFITABLE MONTH':'  LOSS THIS MONTH' ?>

```

```

      </div>

```

```

    <div style="font-size:20px;font-weight:800;color:<?=
    $net_profit>=0?'var(--green-dark)':'#721c24' ?>"><?= formatMoney($net_profit) ?></div>

```

```

  </div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<!-- Sales History with Search -->

```

```

<div class="table-card" style="margin-top:22px;">

```

```

  <div class="table-card-header" style="flex-direction:column;align-items:stretch;gap:10px;">

```

```

    <div
    style="display:flex;justify-content:space-between;align-items:center;flex-wrap:wrap;gap:10px;">

```

```

      <h3>Sales History</h3>

```

```

      <div style="display:flex;align-items:center;gap:8px;flex-wrap:wrap;">

```

```

        <div class="pills">

```

```

          <button class="pill on" onclick="setSaleFilter(this,'all')">All</button>

```

```

          <button class="pill" onclick="setSaleFilter(this,'today')">Today</button>

```

```

          <button class="pill" onclick="setSaleFilter(this,'week')">This Week</button>

```

```

        <button class="pill" onclick="setSaleFilter(this,'month')">This Month</button>
    </div>

    <div class="sw">

        <span class="si">🔍</span>

        <input type="text" id="sale-q" placeholder="Search product or date..."
oninput="filterSales()">

        <button class="sc" id="sale-clr" onclick="clearSales()">>X </button>

    </div>

</div>

</div>

<!-- Month/Year Filter -->

<div style="display:flex;align-items:center;gap:8px;flex-wrap:wrap;">

    <span style="font-size:11px;font-weight:700;color:var(--gray);">📅 Filter by Month:</span>

    <select id="filter-year" onchange="filterByMonthYear()" style="padding:5px 10px;border:2px
solid
var(--gray-mid);border-radius:8px;font-family:'Poppins',sans-serif;font-size:12px;font-weight:600;outline:none;c
ursor:pointer;">

        <option value="">All Years</option>

        <?php

        $uyears = array_unique(array_map(fn($r) => date('Y', strtotime($r['sale_date'])), $sales_arr));
        rsort($uyears);

        foreach($uyears as $uy): ?>

            <option value="<?=$uy ?>" <?=$uy == date('Y') ? 'selected' : " ?>><?=$uy ?></option>

        <?php endforeach; ?>

    </select>

    <select id="filter-month" onchange="filterByMonthYear()" style="padding:5px 10px;border:2px
solid
var(--gray-mid);border-radius:8px;font-family:'Poppins',sans-serif;font-size:12px;font-weight:600;outline:none;c
ursor:pointer;">

```

```

        <option value="">All Months</option>
        <option value="01">January</option>
        <option value="02">February</option>
        <option value="03" <?= date('m') == '03' ? 'selected' : " ">>March</option>
        <option value="04">April</option>
        <option value="05">May</option>
        <option value="06">June</option>
        <option value="07">July</option>
        <option value="08">August</option>
        <option value="09">September</option>
        <option value="10">October</option>
        <option value="11">November</option>
        <option value="12">December</option>
    </select>

    <button onclick="clearMonthFilter()" style="padding:5px 12px;border-radius:8px;border:1.5px
solid
var(--gray-mid);background:#f8f9fa;color:var(--gray);font-size:11px;font-weight:600;cursor:pointer;font-family:'P
oppins',sans-serif;">X Clear</button>

    <span id="month-total-badge"
style="font-size:11px;font-weight:700;color:var(--green-main);"></span>

</div>

<div style="display:flex;justify-content:space-between;align-items:center;">

    <div class="sinfo" id="sale-info"></div>

    <span class="badge badge-green" id="sale-badge"><?= count($sales_arr) ?>
transactions</span>

</div>

</div>

```

```

<div style="max-height:480px;overflow-y:auto;border-radius:0 0 12px 12px;">
<table class="data-table">
  <thead>
    <tr>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">#</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Product</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Qty</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Unit Price</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Total</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Date</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;"> Recorded</th>
      <th style="position:sticky;top:0;z-index:1;background:#f8f9fa;">Action</th>
    </tr>
  </thead>
  <tbody id="sale-tbody">
    <?php if ($sales_arr): $i=1; foreach($sales_arr as $s):
      $rowDate  = date('Y-m-d', strtotime($s['sale_date']));
      $dispDate = date('M d, Y', strtotime($s['sale_date']));
      $recTime  = !empty($s['created_at']) ? date('M d, Y h:i A', strtotime($s['created_at'])) : '—';
    ?>
    <tr class="sale-row"
      data-product="<?= strtolower(htmlspecialchars($s['product_name']??)) ?>"
      data-date="<?= $rowDate ?>"
      data-disp="<?= strtolower($dispDate) ?>"
      data-year="<?= date('Y', strtotime($s['sale_date'])) ?>"
      data-month="<?= date('m', strtotime($s['sale_date'])) ?>"

```

```

        <td><?= $i++ ?></td>

        <td style="font-weight:600"><?= htmlspecialchars($s['product_name']??'N/A') ?></td>

        <td><?= $s['quantity'] ?></td>

        <td><?= formatMoney($s['unit_price']) ?></td>

        <td style="font-weight:700;color:var(--green-main)"><?= formatMoney($s['total']) ?></td>

        <td><?= $dispDate ?></td>

        <td style="font-size:11px;color:var(--gray);white-space:nowrap;"><?= $recTime ?></td>

        <td><a href="profit.php?action=delete&id=<?= $s['id'] ?>&year=<?= $view_year ?>"
class="btn-danger" onclick="return confirm('Delete this sale?')">Delete</a></td>

    </tr>

    <?php endforeach; else: ?>

    <tr><td colspan="8" style="text-align:center;color:var(--gray);padding:30px;">No sales recorded
yet</td></tr>

    <?php endif; ?>

    <tr id="sale-nr" style="display:none;">

        <td colspan="8" style="text-align:center;padding:28px;">

            <div style="font-size:26px;margin-bottom:6px;">🔍 </div>

            <div style="font-weight:600;margin-bottom:3px;">No matching sales</div>

            <div style="font-size:12px;color:var(--gray);">Try a different search or filter</div>

        </td>

    </tr>

</tbody>

</table>

</div>

</div>

</div>

</div>

```

```
</div>
```

```
<script>
```

```
const TOTAL_SALES = <?= count($sales_arr) ?>;
```

```
let saleFil = 'all';
```

```
function todayStr() {
```

```
    const d = new Date();
```

```
    return d.getFullYear()+'-'+String(d.getMonth()+1).padStart(2,'0')+'-'+String(d.getDate()).padStart(2,'0');
```

```
}
```

```
function weekStartStr() {
```

```
    const d = new Date(); d.setDate(d.getDate()-d.getDay());
```

```
    return d.getFullYear()+'-'+String(d.getMonth()+1).padStart(2,'0')+'-'+String(d.getDate()).padStart(2,'0');
```

```
}
```

```
function monthStr() {
```

```
    const d = new Date();
```

```
    return d.getFullYear()+'-'+String(d.getMonth()+1).padStart(2,'0');
```

```
}
```

```
let monthFil = '<?= date('m') ?>';
```

```
let yearFil = '<?= date('Y') ?>';
```

```
function setSaleFilter(el, f) {
```

```
    saleFil = f;
```

```
    document.querySelectorAll('.pill').forEach(p => p.classList.remove('on'));
```

```
    el.classList.add('on');
```

```
    filterSales();
```

```
}
```

```
function filterByMonthYear() {  
    yearFil = document.getElementById('filter-year').value;  
    monthFil = document.getElementById('filter-month').value;  
    // Reset pill filter when using month/year dropdown  
    saleFil = 'all';  
    document.querySelectorAll('.pill').forEach(p => p.classList.remove('on'));  
    document.querySelector('.pill').classList.add('on');  
    filterSales();  
}
```

```
function clearMonthFilter() {  
    document.getElementById('filter-year').value = "";  
    document.getElementById('filter-month').value = "";  
    yearFil = "";  
    monthFil = "";  
    filterSales();  
}
```

```
function filterSales() {  
    const q = document.getElementById('sale-q').value.trim().toLowerCase();  
    const clr = document.getElementById('sale-clr');  
    const info = document.getElementById('sale-info');  
    const badge = document.getElementById('sale-badge');  
    const nr = document.getElementById('sale-nr');
```

```

const mtot = document.getElementById('month-total-badge');

clr.style.display = q ? 'block' : 'none';

let n = 0, total = 0;

document.querySelectorAll('.sale-row').forEach(row => {

    let dm = true;

    if (saleFil==='today') dm = row.dataset.date === todayStr();
    else if (saleFil==='week') dm = row.dataset.date >= weekStartStr();
    else if (saleFil==='month') dm = row.dataset.date.startsWith(monthStr());

    // Month/year dropdown filter

    let mf = true;

    if (yearFil) mf = mf && row.dataset.year === yearFil;
    if (monthFil) mf = mf && row.dataset.month === monthFil;

    const tm = !q || row.dataset.product.includes(q) || row.dataset.disp.includes(q);

    const show = dm && tm && mf;

    row.style.display = show ? "" : 'none';

    if (show) {

        n++;

        // Sum totals for filtered rows

        const amt = parseFloat(row.querySelector('td:nth-child(5)')?.innerText.replace(/^[^0-9.]/g,"") || 0);

        total += amt;

    }

});

nr.style.display = n===0 ? "" : 'none';

badge.textContent = n + (n===1?' transaction':' transactions');

// Show total of filtered results

if (monthFil || yearFil) {

```

```

const months = ['', 'Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', 'Dec'];
const lbl = (monthFil ? months[parseInt(monthFil)] + ' ' : '') + (yearFil || '');
mtot.textContent = lbl + ' Total: ₪' + total.toLocaleString('en-PH', {minimumFractionDigits:2});
} else {
    mtot.textContent = '';
}

const lbl = saleFil !== 'all' ? saleFil.charAt(0).toUpperCase() + saleFil.slice(1) : '';
info.innerHTML = (q || saleFil !== 'all' || monthFil || yearFil)
    ? 'Showing <span>'+n+'</span> result'+(n !== 1 ? 's:') + (lbl ? ' &bull; ' + lbl : '') + (q ? ' &bull; ' : '')
    &ldquo;<strong>'+q+'</strong>&rdquo;:' : ''
    : '';
}

function clearSales() {
    const i = document.getElementById('sale-q');
    i.value = ''; filterSales(); i.focus();
}

// Auto-filter to current month on load
document.addEventListener('DOMContentLoaded', function() {
    filterSales();
});
</script>
</body>
</html>

```

REGISTER.PHP

```
<?php

require_once 'includes/config.php';

if (isLoggedIn()) {
    header("Location: dashboard.php");
    exit();
}

$error = "";
$success = "";

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $email = trim($_POST['email'] ?? "");
    $password = $_POST['password'] ?? "";
    $confirm = $_POST['confirm_password'] ?? "";

    if (empty($email) || empty($password) || empty($confirm)) {
        $error = 'Please fill in all fields.';
    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $error = 'Invalid email format.';
    } elseif (strlen($password) < 6) {
        $error = 'Password must be at least 6 characters.';
    } elseif ($password !== $confirm) {
        $error = 'Passwords do not match.';
    } else {
```

```

$db = getDB();

$check = $db->prepare("SELECT id FROM users WHERE email = ?");

$check->bind_param("s", $email);

$check->execute();

$check->store_result();


if ($check->num_rows > 0) {

    $error = 'Email already registered.';

} else {

    $hashed = password_hash($password, PASSWORD_DEFAULT);

    $stmt = $db->prepare("INSERT INTO users (email, password) VALUES (?, ?)");

    $stmt->bind_param("ss", $email, $hashed);

    if ($stmt->execute()) {

        $success = 'Account created successfully! You can now login.';

    } else {

        $error = 'Registration failed. Please try again.';

    }

}

$db->close();

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Register - Profit Lens System</title>

<link
href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@700&family=DM+Sans:wght@300;400;500&display=swap" rel="stylesheet">

<style>

  *, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }


  body {
    min-height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
    background: #0d2414;
    font-family: 'DM Sans', sans-serif;
    overflow: hidden;
    position: relative;
  }


  #doodle-canvas {
    position: fixed;
    inset: 0;
    width: 100%; height: 100%;
    pointer-events: none;
    z-index: 0;
  }
```

```

.auth-card {
  position: relative;
  z-index: 10;
  width: 420px;
  background: rgba(255,255,255,0.96);
  border-radius: 24px;
  padding: 44px 44px 38px;
  box-shadow:
    0 0 0 1px rgba(255,255,255,0.12),
    0 40px 80px rgba(0,0,0,0.55),
    0 0 120px rgba(34,139,34,0.1);
  animation: fadeUp 0.7s cubic-bezier(0.16,1,0.3,1) both;
}

```

```

.auth-card::before {
  content: "";
  position: absolute;
  top: 0; left: 40px; right: 40px;
  height: 3px;
  background: linear-gradient(90deg, #1b5e20, #e53935, #1b5e20);
  border-radius: 0 0 4px 4px;
}

```

```

@keyframes fadeUp {
  from { opacity: 0; transform: translateY(28px) scale(0.97); }
  to { opacity: 1; transform: translateY(0) scale(1); }
}

```

```
}
```

```
/* Logo */
```

```
.auth-logo {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  margin-bottom: 8px;  
  animation: fadeUp 0.7s 0.1s cubic-bezier(0.16,1,0.3,1) both;  
}
```

```
.logo-icon-wrap {  
  width: 60px; height: 60px;  
  background: linear-gradient(135deg, #1b5e20 0%, #2e7d32 100%);  
  border-radius: 16px;  
  display: flex; align-items: center; justify-content: center;  
  margin-bottom: 11px;  
  box-shadow: 0 8px 24px rgba(27,94,32,0.38);  
  position: relative; overflow: hidden;  
}
```

```
.logo-icon-wrap::after {  
  content: "";  
  position: absolute; inset: 0;  
  background: linear-gradient(135deg, rgba(255,255,255,0.18) 0%, transparent 60%);  
}
```

```

.auth-logo-text { text-align: center; line-height: 1; }

.profit {
  font-family: 'Playfair Display', serif;
  font-size: 24px; color: #e53935;
  display: block; letter-spacing: -0.5px;
}

.lens {
  font-family: 'Playfair Display', serif;
  font-size: 24px; color: #1b5e20;
  display: block; letter-spacing: -0.5px; margin-top: -2px;
}

.auth-tagline {
  font-size: 11.5px; color: #9e9e9e;
  letter-spacing: 0.06em; text-align: center;
  margin-bottom: 24px; font-weight: 400;
  animation: fadeUp 0.7s 0.15s cubic-bezier(0.16,1,0.3,1) both;
}

/* Alerts */

.alert {
  border-radius: 10px; padding: 11px 16px;
  font-size: 13px; margin-bottom: 16px;
  animation: fadeUp 0.4s cubic-bezier(0.16,1,0.3,1) both;
}

.alert-danger { background: #fff5f5; color: #c62828; border: 1.5px solid #ffcdd2; }

```

```
.alert-success { background: #f1f8e9; color: #2e7d32; border: 1.5px solid #c5e1a5; }
```

```
/* Fields */
```

```
.auth-field {  
    margin-bottom: 14px;  
    animation: fadeUp 0.7s 0.2s cubic-bezier(0.16,1,0.3,1) both;  
}
```

```
.auth-field:nth-child(2) { animation-delay: 0.23s; }
```

```
.auth-field:nth-child(3) { animation-delay: 0.26s; }
```

```
.auth-field label {  
    display: block; font-size: 10.5px; font-weight: 500;  
    letter-spacing: 0.1em; color: #616161;  
    margin-bottom: 7px; text-transform: uppercase;  
}
```

```
.input-wrap { position: relative; }
```

```
.input-wrap .field-icon {  
    position: absolute; left: 14px; top: 50%; transform: translateY(-50%);  
    width: 16px; height: 16px; stroke: #bdbdbd; stroke-width: 2;  
    stroke-linecap: round; stroke-linejoin: round; fill: none;  
    pointer-events: none; transition: stroke 0.2s; z-index: 1;  
}
```

```
.auth-field input {
```

```

width: 100%; padding: 12px 14px 12px 42px;

border: 1.5px solid #e0e0e0; border-radius: 12px;

font-family: 'DM Sans', sans-serif; font-size: 14px;

color: #212121; background: #fafafa; outline: none;

transition: border-color 0.2s, background 0.2s, box-shadow 0.2s;
}

.auth-field input::placeholder { color: #bdbdbd; }

.auth-field input:focus {

    border-color: #2e7d32; background: #fff;

    box-shadow: 0 0 0 4px rgba(46,125,50,0.08);

}

.auth-field input:focus ~ .field-icon { stroke: #2e7d32; }


.ey-toggle {

    position: absolute; right: 14px; top: 50%; transform: translateY(-50%);

    background: none; border: none; cursor: pointer; padding: 0;

    color: #bdbdbd; display: flex; align-items: center; transition: color 0.2s;

}

.ey-toggle:hoer { color: #2e7d32; }

.ey-toggle sv { width: 16px; height: 16px; stroke: currentColor; stroke-width: 2; fill: none; stroke-linecap:
round; stroke-linejoin: round; }

/* Submit */

.btn-auth-primary {

    width: 100%; padding: 14px;

    background: linear-gradient(135deg, #2e7d32 0%, #1b5e20 100%);

    color: #fff; border: none; border-radius: 12px;

```

```

font-family: 'DM Sans', sans-serif; font-size: 15px; font-weight: 500;

letter-spacing: 0.03em; cursor: pointer; position: relative; overflow: hidden;

transition: transform 0.15s, box-shadow 0.2s;

box-shadow: 0 6px 20px rgba(27,94,32,0.38);

margin-top: 6px; margin-bottom: 16px;

animation: fadeUp 0.7s 0.35s cubic-bezier(0.16,1,0.3,1) both;
}

.btn-auth-primary::after {
    content: ""; position: absolute; inset: 0;

    background: linear-gradient(135deg, rgba(255,255,255,0.15) 0%, transparent 60%);

    pointer-events: none;
}

.btn-auth-primary:hover { transform: translateY(-2px); box-shadow: 0 10px 28px rgba(27,94,32,0.42); }
.btn-auth-primary:active { transform: translateY(0); }

/* Back to login */

.auth-footer {
    text-align: center;

    font-size: 13px;

    color: #9e9e9e;

    animation: fadeUp 0.7s 0.4s cubic-bezier(0.16,1,0.3,1) both;
}

.auth-footer a {
    color: #2e7d32;

    text-decoration: none;

    font-weight: 500;

```

```

margin-left: 4px;

transition: color 0.2s;

}

.auth-footer a:hover { color: #e53935; }

</style>

</head>

<body>

<canvas id="doodle-canvas"></canvas>

<div class="auth-card">
  <div class="auth-logo">
    <div class="logo-icon-wrap">
      <svg width="32" height="32" viewBox="0 0 24 24" fill="none">
        <circle cx="11" cy="11" r="7" stroke="white" stroke-width="2.2" stroke-linecap="round"/>
        <line x1="16.5" y1="16.5" x2="21" y2="21" stroke="white" stroke-width="2.2"
stroke-linecap="round"/>
        <line x1="8" y1="14" x2="8" y2="11" stroke="white" stroke-width="2" stroke-linecap="round"/>
        <line x1="11" y1="14" x2="11" y2="8" stroke="white" stroke-width="2" stroke-linecap="round"/>
        <line x1="14" y1="14" x2="14" y2="10" stroke="white" stroke-width="2" stroke-linecap="round"/>
      </svg>
    </div>
    <div class="auth-logo-text">
      <span class="profit">Profit</span>
      <span class="lens">Lens</span>
    </div>
  </div>
</div>

```

```
<p class="auth-tagline">Create your account</p>
```

```
<?php if ($error): ?>
```

```
    <div class="alert alert-danger"><?= htmlspecialchars($error) ?></div>
```

```
<?php endif; ?>
```

```
<?php if ($success): ?>
```

```
    <div class="alert alert-success"><?= htmlspecialchars($success) ?></div>
```

```
<?php endif; ?>
```

```
<form method="POST">
```

```
    <div class="auth-field">
```

```
        <label for="email">Email Address</label>
```

```
        <div class="input-wrap">
```

```
            <input type="email" id="email" name="email"
```

```
                placeholder="Enter your email"
```

```
                value="<?= htmlspecialchars($_POST['email'] ?? "") ?>" required>
```

```
            <svg class="field-icon" viewBox="0 0 24 24"><rect x="2" y="4" width="20" height="16"
            rx="3"/><path d="m2 7 10 7 10-7"/></svg>
```

```
        </div>
```

```
    </div>
```

```
    <div class="auth-field">
```

```
        <label for="password">Password</label>
```

```
        <div class="input-wrap">
```

```
            <input type="password" id="password" name="password"
```

```
                placeholder="At least 6 characters" required>
```

```

        <svg class="field-icon" viewBox="0 0 24 24"><rect x="3" y="11" width="18" height="11"
rx="2"/><path d="M7 11V7a5 5 0 0 1 10 0v4"/></svg>

        <button type="button" class="eye-toggle" onclick="togglePwd(this)" aria-label="Toggle password">

            <svg viewBox="0 0 24 24"><path d="M1 12s4-8 11-8 11 8 4 8-11 8-11-8z"/><circle
cx="12" cy="12" r="3"/></svg>

        </button>

    </div>

</div>

<div class="auth-field">

    <label for="confirm_password">Confirm Password</label>

    <div class="input-wrap">

        <input type="password" id="confirm_password" name="confirm_password"

            placeholder="Repeat your password" required>

        <svg class="field-icon" viewBox="0 0 24 24"><path d="M12 22s8-4 8-10V5l-8-3-8 3v7c0 6 8 10 8
10z"/></svg>

        <button type="button" class="eye-toggle" onclick="togglePwd(this)" aria-label="Toggle confirm
password">

            <svg viewBox="0 0 24 24"><path d="M1 12s4-8 11-8 11 8 4 8-11 8-11-8z"/><circle
cx="12" cy="12" r="3"/></svg>

        </button>

    </div>

</div>

    <button type="submit" class="btn-auth-primary">Create Account</button>

</form>

<p class="auth-footer">Already have an account?<a href="index.php">Log in</a></p>

```

```
</div>
```

```
<script>
```

```
function togglePwd(btn) {  
    const input = btn.closest('.input-wrap').querySelector('input');  
    input.type = input.type === 'password' ? 'text' : 'password';  
}
```

```
(function () {  
    const canvas = document.getElementById('doodle-canvas');  
    const ctx = canvas.getContext('2d');  
    const G = 'rgba(100,200,120,0.20)';  
    const GM = 'rgba(100,200,120,0.30)';  
    const R = 'rgba(229,57,53,0.16)';  
    const W = 'rgba(255,255,255,0.11)';  
    const DASH = [6,6];
```

```
function rnd(a,b){ return Math.random()*(b-a)+a; }
```

```
function style(color, lw, dash){  
    ctx.strokeStyle = color;  
    ctx.lineWidth = lw || 1.5;  
    ctx.setLineDash(dash || []);  
    ctx.lineCap = ctx.lineJoin = 'round';  
}
```

```

function barChart(x, y, w, h, vals, col){
  ctx.save(); style(col, 1.5);
  ctx.beginPath();
  ctx.moveTo(x, y); ctx.lineTo(x, y+h); ctx.lineTo(x+w, y+h);
  ctx.stroke();
  const bw = (w-10)/vals.length - 4;
  vals.forEach((v,i)=>{
    const bx = x+8+i*((w-10)/vals.length);
    const bh = v*(h-10);
    ctx.beginPath(); ctx.rect(bx, y+h-bh-2, bw, bh); ctx.stroke();
  });
  ctx.restore();
}

```

```

function lineChart(x, y, w, h, pts, col){
  ctx.save(); style(col, 1.8);
  ctx.beginPath();
  ctx.moveTo(x, y); ctx.lineTo(x, y+h); ctx.lineTo(x+w, y+h);
  ctx.stroke();
  const xs = w/(pts.length-1);
  ctx.beginPath();
  pts.forEach((v,i)=>{
    const px=x+i*xs, py=y+h-v*(h-8)-4;
    i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);
  });
  ctx.stroke();
}

```

```

pts.forEach((v,i)=>{
    ctx.beginPath();
    ctx.arc(x+i*xs, y+h-v*(h-8)-4, 3, 0, Math.PI*2);
    ctx.fillStyle=col; ctx.fill();
});
ctx.restore();
}

```

```

function donut(x, y, r, col){
    ctx.save(); style(col, 1.5);
    let a = -Math.PI/2;
    [0.35,0.25,0.2,0.2].forEach(s=>{
        const e=a+s*Math.PI*2;
        ctx.beginPath();
        ctx.arc(x,y,r,a,e);
        ctx.arc(x,y,r*0.55,e,a,true);
        ctx.closePath(); ctx.stroke();
        a=e+0.06;
    });
    ctx.restore();
}

```

```

function trendArrow(x, y, len, up, col){
    ctx.save(); style(col, 1.8);
    const ang = up ? -Math.PI/4 : Math.PI/4;
    const ex=x+len*Math.cos(ang), ey=y+len*Math.sin(ang);

```

```

ctx.beginPath();
ctx.moveTo(x,y); ctx.lineTo(ex,ey);
ctx.lineTo(ex-8*Math.cos(ang-0.45), ey-8*Math.sin(ang-0.45));
ctx.moveTo(ex,ey);
ctx.lineTo(ex-8*Math.cos(ang+0.45), ey-8*Math.sin(ang+0.45));
ctx.stroke(); ctx.restore();
}

```

```

function kpiBox(x, y, w, h, col){
  ctx.save(); style(col, 1.3, DASH);
  ctx.beginPath(); ctx.roundRect(x,y,w,h,6); ctx.stroke();
  style(col, 1.3, []);
  [0.4,0.7,0.55,0.9,0.65].forEach((v,i)=>{
    const bx=x+8+i*(w-16)/5, bh=v*(h*0.5);
    ctx.beginPath(); ctx.rect(bx, y+h-bh-8, (w-16)/5-3, bh); ctx.stroke();
  });
  ctx.restore();
}

```

```

function scatter(x, y, w, h, col){
  ctx.save(); style(col, 1.3);
  ctx.beginPath();
  ctx.moveTo(x,y+h); ctx.lineTo(x,y);
  ctx.moveTo(x,y+h); ctx.lineTo(x+w,y+h);
  ctx.stroke();
  for(let i=0;i<12;i++){

```

```

    ctx.beginPath();
    ctx.arc(x+rnd(6,w-4), y+rnd(4,h-6), rnd(2,4), 0, Math.PI*2);
    ctx.stroke();
  }
  ctx.restore();
}

```

```

function radar(cx, cy, r, col){
  ctx.save();
  const axes=6;
  [0.4,0.7,1].forEach(sc=>{
    style(col,1.2,DASH); ctx.beginPath();
    for(let i=0;i<=axes;i++){
      const a=(i/axes)*Math.PI*2-Math.PI/2;
      const px=cx+r*sc*Math.cos(a), py=cy+r*sc*Math.sin(a);
      i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);
    }
    ctx.stroke();
  });
  style(col,1,[]);
  for(let i=0;i<axes;i++){
    const a=(i/axes)*Math.PI*2-Math.PI/2;
    ctx.beginPath(); ctx.moveTo(cx,cy);
    ctx.lineTo(cx+r*Math.cos(a),cy+r*Math.sin(a)); ctx.stroke();
  }
  style(col,1.5,[]);
}

```

```

const vals=[0.8,0.6,0.9,0.5,0.75,0.65];

ctx.beginPath();

vals.forEach((v,i)=>{

  const a=(i/axes)*Math.PI*2-Math.PI/2;

  const px=cx+r*v*Math.cos(a), py=cy+r*v*Math.sin(a);

  i===0?ctx.moveTo(px,py):ctx.lineTo(px,py);

});

ctx.closePath(); ctx.stroke();

ctx.restore();

}

function candlestick(x, y, w, h){

  ctx.save();

  const cols=7, cw=(w-10)/cols;

  for(let i=0;i<cols;i++){

    const cx=x+5+i*cw+cw/2;

    const open=rnd(0.2,0.8,🕶️), close=rnd(0.2,0.8);

    const high=Math.max(open,close)+rnd(0.05,0.15);

    const low=Math.min(open,close)-rnd(0.05,0.15);

    const toY=v=>y+h-v*h;

    const c=close>=open?GM:'rgba(229,57,53,0.25)';

    style(c,1.2);

    ctx.beginPath(); ctx.moveTo(cx,toY(high)); ctx.lineTo(cx,toY(low)); ctx.stroke();

    const bh=Math.abs(close-open)*h;

    ctx.strokeRect(cx-cw*0.3, toY(Math.max(open,close)), cw*0.6, bh||2);

  }
}

```

```

    ctx.restore();
}

function funnel(x, y, maxW, h, steps, col){
    ctx.save(); style(col,1.5);
    const sh=h/steps;
    for(let i=0;i<steps;i++){
        const tw=maxW*(1-i*0.18), tx=x+(maxW-tw)/2;
        ctx.beginPath(); ctx.rect(tx, y+i*sh, tw, sh-4); ctx.stroke();
    }
    ctx.restore();
}

```

```

function heatmap(x, y, cols, rows, size){
    ctx.save();
    for(let r=0;r<rows;r++) for(let c=0;c<cols;c++){
        ctx.strokeStyle=`rgba(100,200,120,${rnd(0.05,0.22)})`;
        ctx.lineWidth=1; ctx.setLineDash([]);
        ctx.strokeRect(x+c*(size+3), y+r*(size+3), size, size);
    }
    ctx.restore();
}

```

```

function draw(){
    ctx.clearRect(0,0,canvas.width,canvas.height);
    const W=canvas.width, H=canvas.height;

```

```

    barChart(55, 75, 95, 75, [0.5,0.8,0.6,0.95,0.7], G);
    lineChart(W-165, 55, 125, 85, [0.3,0.6,0.4,0.8,0.55,0.9,0.7], G);
    donut(85, H-105, 58, G);
    donut(W-92, H-92, 48, R);
    trendArrow(W-85, 195, 65, true, GM);
    trendArrow(50, H/2+65, 58, false, R);
    kpiBox(W-205, H/2-65, 135, 72, G);
    kpiBox(38, H/2-105, 115, 62, W);
    scatter(W-175, H-165, 115, 95, G);
    heatmap(W-145, 195, 5, 4, 15);
    funnel(28, 295, 95, 105, 4, G);
    radar(W/2+285, H/2, 72, G);
    candlestick(W/2-360, H-135, 145, 72);
    barChart(W/2-105, 28, 72, 52, [0.4,0.75,0.55,0.85], R);
    lineChart(W/2+58, H-115, 105, 62, [0.5,0.3,0.7,0.4,0.8], G);
    radar(115, H/2+185, 52, W);
    scatter(W/2+205, H-135, 82, 72, R);
    kpiBox(W/2-335, 98, 105, 56, R);
    trendArrow(W/2+8, 28, 52, true, W);
    barChart(W-280, H-80, 70, 50, [0.6,0.4,0.8,0.5], W);
    lineChart(180, H-90, 90, 55, [0.7,0.4,0.6,0.9,0.5], W);
    donut(W/2-260, 70, 38, W);
}

function resize(){

```

```

        canvas.width=window.innerWidth;
        canvas.height=window.innerHeight;
        draw();
    }

    window.addEventListener('resize', resize);

    resize();

})();
</script>
</body>
</html>

```

REPORTS.PHP

```

<?php
require_once 'includes/config.php';
requireAdmin();

$db = getDB();

$type = $_GET['type'] ?? 'profit';
$year = intval($_GET['year'] ?? date('Y'));

// Available years

$years_res = $db->query("SELECT DISTINCT YEAR(sale_date) as y FROM sales UNION SELECT
DISTINCT YEAR(expense_date) FROM expenses ORDER BY y DESC");

$available_years = [];

while ($yr = $years_res->fetch_assoc()) $available_years[] = $yr['y'];

```

```

if (!in_array(date('Y'), $available_years)) array_unshift($available_years, date('Y'));

// Full Jan-Dec P&L data

$monthly = [];

$month_labels =
['January','February','March','April','May','June','July','August','September','October','November','December'];

$month_short = ['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct','Nov','Dec'];

for ($m = 1; $m <= 12; $m++) {

    $ym = sprintf('%04d-%02d', $year, $m);

    $s = $db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🙄 '$ym')->fetch_assoc();

    $e = $db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses WHERE
DATE_FORMAT(expense_date,'%Y-%m' 🙄 '$ym')->fetch_assoc();

    $sales_v = floatval($s['t']);

    $expenses_v = floatval($e['t']);

    $monthly[] = [

        'month' => $month_labels[$m-1],

        'short' => $month_short[$m-1],

        'sales' => $sales_v,

        'expenses' => $expenses_v,

        'profit' => $sales_v - $expenses_v

    ];

}

$year_total_sales = array_sum(array_column($monthly, 'sales'));

$year_total_expenses = array_sum(array_column($monthly, 'expenses'));

$year_net_profit = $year_total_sales - $year_total_expenses;

```

```
$exp_by_cat = $db->query("SELECT category, SUM(amount) as total, COUNT(*) as count FROM expenses  
WHERE YEAR(expense_date)='$year' GROUP BY category ORDER BY total DESC");
```

```
// Scale against the highest value of EITHER sales or expenses — prevents overflow
```

```
$max_monthly = max(max(array_column($monthly, 'sales')), max(array_column($monthly, 'expenses')) ? : 1;
```

```
$db->close();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Financial Reports - Profit Lens</title>
```

```
  <link rel="stylesheet" href="assets/css/style.css">
```

```
  <style>
```

```
    .bar-chart-wrap { display:flex; align-items:flex-end; gap:4px; height:155px; padding:0 2px;  
overflow:hidden; }
```

```
    .bar-col { flex:1; display:flex; flex-direction:column; align-items:center; gap:2px; }
```

```
    .bar-col .bar-val { font-size:7.5px; color:var(--gray); font-weight:600; text-align:center; white-space:nowrap;  
}
```

```
    .bar-col .bar-rev { width:100%; border-radius:3px 3px 0 0; background:var(--green-main); transition:height  
.3s; }
```

```
    .bar-col .bar-exp { width:100%; border-radius:3px 3px 0 0; background:#fd7e14; transition:height .3s; }
```

```
    .bar-col .bar-lbl { font-size:8px; color:var(--gray); font-weight:600; margin-top:3px; }
```

```
    .year-select { padding:6px 12px; border:2px solid var(--gray-mid); border-radius:8px;
```

```
      font-family:'Poppins',sans-serif; font-size:12px; font-weight:600; outline:none; cursor:pointer; }
```

```
    .year-select:focus { border-color:var(--green-main); }
```

```

.admin-badge { display:inline-flex;align-items:center;gap:5px;padding:4px 10px;
background:#fff3e0;color:#e67e22;border-radius:20px;font-size:10px;font-weight:700;
letter-spacing:.4px;text-transform:uppercase; }

</style>
</head>
<body>
<div class="app-wrapper">
  <?php include 'includes/sidebar.php'; ?>
  <div class="main-content">
    <div class="topbar">
      <div class="topbar-title">
        <p>View Statements</p>
        <h1>Financial Reports</h1>
      </div>
      <div class="topbar-user">
        <span class="admin-badge">🔒 Admin</span>
        <div class="topbar-avatar">👤 </div>
      </div>
    </div>
    <div class="page-content">

      <!-- Tabs + Year selector -->

      <div
style="display:flex;justify-content:space-between;align-items:center;margin-bottom:20px;flex-wrap:wrap;gap:10
px;">

        <div style="display:flex;gap:10px;">

          <a href="reports.php?type=profit&year=<?= $year ?>"

```

```

class="btn-view <?= $type=== 'profit'? 'btn-view-green': 'btn-view-outline btn-view-green-outline'
?>"

style="width:auto;padding:9px 20px;text-decoration:none;">Profit & Loss</a>

<a href="reports.php?type=expense&year=<?= $year ?>"

class="btn-view <?= $type=== 'expense'? '': 'btn-view-outline' ?>"

style="width:auto;padding:9px 20px;text-decoration:none;background:<?=
$type=== 'expense'? 'var(--orange)': 'transparent' ?>;color:<?= $type=== 'expense'? 'white': 'var(--orange)'
?>;border:1.5px solid var(--orange);">Expense Report</a>

</div>

<div style="display:flex;align-items:center;gap:10px;flex-wrap:wrap;">

<?php $export_type = $type === 'profit' ? 'profit_loss' : 'expense'; ?>

<a href="export_excel.php?type=<?= $export_type ?>&year=<?= $year ?>"

style="display:inline-flex;align-items:center;gap:6px;padding:8px
16px;background:#217346;color:white;border-radius:8px;font-size:12px;font-weight:700;text-decoration:none;le
tter-spacing:.3px;"

onmouseover="this.style.background='#185c38'"
onmouseout="this.style.background='#217346'">

<svg width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2.5"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline
points="14 2 14 8 20 8"/><line x1="16" y1="13" x2="8" y2="13"/><line x1="16" y1="17" x2="8"
y2="17"/><polyline points="10 9 9 9 8 9"/></svg>

Export to Excel

</a>

<form method="GET" style="display:flex;align-items:center;gap:8px;">

<input type="hidden" name="type" value="<?= $type ?>">

<label style="font-size:12px;font-weight:600;color:var(--gray);">Year:</label>

<select name="year" class="year-select" onchange="this.form.submit()">

<?php foreach($available_years as $y): ?>

<option value="<?= $y ?>" <?= $y==$year?'selected': '' ?>><?= $y ?></option>

<?php endforeach; ?>

```

```

        </select>

    </form>

</div>

</div>

<!-- Summary Stats -->

<div class="stats-row">

    <div class="stat-card">

        <div class="stat-icon green">💰 </div>

        <div class="stat-info"><div class="stat-label">Total Income <?= $year ?></div>

            <div class="stat-value"><?= formatMoney($year_total_sales) ?></div></div>

    </div>

    <div class="stat-card">

        <div class="stat-icon orange">📉 </div>

        <div class="stat-info"><div class="stat-label">Operating Expenses</div>

            <div class="stat-value"><?= formatMoney($year_total_expenses) ?></div></div>

    </div>

    <div class="stat-card">

        <div class="stat-icon blue">📊 </div>

        <div class="stat-info"><div class="stat-label">Total Profit</div>

            <div class="stat-value"><?= formatMoney($year_net_profit) ?></div></div>

    </div>

    <div class="stat-card">

        <div class="stat-icon purple">💎 </div>

        <div class="stat-info"><div class="stat-label">Profit Margin</div>

```

```

        <div class="stat-value"><?=
$year_total_sales>0?number_format(($year_net_profit/$year_total_sales)*100,1):0 ?>%</div></div>

    </div>

</div>

<?php if ($type === 'profit'): ?>

<!-- Full Jan–Dec grouped bar chart -->

<div class="table-card" style="margin-bottom:22px;">

    <div class="table-card-header">

        <h3> 🇮🇹 Revenue vs Expenses — Jan to Dec <?= $year ?></h3>

        <div style="display:flex;gap:14px;font-size:11px;">

            <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:var(--green-main);border-radius:2px;display:inline-block;"></span>Re
venue</span>

            <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:#fd7e14;border-radius:2px;display:inline-block;"></span>Expenses</
span>

        </div>

    </div>

</div>

<div style="padding:20px 24px 14px;">

    <div class="bar-chart-wrap">

        <?php foreach($monthly as $m):

            $rh = $m['sales'] > 0 ? min(120, max(4, round(($m['sales'] / $max_monthly) * 120))) : 0;

            $eh = $m['expenses'] > 0 ? min(120, max(4, round(($m['expenses'] / $max_monthly) * 120)))

: 0;

        ?>

        <div class="bar-col">

            <div style="display:flex;align-items:flex-end;gap:1px;width:100%;height:120px;">

```

```

        <div
style="flex:1;display:flex;flex-direction:column;align-items:center;justify-content:flex-end;height:100%;">

            <div class="bar-val" style="color:var(--green-main);margin-bottom:2px;"><?=
$m['sales']>0?'P'.number_format($m['sales']/1000,1).'k':" ?></div>

            <div class="bar-rev" style="height:<?= $rh ?>px;width:100%;" title="Revenue: <?=
formatMoney($m['sales']) ?>"></div>

        </div>

        <div
style="flex:1;display:flex;flex-direction:column;align-items:center;justify-content:flex-end;height:100%;">

            <div class="bar-val" style="color:#fd7e14;margin-bottom:2px;"><?=
$m['expenses']>0?'P'.number_format($m['expenses']/1000,1).'k':" ?></div>

            <div class="bar-exp" style="height:<?= $eh ?>px;width:100%;" title="Expenses: <?=
formatMoney($m['expenses']) ?>"></div>

        </div>

    </div>

    <div class="bar-lbl"><?= $m['short'] ?></div>

</div>

<?php endforeach; ?>

</div>

<div style="text-align:right;font-size:11px;margin-top:8px;color:var(--gray);">

    Year Total: <strong style="color:var(--green-main)"><?= formatMoney($year_total_sales)
?></strong>

    &nbsp;|&nbsp; Net Profit: <strong style="color:<?=
$year_net_profit>0?'var(--green-main)':'#dc3545' ?>"><?= formatMoney($year_net_profit) ?></strong>

</div>

</div>

</div>

<!-- P&L Table -->

<div class="two-col">

```

```

<div class="table-card" style="display:flex;flex-direction:column;max-height:520px;">
  <div class="table-card-header" style="flex-shrink:0;">
    <h3>📊 Profit & Loss Statement — <?= $year ?></h3>
    <span class="badge badge-green"><?= $year ?></span>
  </div>
  <!-- Scrollable body only -->
  <div style="overflow-y:auto;flex:1;">
    <table class="data-table">
      <thead
style="position:sticky;top:0;z-index:1;"><tr><th>Month</th><th>Revenue</th><th>Expenses</th><th>Net
Profit</th></tr></thead>
      <tbody>
        <?php foreach($monthly as $m): ?>
          <tr>
            <td style="font-weight:600"><?= $m['month'] ?></td>
            <td style="color:var(--green-bright)"><?= formatMoney($m['sales']) ?></td>
            <td style="color:#dc3545"><?= formatMoney($m['expenses']) ?></td>
            <td style="font-weight:700;color:<?= $m['profit']>=0?'var(--green-main)':'#dc3545'
?>"><?= formatMoney($m['profit']) ?></td>
          </tr>
        <?php endforeach; ?>
      </tbody>
    </table>
  </div>
  <!-- Fixed TOTAL row always visible at bottom -->
  <div style="flex-shrink:0;border-top:2px solid var(--gray-mid);">
    <table class="data-table" style="margin:0;">

```

```

<tfoot>
  <tr style="background:var(--gray-light);">
    <td style="font-weight:800">TOTAL</td>
    <td style="font-weight:700;color:var(--green-bright)"><?=
formatMoney($year_total_sales) ?></td>
    <td style="font-weight:700;color:#dc3545"><?= formatMoney($year_total_expenses)
?></td>
    <td style="font-weight:800;font-size:15px;color:<?=
$year_net_profit>=0?'var(--green-main)':'#dc3545' ?>"><?= formatMoney($year_net_profit) ?></td>
  </tr>
</tfoot>
</table>
</div>
</div>

```

```

<!-- Monthly Profit Improvement -->
<div class="table-card" style="display:flex;flex-direction:column;max-height:520px;">
  <div class="table-card-header" style="flex-shrink:0;">
    <h3>  Monthly Profit Improvement</h3>
    <div style="display:flex;gap:10px;font-size:10px;font-weight:700;">
      <span style="display:flex;align-items:center;gap:3px;"><span
style="width:9px;height:9px;background:var(--green-main);border-radius:2px;display:inline-block;"></span>Rev
enue</span>
      <span style="display:flex;align-items:center;gap:3px;"><span
style="width:9px;height:9px;background:#fd7e14;border-radius:2px;display:inline-block;"></span>Expenses</s
pan>
      <span style="display:flex;align-items:center;gap:3px;"><span
style="width:9px;height:9px;background:#6f42c1;border-radius:2px;display:inline-block;"></span>Profit</span>
    </div>
  </div>

```

```

</div>

<!-- Scrollable month rows only -->

<div style="padding:16px 20px 8px;overflow-y:auto;flex:1;">

    <?php

        $max_pi = max(

            max(array_column($monthly,'sales')),

            max(array_column($monthly,'expenses')),

            max(array_map('abs', array_column($monthly,'profit'))

        ) ?: 1;

        $prev_profit = null;

        foreach ($monthly as $idx => $m):

            $rev_pct = $max_pi > 0 ? ($m['sales'] / $max_pi) * 100 : 0;

            $exp_pct = $max_pi > 0 ? ($m['expenses'] / $max_pi) * 100 : 0;

            $prof_pct = $max_pi > 0 ? (abs($m['profit']) / $max_pi) * 100 : 0;

            $is_profit = $m['profit'] >= 0;

            $mom_label = ""; $mom_color = '#888';

            if ($prev_profit !== null && $m['sales'] > 0) {

                $diff = $m['profit'] - $prev_profit;

                if ($diff > 0) { $mom_label = '▲ '+.formatMoney($diff); $mom_color = '#10b981'; }

                elseif ($diff < 0) { $mom_label = '▼ '.formatMoney($diff); $mom_color = '#dc3545'; }

                else { $mom_label = '→ No change'; $mom_color = '#888'; }

            }

            if ($m['sales'] > 0) $prev_profit = $m['profit'];

        ?>

    <div style="margin-bottom:13px;padding-bottom:13px;border-bottom:1px solid #f0f0f0;">

        <div

            style="display:flex;justify-content:space-between;align-items:center;margin-bottom:5px;">

```

```

<span style="font-size:12px;font-weight:700;color:#333;"><?= $m['short'] ?></span>

<div style="display:flex;align-items:center;gap:8px;">

    <?php if ($mom_label): ?>

        <span style="font-size:10px;font-weight:700;color:<?= $mom_color ?>"><?=
$mom_label ?> vs prev</span>

    <?php endif; ?>

    <span style="font-size:11px;font-weight:800;color:<?= $is_profit?'#6f42c1':'#dc3545'
?>,">Net: <?= formatMoney($m['profit']) ?></span>

</div>

</div>

<div style="display:flex;align-items:center;gap:7px;margin-bottom:3px;">

    <span
style="font-size:9px;color:#888;font-weight:600;width:22px;text-align:right;flex-shrink:0;">Rev</span>

    <div style="flex:1;height:8px;background:#f0f0f0;border-radius:4px;overflow:hidden;">

        <div style="height:100%;width:<?= $rev_pct
?>%;background:var(--green-main);border-radius:4px;"></div>

    </div>

    <span
style="font-size:9px;color:var(--green-main);font-weight:700;width:52px;text-align:right;flex-shrink:0;"><?=
$m['sales']>0?'P'.number_format($m['sales']/1000,1).'k':'-' ?></span>

</div>

<div style="display:flex;align-items:center;gap:7px;margin-bottom:3px;">

    <span
style="font-size:9px;color:#888;font-weight:600;width:22px;text-align:right;flex-shrink:0;">Exp</span>

    <div style="flex:1;height:8px;background:#f0f0f0;border-radius:4px;overflow:hidden;">

        <div style="height:100%;width:<?= $exp_pct
?>%;background:#fd7e14;border-radius:4px;"></div>

    </div>

```

```

        <span
style="font-size:9px;color:#fd7e14;font-weight:700;width:52px;text-align:right;flex-shrink:0;"><?=
$m['expenses']>0?'P'.number_format($m['expenses']/1000,1).'k':'-' ?></span>

    </div>

    <div style="display:flex;align-items:center;gap:7px;">

        <span
style="font-size:9px;color:#888;font-weight:600;width:22px;text-align:right;flex-shrink:0;">Pft</span>

        <div style="flex:1;height:8px;background:#f0f0f0;border-radius:4px;overflow:hidden;">

            <div style="height:100%;width:<?= $prof_pct ?>%;background:<?=
$is_profit?'#6f42c1':'#dc3545' ?>;border-radius:4px;"></div>

        </div>

        <span style="font-size:9px;color:<?= $is_profit?'#6f42c1':'#dc3545'
?>;font-weight:700;width:52px;text-align:right;flex-shrink:0;"><?=
$m['profit']!=0?'P'.number_format($m['profit']/1000,1).'k':'-' ?></span>

    </div>

</div>

<?php endforeach; ?>

</div>

<!-- Fixed summary footer always visible at bottom -->

<div style="flex-shrink:0;border-top:2px solid var(--gray-mid);padding:10px
20px;background:var(--gray-light);">

    <div style="display:flex;justify-content:space-between;align-items:center;gap:8px;">

        <div style="text-align:center;">

            <div style="font-size:9px;color:#888;font-weight:600;text-transform:uppercase;">Total
Revenue</div>

            <div style="font-size:12px;font-weight:800;color:var(--green-main);"><?=
'P'.number_format($year_total_sales/1000,1).'k' ?></div>

        </div>

        <div style="text-align:center;">

```

```

        <div style="font-size:9px;color:#888;font-weight:600;text-transform:uppercase;">Total
Expenses</div>

        <div style="font-size:12px;font-weight:800;color:#fd7e14;"><?=
'P'.number_format($year_total_expenses/1000,1).'k' ?></div>

    </div>

    <div style="text-align:center;">

        <div style="font-size:9px;color:#888;font-weight:600;text-transform:uppercase;">Net
Profit</div>

        <div style="font-size:12px;font-weight:800;color:<?=
$year_net_profit>=0?'#6f42c1':'#dc3545' ?>;"><?= 'P'.number_format($year_net_profit/1000,1).'k' ?></div>

    </div>

    <div style="text-align:center;">

        <div
style="font-size:9px;color:#888;font-weight:600;text-transform:uppercase;">Margin</div>

        <div style="font-size:12px;font-weight:800;color:#333;"><?=
$year_total_sales>0?number_format(($year_net_profit/$year_total_sales)*100,1):0 ?>%</div>

    </div>

</div>

</div>

</div>

</div>

</div>

<?php else: ?>

<!-- Expense Report -->

<div class="table-card" style="margin-bottom:22px;">

    <div class="table-card-header"><h3> 📊 Monthly Expenses — Jan to Dec <?= $year ?></h3></div>

    <div style="padding:20px 24px 14px;">

        <div class="bar-chart-wrap">

            <?php

```

```

$max_exp = max(array_column($monthly,'expenses')) ?: 1;

foreach($monthly as $m):

    $eh = max(4, round(($m['expenses']/$max_exp)*120));

    ?>

    <div class="bar-col">

        <div class="bar-val"><?= $m['expenses']>0?'P'.number_format($m['expenses']/1000,1).'k':"

?></div>

        <div class="bar-exp" style="height:<?= $eh ?>px;width:100%;" title="<?= $m['month'] ?>: <?=
formatMoney($m['expenses']) ?>"></div>

        <div class="bar-lbl"><?= $m['short'] ?></div>

    </div>

    <?php endforeach; ?>

</div>

<div style="text-align:right;font-size:11px;margin-top:8px;color:var(--gray);">

    Total Expenses <?= $year ?>: <strong style="color:#dc3545"><?=
formatMoney($year_total_expenses) ?></strong>

</div>

</div>

</div>

<div class="two-col">

    <div class="table-card">

        <div class="table-card-header"><h3> 📊 Expenses by Category — <?= $year ?></h3></div>

        <table class="data-table">

            <thead><tr><th>Category</th><th>Transactions</th><th>Total Amount</th><th>% of
Total</th></tr></thead>

            <tbody>

                <?php if ($exp_by_cat): while($sec=$exp_by_cat->fetch_assoc()): ?>

```

```

<tr>

    <td style="font-weight:600"><?= htmlspecialchars($sec['category']) ?></td>

    <td><?= $sec['count'] ?></td>

    <td style="font-weight:700;color:#dc3545"><?= formatMoney($sec['total']) ?></td>

    <td>

        <?php $pct=$year_total_expenses>0?($sec['total']/$year_total_expenses)*100:0; ?>

        <div style="display:flex;align-items:center;gap:6px;">

            <div
style="flex:1;height:6px;background:var(--gray-light);border-radius:3px;overflow:hidden;">

                <div style="width:<?= $pct
?>%;height:100%;background:#fd7e14;border-radius:3px;"></div>

            </div>

            <span style="font-size:11px;font-weight:600"><?= number_format($pct,1)
?>%</span>

        </div>

    </td>

</tr>

<?php endwhile; else: ?>

<tr><td colspan="4" style="text-align:center;color:var(--gray)">No expense data</td></tr>

<?php endif; ?>

</tbody>

</table>

</div>

<div class="table-card">

    <div class="table-card-header"><h3>📅 Monthly Expense Trend</h3></div>

    <div style="padding:20px;">

        <?php foreach($monthly as $m):

```

```

        $max_e = max(array_column($monthly,'expenses')) ?: 1;

        $pct  = ($m['expenses']/$max_e)*100;

    ?>

    <div style="margin-bottom:10px;">

        <div
style="display:flex;justify-content:space-between;font-size:11px;font-weight:600;margin-bottom:3px;">

            <span><?= $m['short'] ?></span>

            <span style="color:#dc3545"><?= formatMoney($m['expenses']) ?></span>

        </div>

        <div style="height:8px;background:var(--gray-light);border-radius:4px;overflow:hidden;">

            <div style="height:100%;width:<?= $pct
?>%;background:#fd7e14;border-radius:4px;"></div>

        </div>

    </div>

    <?php endforeach; ?>

</div>

</div>

</div>

<?php endif; ?>

</div>

</div>

</div>

</body>

</html>

```

REVENUE.PHP

```
<?php
```

```
require_once 'includes/config.php';
```

```
requireAdmin();
```

```
$db = getDB();
```

```
$year = intval($_GET['year'] ?? date('Y'));
```

```
// Available years
```

```
$years_res = $db->query("SELECT DISTINCT YEAR(sale_date) as y FROM sales ORDER BY y DESC");
```

```
$available_years = [];
```

```
while ($yr = $years_res->fetch_assoc()) $available_years[] = $yr['y'];
```

```
if (!in_array(date('Y'), $available_years)) array_unshift($available_years, date('Y'));
```

```
// Full Jan–Dec for selected year
```

```
$monthly = [];
```

```
$month_short = ['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct','Nov','Dec'];
```

```
for ($m = 1; $m <= 12; $m++) {
```

```
    $ym = sprintf('%04d-%02d', $year, $m);
```

```
    $r = $db->query("SELECT COALESCE(SUM(total),0) as t, COUNT(*) as c FROM sales WHERE  
DATE_FORMAT(sale_date,'%Y-%m' 🤖 '$ym')->fetch_assoc();
```

```
    $monthly[] = ['short'=>$month_short[$m-1], 'value'=>floatval($r['t']), 'count'=>intval($r['c'])];
```

```
}
```

```
// Top products — ranked by units sold
```

```
$top_products = $db->query("SELECT p.name, p.category, SUM(s.total) as revenue, SUM(s.quantity) as units  
FROM sales s JOIN products p ON s.product_id=p.id
```

```
WHERE YEAR(s.sale_date)='$year' GROUP BY p.id ORDER BY units DESC LIMIT 5");
```

```
// Annual totals
```

```
$annual_revenue = floatval($db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE  
YEAR(sale_date)='$year'")->fetch_assoc()['t']);
```

```
$annual_expenses = floatval($db->query("SELECT COALESCE(SUM(amount),0) as t FROM expenses  
WHERE YEAR(expense_date)='$year'")->fetch_assoc()['t']);
```

```
$annual_profit = $annual_revenue - $annual_expenses;
```

```
// This month
```

```
$month = date('Y-m');
```

```
$this_month = floatval($db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE  
DATE_FORMAT(sale_date,'%Y-%m' 🐼 '$month'")->fetch_assoc()['t']);
```

```
$last_month_val = floatval($db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE  
DATE_FORMAT(sale_date,'%Y-%m' 🐼 '".date('Y-m',strtotime('-1 month'))."')->fetch_assoc()['t']);
```

```
$growth = $last_month_val > 0 ? (($this_month - $last_month_val) / $last_month_val) * 100 : 0;
```

```
$max_rev = max(array_column($monthly, 'value')) ?: 1;
```

```
$best = $db->query("SELECT p.name, SUM(s.total) as total, SUM(s.quantity) as units FROM sales s JOIN  
products p ON s.product_id=p.id WHERE YEAR(s.sale_date)='$year' GROUP BY p.id ORDER BY units DESC  
LIMIT 1")->fetch_assoc();
```

```
// Past year comparison (current vs previous year, same months)
```

```
$prev_year = $year - 1;
```

```
$compare = [];
```

```
for ($m = 1; $m <= 12; $m++) {
```

```
    $ym_cur = sprintf('%04d-%02d', $year, $m);
```

```
    $ym_prev = sprintf('%04d-%02d', $prev_year, $m);
```

```

$cur_v = floatval($db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🤨 '$ym_cur')->fetch_assoc()['t']);

$prev_v = floatval($db->query("SELECT COALESCE(SUM(total),0) as t FROM sales WHERE
DATE_FORMAT(sale_date,'%Y-%m' 🤨 '$ym_prev')->fetch_assoc()['t']);

$compare[] = ['short'=>$month_short[$m-1], 'cur'=>$cur_v, 'prev'=>$prev_v];
}

$cmp_max = max(array_merge(array_column($compare, 'cur'), array_column($compare, 'prev'))) ? 1;

```

```

$db->close();

```

```

?>

```

```

<!DOCTYPE html>

```

```

<html lang="en">

```

```

<head>

```

```

    <meta charset="UTF-8">

```

```

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```

    <title>Revenue Insights - Profit Lens</title>

```

```

    <link rel="stylesheet" href="assets/css/style.css">

```

```

    <style>

```

```

        .bar-chart-wrap { display:flex;align-items:flex-end;gap:5px;height:150px;padding:0 2px; }

        .bar-col { flex:1;display:flex;flex-direction:column;align-items:center;gap:2px;justify-content:flex-end; }

        .bar-val { font-size:7.5px;color:var(--gray);font-weight:600;text-align:center;white-space:nowrap; }

        .bar-body { width:100%;border-radius:4px 4px 0 0;background:linear-gradient(to
top,var(--green-dark),var(--green-bright));transition:height .3s; }

        .bar-lbl { font-size:8px;color:var(--gray);font-weight:600;margin-top:3px; }

        .cmp-col { flex:1;display:flex;flex-direction:column;align-items:center;gap:2px; }

        .cmp-bars { display:flex;align-items:flex-end;gap:1px;width:100%; }

        .bar-cur { flex:1;border-radius:3px 3px 0 0;background:var(--green-main); }

```

```

.bar-prev { flex:1;border-radius:3px 3px 0 0;background:#b0c4de; }

.year-select { padding:6px 12px;border:2px solid var(--gray-mid);border-radius:8px;
    font-family:'Poppins',sans-serif;font-size:12px;font-weight:600;outline:none;cursor:pointer; }

.year-select:focus { border-color:var(--green-main); }

.admin-badge { display:inline-flex;align-items:center;gap:5px;padding:4px 10px;
    background:#fff3e0;color:#e67e22;border-radius:20px;font-size:10px;font-weight:700;
    letter-spacing:.4px;text-transform:uppercase; }

</style>
</head>
<body>
<div class="app-wrapper">
    <?php include 'includes/sidebar.php'; ?>
    <div class="main-content">
        <div class="topbar">
            <div class="topbar-title">
                <p>Analyze Trends</p>
                <h1>Revenue Insights</h1>
            </div>
            <div class="topbar-user">
                <div class="topbar-avatar">  </div>
                <span class="admin-badge">  Admin</span>
            </div>
        </div>

        <div class="page-content">
            <!-- Year selector -->

```

```

<div style="display:flex;justify-content:flex-end;align-items:center;gap:10px;margin-bottom:18px;">
  <a href="export_excel.php?type=revenue&year=<?= $year ?>"
    style="display:inline-flex;align-items:center;gap:6px;padding:8px
16px;background:#217346;color:white;border-radius:8px;font-size:12px;font-weight:700;text-decoration:none;"
    onmouseover="this.style.background='#185c38'" onmouseout="this.style.background='#217346'">
    <svg width="14" height="14" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2.5"><path d="M14 2H6a2 2 0 0 0-2 2v16a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V8z"/><polyline
points="14 2 14 8 20 8"/><line x1="16" y1="13" x2="8" y2="13"/><line x1="16" y1="17" x2="8" y2="17"/></svg>
    Export to Excel
  </a>
  <form method="GET" style="display:flex;align-items:center;gap:8px;">
    <label style="font-size:12px;font-weight:600;color:var(--gray);">Year:</label>
    <select name="year" class="year-select" onchange="this.form.submit()">
      <?php foreach($available_years as $y): ?>
        <option value="<?= $y ?>" <?= $y==$year?'selected':" ?>><?= $y ?></option>
      <?php endforeach; ?>
    </select>
  </form>
</div>

<!-- Stats -->
<div class="stats-row">
  <div class="stat-card">
    <div class="stat-icon purple">💰</div>
    <div class="stat-info"><div class="stat-label">Total Revenue <?= $year ?></div>
      <div class="stat-value"><?= formatMoney($annual_revenue) ?></div></div>
    </div>
  </div>

```

```
<div class="stat-card">
```

```
  <div class="stat-icon green">  </div>
```

```
  <div class="stat-info"><div class="stat-label">Net Profit</div>
```

```
    <div class="stat-value"><?= formatMoney($annual_profit) ?></div></div>
```

```
</div>
```

```
<div class="stat-card">
```

```
  <div class="stat-icon blue">  </div>
```

```
  <div class="stat-info"><div class="stat-label">This Month</div>
```

```
    <div class="stat-value"><?= formatMoney($this_month) ?></div></div>
```

```
</div>
```

```
<div class="stat-card">
```

```
  <div class="stat-icon orange">  </div>
```

```
  <div class="stat-info"><div class="stat-label">MoM Growth</div>
```

```
    <div class="stat-value" style="color:<?= $growth>=0?'var(--green-bright)':'#dc3545' ?>"><?=
($growth>=0?'+':"").number_format($growth,1) ?>%</div></div>
```

```
</div>
```

```
</div>
```

```
<!-- Full Jan–Dec Revenue Chart -->
```

```
<div class="table-card" style="margin-bottom:22px;">
```

```
  <div class="table-card-header">
```

```
    <h3>  Revenue Trend — Jan to Dec <?= $year ?></h3>
```

```
    <span style="font-size:12px;color:var(--gray);">Total: <strong style="color:var(--green-main)"><?=
formatMoney(array_sum(array_column($monthly,'value'))) ?></strong></span>
```

```
  </div>
```

```
<div style="padding:20px 24px 14px;">
```

```
  <div class="bar-chart-wrap" style="align-items:flex-end;">
```

```

<?php
$cur_month_num = date('n');
$cur_year_num = date('Y');
foreach ($monthly as $idx => $m):
    $h = max(5, round(($m['value'] / $max_rev) * 110));
    $isCur = ($year==$cur_year_num && ($idx+1)==$cur_month_num);
    ?>
    <div class="bar-col" style="justify-content:flex-end;">
        <div class="bar-val" style="margin-bottom:2px;"><?=
$m['value']>0?'P'.number_format($m['value']/1000,1).'k':" ?></div>
        <div class="bar-body" style="height:<?= $h ?>px;<?= $isCur?'background:linear-gradient(to
top,#f39c12,#f1c40f);':" ?>"
            title="<?= $m['short']. ' '. $year.' : '.formatMoney($m['value']) ?>"></div>
            <div class="bar-lbl"><?= $m['short'] ?></div>
        </div>
    <?php endforeach; ?>
</div>

<div style="display:flex;gap:14px;font-size:11px;margin-top:10px;">
    <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:linear-gradient(to
right,var(--green-dark),var(--green-bright));border-radius:2px;display:inline-block;"></span><?= $year ?>
Revenue</span>
    <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:linear-gradient(to
right,#f39c12,#f1c40f);border-radius:2px;display:inline-block;"></span>Current Month</span>
</div>
</div>
</div>

```

```

<!-- Year-over-Year Comparison -->

<div class="table-card" style="margin-bottom:22px;">

    <div class="table-card-header">

        <h3> 🇮🇹 Year-over-Year Comparison — <?= $prev_year ?> vs <?= $year ?></h3>

        <div style="display:flex;gap:14px;font-size:11px;">

            <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:#b0c4de;border-radius:2px;display:inline-block;"></span><?=
$prev_year ?></span>

            <span style="display:flex;align-items:center;gap:4px;"><span
style="width:11px;height:7px;background:var(--green-main);border-radius:2px;display:inline-block;"></span><?=
$year ?></span>

        </div>

    </div>

</div>

<div style="padding:20px 24px 14px;">

    <div style="display:flex;align-items:flex-end;gap:5px;height:130px;">

        <?php foreach($compare as $c):

            $ch_cur = max(4, round(($c['cur'] / $cmp_max) * 120));

            $ch_prev = $c['prev'] > 0 ? max(4, round(($c['prev'] / $cmp_max) * 120)) : 2;

        ?>

        <div class="cmp-col">

            <div class="cmp-bars">

                <div class="bar-prev" style="height:<?= $ch_prev ?>px;" title="<?= $c['short'].'
'.$prev_year.': '.formatMoney($c['prev']) ?>"></div>

                <div class="bar-cur" style="height:<?= $ch_cur ?>px;" title="<?= $c['short'].' '.$year.':
'.formatMoney($c['cur']) ?>"></div>

            </div>

            <div class="bar-lbl"><?= $c['short'] ?></div>

        </div>

    <?php endforeach; ?>

```

```

</div>

<div
style="display:flex;justify-content:space-between;font-size:11px;margin-top:10px;color:var(--gray);">

    <span><?= $prev_year ?> Total: <strong><?=
formatMoney(array_sum(array_column($compare,'prev')) ?></strong></span>

    <span><?= $year ?> Total: <strong style="color:var(--green-main)"><?=
formatMoney(array_sum(array_column($compare,'cur')) ?></strong></span>

    <?php

    $prev_total = array_sum(array_column($compare,'prev'));

    $cur_total = array_sum(array_column($compare,'cur'));

    $yoy = $prev_total > 0 ? (($cur_total - $prev_total) / $prev_total) * 100 : 0;

    ?>

    <span>YoY: <strong style="color:<?= $yoy>=0?'var(--green-bright)':'#dc3545' ?>"><?=
($yoy>=0?'+' : '').number_format($yoy,1) ?>%</strong></span>

</div>

</div>

</div>

```

```

<div class="two-col">

    <!-- Top Products -->

    <div class="table-card">

        <div class="table-card-header">

            <h3> 🏆 Top Products by Units Sold — <?= $year ?></h3>

            <?php if ($best): ?>

                <span class="badge badge-green">Best: <?= htmlspecialchars($best['name']) ?> (<?=
number_format($best['units']) ?> units)</span>

            <?php endif; ?>

        </div>

    </div>

```

```

<table class="data-table">
  <thead><tr><th>Rank</th><th>Product</th><th>Category</th><th>Units
Sold</th><th>Revenue</th></tr></thead>
  <tbody>
    <?php if ($top_products): $rank=1; while($tp=$top_products->fetch_assoc()): ?>
      <tr>
        <td><?php $medals=['🥇','🥈','🥉','4','5']; echo $medals[$rank-1]??$rank; ?></td>
        <td style="font-weight:600"><?php echo htmlspecialchars($tp['name']); ?></td>
        <td><span class="badge badge-blue"><?php echo htmlspecialchars($tp['category']);
?></span></td>
        <td style="font-weight:700;color:var(--green-main)"><?php echo number_format($tp['units']);
?></td>
        <td style="color:var(--gray)"><?php echo formatMoney($tp['revenue']); ?></td>
      </tr>
      <?php $rank++; endwhile; else: ?>
        <tr><td colspan="5" style="text-align:center;color:var(--gray)">No data available</td></tr>
      <?php endif; ?>
    </tbody>
  </table>
</div>

```

```

<!-- Sales Highlights -->
<div class="table-card" style="border-top:3px solid var(--purple);">
  <div class="table-card-header"><h3>💎 Sales Highlights</h3></div>
  <div style="padding:20px;">
    <div class="stat-row" style="padding:12px 0;"><span class="label">Total
Revenue</span><span class="value" style="font-size:18px;color:var(--purple)"><?php
formatMoney($annual_revenue) ?></span></div>

```

```

        <div class="stat-row" style="padding:12px 0;"><span class="label">Total
Expenses</span><span class="value" style="color:#dc3545"><?= formatMoney($annual_expenses)
?></span></div>

```

```

        <div class="stat-row" style="padding:12px 0;"><span class="label">Net Profit</span><span
class="value" style="font-size:18px;color:var(--green-bright)"><?= formatMoney($annual_profit)
?></span></div>

```

```

        <div class="stat-row" style="padding:12px 0;"><span class="label">Profit Margin</span><span
class="value"><?= $annual_revenue>0?number_format(($annual_profit/$annual_revenue)*100,1):0
?>%</span></div>

```

```

        <div class="stat-row" style="padding:12px 0;"><span class="label">Best Selling
Product</span><span class="value"><?= $best?htmlspecialchars($best['name']):'N/A' ?></span></div>

```

```

        <?php if ($best): ?>

```

```

        <div
style="margin-top:14px;padding:14px;background:var(--purple-light);border-radius:8px;text-align:center;">

```

```

        <div style="font-size:24px;margin-bottom:4px;"> 🏆 </div>

```

```

        <div style="font-size:14px;font-weight:700;color:var(--purple)"><?=
htmlspecialchars($best['name']) ?></div>

```

```

        <div style="font-size:11px;color:var(--gray)">Top Sold Product <?= $year ?></div>

```

```

        <div style="font-size:18px;font-weight:800;color:var(--purple);margin-top:4px;"><?=
number_format($best['units']) ?> units sold</div>

```

```

        </div>

```

```

        <?php endif; ?>

```

```

        <a href="reports.php?year=<?= $year ?>"
style="display:block;text-align:center;padding:11px;background:var(--purple);color:white;border-radius:8px;text-
decoration:none;font-weight:600;font-size:13px;margin-top:14px;">View Full Report</a>

```

```

        </div>

```

```

    </div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

</body>

</html>