Recapitulare

4. Frontend on Separate Hosting S3 Buckets avem mai multe exemple tine objects avem mai multe cand sunt prea diferite si nu se pot combina (ex: imagini, css, js) Load Balancer ul il folosim ca sa impartim traficul intre mai multe instante EC2 Sunt doua: - Network Load Balancer - TCP, UDP, TLS - Application Load Balancer - HTTP, HTTPS PostgresSql - RDS - Relational Database Service - Multi-AZ - active-passive - Read Replica - active-active - Backups - automatice - Software as a Service - Security - VPC, Security Groups, IAM - Monitoring - CloudWatch - Useful daca nu ai experti in baza de date
5. Leverage AWS EC2 - laptopuriile noastre ECS- un pachet unde se pun mai multe containere

IAM Resources

When would a resource-based policy be better suited than an identity-based policy?

A resource-based policy is better suited than an identity-based policy in the following cases:

1. Permissions at the Resource Level
    - here we are more interested on doing rules based on the resource(for example API Gateway resources policies)
2. When we need cross-account access.
    - this way other users from other AWS Accounts can connect and acces the resource.
3. Shared Resources - when multiple entities need access to the same resource
4. Service to Service Access

- an aws service needs access to a resource in another account

5. Delegation Of Access Control

- delegating the management of permissions of a resource

6. Public or Anonymous Access

- users that are not authenticated can have access to the resource