

PLAN VIEW (LOOKING DOWN)

Front at Bottom



ISOMETRIC 3D VIEW (45 deg)

South-West Projection



GENERAL NOTES & SPECIFICATIONS


1. All dimensions are in millimetres (mm) unless noted.
2. Standard engineering elevations generated from 3D model.
3. Top view oriented with Front camera at bottom of page.
4. Point cloud scan data excluded for engineering clarity.
5. Handrails conform to Monowills specification / AS 1657.
6. Stairs designed with PFC stringers per AS 1657 standard.
7. Structural steel profiles detailed per AS/NZS 3679.1.

ASSEMBLY SUMMARY

Modelled Primitives: 10 components
Total Steel Weight: 48.6 kg
Site Alignment: 149.9 deg
Front Elevation Reference: 233.9 deg


FRONT ELEVATION

Level Horizon (Pitch 0 deg)




LEFT ELEVATION

90 deg to Left of Front



RIGHT ELEVATION


90 deg to Right of Front



PROJECT: 300	
DRAWING: GENERAL ARRANGEMENT & ELEVATIONS	UNITS: 1:50 @ A1 MILLIMETRES (mm) / N.T.S.
DATE: 11 Oct 2026	SHEET 1 OF 5

PLAN VIEW (LOOKING DOWN)

Front camera orientation located at bottom of sheet



ORIENTATION (TOP VIEW):

TOP OF SHEET: BACK


BOTTOM OF SHEET: FRONT

LEFT: LEFT | RIGHT: RIGHT

PROJECT: 300	
DRAWING: PLAN VIEW (TOP VIEW - LOOKING DOWN)	UNITS / SCALE: MILLIMETRES (mm) / N.T.S.
DATE: 11 Oct 2026	SHEET 2 OF 5


FRONT ELEVATION

Primary Viewing Elevation Respects UP



REAR ELEVATION (180 deg)


Opposite Front Elevation Respects UP



PROJECT: 300	
DRAWING: FRONT & REAR ELEVATIONS	UNITS / SCALE: MILLIMETRES (mm) / N.T.S.
DATE: 11 Oct 2026	SHEET 3 OF 5


LEFT ELEVATION

90 deg to Left of Front Elevation



RIGHT ELEVATION


90 deg to Right of Front Elevation



PROJECT:	300	
DRAWING:	SIDE ELEVATIONS (LEFT & RIGHT)	UNITS / SCALE: MILLIMETRES (mm) / N.T.S.
DATE: 11 Oct 2026		SHEET 4 OF 5

ISOMETRIC 3D VIEW (45 deg PITCH)

South-West Isometric Overview



STRUCTURAL MEMBER & PRIMITIVE SCHEDULE (BILL OF MATERIALS)

ITEM	OBJECT NAME	TYPE	PRIMARY DIMS (mm)	SPECIFICATION / PROFILE	MASS (kg)	STATUS
1	**Box 1**	BOX / DUCT	1600 x 1000 x 100 mm	Fabricated Sheet / Block	-	PROPOSED
2	**Box 2**	BOX / DUCT	600 x 900 x 100 mm	Fabricated Sheet / Block	-	PROPOSED
3	**Monowills Run 1**	HANDRAIL (AS 1657)	H = 1000 mm OD 42.4 mm	100mm Kickplate Midrail	-	PROPOSED
4	**Monowills Run 2**	HANDRAIL (AS 1657)	H = 1000 mm OD 42.4 mm	100mm Kickplate Midrail	-	PROPOSED
5	**Access Ladder 1**	LADDER (AS 1657)	H = 2200 mm W = 450 mm	Standard Rungs	-	PROPOSED
6	**Monowills Run 4**	HANDRAIL (AS 1657)	H = 1000 mm OD 42.4 mm	100mm Kickplate Midrail	-	PROPOSED
7	**Industrial Stairs 1**	STAIRS (AS 1657)	Rise: 2200 mm | W: 650 mm	200PFC Stringers 10 Risers	-	PROPOSED
8	**Steel Beam 1**	BEAM (PFC)	L = 1116 mm (150 x 75)	150 x 75 PFC (17.7 kg/m)	**19.8 kg**	PROPOSED
9	**Steel Beam 2**	BEAM (SHS)	L = 2000 mm (100 x 100)	100 x 100 x 5.0 SHS (14.4 kg/m)	**28.8 kg**	PROPOSED
10	**Monowills Run 4**	HANDRAIL (AS 1657)	H = 1000 mm OD 42.4 mm	100mm Kickplate Midrail	-	PROPOSED

TOTAL ITEMS: 10 members modelled

TOTAL STEEL MASS: 48.6 kg

PROJECT: **300**

DRAWING: **ISOMETRIC VIEW & MEMBER SCHEDULE**

UNITS: MILLIMETRES (mm) / N.T.S.

DATE: 11 Oct 2026