

The screenshot shows the Visual Studio Code interface with a Terraform project. The left sidebar displays the file explorer with the following structure:

- Day-1
  - .terraform
  - .terraform.lock.hcl
  - ec2.tf
  - outputs.tf
  - providers.tf
  - s3.tf
  - terraform.tfstate
  - terraform.tfstate.backup
  - terraform.tfvars
  - variables.tf

The main editor area shows the 'TERMINAL' tab with the following command history:

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ pwd
/c:/Users/MSUSERSL123/Terraform

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ ls
Day-1/

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ mkdir Day-2

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ ls
Day-1/ Day-2/

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ rm Day-2
rm: cannot remove 'Day-2': Is a directory

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ rm -rf Day-2

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ ls
Day-1/

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ terraform init
Terraform initialized in an empty directory!

The directory has no Terraform configuration files. You may begin working
with Terraform immediately by creating Terraform configuration files.

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)
$ cd day-1

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)
$ ls
ec2.tf outputs.tf providers.tf s3.tf terraform.tfvars variables.tf
```

FileEditSelectionViewGoRun...<-->Terraform

TERRAFORM

Day-1

.terraform

.terraform.lock.hcl

ec2.tf

outputs.tf

providers.tf

s3.tf

terraform.tfstate

terraform.tfstate.backup

terraform.tfvars

variables.tf

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)

\$ terraform init

The directory has no Terraform configuration files. You may begin working with Terraform immediately by creating Terraform configuration files.

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform (master)

\$ cd day-1

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ ls

ec2.tf outputs.tf providers.tf s3.tf terraform.tfvars variables.tf

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ pwd

/c/Users/MSUSERSL123/Terraform/day-1

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ aws s3 ls

2026-05-28 12:01:04 practise-iam

2026-07-06 21:45:01 terraform-state-bucket-2410

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ terraform init

Initializing provider plugins found in the configuration...

- Finding hashicorp/aws versions matching "~> 6.0"...

- Installing hashicorp/aws v6.53.0...

- Installed hashicorp/aws v6.53.0 (signed by HashiCorp)

Initializing the backend...


Terraform has created a lock file .terraform.lock.hcl to record the provider selections it made above. Include this file in your version control repository so that Terraform can guarantee to make the same selections by default when you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

< 0 0 0

Ln 1, Col 20



Terraform

File Edit Selection View Go Run ...

TERRAFORM

Day-1

.terraform

.terraform.lock.hcl

ec2.tf

outputs.tf

providers.tf

s3.tf

terraform.tfstate

terraform.tfstate.backup

terraform.tfvars

variables.tf

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ terraform plan

}

Plan: 2 to add, 0 to change, 0 to destroy.

Changes to Outputs:

+ bucket\_name = "deekshith-demo-20260707"

+ public\_ip = (known after apply)

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ terraform validate

Success! The configuration is valid.

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)

\$ terraform apply

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:

+ create

Terraform will perform the following actions:

# aws\_instance.demo will be created

+ resource "aws\_instance" "demo" {

+ ami = "ami-0f918f7e67a3323f0"

+ arn = (known after apply)

+ associate\_public\_ip\_address = (known after apply)

+ availability\_zone = (known after apply)

+ disable\_api\_stop = (known after apply)

+ disable\_api\_termination = (known after apply)

+ ebs\_optimized = (known after apply)

+ enable\_primary\_ipv6 = (known after apply)

+ force\_destroy = false

+ get\_password\_data = false

+ host\_id = (known after apply)

+ host\_resource\_group\_arn = (known after apply)

FileEditSelectionViewGoRun<→TerraformSign In

TERRAFORM

Day-1> .terraform.terraform.lock.hcl.ec2.tfoutputs.tfproviders.tfs3.tfterraform.tfstateterraform.tfstate.backupterraform.tfvarsvariables.tf

PROBLEMSOUTPUTDEBUG CONSOLETERMINALPORTS

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)\$ terraform apply}

Plan: 2 to add, 0 to change, 0 to destroy.

Changes to Outputs:  
+ bucket\_name = "deekshith-demo-20260707"  
+ public\_ip = (known after apply)

Do you want to perform these actions?  
Terraform will perform the actions described above.  
Only 'yes' will be accepted to approve.

Enter a value: yes

aws\_instance.demo: Creating...  
aws\_s3\_bucket.demo\_bucket: Creating...  
aws\_s3\_bucket.demo\_bucket: Creation complete after 2s [id=deekshith-demo-20260707]  
aws\_instance.demo: Still creating... [00m10s elapsed]  
aws\_instance.demo: Creation complete after 12s [id=i-08398ca9fbe563789]

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.

Outputs:  
  
bucket\_name = "deekshith-demo-20260707"  
public\_ip = "3.109.60.37"

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/Terraform/day-1 (master)\$ terraform destroy

aws\_s3\_bucket.demo\_bucket: Refreshing state... [id=deekshith-demo-20260707]  
aws\_instance.demo: Refreshing state... [id=i-08398ca9fbe563789]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:  
- destroy

Terraform will perform the following actions:  
  
# aws\_instance.demo will be destroyed  
- resource "aws\_instance" "demo" {

