

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~ (main)

\$ kubectl get ns

NAME	STATUS	AGE
default	Active	2d3h
kube-node-lease	Active	2d3h
kube-public	Active	2d3h
kube-system	Active	2d3h

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~ (main)

\$ kubectl get pods

No resources found in default namespace.

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~ (main)

\$ kubectl run mynginx --image=nginx
pod/mynginx created

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~ (main)

\$ kubectl get pods

NAME	READY	STATUS	RESTARTS	AGE
mynginx	0/1	ContainerCreating	0	20s

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~ (main)

\$ kubectl get pods

NAME	READY	STATUS	RESTARTS	AGE
mynginx	1/1	Running	0	50s

NAME	STATUS	AGE
default	Active	11m
kube-node-lease	Active	11m
kube-public	Active	11m
kube-system	Active	11m

PS C:\Users\MSUSERSL123>

PS C:\Users\MSUSERSL123>

PS C:\Users\MSUSERSL123>

PS C:\Users\MSUSERSL123>

PS C:\Users\MSUSERSL123> kubectl get pods

No resources found in default namespace.

PS C:\Users\MSUSERSL123> kubectl get nodes

NAME	STATUS	ROLES	AGE	VERSION
minikube	Ready	control-plane	18m	v1.35.1

PS C:\Users\MSUSERSL123> kubectl status

error: unknown command "status" for "kubectl"

PS C:\Users\MSUSERSL123> kubectl get pods -n kube-system

NAME	READY	STATUS	RESTARTS	AGE
coredns-7d764666f9-n7bxt	1/1	Running	0	19m
etcd-minikube	1/1	Running	0	19m
kube-apiserver-minikube	1/1	Running	0	19m
kube-controller-manager-minikube	1/1	Running	0	19m
kube-proxy-jcfl4	1/1	Running	0	19m
kube-scheduler-minikube	1/1	Running	0	19m
storage-provisioner	1/1	Running	1 (18m ago)	19m

PS C:\Users\MSUSERSL123>

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
```

```
$ cat pod.yaml
```

```
apiVersion: v1
```

```
kind: Pod
```

```
metadata:
```

```
  name: app1
```

```
  labels:
```

```
    app: web
```

```
spec:
```

```
  containers:
```

```
    - name: nginx-container
```

```
      image: nginx
```

```
      ports:
```

```
        - containerPort: 80
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
```

```
MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ vim pod.yaml

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ kubectl apply -f pod.yaml
pod/app1 created

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ kubectl get pods
NAME      READY   STATUS    RESTARTS   AGE
app1      1/1     Running   0           63s
mynginx   1/1     Running   0           29m

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ kubectl logs pod.yaml
error: error from server (NotFound): pods "pod.yaml" not found in namespace "default"

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ kubectl logs app1
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/08/02 06:53:58 [notice] 1#1: using the "epoll" event method
2026/08/02 06:53:58 [notice] 1#1: nginx/1.31.3
2026/08/02 06:53:58 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/08/02 06:53:58 [notice] 1#1: OS: Linux 6.6.114.1-microsoft-standard-WSL2
2026/08/02 06:53:58 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2026/08/02 06:53:58 [notice] 1#1: start worker processes
2026/08/02 06:53:58 [notice] 1#1: start worker process 29
2026/08/02 06:53:58 [notice] 1#1: start worker process 30
2026/08/02 06:53:58 [notice] 1#1: start worker process 31
2026/08/02 06:53:58 [notice] 1#1: start worker process 32

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)
$ kubectl describe pod app1
Name:         app1
Namespace:    default
Priority:      0
Service Account: default
Node:         minikube/192.168.49.2
Start Time:   Sun, 02 Aug 2026 12:23:51 +0530
Labels:       app=web
```

```
Optional:      false
DownwardAPI:   true
QoS Class:     BestEffort
Node-Selectors: <none>
Tolerations:   node.kubernetes.io/not-ready:NoExecute op=Exists for 300s
               node.kubernetes.io/unreachable:NoExecute op=Exists for 300s
```

Events:

Type	Reason	Age	From	Message
Normal	Scheduled	25m	default-scheduler	Successfully assigned default/app1 to minikube
Normal	Pulling	25m	kubelet	Pulling image "nginx"
Normal	Pulled	25m	kubelet	Successfully pulled image "nginx" in 2.923s (2.923s including waiting). Image size: 161327548 bytes.
Normal	Created	25m	kubelet	Container created
Normal	Started	25m	kubelet	Container started

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
app1	1/1	Running	0	33m
mynginx	1/1	Running	0	61m

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl get pods -o wide
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE	NOMINATED	NODE	READINESS	GATES
app1	1/1	Running	0	33m	10.244.0.4	minikube	<none>		<none>	
mynginx	1/1	Running	0	61m	10.244.0.3	minikube	<none>		<none>	

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl exec -it app1 -- sh
```

```
# ls
```

```
bin boot dev docker-entrypoint.d docker-entrypoint.sh etc home lib lib64 media mnt opt proc root run sbin srv sys tmp usr var
```

```
# exit
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
app1	1/1	Running	0	40m
mynginx	1/1	Running	0	68m

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl delete pod mynginx
```

```
pod "mynginx" deleted from default namespace
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ kubectl delete -f pod.yaml
```

```
pod "app1" deleted from default namespace
```

MSUSERSL123@DESKTOP-8SCBUTO MINGW64 ~/repos/te-5th_and_6th_batch_assignments/Deekshith/k8s (main)

```
$ |
```