Date:13/04/2026

Swiggy Sales Dashboard

By: Paloju Deekshith

Executive Summary

This document defines the **KPIs**, **data model**, **pivot table setups**, **charts**, and **formulas** needed to build a Swiggy sales dashboard (Excel / Google Sheets / Power BI). Use the provided KPI values as the dashboard's headline metrics and follow the pivot/visual instructions to reproduce each analysis view.

KPI Summary

KPI	Value	Pivot placement (recommended)
Total sales	**₹ 5.3M**	*Values* → Sum of **Price**
Average rating	**4.34**	*Values* → Average of **Rating**
Average order value (AOV)	**₹268.51**	Calculated measure: **Total Sales / Total Orders**
Rating count (avg rating context)	**5.59**	*Values* → Count of **Rating** or Average of **Rating Count**
Total orders	**197K**	*Values* → Count of **Order ID** or Sum of **Order Quantity**

Data Model and Required Fields

- **Order ID** (unique)
- **Order Date** (datetime)
- **Price** (numeric; item-level or order-level depending on source)
- **Dish Name** (text)

- **City** (text)
- **Rating** (numeric)
- **Rating Count** (numeric)
- **Food Type** (new column; e.g., Veg; Non-Veg; Beverages; Desserts)
- **Week** (derived)
- **Month** (derived)
- **Quarter** (derived)

Notes: Ensure dates are true date types. If Price is item-level, aggregate to order-level where needed.

Derived Columns and Formulas

Use these derived columns in the source table (add as new columns):

- **Day Name**
  - Excel / Google Sheets: =TEXT([@[Order Date]],"dddd")
- **Month**
  - Excel: =TEXT([@[Order Date]],"yyyy-mm") or =MONTH([@[Order Date]]) depending on grouping needs
- **Week**
  - Excel (ISO week): =ISOWEEKNUM([@[Order Date]])
- **Quarter**
  - Excel formula (single-cell style): ="Q"&INT((MONTH([@[Order Date]])-1)/3)+1
  - If using table references: ="Q"&INT((MONTH([@[Order Date]])-1)/3)+1
- **Food Type**
  - Populate via lookup or rule mapping from Dish Name to Food Type

---

Pivot Table & Chart Configurations

1. Monthly Trends

- **Pivot layout**
  - **Rows:** *Order Date* (group by **Month** or use Month column)

    - **Values:** *Price* → **Sum** (show as currency)
- **Chart: Line chart** (Month on X-axis; Sum of Price on Y-axis)
- **Notes:** Add a trendline and month-over-month % change as an additional calculated field if desired.

2. Daily Sales (Day-of-week view)

- **Pivot layout**
    - **Rows:** *Day Name* (use derived Day Name)
    - **Columns:** *Order Date* (if you want each date as column) — or omit columns to show aggregated day-of-week totals
    - **Values:** *Price* → **Sum**
- **Formula for Day Name:** =TEXT([@[Order Date]],"dddd")
- **Chart: Vertical bar chart** (Day Name on X-axis; Sum of Price on Y-axis)
- **Notes:** Sort days Mon→Sun using custom sort or numeric weekday column.

3. Total Sales by Food (Pie)

- **Pivot layout**
    - **Rows:** *Food Type*
    - **Values:** *Price* → **Sum**
- **Chart: Pie chart** (show % of total sales by food type)
- **Notes:** Combine small slices into "Other" if needed.

4. Quarterly Performance

- **Pivot layout**
    - **Rows:** *Quarter* (use derived Quarter column)
    - **Values:** *Rating* → **Average**; *Price* → **Sum**; *Dish Name* → **Count** (or distinct count if supported)
- **Chart: Clustered column** or **combo** (Sum Price as columns; Avg Rating as line)
- **Quarter formula reminder:** ="Q"&INT((MONTH([@[Order Date]])-1)/3)+1

5. Week Analysis

- **Pivot layout**
    - **Rows:** *Week* (use Week column)

    - **Values:** *Price* → **Sum**
- **Chart: Vertical bar chart** (Week on X-axis; Sum of Price on Y-axis)
- **Notes:** Use Week + Year to avoid mixing weeks across years.

6. Top 5 Cities

- **Pivot layout**
    - **Rows:** *City* (filter top 5 by Sum of Price)
    - **Values:** *Price* → **Sum**
- **Chart: Horizontal bar chart** (City on Y-axis; Sum of Price on X-axis)
- **Notes:** Use pivot filter: Top 10 / Top 5 by Sum of Price.

7. Dish-level Insights (Top dishes)

- **Pivot layout**
    - **Rows:** *Dish Name*
    - **Values:** *Price* → **Sum**; *Order ID* → **Count** (or Dish Name in Values as Count)
- **Chart: Bar chart** for top N dishes by sales or orders.

Pivot Field Mapping Quick Reference

- **Sum of Sales:** *Values* → **Price** → **Sum**
- **Average Rating:** *Values* → **Rating** → **Average**
- **Count of Orders:** *Values* → **Order ID** → **Count**
- **Dish count / popularity:** *Values* → **Dish Name** → **Count**
- **Rating count (if separate):** *Values* → **Rating Count** → **Average** or **Sum** depending on meaning

---

Visual Design & UX Recommendations

- **Header KPIs:** Place the KPI summary (Total Sales, AOV, Avg Rating, Total Orders) at the top with large fonts and small sparkline for trend.
- **Color palette:** Use 2–3 brand colors; use one accent color for positive growth and a neutral color for baseline.

- **Interactivity:** Add slicers/filters for **City**, **Food Type**, **Month/Quarter**, and **Rating range**.
- **Annotations:** Add callouts for months with highest/lowest sales and for any rating anomalies.
- **Data refresh:** If connected to live data, set scheduled refresh; otherwise document the refresh steps.

Implementation Steps (Excel / Google Sheets)

1. **Prepare source table:** Clean data, ensure date and numeric types, add derived columns (Day Name, Week, Month, Quarter, Food Type).
2. **Create pivot cache:** Insert Pivot Table from the source table.
3. **Build KPIs:** Use GETPIVOTDATA or direct formulas to pull pivot totals into KPI cards. For AOV: =Total Sales / Total Orders.
4. **Create charts:** Insert charts from pivot outputs; format axes, labels, and tooltips.
5. **Add slicers/filters:** Connect slicers to pivot tables for interactive filtering.
6. **Validate numbers:** Cross-check totals (e.g., Sum Price vs. source sum) and counts.
7. **Layout:** Arrange KPIs at top, trend charts left-to-right, breakdowns and top lists below.

Example Formulas

- **AOV:** =SUM(Table[Price]) / COUNT(Table[Order ID])
- **Day Name:** =TEXT([@[Order Date]],"dddd")
- **Quarter:** ="Q"&INT((MONTH([@[Order Date]])-1)/3)+1
- **Top 5 filter (Excel Pivot):** PivotTable Field Settings → Value Filters → Top 10 → Top 5 by Sum of Price

---

Validation & Notes

- **Rating count 5.59:** treat as provided; confirm whether this is *average number of ratings per order* or *another metric*. Use as-is in KPI card labeled **Rating count (as provided)**.

- **Dish Name in Values:** when the user requested “dish name in values in pivot table,” interpret as **Count of Dish Name** to show number of times a dish appears (popularity). Use distinct count if available to count unique orders per dish.
- **Currency formatting:** apply currency format to Price fields and thousands separators for counts (e.g., 197,000).
- **Time grouping:** always include Year when grouping by Week or Quarter to avoid cross-year aggregation.

If you want, I can now:

- produce a ready-to-copy **Excel pivot layout** sheet (step-by-step cell formulas and named ranges), or