

```

1 drop table if exists Movie;
2 drop table if exists Rating;
3 drop table if exists Reviewer;
4
5 create table Movie(mID integer, title varchar(100), year integer, director
6 create table Reviewer(rID integer, name varchar(100));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-27','%Y-%m-%

```

Build Schema

Edit Fullscreen

Browser

[;]

```

1 SELECT
2 *
3 FROM
4     Movie
5 WHERE
6     director = 'Steven Spielberg'
7 ;

```

Run SQL

Edit Fullscreen

[;]

mID	title	year	director
104	E.T.	1982	Steven Spielberg
108	Raiders of the Lost Ark	1981	Steven Spielberg

Record Count: 2; Execution Time: 15ms

View Execution Plan

link

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```

1 drop table if exists Movie;
2 drop table if exists Rating;
3 drop table if exists Reviewer;
4
5 create table Movie(mID integer, title varchar(100), year integer, director
6 create table Reviewer(rID integer, name varchar(100));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-27','%Y-%m-%

```

Build Schema

Edit Fullscreen

Browser

[;]

```

1 SELECT
2     YEAR (ratingDate)
3 FROM
4     Rating
5 WHERE
6     stars > 3
7     order by ratingDate
8 ;

```

Run SQL

Edit Fullscreen

[;]

YEAR (ratingDate)
(null)
(null)
2000
2002
2013
2014

Record Count: 6; Execution Time: 7ms

View Execution Plan

link

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer (rID integer, name varchar(200));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40 insert into Rating values(208, 104, 3, date_format('1999-01-02','%Y-%m-%
```

Build SchemaEdit FullscreenBrowser[:]

```
1 SELECT *
2
3 FROM Movie
4
5 LEFT JOIN Rating
6
7 ON Movie.mID=Rating.mID
8
9 WHERE stars IS NULL;
```

Run SQLEdit Fullscreen[:]

mID	title	year	director	rID	mID	stars	ratingDate
102	Star Wars	1977	George Lucas	(null)	(null)	(null)	(null)
105	Titanic	1997	James Cameron	(null)	(null)	(null)	(null)

Record Count: 2; Execution Time: 5msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer (rID integer, name varchar(200));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40 insert into Rating values(208, 104, 3, date_format('1999-01-02','%Y-%m-%
```

Build SchemaEdit FullscreenBrowser[:]

```
1 SELECT title, MAX(stars)
2
3 FROM Movie
4
5 LEFT JOIN Rating
6
7 ON Movie.mID=Rating.mID
8
9 WHERE stars IS NOT NULL
10
11 GROUP BY title;
```

Run SQLEdit Fullscreen[:]

title	MAX(stars)
Avatar	5
E.T.	3
Gone with the Wind	4
Raiders of the Lost Ark	4
Snow White	5
The Sound of Music	3

Record Count: 6; Execution Time: 5msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer(rID integer, name varchar(200));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40 insert into Rating values(208, 104, 3, date_format('1999-01-02','%Y-%m-%
```

Build SchemaEdit FullscreenBrowser[:]

```
1 SELECT title, SUM(stars), MAX(stars), name
2
3 FROM (SELECT rt.mID, rt.stars, rv.name
4       FROM rating rt
5       INNER JOIN reviewer rv ON rt.rID=rv.rID
6       ORDER BY stars DESC) rate
7
8 LEFT JOIN Movie
9
10 ON rate.mID=Movie.mID
11
12 WHERE stars IS NOT NULL
13
14 GROUP BY title;
```

Run SQLEdit Fullscreen[:]

title	SUM(stars)	MAX(stars)	name
Avatar	8	5	James Cameron
E.T.	5	3	Ashley White
Gone with the Wind	9	4	Sarah Martinez
Raiders of the Lost Ark	10	4	Brittany Harris
Snow White	9	5	Elizabeth Thomas
The Sound of Music	5	3	Chris Jackson

Record Count: 6; Execution Time: 22msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer(rID integer, name varchar(100));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise')
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40
```

Build SchemaEdit FullscreenBrowser[:]

```
1 SELECT DISTINCT name, title
2
3 FROM Movie, Reviewer, Rating, Rating R2
4
5 WHERE Movie.mID = Rating.mID AND Reviewer.rID = Rating.rID
6
7 AND Movie.mID = R2.mID AND R2.rID = Rating.rID
8
9 AND Rating.stars < R2.stars AND Rating.ratingDate < R2.ratingDate;
```

Run SQLEdit Fullscreen[:]

name	title
Sarah Martinez	Gone with the Wind

Record Count: 1; Execution Time: 7msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer(rID integer, name varchar(100));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise');
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40
```

```
1 SELECT title, (MAX(stars) - MIN(stars)) AS spread
2
3 FROM Rating JOIN Movie USING(mID)
4
5 GROUP BY mID
6
7 ORDER BY spread DESC, title;
```

Build SchemaEdit FullscreenBrowser[:]

Run SQLEdit Fullscreen[:]

title	spread
Avatar	2
Gone with the Wind	2
Raiders of the Lost Ark	2
E.T.	1
Snow White	1
The Sound of Music	1

✔ Record Count: 6; Execution Time: 7msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!

```
6 create table Reviewer(rID integer, name varchar(100));
7 create table Rating(rID integer, mID integer, stars integer, ratingDate
8
9 insert into Movie values(101, 'Gone with the Wind', 1939, 'Victor Flemir
10 insert into Movie values(102, 'Star Wars', 1977, 'George Lucas');
11 insert into Movie values(103, 'The Sound of Music', 1965, 'Robert Wise');
12 insert into Movie values(104, 'E.T.', 1982, 'Steven Spielberg');
13 insert into Movie values(105, 'Titanic', 1997, 'James Cameron');
14 insert into Movie values(106, 'Snow White', 1937, null);
15 insert into Movie values(107, 'Avatar', 2009, 'James Cameron');
16 insert into Movie values(108, 'Raiders of the Lost Ark', 1981, 'Steven S
17
18 insert into Reviewer values(201, 'Sarah Martinez');
19 insert into Reviewer values(202, 'Daniel Lewis');
20 insert into Reviewer values(203, 'Brittany Harris');
21 insert into Reviewer values(204, 'Mike Anderson');
22 insert into Reviewer values(205, 'Chris Jackson');
23 insert into Reviewer values(206, 'Elizabeth Thomas');
24 insert into Reviewer values(207, 'James Cameron');
25 insert into Reviewer values(208, 'Ashley White');
26
27 insert into Rating values(201, 101, 2, date_format('2012-01-22','%Y-%m-%
28 insert into Rating values(201, 101, 4, date_format('2013-01-27','%Y-%m-%
29 insert into Rating values(202, 106, 4, null);
30 insert into Rating values(203, 103, 2, date_format('2008-01-20','%Y-%m-%
31 insert into Rating values(203, 108, 4, date_format('2002-01-12','%Y-%m-%
32 insert into Rating values(203, 108, 2, date_format('2009-01-30','%Y-%m-%
33 insert into Rating values(204, 101, 3, date_format('2010-01-09','%Y-%m-%
34 insert into Rating values(205, 103, 3, date_format('2010-01-27','%Y-%m-%
35 insert into Rating values(205, 104, 2, date_format('2010-01-22','%Y-%m-%
36 insert into Rating values(205, 108, 4, null);
37 insert into Rating values(206, 107, 3, date_format('2013-01-15','%Y-%m-%
38 insert into Rating values(206, 106, 5, date_format('2014-01-19','%Y-%m-%
39 insert into Rating values(207, 107, 5, date_format('2000-01-20','%Y-%m-%
40 insert into Rating values(208, 104, 3, date_format('1999-01-02','%Y-%m-%
41
```

```
1 SELECT director, GROUP_CONCAT(DISTINCT details.name) as reviewers
2
3 FROM (SELECT rv.name, mv.director
4       FROM rating rt
5       INNER JOIN reviewer rv ON rt.rID=rv.rID
6       INNER JOIN movie mv ON rt.mID=mv.mID) as details
7
8 WHERE director IS NOT NULL
9
10 GROUP BY director;
```

Build SchemaEdit FullscreenBrowser[:]

Run SQLEdit Fullscreen[:]

director	reviewers
James Cameron	James Cameron,Elizabeth Thomas
Robert Wise	Chris Jackson,Brittany Harris
Steven Spielberg	Chris Jackson,Ashley White,Brittany Harris
Victor Fleming	Mike Anderson,Sarah Martinez

✔ Record Count: 4; Execution Time: 16msView Execution Planlink

Did this query solve the problem? If so, consider donating \$5 to help make sure SQL Fiddle will be here next time you need help with a database problem. Thanks!