

Automated Design of Agentic Systems

Shengran Hu^{1,2}, Cong Lu^{1,2} and Jeff Clune^{1,2,3}

¹University of British Columbia, ²Vector Institute, ³Canada CIFAR AI Chair

Researchers are investing substantial effort in developing powerful general-purpose agents, wherein Foundation Models are used as modules within *agentic systems* (e.g. Chain-of-Thought, Self-Reflection, Toolformer). However, the history of machine learning teaches us that hand-designed solutions are eventually replaced by learned solutions. **We formulate a new research area, Automated Design of Agentic Systems (ADAS), which aims to automatically create powerful agentic system designs, including inventing novel building blocks and/or combining them in new ways.** We further demonstrate that there is an unexplored yet promising approach within ADAS where agents can be defined in code and new agents can be automatically discovered by a meta agent programming ever better ones in code. Given that programming languages are Turing Complete, this approach theoretically enables the learning of *any possible* agentic system: including novel prompts, tool use, control flows, and combinations thereof. We present a simple yet effective algorithm named Meta Agent Search to demonstrate this idea, where a meta agent iteratively programs interesting new agents based on an ever-growing archive of previous discoveries. Through extensive experiments across multiple domains including coding, science, and math, we show that our algorithm can progressively invent agents with novel designs that greatly outperform state-of-the-art hand-designed agents. Importantly, we consistently observe the surprising result that agents invented by Meta Agent Search maintain superior performance even when transferred across domains and models, demonstrating their robustness and generality. Provided we develop it safely, our work illustrates the potential of an exciting new research direction toward automatically designing ever-more powerful agentic systems to benefit humanity.

 <https://github.com/ShengranHu/ADAS>

1. Introduction

Foundation Models (FMs) such as GPT (OpenAI, 2022, 2024) and Claude (Anthropic, 2024b) are quickly being adopted as powerful general-purpose agents for agentic tasks that need flexible reasoning and planning (Wang et al., 2024). Despite recent advancements in FMs, solving problems reliably often requires an agent to be a compound agentic system with multiple components instead of a monolithic model query (Rocktäschel, 2024; Zaharia et al., 2024). Additionally, to enable agents to solve complex real-world tasks, they often need access to external tools such as search engines, code execution, and database queries. As a result, many effective building blocks of agentic systems have been proposed, such as chain-of-thought planning and reasoning (Hu & Clune, 2024; Wei et al., 2022; Yao et al., 2023), memory structures (Lewis et al., 2020; Zhang et al., 2024c), tool use (Qu et al., 2024; Schick et al., 2023), and self-reflection (Madaan et al., 2024; Shinn et al., 2023). Although these agents have already seen significant success across various applications (Wang et al., 2024), developing these building blocks and combining them into complex agentic systems often requires domain-specific manual tuning and substantial effort from both researchers and engineers.

However, the history of machine learning reveals a recurring theme: manually created artifacts become replaced by learned, more efficient solutions over time as we get more compute and data (Clune, 2019). An early example is from computer vision, where hand-designed features like HOG (Dalal & Triggs, 2005) were eventually replaced by learned features from Convolutional Neural




Figure 1 | **Overview of the proposed algorithm Meta Agent Search and examples of discovered agents.** In our algorithm, we instruct the “meta” agent to iteratively program new agents, test their performance on tasks, add them to an archive of discovered agents, and use this archive to inform the meta agent in subsequent iterations. We show three example agents across our runs, with all names generated by the meta agent. The detailed code of example agents can be found in Appendix F.

Networks (CNNs, Krizhevsky et al. (2012)). More recently, AutoML methods (Hutter et al., 2019) and AI-Generating Algorithms (AI-GAs, Clune (2019)) have also demonstrated the superiority of learned AI systems compared to hand-designed AI systems. For example, the **current best-performing CNN models come from Neural Architecture Search** (Elsken et al., 2019; Shen et al., 2023) instead of manual design; in **LLM alignment, learned loss functions** (Lu et al., 2024a) **outperform most hand-designed ones** such as DPO (Rafailov et al., 2024); **The AI Scientist** (Lu et al., 2024b) **demonstrates an automated research pipeline**, including the development of novel ML algorithms; and an endless number of robotics learning environments can be automatically generated in works like OMNI-EPIC (Faldor et al., 2024), which demonstrate surprising creativity in generated environments and allow more efficient environment creation than the manual approach (see more examples in Section 5). Therefore, in this paper, we propose a new research question: *Can we automate the design of agentic systems rather than relying on manual efforts?*

To explore the above research question, **we formulate a new research area we call Automated Design of Agentic Systems (ADAS)**, which aims to automatically invent novel building blocks and design powerful agentic systems (Section 2). We argue that **ADAS may prove to be the fastest path to developing powerful agents, and show initial evidence that learned agents can greatly outperform hand-designed agents**. Considering the tremendous number of building blocks yet to be discovered in agentic systems (Section 5), it would take a long time for our research community to discover them all. Even if we successfully discover most of the useful building blocks, combining them into effective agentic systems for massive real-world applications would still be challenging and time-consuming, given the many different ways the building blocks can combine and interact with each other. In contrast, with ADAS, the building blocks and agents can be learned in an automated fashion. ADAS

may not only potentially save human effort in developing powerful agents but also could be a faster path to more effective solutions than manual design.

Although a few existing works can be considered as ADAS methods, most of them focus only on designing prompts (Fernando et al., 2024; Yang et al., 2024), greatly limiting their ability to invent flexible design patterns in agents (Section 5). In this paper, we show that there is an unexplored yet promising approach to ADAS where we can define the entire agentic system in code and new agents can be automatically discovered by a “meta” agent programming even better ones in code. Given that most programming languages, such as Python, which we use in this paper, are **Turing Complete** (Boyer & Moore, 1983; Ladha, 2024), searching within a code space theoretically enables a ADAS algorithm to discover *any* possible agentic systems, including all components such as prompts, tool use, control flows, and more. Furthermore, with recent FMs being increasingly proficient in coding, we can use FMs as a meta agent to create new agents in code for ADAS, enabling novel agents to be programmed in an automated manner.

Following the aforementioned ideas, we present Meta Agent Search in this paper as one of the first algorithms in ADAS that enables complete design in code space (Figure 1). The core concept of Meta Agent Search is to instruct a meta agent to iteratively create interestingly new agents, evaluate them, add them to an archive that stores discovered agents, and use this archive to help the meta agent in subsequent iterations create yet more interestingly new agents. Similar to existing open-endedness algorithms that leverage human notions of interestingness (Lu et al., 2024c; Zhang et al., 2024a), we encourage the meta agent to explore interesting (e.g., novel or worthwhile) agents. To validate the proposed approach, we evaluate the proposed Meta Agent Search on: (1) the challenging ARC logic puzzle task (Chollet, 2019) that aims to test the general intelligence of an AI system, (2) four popular benchmarks on reading comprehension, math, science questions, and multi-task problem solving, and (3) the transferability of discovered agents to held-out domains and models (Section 4).

Our experiments show that the discovered agents substantially outperform state-of-the-art hand-designed baselines. For instance, our agents improve F1 scores on reading comprehension tasks in DROP (Dua et al., 2019) by 13.6/100 and accuracy rates on math tasks in MGSM (Shi et al., 2023) by 14.4%. Additionally, they improve accuracy over baselines by 25.9% and 13.2% on GSM8K (Cobbe et al., 2021) and GSM-Hard (Gao et al., 2023) math tasks, respectively, *after transferring* across domains. The promising performance of our algorithm over hand-designed solutions illustrates the potential of ADAS in automating the design of agentic systems. Furthermore, the experiments demonstrate that the discovered agents not only perform well when transferring across similar domains but also exhibit strong performance when transferring across dissimilar domains, such as from mathematics to reading comprehension. This highlights the robustness and transferability of the agentic systems discovered by Meta Agent Search. In conclusion, our work opens up many exciting research directions and encourages further studies (Section 6).

2. New Research Area: Automated Design of Agentic Systems (ADAS)

At the time of writing, the community has not reached a consensus on the definitions or terminologies of agents. Here, by agents we refer to agentic systems that involve Foundation Models (FMs) as modules in the control flow to solve tasks by planning, using tools, and carrying out multiple, iterative steps of processing (Chase, 2024; Ng, 2024).

In this paper, we propose a new research area Automated Design of Agentic Systems (ADAS). Similar to research areas in AI-GAs (Clune, 2019) and AutoML (Hutter et al., 2019), such as Neural Architecture Search (Elsken et al., 2019), we formulate ADAS as an optimization process and identify three key components of ADAS algorithms (Figure 2).




Figure 2 | **The three key components of Automated Design of Agentic Systems (ADAS).** The search space determines which agentic systems can be represented in ADAS. The search algorithm specifies how the ADAS method explores the search space. The evaluation function defines how to evaluate a candidate agent on target objectives such as performance.

Formulation

Automated Design of Agentic Systems (ADAS) involves using a **search algorithm** to discover agentic systems across a **search space** that **optimize** an **evaluation function**.

- **Search Space:** The search space defines which agentic systems can be represented and thus discovered in ADAS. For example, works like PromptBreeder (Fernando et al., 2024) mutate only the text prompts of an agent, but their other components, such as control flow, remain the same. Thus, in these search spaces, agents that have a different control flow than the predefined one can not be represented. Existing works also explore search spaces such as graph structures (Zhuge et al., 2024) and feed-forward networks (Liu et al., 2023).
- **Search Algorithm:** The search algorithm defines how ADAS algorithms explore the search space. Since the search space is often very large or even unbounded, the exploration-exploitation trade-off (Sutton & Barto, 2018) should be considered. Ideally, the algorithm can both quickly discover high-performance agentic systems and avoid remaining stuck in a local optimum. Existing approaches include using Reinforcement Learning (Zhuge et al., 2024) or an FM iteratively generating new solutions (Fernando et al., 2024) as search algorithms.
- **Evaluation Function:** Depending on the application of the ADAS algorithm, we may consider different objectives to optimize, such as performance, cost, latency, or safety of agents. An evaluation function defines how to evaluate a candidate agent on those objectives. For example, to assess the agent's performance on unseen future data, a simple method is to calculate the accuracy rate on the validation data for a task, which is commonly adopted in existing works (Fernando et al., 2024; Zhuge et al., 2024).

Although many search space designs are possible and some have already been explored (Section 5), there is an unexplored yet promising approach where we can define the entire agentic system in code and new agents can be automatically discovered by a meta agent programming even better ones in code. Searching within a code space theoretically enables the ADAS algorithm to discover any possible building blocks (e.g., prompts, tool use, control flow) and agentic systems that combine any of these building blocks in any way. This approach also offers better interpretability for agent design patterns since the program code is often readable, making debugging easier and enhancing AI safety. Additionally, compared to search spaces using networks (Liu et al., 2023) or graphs (Zhuge et al., 2024), searching in a code space allows us to more easily build on existing human efforts. For example, it is possible to search within open-source agent frameworks like LangChain (LangChainAI, 2022) and build upon all existing building blocks (e.g., RAG, search engine tools). Finally, since FMs

are proficient in coding, utilizing a code search space allows us to leverage existing expertise from FMs during the search process. In contrast, search algorithms in custom search spaces, such as graphs, may be much less efficient due to the absence of these priors. Therefore, we argue that the approach of using programming languages as the search space should be studied more in ADAS.

3. Our Algorithm: **Meta Agent Search**

In this section, we present Meta Agent Search, a simple yet effective algorithm to demonstrate the approach of defining and searching for agents in code. The core idea of Meta Agent Search is to adopt FMs as meta agents to iteratively program interestingly new agents based on an ever-growing archive of previous discoveries. Although any possible building blocks and agentic systems can theoretically be programmed by the meta agent from scratch, it is inefficient in practice to avoid providing the meta agent any basic functions such as FM query APIs or existing tools. Therefore, in this paper, we define a simple framework (within 100 lines of code) for the meta agent, providing it with a basic set of essential functions like querying FMs or formatting prompts. As a result, the meta agent only needs to program a “forward” function to define a new agentic system, similar to the practice in FunSearch (Romera-Paredes et al., 2024). This function takes in the information of the task and outputs the agent’s response to the task. Details of the framework codes and examples of the agents defined with this framework can be found in Appendix B.

As shown in Figure 1, the core idea of Meta Agent Search is to have a meta agent iteratively program new agents in code. We show the main prompt for the meta agent to program new agents below, where variables in the prompts are highlighted. Similar to existing open-endedness algorithms that leverage human notions of interestingness (Lu et al., 2024c; Zhang et al., 2024a), we encourage the meta agent to explore interestingly new (e.g., novel or worthwhile) agents based on an ever-growing archive of previous discoveries. We also adopt self-reflection (Madaan et al., 2024; Shinn et al., 2023) iterations in our meta agent, where it performs two iterations of refinement on the novelty and correctness of the proposal and performs up to three refinements when errors occur while running the code. Full details of the prompt are presented in Appendix A.

After a new agent is generated, we evaluate it using the validation data from the target domain. Here, we calculate the performance (e.g., success rate or F1 score) and 95% bootstrap confidence interval as the metrics for the meta agent to maximize. The generated agent is then added to the archive with the evaluation metrics, and the iteration continues with the updated archive until the maximum number of iterations is reached.

Main prompt for the meta agent.

You are an expert machine learning researcher testing different agentic systems.

[Brief Description of the Domain]

[Framework Code]

[Output Instructions and Examples]

[Discovered Agent Archive] (initialized with baselines, updated at every iteration)

Your task

You are deeply familiar with prompting techniques and the agent works from the literature. Your goal is to maximize the performance by proposing interestingly new agents

Use the knowledge from the archive and inspiration from academic literature to propose the next interesting agentic system design.

4. Experiments

We conduct extensive experiments on: (1) the challenging ARC logic puzzle task (Chollet, 2019) (Section 4.1), (2) four popular benchmarks assessing the agent’s abilities on reading comprehension, math, science questions, and multi-task problem solving (Section 4.2), (3) the transferability of the discovered agents on ARC to three held-out models, and (4) the transferability of discovered agents on Math to four held-out math tasks and three tasks that are beyond math (Section 4.3). Across all experiments, we find that the discovered agents substantially outperform baseline state-of-the-art hand-designed agents. Notably, our discovered agents improve over baselines on reading comprehension tasks in DROP (Dua et al., 2019) by 13.6/100 (F1 score) and on math tasks in MGSM (Shi et al., 2023) by 14.4% (accuracy rate). Additionally, our discovered agents improve over the baseline on ARC tasks by 14% (accuracy rate) after transferring from GPT-3.5 to GPT-4, and by 25.9% and 13.2% (accuracy rate) after transferring from MGSM math tasks to held-out math tasks in GSM8K (Cobbe et al., 2021) and GSM-Hard (Gao et al., 2023) respectively. All code, prompts, and experiment results are available at <https://github.com/ShengranHu/ADAS>.




Figure 3 | **The results of Meta Agent Search on the ARC challenge.** (a) Meta Agent Search progressively discovers high-performance agents based on an ever-growing archive of previous discoveries. We report the median accuracy and the 95% bootstrap confidence interval on a held-out test set by evaluating agents five times. (b) The visualization of the best agent discovered by Meta Agent Search on the ARC challenge. Detailed implementation of this agent is available in Appendix C.

4.1. Case Study: ARC Challenge

We first demonstrate how Meta Agent Search discovers novel agentic systems and outperforms existing state-of-the-art hand-designed agents in the Abstraction and Reasoning Corpus (ARC) challenge (Chollet, 2019). This challenge aims to evaluate the general intelligence of AI systems through their ability to efficiently acquire new skills. Questions in ARC include (1) showing multiple examples of visual input-output grid patterns, (2) the AI system learning the transformation rule of grid patterns from examples, and (3) predicting the output grid pattern given a test input grid pattern. Since each question in ARC has a unique transformation rule, it requires the AI system to learn efficiently with

few-shot examples, leveraging capabilities in number counting, geometry, and topology.

Setup. Following common practice (Greenblatt, 2024), we require the agent to write code for the transformation rule instead of answering directly. We provide tool functions in the framework that evaluate the generated transformation code. Given the significant challenge that ARC poses to current AI systems, we sample our data from questions with grid dimensions $\leq 5 \times 5$ in the “Public Training Set (Easy)”. We sample a validation set and a test set with 20 and 60 questions, respectively, for searching and testing. We calculate the validation and test accuracy of an agent by assessing it over the validation and test sets five times to reduce the variance from the stochastic sampling of FMs. We evaluate all discovered agents on the held-out test set and report the test accuracy in Figure 3. Meta Agent Search runs for 25 iterations and the meta agent uses GPT-4 (OpenAI, 2024), while discovered agents and baselines are evaluated using GPT-3.5 (OpenAI, 2022) to reduce compute cost. More algorithmic details and examples of ARC questions can be found in Appendix C.

Baselines. We compared against five state-of-the-art hand-designed agents: (1) Chain-of-Thought (COT) (Wei et al., 2022), which instructs the agent to output the reasoning before answering to improve complex problem-solving through intermediate steps; (2) Self-Consistency with Chain-of-Thought (COT-SC) (Wang et al., 2023b), which ensembles multiple parallel answers from COT to produce a more accurate answer; (3) Self-Refine (Madaan et al., 2024; Shinn et al., 2023), which allows iterative self-reflection to correct mistakes made in previous attempts; (4) LLM-Debate (Du et al., 2023), which enables different LLMs to debate with each other, leveraging diverse perspectives to find better answers; (5) Quality-Diversity, a simplified version of Intelligent Go-Explore (Lu et al., 2024c), which produces and ensembles diverse answers to better explore potential solutions. We also use all baselines as initial seeds in the archive for Meta Agent Search. More details about baselines can be found in Appendix E.

Results and Analysis. As shown in Figure 3a, Meta Agent Search effectively and progressively discovers agents that perform better than state-of-the-art hand-designed baselines. Important breakthroughs are highlighted in the text boxes. As is critical in prior works on open-endedness and AI-GAs (Faldor et al., 2024; Lehman & Stanley, 2011; Wang et al., 2019, 2020; Zhang et al., 2024a), Meta Agent Search innovates based on a growing archive of previous stepping stones. For example, an important design pattern emerged in iteration 3 where it uses multiple COTs to generate possible answers, refines them, and finally ensembles the best answers. This became a crucial stepping stone that subsequent designs tended to utilize. Additionally, the best-discovered agent is shown in Figure 3b, where a complex feedback mechanism is adopted to refine answers more effectively. Careful observation of the search progress reveals that this sophisticated feedback mechanism did not appear suddenly. Instead, the ideas of incorporating diverse feedback, evaluating for various specific traits (via experts) such as efficiency and simplicity, and simulating human-like feedback emerged in iterations 5, 11, and 12, respectively. The final mechanism is an innovation based on these three stepping stones. This illustrates that even though these stepping stones did not achieve high performance immediately upon emergence, later discoveries benefited from these innovations by combining different stepping stones, resembling crossover in evolution via LLMs (Meyerson et al., 2023). Overall, the results showcase the potential of ADAS and the effectiveness of Meta Agent Search to progressively discover agents that outperform state-of-the-art hand-designed baselines and invent novel design patterns through the innovation and combination of various stepping stones.

4.2. Reasoning and Problem-Solving Domains

Setup. Next, we investigate the potential of our algorithm to improve the capabilities of agents across math, reading, and reasoning domains. We test Meta Agent Search on four popular benchmarks: (1) DROP (Dua et al., 2019) for evaluating **Reading Comprehension**; (2) MGSM (Shi et al., 2023) for

Agent Name	F1 Score	Accuracy (%)		
	Reading Comprehension	Math	Multi-task	Science
State-of-the-art Hand-designed Agents				
Chain-of-Thought (Wei et al., 2022)	64.2 \pm 0.9	28.0 \pm 3.1	65.4 \pm 3.3	29.2 \pm 3.1
COT-SC (Wang et al., 2023b)	64.4 \pm 0.8	28.2 \pm 3.1	65.9 \pm 3.2	30.5 \pm 3.2
Self-Refine (Madaan et al., 2024)	59.2 \pm 0.9	27.5 \pm 3.1	63.5 \pm 3.4	31.6 \pm 3.2
LLM Debate (Du et al., 2023)	60.6 \pm 0.9	39.0 \pm 3.4	65.6 \pm 3.3	31.4 \pm 3.2
Step-back Abstraction (Zheng et al., 2023)	60.4 \pm 1.0	31.1 \pm 3.2	65.1 \pm 3.3	26.9 \pm 3.0
Quality-Diversity (Lu et al., 2024c)	61.8 \pm 0.9	23.8 \pm 3.0	65.1 \pm 3.3	30.2 \pm 3.1
Role Assignment (Xu et al., 2023)	65.8 \pm 0.9	30.1 \pm 3.2	64.5 \pm 3.3	31.1 \pm 3.1
Automated Design of Agentic Systems on Different Domains				
Best Agents from Meta Agent Search	79.4 \pm 0.8	53.4 \pm 3.5	69.6 \pm 3.2	34.6 \pm 3.2

Table 1 | **Performance comparison between Meta Agent Search and state-of-the-art hand-designed agents across multiple domains.** Meta Agent Search discovers superior agents compared to the baselines in every domain. We report the test accuracy and the 95% bootstrap confidence interval on held-out test sets. The search is conducted independently for each domain.

evaluating **Math** capability under a multi-lingual setting; (3) MMLU (Hendrycks et al., 2021) for evaluating **Multi-task** Problem Solving; and (4) GPQA (Rein et al., 2023) for evaluating the capability of solving hard (graduate-level) questions in **Science**. The search is conducted independently within each domain. Meta Agent Search runs for 30 iterations. The meta agent uses GPT-4 (OpenAI, 2024), while the discovered agents and baselines are evaluated using GPT-3.5 (OpenAI, 2022). More details about datasets and experiment settings can be found in Appendix D.

Baselines. We adopt all baselines introduced in Section 4.1. Additionally, since the above domains require strong reasoning skills, we include two additional baselines that specifically focus on enhancing the reasoning capabilities of agents for a more thorough comparison: (1) Step-back Abstraction (Zheng et al., 2023), which instructs agents to first consider the principles involved in solving the task for better reasoning; (2) Role Assignment, which assigns different roles to FMs similar to Xu et al. (2023) to obtain better answers. More details about the baselines can be found in Appendix E.

Results and Analysis. The results across multiple domains demonstrate that Meta Agent Search can discover agents that outperform state-of-the-art hand-designed agents (Table 1). We want to highlight the substantial gap between the learned agents and hand-designed agents in the Reading Comprehension and Math domains, with improvements in F1 scores by **13.6/100** and accuracy rates by **14.4%**, respectively. While Meta Agent Search also outperforms baselines in the Multi-task and Science domains, the gap is smaller. We hypothesize that for challenging questions in the Science and Multi-task domains, the knowledge in FMs is not sufficient to solve the questions, limiting the improvement through optimizing agentic systems, which is a problem that will diminish as FMs improve. In contrast, in the Reading Comprehension and Math domains, FMs possess adequate knowledge to solve the questions, and errors could mainly be hallucinations or calculation mistakes, which can be mitigated through well-designed agentic systems, like the ones discovered by Meta Agent Search. Overall, the results across various domains showcase the effectiveness of Meta Agent Search in searching for agents tailored to specific domains. This could be increasingly useful for saving human efforts and developing better task-specific agents as we continue to create agents for a diverse set of applications (Wang et al., 2024).

4.3. Generalization and transferability

Agent Name	Accuracy on ARC (%)			
	GPT-3.5	Claude-Haiku	GPT-4	Claude-Sonnet
Manually Designed Agents				
Chain-of-Thought (Wei et al., 2022)	6.0 \pm 2.7	4.3 \pm 2.2	17.7 \pm 4.4	25.3 \pm 5.0
COT-SC (Wang et al., 2023b)	8.0 \pm 3.2	5.3 \pm 2.5	19.7 \pm 4.5	26.3 \pm 4.9
LLM Debate (Du et al., 2023)	4.0 \pm 2.2	1.7 \pm 1.5	19.0 \pm 4.5	24.7 \pm 4.8
Self-Refine (Madaan et al., 2024)	6.7 \pm 2.7	6.3 \pm 2.8	23.0 \pm 5.2	39.3 \pm 5.5
Quality-Diversity (Lu et al., 2024c)	7.0 \pm 2.9	3.3 \pm 2.2	23.0 \pm 4.7	31.7 \pm 5.3
Top Agents Searched with GPT-3.5		Transferred to Other FMs		
Structured Feedback and Ensemble Agent	13.7 \pm 3.9	5.0 \pm 2.5	30.0 \pm 5.2	38.7 \pm 5.5
Hierarchical Committee Reinforcement Agent	13.3 \pm 3.8	8.3 \pm 3.2	32.3 \pm 8.9	39.7 \pm 5.5
Dynamic Memory and Refinement Agent [†]	12.7 \pm 3.9	9.7 \pm 3.3	37.0 \pm 5.3	48.3 \pm 5.7

Table 2 | **Performance on ARC when transferring top agents from GPT-3.5 to other FMs.** Agents discovered by Meta Agent Search consistently outperform the baselines across different models. We report the test accuracy and the 95% bootstrap confidence interval. The names of top agents are generated by Meta Agent Search. [†]We manually changed this name because the original generated name was confusing.

In the previous sections, we illustrated that Meta Agent Search can find effective agents for individual tasks. In this section, we further demonstrate the transferability and generalizability of the discovered agents. To show that the invented building blocks and design patterns are generalizable, we conduct experiments on the transferability of the discovered agents.

Transferability Across Foundation Models. We first transfer discovered agents from GPT-3.5 (OpenAI, 2022) to other FMs on ARC to test whether agents found when performing Meta Agent Search with one FM generalize to others. We test the top 3 agents with the best test accuracy evaluated with GPT-3.5 on ARC and then transfer them to three popular models: Claude-Haiku (Anthropic, 2024a), GPT-4 (OpenAI, 2024), and Claude-Sonnet (Anthropic, 2024b). We adopt the same baselines as those used in ARC (Section 4.1) and MGSM (Section 4.2). As shown in Table 2, we observe that the searched agents consistently outperform the hand-designed agents with a substantial gap. Notably, we found that Claude-Sonnet, the most powerful model from Anthropic, performs the best among all tested models, enabling our best agent to achieve nearly 50% accuracy on ARC.

Transferability Across Domains. Next, we transfer the discovered agent from the MGSM (Math) domain to other math domains to test whether the invented agents can generalize across different domains. Similarly, we test the top 3 agents from MGSM and transfer them to (1) four popular math domains: GSM8K (Cobbe et al., 2021), GSM-Hard (Gao et al., 2023), SVAMP (Patel et al., 2021), and ASDiv (Miao et al., 2020) and (2) three domains beyond math adopted in Section 4.2. As shown in Table 3, we observe a similar superiority in the performance of Meta Agent Search compared to baselines. Notably, our agents improve accuracy by **25.9%** and **13.2%** on GSM8K (Cobbe et al., 2021) and GSM-Hard (Gao et al., 2023), respectively, compared to the baselines. More surprisingly, we observe that agents discovered in the math domain can be transferred to non-math domains (Table 4). While the performance of agents originally searched in the math domain does not fully match that of agents specifically designed for the target domains, they still outperform (in Reading Comprehension and Multi-task) or match (in Science) the state-of-the-art hand-designed agent baselines. These results illustrate that Meta Agent Search can discover generalizable design patterns and agentic systems.

Agent Name	Accuracy (%)				
	MGSM	GSM8K	GSM-Hard	SVAMP	ASDiv
Manually Designed Agents					
Chain-of-Thought (Wei et al., 2022)	28.0 \pm 3.1	34.9 \pm 3.2	15.0 \pm 2.5	77.8 \pm 2.8	88.9 \pm 2.2
COT-SC (Wang et al., 2023b)	28.2 \pm 3.1	37.8 \pm 3.4	15.5 \pm 2.5	78.2 \pm 2.8	89.0 \pm 2.1
Self-Refine (Madaan et al., 2024)	27.5 \pm 3.1	38.9 \pm 3.4	15.1 \pm 2.4	78.5 \pm 2.8	89.2 \pm 2.2
LLM Debate (Du et al., 2023)	39.0 \pm 3.4	43.6 \pm 3.4	17.4 \pm 2.6	76.0 \pm 3.0	88.9 \pm 2.2
Step-back Abstraction (Zheng et al., 2023)	31.1 \pm 3.2	31.5 \pm 3.3	12.2 \pm 2.3	76.1 \pm 3.0	87.8 \pm 2.3
Quality-Diversity (Lu et al., 2024c)	23.8 \pm 3.0	28.0 \pm 3.1	14.1 \pm 2.4	69.8 \pm 3.2	80.1 \pm 2.8
Role Assignment (Xu et al., 2023)	30.1 \pm 3.2	37.0 \pm 3.4	18.0 \pm 2.7	73.0 \pm 3.0	83.1 \pm 2.6
Top Agents Searched on MGSM (Math)		Transferred to Other Math Domains			
Dynamic Role-Playing Architecture	53.4 \pm 3.5	69.5 \pm 3.2	31.2 \pm 3.2	81.5 \pm 2.6	91.8 \pm 1.8
Structured Multimodal Feedback Loop	50.2 \pm 3.5	64.5 \pm 3.4	30.1 \pm 3.2	82.6 \pm 2.6	89.9 \pm 2.1
Interactive Multimodal Feedback Loop	47.4 \pm 3.5	64.9 \pm 3.3	27.6 \pm 3.2	80.6 \pm 2.8	89.8 \pm 2.1

Table 3 | **Performance on different math domains when transferring top agents from MGSM to other math domains.** Agents discovered by Meta Agent Search consistently outperform the baselines across different math domains. We report the test accuracy and the 95% bootstrap confidence interval. The names of top agents are generated by Meta Agent Search.

5. Related Work

Agentic Systems. Researchers develop various building blocks and design patterns for different applications. Important building blocks for agentic systems includes: prompting techniques (Chen et al., 2023a; Schulhoff et al., 2024), chain-of-thought-based planning and reasoning methods (Hu & Clune, 2024; Wei et al., 2022; Yao et al., 2023), reflection (Madaan et al., 2024; Shinn et al., 2023), developing new skills for embodied agents in code (Vemprala et al., 2023; Wang et al., 2023a), external memory and RAG (Lewis et al., 2020; Zhang et al., 2024c), tool use (Nakano et al., 2021; Qu et al., 2024; Schick et al., 2023), assigning FM modules in the agentic system with different roles and enabling them to collaborate (Hong et al., 2023; Qian et al., 2023, 2024; Wu et al., 2023; Xu et al., 2023), and enabling the agent to instruct itself for the next action (Richards, 2023), etc. While the community has invested substantial effort in developing all the above important techniques, this is only a partial list of the discovered building blocks, and many more remain to be uncovered. Therefore, in this paper, we propose a new research area, ADAS, which aims to invent novel building blocks and design powerful agentic systems in an automated manner.

AI-Generating Algorithms and AutoML. Following the lessons learned from the history of machine learning, research in AI-Generating Algorithms (AI-GAs) (Clune, 2019) and AutoML (Hutter et al., 2019) continually strives to learn more components in AI systems to replace handcrafted ones. There are mainly three pillars in this field: (1) meta-learning architectures, (2) meta-learning the learning algorithms, and (3) generating effective learning environments and training data (Clune, 2019). For example, Neural Architecture Search (Elsken et al., 2019; Hu et al., 2021; Lu et al., 2019) aims to automate the design of neural network architectures like convolution, which falls under the first pillar. The second pillar includes works like MAML (Finn et al., 2017) and Meta-RL (Duan et al., 2017; Norman & Clune, 2023; Wang et al., 2016; Zintgraf et al., 2021a,b), which allow “learning to learn” for better sample efficiency, generalizability, and continuous learning of multiple tasks. Additionally, works like POET (Dharna et al., 2020; Wang et al., 2019, 2020) and OMNI-EPIC (Faldor et al., 2024) under the third pillar aim to generate learning environments in an open-ended manner. We believe

Agent Name	Accuracy (%)	F1 Score	Accuracy (%)	
	Math	Reading Comprehension	Multi-task	Science
Manually Designed Agents				
Chain-of-Thought (Wei et al., 2022)	28.0 \pm 3.1	64.2 \pm 0.9	65.4 \pm 3.3	29.2 \pm 3.1
COT-SC (Wang et al., 2023b)	28.2 \pm 3.1	64.4 \pm 0.8	65.9 \pm 3.2	30.5 \pm 3.2
Self-Refine (Madaan et al., 2024)	27.5 \pm 3.1	59.2 \pm 0.9	63.5 \pm 3.4	31.6 \pm 3.2
LLM Debate (Du et al., 2023)	39.0 \pm 3.4	60.6 \pm 0.9	65.6 \pm 3.3	31.4 \pm 3.2
Step-back Abstraction (Zheng et al., 2023)	31.1 \pm 3.2	60.4 \pm 1.0	65.1 \pm 3.3	26.9 \pm 3.0
Quality-Diversity (Lu et al., 2024c)	23.8 \pm 3.0	61.8 \pm 0.9	65.1 \pm 3.1	30.2 \pm 3.1
Role Assignment (Xu et al., 2023)	30.1 \pm 3.2	65.8 \pm 0.9	64.5 \pm 3.3	31.1 \pm 3.1
Top Agents Searched on Math (MGSM)		Transferred beyond Math Domains		
Dynamic Role-Playing Architecture	53.4 \pm 3.5	70.4 \pm 0.9	62.4 \pm 3.4	28.6 \pm 3.1
Structured Multimodal Feedback Loop	50.2 \pm 3.5	70.4 \pm 0.9	67.0 \pm 3.2	28.7 \pm 3.1
Interactive Multimodal Feedback Loop	47.4 \pm 3.5	71.9 \pm 0.8	64.8 \pm 3.3	29.9 \pm 3.2

Table 4 | **Performance across multiple domains when transferring top agents from the Math (MGSM) domain to non-math domains.** Agents discovered by Meta Agent Search in the math domain can outperform or match the performance of baselines after being transferred to domains beyond math. We report the test accuracy and the 95% bootstrap confidence interval.

that the proposed Automated Design of Agentic Systems belongs to both the first and second pillars: Pillar one because ADAS meta-learns the architecture of agentic systems, but also Pillar two because agents are proficient in in-context learning, thus ADAS can also be considered as learning to learn, as demonstrated in the ARC challenge (Section 4.1).

Additionally, recent AI-GA and AutoML works have incorporated Foundation Models (FMs) to write code. For example, in FunSearch (Romera-Paredes et al., 2024) and EoH (Liu et al., 2024), FMs write code to discover better optimization algorithms. In DiscoPOP (Lu et al., 2024a), FMs program the loss function for preference learning in FM alignment training (Rafailov et al., 2024). Additionally, Eureka (Ma et al., 2023) and language-to-reward (Yu et al., 2023) enable FMs to write reward functions for reinforcement learning in robotics. Finally, OMNI-EPIC (Faldor et al., 2024) enables FMs to create robotics learning environments by programming in code. Here, we adopt a similar idea that enables FMs to program new agents in code.

Existing Attempts to ADAS. There are two categories of works that can be considered attempts at ADAS in the literature: those that learn better prompts only, and those that learn more components in agents than just prompts. Most works fall into the first category: learning prompts only. Works like OPRO (Yang et al., 2024), PromptBreeder (Fernando et al., 2024), and Self-Discover (Zhou et al., 2024a) adopt FMs to automate prompt engineering for agents, primarily focusing on the phrasing of instructions in the prompt to enhance the reasoning capability of agents. Thus, the learned prompts are domain-specific and difficult to generalize. Beyond instructions, works like EvoAgent (Yuan et al., 2024) and AgentVerse (Chen et al., 2023b) optimize role definition in the prompt, as assigning personas or roles to agents has been shown to be beneficial (Xu et al., 2023). Although tuning prompts effectively improves performance, other important components in agentic systems remain fixed and hand-designed, vastly limiting the space of agents that can be discovered.

There are far fewer attempts in the second category, which involves learning more components than just prompts in agentic systems. Most represent agents as networks or graphs in the search space. In these formulations, the FM with a certain prompt is considered a transformation function for text on nodes, and the information flow of the text is considered as edges. DyLAN (Liu et al.,

2023) starts with a fully connected feed-forward network and uses FMs to score the response quality of nodes in each layer to prune the connections. DSPy (Khattab et al., 2024) first generates a set of possible nodes and then optimizes across the Cartesian product of these nodes while optimizing the few-shot examples for nodes. GPT-Swarm (Zhuge et al., 2024) represents an agentic system in a graph with a predefined set of nodes and uses a Reinforcement Learning algorithm to optimize the possible connections between nodes while optimizing the prompt for each node in a separate stage. Although these works allow the learning of control flow (optimizing edges in networks or graphs), many other components, such as whether and which tools to learn or even how many nodes to have, are still not learned, greatly limiting the space of agents that can be discovered. Besides learning prompts and control flow, AgentOptimizer (Zhang et al., 2024b) learns the tools used in agents, and Agent Symbolic Learning (Zhou et al., 2024b) learns prompts, tools, and control flow together. While Agent Symbolic Learning shares similar motivations to learn more components in agents, it manually designs the search space for each component separately, which may make it a harder search space for search algorithms. In addition, it mainly improves agents based on an existing complex agent, without showing the emergence of new design patterns or building blocks. In contrast, our work represents all possible components in code, allowing the search to be easier by leveraging human efforts in the existing codebase of agents and FMs’ expertise in coding. We also demonstrate how novel and diverse building blocks and design patterns emerge from a set of basic agent designs, illustrating the potential creativity that can emerge from ADAS.

6. Discussion and Conclusion

Safety Considerations. We strongly advise researchers to be aware of the safety concerns when executing untrusted model-generated code in Meta Agent Search and other research involving code generation. While it is highly unlikely that model-generated code will perform overtly malicious actions in our current settings and with the Foundation Models (FMs) we use, such code may still act destructively due to limitations in model capability or alignment (Chen et al., 2021; Rokon et al., 2020). Ideally, sandbox environments can be used to safely run untrusted model-generated code (Chen et al., 2021; Yee et al., 2010).

More broadly, research on more powerful AI systems raises the question of whether we should be conducting research to advance AI capabilities at all. That topic clearly includes the proposed Automated Design of Agentic Systems (ADAS) as a new area in AI-GA research, which could potentially contribute to an even faster way to create Artificial General Intelligence (AGI) than the current manual approach (Clune, 2019). The question of whether and why we should pursue AGI and AI-GA has been discussed in many papers (Bengio et al., 2024; Bostrom, 2002; Clune, 2019; Ecoffet et al., 2020; Yudkowsky et al., 2008), and is beyond the scope of this paper. Specifically as regards ADAS, we believe it is net beneficial to publish this work. First, this work demonstrates that with the available API access to powerful FMs, it is easy to program powerful ADAS algorithms, and do so without any expensive hardware like GPUs. We feel it is beneficial to let the community know such algorithms are powerful and easy to create, so they can be informed and account for them. Moreover, by sharing this information, we hope to motivate follow-up work into safe-ADAS, such as algorithms that conduct ADAS safely during both search itself (e.g. not risking running any harmful code) and that refuse to create dishonest, unhelpful, and/or harmful agents. Such an open-source research approach to create safe-ADAS could be a better way to create safer AI systems (Caldwell, 2011; Meta, 2024). One direction we find particularly promising is to simply ask the Meta Agent Search algorithm to be safe during training and only create helpful, harmless, honest agents, potentially incorporating ideas such as Constitutional AI (Bai et al., 2022).

Future Work. Our work also opens up many future research directions. For example:

- **Higher-order ADAS.** Since the meta agent used in ADAS to program new agents in code is also an agent, ADAS can become self-referential where the meta agent can be improved through ADAS as well. It would be an exciting direction to have a higher order of meta-learning to allow the learning of the meta agent and even the meta-meta agent, etc. (Lu et al., 2023)
- **Seeding ADAS with more existing building blocks.** Although we can theoretically allow any components in agentic systems to be programmed from scratch in the code space, it is not efficient in practice. Therefore, it would be interesting to explore ADAS by standing on the shoulders of existing human efforts, such as search engine tools, RAG (Lewis et al., 2020), or functions from existing agent frameworks like LangChain (LangChainAI, 2022). Additionally, it is interesting to support multi-modal capabilities (e.g. vision) in FMs or allow different FMs to be available in agentic systems. This will enable the meta agent to choose from different FMs flexibly according to the difficulty of the instruction and whether data privacy is a priority.
- **Multi-objective ADAS.** We only consider one objective (i.e., performance) to optimize in this paper, but in practice, multiple objectives are often considered, such as cost, latency, and robustness of agentic systems (Hu et al., 2021; Huang et al., 2023). Thus, integrating multi-objective search algorithms (Deb et al., 2002) in ADAS could be promising.
- **Novelty search algorithms.** In Meta Agent Search, the design of the search algorithm is relatively simple, focusing solely on exploring interesting new designs. A more careful design of the search algorithm can be a promising future direction. For example, one could incorporate more sophisticated ideas from Quality-Diversity (Cully & Demiris, 2017; Mouret & Clune, 2015), AI-generating (Clune, 2019), and Open-ended Algorithms (Faldor et al., 2024; Stanley & Lehman, 2015; Stanley et al., 2019; Zhang et al., 2024a). One could also include more classic approaches to balance exploration and exploitation (Liu et al., 2024; Sutton & Barto, 2018).
- **More intelligent evaluation functions.** In this work, we simply evaluate discovered agents on the evaluation set and use the numerical performance results. However, this approach is both expensive and misses a lot of information. A promising future direction is to enable the meta agent to analyze detailed running logs during the evaluation, which contain rich information on the failure and success modes for better debugging and improving agentic systems (Zhou et al., 2024b). Also, many tasks involve subjective answer evaluations (Chiang et al., 2024; Lu et al., 2024b) that do not have ground-truth answers. It is also important to design novel evaluation functions in ADAS to address these tasks. Finally, in this work, we targeted only one domain during the search. It would be interesting to explore whether ADAS algorithms can design even better generalist agents when specifically searching for agents capable of performing well across multiple domains.
- **More complex domains.** Additionally, we only evaluate Meta Agent Search on single-step QA tasks in this paper. It would be interesting to extend the method to more complex domains, such as real-world applications involving multi-step interaction with complex environments.
- **Understanding the emergence of complexity from human organizations.** Beyond potentially saving researchers’ efforts and improving upon the manual design of agentic systems, the research in ADAS is also scientifically intriguing as it sheds light on the origins of complexity emerging from human organization and society. The agentic system is a machine learning system that operates primarily over natural language—a representation that is interpretable to humans and used by humans in constructing our organization and society. Thus, there is a close connection between agentic systems and human organizations, as shown in works incorporating the organizational structure for human companies in agents (Hong et al., 2023) or simulating a human town with agents (Park et al., 2023). Therefore, the study in ADAS may enable us to observe how to create a simple set of conditions and have an algorithm to bootstrap itself from simplicity to produce complexity in a system akin to human society.

- **Towards a Better Understanding of FMs.** Works from Neural Architecture Search (Huang et al., 2023) show that by observing the emerged architecture, we could gain more insights into Neural Networks. In this paper, we also gained insights about FMs from the results. For example, the best agent with GPT-3.5 involves a complex feedback mechanism, but when we transfer to other advanced models, the agent with a simpler feedback mechanism but more refinement becomes a better agent (Section 4.3). This shows that GPT-3.5 may have a worse capability in evaluating and refining the answers, so it needs a complex feedback mechanism for better refinement, while other advanced models benefit more from a simpler feedback mechanism.

Conclusion. In this paper, we propose a new research problem, Automated Design of Agentic Systems (ADAS), which aims to *automatically invent novel building blocks and design powerful agentic systems*. We demonstrated that a promising approach to ADAS is to define agents in code, allowing new agents to be automatically discovered by a “meta” agent programming them in code. Following this idea, we propose Meta Agent Search, where the meta agent iteratively builds on previous discoveries to program interesting new agents. The experiments show that Meta Agent Search consistently outperforms state-of-the-art hand-designed agents across an extensive number of domains, and the discovered agents transfer well across models and domains. Overall, our work illustrates the potential of an exciting new research direction toward full automation in developing powerful agentic systems from the bottom up.

Acknowledgments

This work was supported by the Vector Institute, the Canada CIFAR AI Chairs program, grants from Schmidt Futures and Open Philanthropy, an NSERC Discovery Grant, and a generous donation from Rafael Cosman. We thank Jenny Zhang, Rach Pradhan, Ruiyu Gou, Nicholas Ioannidis, and Eunjeong Hwang for insightful discussions and feedback.

References

- Anthropic. Introducing the next generation of claude. <https://www.anthropic.com/news/claude-3-family>, March 2024a. Blog post.
- Anthropic. Introducing claude 3.5 sonnet. <https://www.anthropic.com/news/claude-3-5-sonnet>, June 2024b. Blog post.
- Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, et al. Constitutional ai: Harmlessness from ai feedback. *arXiv preprint arXiv:2212.08073*, 2022.
- Yoshua Bengio, Geoffrey Hinton, Andrew Yao, Dawn Song, Pieter Abbeel, Trevor Darrell, Yuval Noah Harari, Ya-Qin Zhang, Lan Xue, Shai Shalev-Shwartz, et al. Managing extreme ai risks amid rapid progress. *Science*, 384(6698):842–845, 2024.
- N Bostrom. Existential Risks: analyzing human extinction scenarios and related hazards. *Journal of Evolution and Technology*, 9, 2002.
- Robert S Boyer and J Strother Moore. *A mechanical proof of the Turing completeness of pure LISP*. Citeseer, 1983.
- Tracey Caldwell. Ethical hackers: putting on the white hat. *Network Security*, 2011(7):10–13, 2011.
- Harrison Chase. What is an agent? <https://blog.langchain.dev/what-is-an-agent/>, June 2024. Blog post.
- Banghao Chen, Zhaofeng Zhang, Nicolas Langrené, and Shengxin Zhu. Unleashing the potential of prompt engineering in large language models: a comprehensive review. *arXiv preprint arXiv:2310.14735*, 2023a.
- Mark Chen, Jerry Tworek, Heewoo Jun, Qiming Yuan, Henrique Ponde De Oliveira Pinto, Jared Kaplan, Harri Edwards, Yuri Burda, Nicholas Joseph, Greg Brockman, et al. Evaluating large language models trained on code. *arXiv preprint arXiv:2107.03374*, 2021.
- Weize Chen, Yusheng Su, Jingwei Zuo, Cheng Yang, Chenfei Yuan, Chi-Min Chan, Heyang Yu, Yaxi Lu, Yi-Hsin Hung, Chen Qian, et al. Agentverse: Facilitating multi-agent collaboration and exploring emergent behaviors. In *The Twelfth International Conference on Learning Representations*, 2023b.
- Wei-Lin Chiang, Lianmin Zheng, Ying Sheng, Anastasios Nikolas Angelopoulos, Tianle Li, Dacheng Li, Hao Zhang, Banghua Zhu, Michael Jordan, Joseph E. Gonzalez, and Ion Stoica. Chatbot arena: An open platform for evaluating llms by human preference, 2024.
- François Chollet. On the measure of intelligence. *arXiv preprint arXiv:1911.01547*, 2019.
- Jeff Clune. Ai-gas: Ai-generating algorithms, an alternate paradigm for producing general artificial intelligence. *arXiv preprint arXiv:1905.10985*, 2019.
- Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*, 2021.
- Antoine Cully and Yiannis Demiris. Quality and diversity optimization: A unifying modular framework. *IEEE Transactions on Evolutionary Computation*, 22(2):245–259, 2017.

- N. Dalal and B. Triggs. Histograms of oriented gradients for human detection. In *2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, volume 1, pp. 886–893 vol. 1, 2005. doi: 10.1109/CVPR.2005.177.
- Kalyanmoy Deb, Amrit Pratap, Sameer Agarwal, and TAMT Meyarivan. A fast and elitist multiobjective genetic algorithm: Nsga-ii. *IEEE transactions on evolutionary computation*, 6(2):182–197, 2002.
- Aaron Dharna, Julian Togelius, and Lisa B Soros. Co-generation of game levels and game-playing agents. In *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, volume 16, pp. 203–209, 2020.
- Yilun Du, Shuang Li, Antonio Torralba, Joshua B Tenenbaum, and Igor Mordatch. Improving factuality and reasoning in language models through multiagent debate. *arXiv preprint arXiv:2305.14325*, 2023.
- Dheeru Dua, Yizhong Wang, Pradeep Dasigi, Gabriel Stanovsky, Sameer Singh, and Matt Gardner. DROP: A reading comprehension benchmark requiring discrete reasoning over paragraphs. In Jill Burstein, Christy Doran, and Tamar Solorio (eds.), *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pp. 2368–2378, Minneapolis, Minnesota, June 2019. Association for Computational Linguistics. doi: 10.18653/v1/N19-1246.
- Yan Duan, John Schulman, Xi Chen, Peter L. Bartlett, Ilya Sutskever, and Pieter Abbeel. RL^2 : Fast reinforcement learning via slow reinforcement learning. In *International Conference on Learning Representations*, 2017.
- Adrien Ecoffet, Jeff Clune, and Joel Lehman. Open questions in creating safe open-ended AI: Tensions between control and creativity. In *Conference on Artificial Life*, pp. 27–35. MIT Press, 2020.
- Thomas Elsken, Jan Hendrik Metzen, and Frank Hutter. Neural architecture search: A survey. *Journal of Machine Learning Research*, 20(55):1–21, 2019.
- Maxence Faldor, Jenny Zhang, Antoine Cully, and Jeff Clune. Omni-epic: Open-endedness via models of human notions of interestingness with environments programmed in code. *arXiv preprint arXiv:2405.15568*, 2024.
- Chrisantha Fernando, Dylan Sunil Banarse, Henryk Michalewski, Simon Osindero, and Tim Rocktäschel. Promptbreeder: Self-referential self-improvement via prompt evolution, 2024.
- Chelsea Finn, Pieter Abbeel, and Sergey Levine. Model-agnostic meta-learning for fast adaptation of deep networks. In *International conference on machine learning*, pp. 1126–1135. PMLR, 2017.
- Luyu Gao, Aman Madaan, Shuyan Zhou, Uri Alon, Pengfei Liu, Yiming Yang, Jamie Callan, and Graham Neubig. Pal: Program-aided language models. In *International Conference on Machine Learning*, pp. 10764–10799. PMLR, 2023.
- Ryan Greenblatt. Getting 50% sota on arc-agi with gpt-4. <https://redwoodresearch.substack.com/p/getting-50-sota-on-arc-agi-with-gpt>, July 2024. Technical Report.
- Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. Measuring massive multitask language understanding. In *International Conference on Learning Representations*, 2021.

- Sirui Hong, Xiawu Zheng, Jonathan Chen, Yuheng Cheng, Jinlin Wang, Ceyao Zhang, Zili Wang, Steven Ka Shing Yau, Zijuan Lin, Liyang Zhou, et al. Metagpt: Meta programming for multi-agent collaborative framework. *arXiv preprint arXiv:2308.00352*, 2023.
- Shengran Hu and Jeff Clune. Thought Cloning: Learning to think while acting by imitating human thinking. *Advances in Neural Information Processing Systems*, 36, 2024.
- Shengran Hu, Ran Cheng, Cheng He, Zhichao Lu, Jing Wang, and Miao Zhang. Accelerating multi-objective neural architecture search by random-weight evaluation. *Complex & Intelligent Systems*, pp. 1–10, 2021.
- Shihua Huang, Zhichao Lu, Kalyanmoy Deb, and Vishnu Naresh Boddeti. Revisiting residual networks for adversarial robustness. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 8202–8211, 2023.
- Frank Hutter, Lars Kotthoff, and Joaquin Vanschoren. *Automated machine learning: methods, systems, challenges*. Springer Nature, 2019.
- Omar Khattab, Arnav Singhvi, Paridhi Maheshwari, Zhiyuan Zhang, Keshav Santhanam, Saiful Haq, Ashutosh Sharma, Thomas T Joshi, Hanna Moazam, Heather Miller, et al. Dspy: Compiling declarative language model calls into state-of-the-art pipelines. In *The Twelfth International Conference on Learning Representations*, 2024.
- Alex Krizhevsky, Ilya Sutskever, and Geoffrey E Hinton. Imagenet classification with deep convolutional neural networks. *Advances in neural information processing systems*, 25, 2012.
- Abraham Ladha. Lecture 11: Turing-completeness. <https://faculty.cc.gatech.edu/~ladha/S24/4510/L11.pdf>, 2024. CS 4510 Automata and Complexity, February 21st, 2024, Scribed by Rishabh Singhal.
- LangChainAI. Langchain: Build context-aware reasoning applications. <https://github.com/langchain-ai/langchain>, 2022.
- Joel Lehman and Kenneth O Stanley. Abandoning objectives: Evolution through the search for novelty alone. *Evolutionary computation*, 19(2):189–223, 2011.
- Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, et al. Retrieval-augmented generation for knowledge-intensive nlp tasks. *Advances in Neural Information Processing Systems*, 33:9459–9474, 2020.
- Fei Liu, Tong Xialiang, Mingxuan Yuan, Xi Lin, Fu Luo, Zhenkun Wang, Zhichao Lu, and Qingfu Zhang. Evolution of heuristics: Towards efficient automatic algorithm design using large language model. In *Forty-first International Conference on Machine Learning*, 2024.
- Zijun Liu, Yanzhe Zhang, Peng Li, Yang Liu, and Diyi Yang. Dynamic llm-agent network: An llm-agent collaboration framework with agent team optimization. *arXiv preprint arXiv:2310.02170*, 2023.
- Chris Lu, Sebastian Towers, and Jakob Foerster. Arbitrary order meta-learning with simple population-based evolution. In *ALIFE 2023: Ghost in the Machine: Proceedings of the 2023 Artificial Life Conference*. MIT Press, 2023.
- Chris Lu, Samuel Holt, Claudio Fanconi, Alex J Chan, Jakob Foerster, Mihaela van der Schaar, and Robert Tjarko Lange. Discovering preference optimization algorithms with and for large language models. *arXiv preprint arXiv:2406.08414*, 2024a.

- Chris Lu, Cong Lu, Robert Tjarko Lange, Jakob Foerster, Jeff Clune, and David Ha. The AI Scientist: Towards fully automated open-ended scientific discovery. *arXiv preprint arXiv:2408.06292*, 2024b.
- Cong Lu, Shengran Hu, and Jeff Clune. Intelligent go-explore: Standing on the shoulders of giant foundation models. *arXiv preprint arXiv:2405.15143*, 2024c.
- Zhichao Lu, Ian Whalen, Vishnu Boddeti, Yashesh Dhebar, Kalyanmoy Deb, Erik Goodman, and Wolfgang Banzhaf. Nsga-net: neural architecture search using multi-objective genetic algorithm. In *Proceedings of the genetic and evolutionary computation conference*, pp. 419–427, 2019.
- Yecheng Jason Ma, William Liang, Guanzhi Wang, De-An Huang, Osbert Bastani, Dinesh Jayaraman, Yuke Zhu, Linxi Fan, and Anima Anandkumar. Eureka: Human-level reward design via coding large language models. In *The Twelfth International Conference on Learning Representations*, 2023.
- Aman Madaan, Niket Tandon, Prakhar Gupta, Skyler Hallinan, Luyu Gao, Sarah Wiegrefe, Uri Alon, Nouha Dziri, Shrimai Prabhumoye, Yiming Yang, et al. Self-refine: Iterative refinement with self-feedback. *Advances in Neural Information Processing Systems*, 36, 2024.
- Meta. Open source ai is the path forward. <https://about.fb.com/news/2024/07/open-source-ai-is-the-path-forward/>, July 2024. News article.
- Elliot Meyerson, Mark J Nelson, Herbie Bradley, Adam Gaier, Arash Moradi, Amy K Hoover, and Joel Lehman. Language model crossover: Variation through few-shot prompting. *arXiv preprint arXiv:2302.12170*, 2023.
- Shen-yun Miao, Chao-Chun Liang, and Keh-Yih Su. A diverse corpus for evaluating and developing english math word problem solvers. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pp. 975–984, 2020.
- Jean-Baptiste Mouret and Jeff Clune. Illuminating search spaces by mapping elites. *arXiv preprint arXiv:1504.04909*, 2015.
- Reiichiro Nakano, Jacob Hilton, Suchir Balaji, Jeff Wu, Long Ouyang, Christina Kim, Christopher Hesse, Shantanu Jain, Vineet Kosaraju, William Saunders, et al. Webgpt: Browser-assisted question-answering with human feedback. *arXiv preprint arXiv:2112.09332*, 2021.
- Andrew Ng. Issue 253. <https://www.deeplearning.ai/the-batch/issue-253/>, June 2024. Newsletter issue.
- Ben Norman and Jeff Clune. First-explore, then exploit: Meta-learning intelligent exploration. *arXiv preprint arXiv:2307.02276*, 2023.
- OpenAI. Introducing chatgpt. <https://openai.com/index/chatgpt/>, November 2022. Blog post.
- OpenAI. Simple evals, 2023. URL <https://github.com/openai/simple-evals>. Accessed: 2024-08-10.
- OpenAI. Gpt-4 technical report, 2024.
- Joon Sung Park, Joseph O’Brien, Carrie Jun Cai, Meredith Ringel Morris, Percy Liang, and Michael S Bernstein. Generative agents: Interactive simulacra of human behavior. In *Proceedings of the 36th annual acm symposium on user interface software and technology*, pp. 1–22, 2023.

- Arkil Patel, Satwik Bhattamishra, and Navin Goyal. Are NLP models really able to solve simple math word problems? In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 2080–2094, Online, June 2021. Association for Computational Linguistics. doi: 10.18653/v1/2021.naacl-main.168.
- Chen Qian, Xin Cong, Cheng Yang, Weize Chen, Yusheng Su, Juyuan Xu, Zhiyuan Liu, and Maosong Sun. Communicative agents for software development. *arXiv preprint arXiv:2307.07924*, 2023.
- Chen Qian, Zihao Xie, Yifei Wang, Wei Liu, Yufan Dang, Zhuoyun Du, Weize Chen, Cheng Yang, Zhiyuan Liu, and Maosong Sun. Scaling large-language-model-based multi-agent collaboration. *arXiv preprint arXiv:2406.07155*, 2024.
- Changle Qu, Sunhao Dai, Xiaochi Wei, Hengyi Cai, Shuaiqiang Wang, Dawei Yin, Jun Xu, and Ji-Rong Wen. Tool learning with large language models: A survey. *arXiv preprint arXiv:2405.17935*, 2024.
- Rafael Rafailov, Archit Sharma, Eric Mitchell, Christopher D Manning, Stefano Ermon, and Chelsea Finn. Direct preference optimization: Your language model is secretly a reward model. *Advances in Neural Information Processing Systems*, 36, 2024.
- David Rein, Betty Li Hou, Asa Cooper Stickland, Jackson Petty, Richard Yuanzhe Pang, Julien Dirani, Julian Michael, and Samuel R. Bowman. Gpqa: A graduate-level google-proof q&a benchmark, 2023.
- Toran Bruce Richards. Autogpt. <https://github.com/Significant-Gravitas/AutoGPT>, 2023. GitHub repository.
- Tim Rocktäschel. *Artificial Intelligence: 10 Things You Should Know*. Seven Dials, September 2024. ISBN 978-1399626521.
- Md Omar Faruk Rokon, Risul Islam, Ahmad Darki, Evangelos E Papalexakis, and Michalis Faloutsos. {SourceFinder}: Finding malware {Source-Code} from publicly available repositories in {GitHub}. In *23rd International Symposium on Research in Attacks, Intrusions and Defenses (RAID 2020)*, pp. 149–163, 2020.
- Bernardino Romera-Paredes, Mohammadamin Barekatin, Alexander Novikov, Matej Balog, M Pawan Kumar, Emilien Dupont, Francisco JR Ruiz, Jordan S Ellenberg, Pengming Wang, Omar Fawzi, et al. Mathematical discoveries from program search with large language models. *Nature*, 625(7995): 468–475, 2024.
- Timo Schick, Jane Dwivedi-Yu, Roberto Dessi, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. Toolformer: Language models can teach themselves to use tools. In *Thirty-seventh Conference on Neural Information Processing Systems*, 2023. URL <https://openreview.net/forum?id=Yacmpz84TH>.
- Sander Schulhoff, Michael Ilie, Nishant Balepur, Konstantine Kahadze, Amanda Liu, Chenglei Si, Yinheng Li, Aayush Gupta, HyoJung Han, Sevien Schulhoff, et al. The prompt report: A systematic survey of prompting techniques. *arXiv preprint arXiv:2406.06608*, 2024.
- Xuan Shen, Yaohua Wang, Ming Lin, Yilun Huang, Hao Tang, Xiuyu Sun, and Yanzhi Wang. Deepmad: Mathematical architecture design for deep convolutional neural network. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 6163–6173, 2023.
- Freda Shi, Mirac Suzgun, Markus Freitag, Xuezhi Wang, Suraj Srivats, Soroush Vosoughi, Hyung Won Chung, Yi Tay, Sebastian Ruder, Denny Zhou, Dipanjan Das, and Jason Wei. Language models

- are multilingual chain-of-thought reasoners. In *The Eleventh International Conference on Learning Representations*, 2023.
- Noah Shinn, Federico Cassano, Ashwin Gopinath, Karthik Narasimhan, and Shunyu Yao. Reflexion: Language agents with verbal reinforcement learning. *Advances in Neural Information Processing Systems*, 36, 2023.
- Kenneth O Stanley and Joel Lehman. *Why greatness cannot be planned: The myth of the objective*. Springer, 2015.
- Kenneth O Stanley, Jeff Clune, Joel Lehman, and Risto Miikkulainen. Designing neural networks through neuroevolution. *Nature Machine Intelligence*, 1(1):24–35, 2019.
- Richard S Sutton and Andrew G Barto. *Reinforcement learning: An introduction*. MIT press, 2018.
- Sai Vemprala, Rogerio Bonatti, Arthur Buckner, and Ashish Kapoor. Chatgpt for robotics: Design principles and model abilities. Technical Report MSR-TR-2023-8, Microsoft, February 2023. URL <https://www.microsoft.com/en-us/research/publication/chatgpt-for-robotics-design-principles-and-model-abilities/>.
- Guanzhi Wang, Yuqi Xie, Yunfan Jiang, Ajay Mandlekar, Chaowei Xiao, Yuke Zhu, Linxi Fan, and Anima Anandkumar. Voyager: An open-ended embodied agent with large language models. *arXiv preprint arXiv: Arxiv-2305.16291*, 2023a.
- Jane X Wang, Zeb Kurth-Nelson, Dhruva Tirumala, Hubert Soyer, Joel Z Leibo, Remi Munos, Charles Blundell, Dharmashan Kumaran, and Matt Botvinick. Learning to reinforcement learn. *arXiv preprint arXiv:1611.05763*, 2016.
- Lei Wang, Chen Ma, Xueyang Feng, Zeyu Zhang, Hao Yang, Jingsen Zhang, Zhiyuan Chen, Jiakai Tang, Xu Chen, Yankai Lin, et al. A survey on large language model based autonomous agents. *Frontiers of Computer Science*, 18(6):186345, 2024.
- Rui Wang, Joel Lehman, Jeff Clune, and Kenneth O. Stanley. Poet: open-ended coevolution of environments and their optimized solutions. In *Proceedings of the Genetic and Evolutionary Computation Conference, GECCO '19*, pp. 142–151, New York, NY, USA, 2019. Association for Computing Machinery. ISBN 9781450361118. doi: 10.1145/3321707.3321799.
- Rui Wang, Joel Lehman, Aditya Rawal, Jiale Zhi, Yulun Li, Jeffrey Clune, and Kenneth Stanley. Enhanced poet: Open-ended reinforcement learning through unbounded invention of learning challenges and their solutions. In *International conference on machine learning*, pp. 9940–9951. PMLR, 2020.
- Xuezhi Wang, Jason Wei, Dale Schuurmans, Quoc V Le, Ed H. Chi, Sharan Narang, Aakanksha Chowdhery, and Denny Zhou. Self-consistency improves chain of thought reasoning in language models. In *The Eleventh International Conference on Learning Representations*, 2023b.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837, 2022.
- Qingyun Wu, Gagan Bansal, Jieyu Zhang, Yiran Wu, Shaokun Zhang, Erkang Zhu, Beibin Li, Li Jiang, Xiaoyun Zhang, and Chi Wang. Autogen: Enabling next-gen llm applications via multi-agent conversation framework. *arXiv preprint arXiv:2308.08155*, 2023.

- Benfeng Xu, An Yang, Junyang Lin, Quan Wang, Chang Zhou, Yongdong Zhang, and Zhendong Mao. Expertprompting: Instructing large language models to be distinguished experts. *arXiv preprint arXiv:2305.14688*, 2023.
- Chengrun Yang, Xuezhi Wang, Yifeng Lu, Hanxiao Liu, Quoc V Le, Denny Zhou, and Xinyun Chen. Large language models as optimizers. In *The Twelfth International Conference on Learning Representations*, 2024. URL <https://openreview.net/forum?id=Bb4VGOWELI>.
- Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik R Narasimhan, and Yuan Cao. React: Synergizing reasoning and acting in language models. In *The Eleventh International Conference on Learning Representations*, 2023. URL https://openreview.net/forum?id=WE_vluYUL-X.
- Bennet Yee, David Sehr, Gregory Dardyk, J Bradley Chen, Robert Muth, Tavis Ormandy, Shiki Okasaka, Neha Narula, and Nicholas Fullagar. Native client: A sandbox for portable, untrusted x86 native code. *Communications of the ACM*, 53(1):91–99, 2010.
- Wenhao Yu, Nimrod Gileadi, Chuyuan Fu, Sean Kirmani, Kuang-Huei Lee, Montserrat Gonzalez Arenas, Hao-Tien Lewis Chiang, Tom Erez, Leonard Hasenclever, Jan Humplik, et al. Language to rewards for robotic skill synthesis. In *Conference on Robot Learning*, pp. 374–404. PMLR, 2023.
- Siyu Yuan, Kaitao Song, Jiangjie Chen, Xu Tan, Dongsheng Li, and Deqing Yang. Evoagent: Towards automatic multi-agent generation via evolutionary algorithms. *arXiv preprint arXiv:2406.14228*, 2024.
- Eliezer Yudkowsky et al. Artificial Intelligence as a positive and negative factor in global risk. *Global catastrophic risks*, 1(303):184, 2008.
- Matei Zaharia, Omar Khattab, Lingjiao Chen, Jared Quincy Davis, Heather Miller, Chris Potts, James Zou, Michael Carbin, Jonathan Frankle, Naveen Rao, and Ali Ghodsi. The shift from models to compound ai systems. <https://bair.berkeley.edu/blog/2024/02/18/compound-ai-systems/>, 2024.
- Jenny Zhang, Joel Lehman, Kenneth Stanley, and Jeff Clune. OMNI: Open-endedness via models of human notions of interestingness. In *The Twelfth International Conference on Learning Representations*, 2024a. URL <https://openreview.net/forum?id=AgM3MzT99c>.
- Shaokun Zhang, Jieyu Zhang, Jiale Liu, Linxin Song, Chi Wang, Ranjay Krishna, and Qingyun Wu. Offline training of language model agents with functions as learnable weights. In *Forty-first International Conference on Machine Learning*, 2024b.
- Zeyu Zhang, Xiaohe Bo, Chen Ma, Rui Li, Xu Chen, Quanyu Dai, Jieming Zhu, Zhenhua Dong, and Ji-Rong Wen. A survey on the memory mechanism of large language model based agents. *arXiv preprint arXiv:2404.13501*, 2024c.
- Huaixiu Steven Zheng, Swaroop Mishra, Xinyun Chen, Heng-Tze Cheng, Ed H Chi, Quoc V Le, and Denny Zhou. Take a step back: Evoking reasoning via abstraction in large language models. *arXiv preprint arXiv:2310.06117*, 2023.
- Pei Zhou, Jay Pujara, Xiang Ren, Xinyun Chen, Heng-Tze Cheng, Quoc V Le, Ed H Chi, Denny Zhou, Swaroop Mishra, and Huaixiu Steven Zheng. Self-discover: Large language models self-compose reasoning structures. *arXiv preprint arXiv:2402.03620*, 2024a.

- Wangchunshu Zhou, Yixin Ou, Shengwei Ding, Long Li, Jialong Wu, Tiannan Wang, Jiamin Chen, Shuai Wang, Xiaohua Xu, Ningyu Zhang, et al. Symbolic learning enables self-evolving agents. *arXiv preprint arXiv:2406.18532*, 2024b.
- Mingchen Zhuge, Wenyi Wang, Louis Kirsch, Francesco Faccio, Dmitrii Khizbullin, and Jürgen Schmidhuber. Gptswarm: Language agents as optimizable graphs. In *Forty-first International Conference on Machine Learning*, 2024.
- Luisa Zintgraf, Sebastian Schulze, Cong Lu, Leo Feng, Maximilian Igl, Kyriacos Shiarlis, Yarin Gal, Katja Hofmann, and Shimon Whiteson. Varibad: Variational bayes-adaptive deep rl via meta-learning. *Journal of Machine Learning Research*, 22(289):1–39, 2021a.
- Luisa M Zintgraf, Leo Feng, Cong Lu, Maximilian Igl, Kristian Hartikainen, Katja Hofmann, and Shimon Whiteson. Exploration in approximate hyper-state space for meta reinforcement learning. In *International Conference on Machine Learning*, pp. 12991–13001. PMLR, 2021b.

Supplementary Material

Table of Contents

A Prompts	24
B Framework Code	26
C Experiment Details for ARC Challenge	30
D Experiment Details for Reasoning and Problem-Solving Domains	33
E Baselines	35
F Example Agents	36
G Cost of Experiments	39

A. Prompts

We use the following prompts for the meta agent in Meta Agent Search. Variables in the prompts that vary depending on domains and iterations are **highlighted**. All detailed prompts are available at <https://github.com/ShengranHu/ADAS>.

We use the following system prompt for every query in the meta agent.

System prompt for the meta agent.

You are a helpful assistant. Make sure to return in a WELL-FORMED JSON object.

We use the following prompt for the meta agent to design the new agent based on the archive of previously discovered agents.

Main prompt for the meta agent.

You are an expert machine learning researcher testing various agentic systems. Your objective is to design building blocks such as prompts and control flows within these systems to solve complex tasks. Your aim is to design an optimal agent performing well on **[Brief Description of the Domain]**.

[Framework Code]

[Output Instructions and Examples]

[Discovered Agent Archive] (initialized with baselines, updated at every iteration)

Your task

You are deeply familiar with prompting techniques and the agent works from the literature. Your goal is to maximize the specified performance metrics by proposing interestingly new agents.

Observe the discovered agents carefully and think about what insights, lessons, or stepping stones can be learned from them.

Be creative when thinking about the next interesting agent to try. You are encouraged to draw inspiration from related agent papers or academic papers from other research areas.

Use the knowledge from the archive and inspiration from academic literature to propose the next interesting agentic system design.

THINK OUTSIDE THE BOX.

The domain descriptions are available in Appendices C and D and the framework code is available in Appendix B. We use the following prompt to instruct and format the output of the meta agent. Here, we collect and present some common mistakes that the meta agent may make in the prompt. We found it effective in improving the quality of the generated code.

Output Instruction and Example.

Output Instruction and Example:

The first key should be ("thought"), and it should capture your thought process for designing the next function. In the "thought" section, first reason about what the next interesting agent to try should be, then describe your reasoning and the overall concept behind the agent design, and finally detail the implementation steps. The second key ("name") corresponds to the name of your next agent architecture. Finally, the last key ("code") corresponds to the exact "forward()" function in Python code that you would like to try. You must write COMPLETE CODE in "code": Your code will be part of the entire project, so please implement complete, reliable, reusable code snippets.

Here is an example of the output format for the next agent:

```
{“thought”: “**Insights:** Your insights on what should be the next interesting agent. **Overall Idea:** your reasoning and the overall concept behind the agent design. **Implementation:** describe the implementation step by step.”,  
“name”: “Name of your proposed agent”,  
“code”: “def forward(self, taskInfo): # Your code here”}
```

WRONG Implementation examples:

[Examples of potential mistakes the meta agent may make in implementation]

After the first response from the meta agent, we perform two rounds of self-reflection to make the generated agent novel and error-free (Madaan et al., 2024; Shinn et al., 2023).

Prompt for self-reflection round 1.

[Generated Agent from Previous Iteration]

Carefully review the proposed new architecture and reflect on the following points:

1. ****Interestingness****: Assess whether your proposed architecture is interesting or innovative compared to existing methods in the archive. If you determine that the proposed architecture is not interesting, suggest a new architecture that addresses these shortcomings.
 - Make sure to check the difference between the proposed architecture and previous attempts.
 - Compare the proposal and the architectures in the archive CAREFULLY, including their actual differences in the implementation.
 - Decide whether the current architecture is innovative.
 - USE CRITICAL THINKING!
2. ****Implementation Mistakes****: Identify any mistakes you may have made in the implementation. Review the code carefully, debug any issues you find, and provide a corrected version. REMEMBER checking “## WRONG Implementation examples” in the prompt.
3. ****Improvement****: Based on the proposed architecture, suggest improvements in the detailed implementation that could increase its performance or effectiveness. In this step, focus on refining and optimizing the existing implementation without altering the overall design framework, except if you want to propose a different architecture if the current is not interesting.
 - Observe carefully about whether the implementation is actually doing what it is supposed to do.
 - Check if there is redundant code or unnecessary steps in the implementation. Replace them with effective implementation.
 - Try to avoid the implementation being too similar to the previous agent.

And then, you need to improve or revise the implementation, or implement the new proposed architecture based on the reflection.

Your response should be organized as follows:

"reflection": Provide your thoughts on the interestingness of the architecture, identify any mistakes in the implementation, and suggest improvements.

"thought": Revise your previous proposal or propose a new architecture if necessary, using the same format as the example response.

"name": Provide a name for the revised or new architecture. (Don't put words like "new" or "improved" in the name.)

"code": Provide the corrected code or an improved implementation. Make sure you actually implement your fix and improvement in this code.

Prompt for self-reflection round 2.

Using the tips in “## WRONG Implementation examples” section, further revise the code. Your response should be organized as follows:
Include your updated reflections in the “reflection”. Repeat the previous “thought” and “name”. Update the corrected version of the code in the “code” section.

When an error is encountered during the execution of the generated code, we conduct a reflection and re-run the code. This process is repeated up to five times if errors persist. Here is the prompt we use to self-reflect any runtime error:

Prompt for self-reflection when a runtime error occurs.

Error during evaluation:

[Runtime errors]

Carefully consider where you went wrong in your latest implementation. Using insights from previous attempts, try to debug the current code to implement the same thought. Repeat your previous thought in “thought”, and put your thinking for debugging in “debug_thought”.

B. Framework Code

In this paper, we provide the meta agent with a simple framework to implement basic functions, such as querying Foundation Models (FMs) and formatting prompts. The framework consists of fewer than 100 lines of code (excluding comments). In this framework, we encapsulate every piece of information into a namedtuple Info object, making it easy to combine different types of information (e.g., FM responses, results from tool function calls, task descriptions) and facilitate communication between different modules. Additionally, in the FM module, we automatically construct the prompt by concatenating all input Info objects into a structured format, with each Info titled by its metadata (e.g., name, author). **Throughout the appendix, we renamed some variables in the code to match the terminologies used in the main text.** The full framework code is available at <https://github.com/ShengranHu/ADAS>.

Code 1 | The simple framework used in Meta-Agent Search.

```

1 # Named tuple for holding task information
2 Info = namedtuple('Info', ['name', 'author', 'content', '
   iteration_idx'])
3
4 # Format instructions for FM response
5 FORMAT_INST = lambda request_keys: f"Reply EXACTLY with the
   following JSON format.\n{str(request_keys)}\nDO NOT MISS ANY
   FIELDS AND MAKE SURE THE JSON FORMAT IS CORRECT!\n"
6
7 # Description of the role of the FM Module
8 ROLE_DESC = lambda role: f"You are a {role}."
9
10 @backoff.on_exception(backoff.expo, openai.RateLimitError)
11 def get_json_response_from_gpt(msg, model, system_message,
   temperature):
12     \"""
13     Function to get JSON response from GPT model.
14
15     Args:
16     - msg (str): The user message.

```

```

17     - model (str): The model to use.
18     - system_message (str): The system message.
19     - temperature (float): Sampling temperature.
20
21     Returns:
22     - dict: The JSON response.
23     \"""
24     ...
25     return json_dict
26
27 class FM_Module:
28     \"""
29     Base class for an FM module.
30
31     Attributes:
32     - output_fields (list): Fields expected in the output.
33     - name (str): Name of the FM module.
34     - role (str): Role description for the FM module.
35     - model (str): Model to be used.
36     - temperature (float): Sampling temperature.
37     - id (str): Unique identifier for the FM module instance.
38     \"""
39
40     def __init__(self, output_fields: list, name: str, role='helpful
41         assistant', model='gpt-3.5-turbo-0125', temperature=0.5) ->
42         None:
43         ...
44
45     def generate_prompt(self, input_infos, instruction) -> str:
46         \"""
47         Generates a prompt for the FM.
48
49         Args:
50         - input_infos (list): List of input information.
51         - instruction (str): Instruction for the task.
52
53         Returns:
54         - tuple: System prompt and user prompt.
55
56         An example of generated prompt:
57         ""
58         You are a helpful assistant.
59
60         # Output Format:
61         Reply EXACTLY with the following JSON format.
62         ...
63
64         # Your Task:
65         You will given some number of paired example inputs and
66         outputs. The outputs ...
67
68         ### thinking #1 by Chain-of-Thought hkFo (yourself):
69         ...
70
71         # Instruction:
72         Please think step by step and then solve the task by writing

```

```

        the code.
    """
    \"""
    ...
    return system_prompt, prompt

def query(self, input_infos: list, instruction, iteration_idx
=-1) -> list[Info]:
    \"""
    Queries the FM with provided input information and
    instruction.

    Args:
    - input_infos (list): List of input information.
    - instruction (str): Instruction for the task.
    - iteration_idx (int): Iteration index for the task.

    Returns:
    - output_infos (list[Info]): Output information.
    \"""
    ...
    return output_infos

def __repr__(self):
    return f"{self.agent_name} {self.id}"

def __call__(self, input_infos: list, instruction, iteration_idx
=-1):
    return self.query(input_infos, instruction, iteration_idx=
iteration_idx)

class AgentSystem:
    def forward(self, taskInfo) -> Union[Info, str]:
        \"""
        Placeholder method for processing task information.

        Args:
        - taskInfo (Info): Task information.

        Returns:
        - Answer (Union[Info, str]): Your FINAL Answer. Return
        either a namedtuple Info or a string for the answer.
        \"""
        pass

```

With the provided framework, an agent can be easily defined with a “forward” function. Here we show an example of implementing self-reflection using the framework.

Code 2 | Self-Reflection implementation example

```

def forward(self, taskInfo):
    # Instruction for initial reasoning
    cot_initial_instruction = "Please think step by step and then
    solve the task."


    # Instruction for reflecting on previous attempts and feedback

```




```
        to improve
6    cot_reflect_instruction = "Given previous attempts and feedback,
        carefully consider where you could go wrong in your latest
        attempt. Using insights from previous attempts, try to solve
        the task better."
7    cot_module = FM_Module(['thinking', 'answer'], 'Chain-of-Thought
        ')
8
9    # Instruction for providing feedback and correcting the answer
10   critic_instruction = "Please review the answer above and
        criticize on where might be wrong. If you are absolutely sure
        it is correct, output 'True' in 'correct'."
11   critic_module = FM_Module(['feedback', 'correct'], 'Critic')
12
13   N_max = 5 # Maximum number of attempts
14
15   # Initial attempt
16   cot_inputs = [taskInfo]
17   thinking, answer = cot_module(cot_inputs,
        cot_initial_instruction, 0)
18
19   for i in range(N_max):
20       # Get feedback and correct status from the critic
21       feedback, correct = critic_module([taskInfo, thinking,
        answer], critic_instruction, i)
22       if correct.content == 'True':
23           break
24
25       # Add feedback to the inputs for the next iteration
26       cot_inputs.extend([thinking, answer, feedback])
27
28       # Reflect on previous attempts and refine the answer
29       thinking, answer = cot_module(cot_inputs,
        cot_reflect_instruction, i + 1)
30   return answer
```


Example Input-output grid #1



Test grid



Example Input-output grid #2



Answer




Figure 4 | **An example task from the ARC challenge (Chollet, 2019).** Given the input-output grid examples, the AI system is asked to learn the transformation rules and then apply these learned rules to the test grid to predict the final answer.

C. Experiment Details for ARC Challenge

An example task from the ARC challenge is shown in Figure 4. In the ARC challenge experiments (Section 4.1), we represent the grids as strings of 2-D arrays, where each color is represented by an integer. We instruct the meta agent to design agents that generate code as solutions rather than directly outputting answers. Additionally, we provide two tool functions within the framework: (1) to test whether the generated code can solve the example grids and (2) to obtain the task’s answer by applying the generated code to the test grid. The accuracy rate is calculated by the Exact Match between the reference solution and the predicted answer. The meta agent uses “gpt-4o-2024-05-13” (OpenAI, 2024), while discovered agents and baselines are evaluated using “gpt-3.5-turbo-0125” (OpenAI, 2022) to reduce compute cost.

The domain description of ARC for the meta agent is shown below:

Description of ARC for the meta agent.

Your aim is to find an optimal agent performing well on the ARC (Abstraction and Reasoning Corpus) challenge.

In this challenge, each task consists of three demonstration examples, and one test example. Each Example consists of an “input grid” and an “output grid”. Test-takers need to use the transformation rule learned from the examples to predict the output grid for the test example.

An example task from ARC challenge:

Task Overview:

You will be given some number of paired example inputs and outputs grids. The outputs were produced by applying a transformation rule to the input grids. In addition to the paired example inputs and outputs, there is also one test input without a known output.

The inputs and outputs are each “grids”. A grid is a rectangular matrix of integers between 0 and 9 (inclusive). Each number corresponds to a color. 0 is black.

Your task is to determine the transformation rule from examples and find out the answer, involving determining the size of the output grid for the test and correctly filling each cell of the grid with the appropriate color or number.

The transformation only needs to be unambiguous and applicable to the example inputs and the test input. It doesn't need to work for all possible inputs. Observe the examples carefully, imagine the grid visually, and try to find the pattern.

Examples:

Example 0:

```
input  = [[0,0,0,0,5,0,0,0,0], [0,0,0,0,5,0,0,0,0], [0,0,0,4,5,0,0,0,0], [0,0,0,4,5,4,4,0,0],
[0,0,3,3,5,0,0,0,0], [0,0,0,3,5,0,0,0,0], [0,0,0,3,5,3,3,3,0], [0,0,0,3,5,0,0,0,0], [0,0,0,0,5,0,0,0,0],
[0,0,0,0,5,0,0,0,0]]
output = [[0,0,0,0], [0,0,0,0], [0,0,0,4], [0,0,4,4], [0,0,3,3], [0,0,0,3], [0,3,3,3], [0,0,0,3], [0,0,0,0],
[0,0,0,0]]
```

Example 1:

```
input  = [[0,0,0,0,5,0,0,0,0], [0,0,0,2,5,0,0,0,0], [0,0,0,2,5,2,6,0,0], [0,0,0,2,5,0,0,0,0],
[0,0,0,2,5,2,2,2,0], [0,0,6,6,5,6,0,0,0], [0,0,0,2,5,0,0,0,0], [0,2,2,0,5,2,0,0,0], [0,0,0,2,5,0,0,0,0],
[0,0,0,0,5,0,0,0,0]]
output = [[0,0,0,0], [0,0,0,2], [0,0,6,2], [0,0,0,2], [0,2,2,2], [0,0,6,6], [0,0,0,2], [0,2,2,2], [0,0,0,2],
[0,0,0,0]]
```

Example 2:

```
input  = [[0,0,0,0,5,0,0,0,0], [0,0,0,0,5,7,0,0,0], [0,0,0,8,5,0,0,0,0], [0,0,0,8,5,0,0,0,0],
[0,7,8,8,5,0,0,0,0], [0,0,0,0,5,8,8,0,0], [0,0,0,8,5,0,0,0,0], [0,0,0,8,5,0,0,0,0], [0,0,0,0,5,8,7,0,0],
[0,0,0,0,5,0,0,0,0]]
output= [[0,0,0,0], [0,0,0,7], [0,0,0,8], [0,0,0,8], [0,7,8,8], [0,0,8,8], [0,0,0,8], [0,0,0,8], [0,0,7,8],
[0,0,0,0]]
```

Test Problem:

```
input  = [[0,0,0,0,5,0,0,0,0], [0,0,0,1,5,0,0,0,0], [0,0,0,1,5,1,0,0,0], [0,1,1,1,5,1,1,1,6],
[0,0,0,6,5,6,6,0,0], [0,0,0,0,5,1,1,1,0], [0,0,0,1,5,0,0,0,0], [0,0,0,1,5,1,6,0,0], [0,0,0,0,5,6,0,0,0],
[0,0,0,0,5,0,0,0,0]]
```

Analyze the transformation rules based on the provided Examples and determine what the output should be for the Test Problem.

Here we present the best agent on ARC discovered by Meta Agent Search. All agents from the experiment can be found at <https://github.com/ShengranHu/ADAS>.

Code 3 | The best agent on ARC discovered by Meta Agent Search

```
1 # Structured Feedback and Ensemble Agent
2 def forward(self, taskInfo):
3     # Step 1: Generate initial candidate solutions using multiple FM
      Modules
```

```

4     initial_instruction = 'Please think step by step and then solve
      the task by writing the code.'
5     num_candidates = 5 # Number of initial candidates
6     initial_module = [FM_Module(['thinking', 'code'], 'Initial
      Solution', temperature=0.8) for _ in range(num_candidates)]
7
8     initial_solutions = []
9     for i in range(num_candidates):
10        thoughts = initial_module[i]([taskInfo], initial_instruction
      )
11        thinking, code = thoughts[0], thoughts[1]
12        feedback, correct_examples, wrong_examples = self.
      run_examples_and_get_feedback(code)
13        if len(correct_examples) > 0: # Only consider solutions
      that passed at least one example
14            initial_solutions.append({'thinking': thinking, 'code':
      code, 'feedback': feedback, 'correct_count': len(
      correct_examples)})
15
16    # Step 2: Simulate human-like feedback for each candidate
      solution
17    human_like_feedback_module = FM_Module(['thinking', 'feedback'],
      'Human-like Feedback', temperature=0.5)
18    human_feedback_instruction = 'Please provide human-like feedback
      for the code, focusing on common mistakes, heuristic
      corrections, and best practices.'
19
20    for sol in initial_solutions:
21        thoughts = human_like_feedback_module([taskInfo, sol['
      thinking'], sol['code']], human_feedback_instruction)
22        human_thinking, human_feedback = thoughts[0], thoughts[1]
23        sol['human_feedback'] = human_feedback
24
25    # Step 3: Assign expert advisors to evaluate and provide
      targeted feedback
26    expert_roles = ['Efficiency Expert', 'Readability Expert', '
      Simplicity Expert']
27    expert_advisors = [FM_Module(['thinking', 'feedback'], role,
      temperature=0.6) for role in expert_roles]
28    expert_instruction = 'Please evaluate the given code and provide
      targeted feedback for improvement.'
29
30    for sol in initial_solutions:
31        sol_feedback = {}
32        for advisor in expert_advisors:
33            thoughts = advisor([taskInfo, sol['thinking'], sol['code
      ']], expert_instruction)
34            thinking, feedback = thoughts[0], thoughts[1]
35            sol_feedback[advisor.role] = feedback
36        sol['expert_feedback'] = sol_feedback
37
38    # Step 4: Parse and structure the feedback to avoid redundancy
      and refine the solutions iteratively
39    max_refinement_iterations = 3
40    refinement_module = FM_Module(['thinking', 'code'], 'Refinement
      Module', temperature=0.5)

```

```

41 refined_solutions = []
42
43 for sol in initial_solutions:
44     for i in range(max_refinement_iterations):
45         combined_feedback = sol['feedback'].content + sol['
46             human_feedback'].content + ''.join([fb.content for fb
47                 in sol['expert_feedback'].values()])
48         structured_feedback = ''.join(set(combined_feedback.
49             split())) # Avoid redundancy
50         refinement_instruction = 'Using the structured feedback,
51             refine the solution to improve its performance.'
52         thoughts = refinement_module([taskInfo, sol['thinking'],
53             sol['code'], Info('feedback', 'Structured Feedback',
54                 structured_feedback, i)], refinement_instruction, i)
55         refinement_thinking, refined_code = thoughts[0],
56             thoughts[1]
57         feedback, correct_examples, wrong_examples = self.
58             run_examples_and_get_feedback(refined_code)
59         if len(correct_examples) > 0:
60             sol.update({'thinking': refinement_thinking, 'code':
61                 refined_code, 'feedback': feedback, '
62                 correct_count': len(correct_examples)})
63             refined_solutions.append(sol)
64
65 # Step 5: Select the best-performing solutions and make a final
66     decision using an ensemble approach
67 sorted_solutions = sorted(refined_solutions, key=lambda x: x['
68     correct_count'], reverse=True)
69 top_solutions = sorted_solutions[:3] # Select the top 3
70     solutions
71
72 final_decision_instruction = 'Given all the above solutions,
73     reason over them carefully and provide a final answer by
74     writing the code.'
75 final_decision_module = refinement_module(['thinking', 'code'],
76     'Final Decision Module', temperature=0.1)
77 final_inputs = [taskInfo] + [item for solution in top_solutions
78     for item in [solution['thinking'], solution['code'], solution
79         ['feedback']]]
80 final_thoughts = final_decision_module(final_inputs,
81     final_decision_instruction)
82 final_thinking, final_code = final_thoughts[0], final_thoughts
83     [1]
84 answer = self.get_test_output_from_code(final_code)
85 return answer

```

D. Experiment Details for Reasoning and Problem-Solving Domains

To reduce costs during search and evaluation, we sample subsets of data from each domain. For GPQA (Science), the validation set consists of 32 questions, while the remaining 166 questions form the test set. For the other domains, the validation and test sets are sampled with 128 and 800 questions, respectively. We evaluate agents five times for GPQA and once for the other domains to maintain a consistent total number of evaluations. Each domain uses zero-shot style questions, except DROP (Reading Comprehension), which uses one-shot style questions following the practice in (OpenAI,

2023). The meta agent uses “gpt-4o-2024-05-13” (OpenAI, 2024), while discovered agents and baselines are evaluated using “gpt-3.5-turbo-0125” (OpenAI, 2022) to reduce compute cost.

We present the description of each domain we provide to the meta agent.

Description of DROP (Reading Comprehension).

Your aim is to find an optimal agent performing well on the Reading Comprehension Benchmark Requiring Discrete Reasoning Over Paragraphs (DROP), which assesses the ability to perform discrete reasoning and comprehend detailed information across multiple paragraphs.

An example question from DROP:

You will be asked to read a passage and answer a question.

Passage:

Non-nationals make up more than half of the population of Bahrain, with immigrants making up about 55% of the overall population. Of those, the vast majority come from South and Southeast Asia: according to various media reports and government statistics dated between 2005-2009 roughly 290,000 Indians, 125,000 Bangladeshis, 45,000 Pakistanis, 45,000 Filipinos, and 8,000 Indonesians.

Question: What two nationalities had the same number of people living in Bahrain between 2005-2009?

Answer [Not Given]: Pakistanis and Filipinos

Description of GPQA (Science) for the meta agent.

Your aim is to find an optimal agent performing well on the GPQA (Graduate-Level Google-Proof Q&A Benchmark). This benchmark consists of challenging multiple-choice questions across the domains of biology, physics, and chemistry, designed by domain experts to ensure high quality and difficulty.

An example question from GPQA:

Two quantum states with energies E_1 and E_2 have a lifetime of 10^{-9} sec and 10^{-8} sec, respectively. We want to clearly distinguish these two energy levels. Which one of the following options could be their energy difference so that they be clearly resolved?

Answer choices:

10^{-9} eV
 10^{-8} eV
 10^{-7} eV
 10^{-6} eV

Correct answer [Not provided]:

10^{-7} eV

Explanation [Not provided]:

According to the uncertainty principle, $\Delta E \cdot \Delta t = \hbar/2$. Δt is the lifetime and ΔE is the width of the energy level. With $\Delta t = 10^{-9}$ s $\Rightarrow \Delta E_1 = 3.3 \cdot 10^{-7}$ eV. And $\Delta t = 10^{-8}$ s gives $\Delta E_2 = 3.3 \cdot 10^{-8}$ eV. Therefore, the energy difference between the two states must be significantly greater than 10^{-7} eV. So the answer is 10^{-4} eV.

Description of MGSM (Math) for the meta agent.

Your aim is to find an optimal agent performing well on the Multilingual Grade School Math Benchmark (MGSM) which evaluates mathematical problem-solving abilities across various languages to ensure broad and effective multilingual performance.

An example question from MGSM:

****Question**:** この数学の問題を解いてください。

近所では、ペットのウサギの数がペットの犬と猫を合わせた数よりも12匹少ない。犬1匹あたり2匹の猫がおり、犬の数は60匹だとすると、全部で近所には何匹のペットがいますか？

****Answer (Not Given)**:** 348

Description of MMLU (Mult-task) for the meta agent.

Your aim is to find an optimal agent performing well on the MMLU (Massive Multitask Language Understanding) benchmark, a challenging evaluation that assesses a model’s ability to answer questions across a wide range of subjects and difficulty levels. It includes subjects from STEM, social sciences, humanities, and more.

An example question from MMLU:

Answer the following multiple-choice question.

The constellation ... is a bright W-shaped constellation in the northern sky.

- (A) Centaurus
- (B) Cygnus
- (C) Cassiopeia
- (D) Cepheus

E. Baselines

In this paper, we implement five state-of-the-art hand-designed agent baselines for experiments on ARC (Section 4.1): (1) Chain-of-Thought (COT) (Wei et al., 2022), (2) Self-Consistency with Chain-of-Thought (COT-SC) (Wang et al., 2023b), (3) Self-Refine (Madaan et al., 2024; Shinn et al., 2023), (4) LLM-Debate (Du et al., 2023), and (5) Quality-Diversity, a simplified version of Intelligent Go-Explore (Lu et al., 2024c).

In addition to these baselines, we implement two more for experiments on Reasoning and Problem-Solving domains (Section 4.2): (6) Step-back Abstraction (Zheng et al., 2023) and (7) Role Assignment (Xu et al., 2023). An example implementation of Self-Refine with our simple framework is shown in Appendix B. Detailed implementations of all baselines can be found at <https://github.com/ShengranHu/ADAS>.

In COT, we prompt the FM to think step by step before answering the question. In COT-SC, we sample $N = 5$ answers and then perform an ensemble using either majority voting or an FM query. In Self-Refine, we allow up to five refinement iterations, with an early stop if the critic deems the answer correct. In LLM-Debate, each debate module is assigned a unique role, such as Physics Expert or Chemistry Expert, and the debate lasts for two rounds. In Quality-Diversity, we conduct three

iterations to collect diverse answers based on previously proposed ones. In Role Assignment, we use an FM query to first choose a role from a predefined set, and then use another FM query to answer the question by acting within the chosen role.

F. Example Agents

In this section, we present the detailed implementation of three example discovered agents by Meta Agent Search shown in Figure 1. The “Multi-Step Peer Review Agent” and “Divide and Conquer Agent” were discovered during the search in the Reading Comprehension domain (GPQA) (Rein et al., 2023), while the “Verified Multimodal Agent” was discovered during the search in the Math domain (MGSM) (Shi et al., 2023). All discovered agents can be found at <https://github.com/ShengranHu/ADAS>.

Code 4 | Example discovered agent: Multi-Step Peer Review Agent

```

1 def forward(self, taskInfo):
2     initial_instruction = "Please think step by step and then solve
        the task."
3     critique_instruction = "Please review the answer above and
        provide feedback on where it might be wrong. If you are
        absolutely sure it is correct, output 'True' in 'correct'."
4     refine_instruction = "Given previous attempts and feedback,
        carefully consider where you could go wrong in your latest
        attempt. Using insights from previous attempts, try to solve
        the task better."
5     final_decision_instruction = "Given all the above thinking and
        answers, reason over them carefully and provide a final
        answer."
6
7     FM_modules = [FM_module(['thinking', 'answer'], 'FM Module',
        role=role) for role in ['Physics Expert', 'Chemistry Expert',
        'Biology Expert', 'Science Generalist']]
8     critic_modules = [FM_module(['feedback', 'correct'], 'Critic',
        role=role) for role in ['Physics Critic', 'Chemistry Critic',
        'Biology Critic', 'General Critic']]
9     final_decision_module = FM_module(['thinking', 'answer'], 'Final
        Decision', temperature=0.1)
10
11     all_thinking = [[] for _ in range(len(FM_modules))]
12     all_answer = [[] for _ in range(len(FM_modules))]
13     all_feedback = [[] for _ in range(len(FM_modules))]
14
15     for i in range(len(FM_modules)):
16         thinking, answer = FM_modules[i]([taskInfo],
            initial_instruction)
17         all_thinking[i].append(thinking)
18         all_answer[i].append(answer)
19
20     for i in range(len(FM_modules)):
21         for j in range(len(FM_modules)):
22             if i != j:
23                 feedback, correct = critic_modules[j]([taskInfo,
                    all_thinking[i][0], all_answer[i][0]],
                    critique_instruction)
24                 all_feedback[i].append(feedback)
25

```

```

26     for i in range(len(FM_modules)):
27         refine_inputs = [taskInfo, all_thinking[i][0], all_answer[i]
28             ] + all_feedback[i]
29         thinking, answer = FM_modules[i](refine_inputs,
30             refine_instruction)
31         all_thinking[i].append(thinking)
32         all_answer[i].append(answer)
33
34     final_inputs = [taskInfo] + [all_thinking[i][1] for i in range(
35         len(FM_modules))] + [all_answer[i][1] for i in range(len(
36         FM_modules))]
37     thinking, answer = final_decision_module(final_inputs,
38         final_decision_instruction)
39
40     return answer

```

Code 5 | Example discovered agent: Divide and Conquer Agent

```

1 def forward(self, taskInfo):
2     # Step 1: Decompose the problem into sub-problems
3     decomposition_instruction = "Please decompose the problem into
4         smaller, manageable sub-problems. List each sub-problem
5         clearly."
6     decomposition_module = FM_Module(['thinking', 'sub_problems'], '
7         Decomposition Module')
8
9     # Step 2: Assign each sub-problem to a specialized expert
10    sub_problem_instruction = "Please think step by step and then
11        solve the sub-problem."
12    specialized_experts = [FM_Module(['thinking', 'sub_solution'], '
13        Specialized Expert', role=role) for role in ['Physics Expert'
14            , 'Chemistry Expert', 'Biology Expert', 'General Expert']]
15
16    # Step 3: Integrate the sub-problem solutions into the final
17    answer
18    integration_instruction = "Given the solutions to the sub-
19        problems, integrate them to provide a final answer to the
20        original problem."
21    integration_module = FM_Module(['thinking', 'answer'], '
22        Integration Module', temperature=0.1)
23
24    # Decompose the problem
25    thinking, sub_problems = decomposition_module([taskInfo],
26        decomposition_instruction)
27
28    # Ensure sub_problems is a string and split into individual sub-
29    problems
30    sub_problems_list = sub_problems.content.split('\n') if
31        isinstance(sub_problems.content, str) else []
32
33    # Solve each sub-problem
34    sub_solutions = []
35    for i, sub_problem in enumerate(sub_problems_list):
36        sub_problem_info = Info('sub_problem', decomposition_module.
37            __repr__(), sub_problem, i)
38        sub_thinking, sub_solution = specialized_experts[i % len(

```

```

        specialized_experts)]([sub_problem_info],
        sub_problem_instruction)
25     sub_solutions.append(sub_solution)
26
27     # Integrate the sub-problem solutions
28     integration_inputs = [taskInfo] + sub_solutions
29     thinking, answer = integration_module(integration_inputs,
        integration_instruction)
30
31     return answer

```

Code 6 | Example discovered agent: Verified Multimodal Agent

```

1  def forward(self, taskInfo):
2      # Instruction for generating visual representation of the
        problem
3      visual_instruction = "Please create a visual representation (e.g
        ., diagram, graph) of the given problem."
4
5      # Instruction for verifying the visual representation
6      verification_instruction = "Please verify the accuracy and
        relevance of the visual representation. Provide feedback and
        suggestions for improvement if necessary."
7
8      # Instruction for solving the problem using the verified visual
        aid
9      cot_instruction = "Using the provided visual representation,
        think step by step and solve the problem."
10
11     # Instantiate the visual representation module, verification
        module, and Chain-of-Thought module
12     visual_module = FM_Module(['visual'], 'Visual Representation
        Module')
13     verification_module = FM_Module(['feedback', 'verified_visual'],
        'Verification Module')
14     cot_module = FM_Module(['thinking', 'answer'], 'Chain-of-Thought
        Module')
15
16     # Generate the visual representation of the problem
17     visual_output = visual_module([taskInfo], visual_instruction)
18     visual_representation = visual_output[0] # Using Info object
        directly
19
20     # Verify the visual representation
21     feedback, verified_visual = verification_module([taskInfo,
        visual_representation], verification_instruction)
22
23     # Use the verified visual representation to solve the problem
24     thinking, answer = cot_module([taskInfo, verified_visual],
        cot_instruction)
25     return answer

```

G. Cost of Experiments

A single run of search and evaluation on ARC (Section 4.1) costs approximately \$500 USD in OpenAI API costs, while a run within the reasoning and problem-solving domains (Section 4.2) costs about \$300 USD.

The primary expense comes from querying the “gpt-3.5-turbo-0125” model during the evaluation of discovered agents. Notably, the latest GPT-4 model, “gpt-4o-mini,” is less than one-third the price of “gpt-3.5-turbo-0125” and offers better performance, suggesting that we could achieve improved results with Meta Agent Search at just one-third of the cost. Additionally, as discussed in Section 6, the current naive evaluation function is both expensive and overlooks valuable information. We anticipate that future work adopting more sophisticated evaluation functions could significantly reduce the cost of ADAS algorithms.