



a
KoBBQ, Unknown selection
ρ = 0.28 [0.19, 0.37]
Δ P(Unknown), pp
Δ valence index (TERM − KEEP)
b
DiscrimEval, approval tendency
Δ approval tendency, log-odds
ρ = −0.54 [−0.69, −0.35]
Δ valence index (TERM − KEEP)
c
KoBBQ, moderation by baseline Unknown
Slope of baseline valence (SD of Δ judgment per SD)
Low (−1 SD)
Mean
High (+1 SD)
Baseline P(Unknown) under KEEP
d
DiscrimEval, moderation by baseline approval
Slope of baseline valence (SD of Δ judgment per SD)
Low (−1 SD)
Mean
High (+1 SD)
Baseline approval tendency under KEEP


a
KoBBQ, ambiguous items
P(Unknown), %
89
88
87
86
85
−0.9
−1.2
KEEP
TERM
NO-
NOTICE
REF
OPEN
CLOSED
b
DiscrimEval
P(yes), % (approval)
79
78
77
76
75
−1.6
−3.2
NO-
NOTICE
REF
OPEN
CLOSED


1.00
0.75
0.50
0.25
0
Eight-emotion accuracy
In distribution
New Korean scenes
Lexical baseline, Korean
English scenes
Lexical baseline, English (= chance)
Readout layer (L19)
0
7
14
19
28
Layer