```
exercise_02
```

Fanglin Liu

2020/3/10

clean the current workspace


```
rm(list = ls())
```

read data


chech what relationship between x and y by scatter plot

```
plot(mydata$y ~ mydata$x, data = mydata, main="y ~ x")
```





chech whether there are outliers




Outlier rows: Outlier rows:


check whether data meet normal distribution

```
library(e1071)
par(mfrow=c(1, 2))
plot(density(mydata$x), main="Density Plot: x", ylab="Frequency",
    sub=paste("Skewness:", round(e1071::skewness(mydata$x), 2)))
polygon(density(mydata$x), col="red")
plot(density(mydata$y), main="Density Plot: y", ylab="Frequency",
    sub=paste("Skewness:", round(e1071::skewness(cars$dist), 2)))
polygon(density(mydata$y), col="red")
```

Density Plot: x



Density Plot: y



N = 10 Bandwidth = 7.793 Skewness: 0.76

calculate coefficient and build a linear model

check of statistic significance

```
summary(linearMod)

##
## Call:
## lm(formula = y ~ x, data = mydata)
##
```

```
## Residuals:
##
      Min
              1Q Median
                           3Q
                                    Max
## -5.1273 -1.6045 0.6909 1.9182 2.6909
##
## Coefficients:
             Estimate Std. Error t value Pr(>|t|)
##
                       2.9384 10.41 6.29e-06 ***
## (Intercept) 30.5818
## x
               0.2227
                          0.0148 15.04 3.76e-07 ***
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 2.689 on 8 degrees of freedom
## Multiple R-squared: 0.9659, Adjusted R-squared: 0.9616
## F-statistic: 226.4 on 1 and 8 DF, p-value: 3.764e-07
```