

Create S3 bucket | S3 | ap-south-1

ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1&bucketType=general

aws

Search

[Alt+S]

Account ID: 0269-0051-4273

Asia Pacific (Mumbai)

Ojas%20Jain

Amazon S3

Buckets

Create bucket

Create bucket

Info

Buckets are containers for data stored in S3.

General configuration

AWS Region
Asia Pacific (Mumbai) ap-south-1

Bucket type

Info

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name

Info

ojasjain18

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn More](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership

Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

26°C
Rain

Search

05:52 PM
13-08-2025

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Remove

All files and folders in this table will be uploaded.

 Find by name

< 1

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	SIHPORTAL.pdf	-	application/pdf	3.0 MB

Destination

s3://ojasjain18 

► Destination details

Bucket settings that impact new objects stored in the specified destination.

 After you navigate away from this page, the following information is no longer available.

Destination
s3://ojasjain18

Succeeded
✔ 1 file, 3.0 MB (100.00%)

Failed
⋮ 0 files, 0 B (0%)

Files and folders

Files and folders (1 total, 3.0 MB)


 Find by name

< 1 >

[Objects](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [Access Points](#)


 Copy S3 URI
  Copy URL
  Download
  Open
  Delete
  Actions
  Create folder
  Upload

🔍 Find objects by prefix

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	 SIHPORTAL.pdf	pdf	August 13, 2025, 17:53:20 (UTC+05:30)	3.0 MB	Standard

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\HP> aws --version
aws-cli/2.28.8 Python/3.13.4 Windows/11 exe/AMD64
PS C:\Users\HP> aws configure
AWS Access Key ID [None]: AKIAQM03FIXQ66IBJNPA
AWS Secret Access Key [None]: /fX8/qUJX9QGSXipHLtjVQH+S701uIZQrYySMoeE
Default region name [None]: ap-south-1
Default output format [None]: json
PS C:\Users\HP> aws sts get-caller-identity
{
  "UserId": "026900514273",
  "Account": "026900514273",
  "Arn": "arn:aws:iam::026900514273:root"
}
PS C:\Users\HP> aws s3 ls
2025-08-13 17:52:11 ojasjain18
PS C:\Users\HP> aws s3 cp "C:\Users\HP\Desktop\Ojas_Jain_resume_3rd_sem.pdf" s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
upload: Desktop\Ojas_Jain_resume_3rd_sem.pdf to s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> aws s3 ls s3://ojasjain18/cli/
2025-08-13 18:09:38      188236 Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> |
```

ojsain18 - S3 bucket | S3 | ap- xSecurity credentials | IAM | Glo: x +

ap-south-1.console.aws.amazon.com/s3/buckets/ojsain18?region=ap-south-1&bucketType=general&tab=objects

aws Search [Alt+S]

Asia Pacific (Mumbai) Account ID: 0269-0051-4273 Ojas%20Jain

Amazon S3 Buckets ojsain18

ojsain18 Info

Objects Properties Permissions Metrics Management Access Points

Objects (2)

Copy S3 URICopy URLDownloadOpen [New Tab]DeleteActions Create folderUpload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name

Type

Last modified

Size

Storage class

cli/

Folder

-

-

-

SIHPORTAL.pdf

pdf

August 13, 2025, 17:53:20 (UTC+05:30)

3.0 MB

Standard


CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

26°C Rain Search

38

06:10 PM 13-08-2025

 Scanned with OKEN Scanner

s3_manage.py > ...

```
1  import boto3
2
3  s3 = boto3.client('s3')
4
5  bucket_name = "ojasjain18"
6
7  def upload_file(file_path, object_name):
8      try:
9          s3.upload_file(file_path, bucket_name, object_name)
10         print(f"✅ Uploaded '{file_path}' as '{object_name}'")
11     except Exception as e:
12         print(f"❌ Upload failed: {e}")
13
14  def delete_file(object_name):
15      try:
16          s3.delete_object(Bucket=bucket_name, Key=object_name)
17          print(f"🗑 Deleted '{object_name}'")
18     except Exception as e:
19         print(f"❌ Delete failed: {e}")
20
21  print("AWS S3 File Manager")
22  print("1. Upload a file")
23  print("2. Delete a file")
24  choice = input("Enter your choice (1 or 2): ")
25
26  if choice == "1":
27      file_path = input("Enter the full file path (e.g., C:\\Users\\HP\\Desktop\\file.pdf): ")
28      object_name = input("Enter the name to store in S3 (e.g., foldername/file.pdf): ")
29      upload_file(file_path, object_name)
30
31  elif choice == "2":
32      object_name = input("Enter the S3 object name to delete (e.g., foldername/file.pdf): ")
33      delete_file(object_name)
34
35  else:
36      print("❌ Invalid choice")
37
```

Ln 20, Col 1 Spaces: 4 UTF-8 CRLF {} Python 3.13.6



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\HP> aws --version
aws-cli/2.28.8 Python/3.13.4 Windows/11 exe/AMD64
PS C:\Users\HP> aws configure
AWS Access Key ID [None]: AKIAQM03FIXQ66IBJNPA
AWS Secret Access Key [None]: /fX8/qUJX9QGSXipHLTjVQH+S701uIZQrYySMoeE
Default region name [None]: ap-south-1
Default output format [None]: json
PS C:\Users\HP> aws sts get-caller-identity
{
  "UserId": "026900514273",
  "Account": "026900514273",
  "Arn": "arn:aws:iam::026900514273:root"
}

PS C:\Users\HP> aws s3 ls
2025-08-13 17:52:11 ojasjain18
PS C:\Users\HP> aws s3 cp "C:\Users\HP\Desktop\Ojas_Jain_resume_3rd_sem.pdf" s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
upload: Desktop\Ojas_Jain_resume_3rd_sem.pdf to s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> aws s3 ls s3://ojasjain18/cli/
2025-08-13 18:09:38      188236 Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> pip install boto3
Requirement already satisfied: boto3 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (1.40.7)
Requirement already satisfied: botocore<1.41.0,>=1.40.7 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.40.7)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.0.1)
Requirement already satisfied: s3transfer<0.14.0,>=0.13.0 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (0.13.1)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.9.0.post0)
Requirement already satisfied: urllib3!=2.2.0,<3,>=1.25.4 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.5.0)
Requirement already satisfied: six>=1.5 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.41.0,>=1.40.7->boto3) (1.17.0)
PS C:\Users\HP> cd "C:\Users\HP\Desktop\CODING"
PS C:\Users\HP\Desktop\CODING> python s3_manage.py
AWS S3 File Manager
1. Upload a file
2. Delete a file
Enter your choice (1 or 2):
```



```
Windows PowerShell
PS C:\Users\HP> aws --version
aws-cli/2.28.8 Python/3.13.4 Windows/11 exe/AMD64
PS C:\Users\HP> aws configure
AWS Access Key ID [None]: AKIAQM03FIXQ66IBJNPA
AWS Secret Access Key [None]: /fX8/qUJX9QGSXipHtjVQH+S701uIZQrYySMoeE
Default region name [None]: ap-south-1
Default output format [None]: json
PS C:\Users\HP> aws sts get-caller-identity
{
  "UserId": "026900514273",
  "Account": "026900514273",
  "Arn": "arn:aws:iam::026900514273:root"
}
PS C:\Users\HP> aws s3 ls
2025-08-13 17:52:11 ojasjain18
PS C:\Users\HP> aws s3 cp "C:\Users\HP\Desktop\Ojas_Jain_resume_3rd_sem.pdf" s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
upload: Desktop\Ojas_Jain_resume_3rd_sem.pdf to s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> aws s3 ls s3://ojasjain18/cli/
2025-08-13 18:09:38 188236 Ojas_Jain_resume_3rd_sem.pdf
PS C:\Users\HP> pip install boto3
Requirement already satisfied: boto3 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (1.40.7)
Requirement already satisfied: botocore<1.41.0,>=1.40.7 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.40.7)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.0.1)
Requirement already satisfied: s3transfer<0.14.0,>=0.13.0 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (0.13.1)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.9.0.post0)
Requirement already satisfied: urllib3!=2.2.0,<3,>=1.25.4 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.5.0)
Requirement already satisfied: six>=1.5 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.41.0,>=1.40.7->boto3) (1.17.0)
PS C:\Users\HP> cd "C:\Users\HP\Desktop\CODING"
PS C:\Users\HP\Desktop\CODING> python s3_manage.py
AWS S3 File Manager
1. Upload a file
2. Delete a file
Enter your choice (1 or 2): 1
Enter the full file path (e.g., C:\Users\HP\Desktop\file.pdf): C:\Users\HP\Desktop\Group_23_MUFG_Hackathon.pptx
Enter the name to store in S3 (e.g., foldername/file.pdf): MUFG_hackathon.pptx
✓ Uploaded 'C:\Users\HP\Desktop\Group_23_MUFG_Hackathon.pptx' as 'MUFG_hackathon.pptx'
PS C:\Users\HP\Desktop\CODING>
```



ojsain18 - S3 bucket | S3 | ap- xSecurity credentials | IAM | Glo: x +

ap-south-1.console.aws.amazon.com/s3/buckets/ojsain18?region=ap-south-1&bucketType=general&tab=objects

aws Search [Alt+S]

Asia Pacific (Mumbai) Account ID: 0269-0051-4273 Ojas%20Jain

Amazon S3 Buckets ojsain18

ojsain18 Info

Objects Properties Permissions Metrics Management Access Points

Objects (3)

Refresh

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	cli/	Folder	-	-	-
<input type="checkbox"/>	MUFG_hackathon.pptx	pptx	August 13, 2025, 18:29:03 (UTC+05:30)	3.9 MB	Standard
<input type="checkbox"/>	SIHPORTAL.pdf	pdf	August 13, 2025, 17:53:20 (UTC+05:30)	3.0 MB	Standard

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


9+ 2 cm of rain Today

Search

38

ENG US

06:29 PM 13-08-2025

 Scanned with OKEN Scanner

```

Windows PowerShell
C:\Users\HP> aws sts get-caller-identity
{
  "UserId": "026900514273",
  "Account": "026900514273",
  "Arn": "arn:aws:iam::026900514273:root"
}

C:\Users\HP> aws s3 ls
2025-08-13 17:52:11 ojasjain18
C:\Users\HP> aws s3 cp "C:\Users\HP\Desktop\Ojas_Jain_resume_3rd_sem.pdf" s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
upload: Desktop\Ojas_Jain_resume_3rd_sem.pdf to s3://ojasjain18/cli/Ojas_Jain_resume_3rd_sem.pdf
C:\Users\HP> aws s3 ls s3://ojasjain18/cli/
2025-08-13 18:09:38 188236 Ojas_Jain_resume_3rd_sem.pdf
C:\Users\HP> pip install boto3
Requirement already satisfied: boto3 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (1.40.7)
Requirement already satisfied: botocore<1.41.0,>=1.40.7 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.40.7)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (1.0.1)
Requirement already satisfied: s3transfer<0.14.0,>=0.13.0 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from boto3) (0.13.1)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.9.0.post0)
Requirement already satisfied: urllib3!>=2.2.0,<3,>=1.25.4 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from botocore<1.41.0,>=1.40.7->boto3) (2.5.0)
Requirement already satisfied: six>=1.5 in c:\users\hp\appdata\local\programs\python\python313\lib\site-packages (from python-dateutil<3.0.0,>=2.1->botocore<1.41.0,>=1.40.7->boto3) (1.17.0)
C:\Users\HP> cd "C:\Users\HP\Desktop\CODING"
C:\Users\HP\Desktop\CODING> python s3_manage.py
AWS S3 File Manager
1. Upload a file
2. Delete a file
Enter your choice (1 or 2): 1
Enter the full file path (e.g., C:\Users\HP\Desktop\file.pdf): C:\Users\HP\Desktop\Group_23_MUFG_Hackathon.pptx
Enter the name to store in S3 (e.g., foldername/file.pdf): MUFG_hackathon.pptx
✅ Uploaded 'C:\Users\HP\Desktop\Group_23_MUFG_Hackathon.pptx' as 'MUFG_hackathon.pptx'
C:\Users\HP\Desktop\CODING> python s3_manage.py
AWS S3 File Manager
1. Upload a file
2. Delete a file
Enter your choice (1 or 2): 2
Enter the S3 object name to delete (e.g., foldername/file.pdf): SIHPORTAL.pdf
🗑 Deleted 'SIHPORTAL.pdf'
C:\Users\HP\Desktop\CODING>

```

Objects Properties Permissions Metrics Management Access Points

  Copy S3 URI  Copy URL  Download  Open  Delete  Actions  Create folder  Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

🔍 Find objects by prefix

Empty bucket - S3 bucket ojasjain18

ap-south-1.console.aws.amazon.com/s3/bucket/ojasjain18/empty?region=ap-south-1&bucketType=general

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 0269-0051-4273

Ojas%20Jain

Successfully emptied bucket "ojasjain18"
View details below. If you want to delete this bucket, use the [delete bucket configuration](#).

CancelExit

Empty bucket: status

The details below are no longer available after you navigate away from this page.

Summary

Source

[s3://ojasjain18](#)

Successfully deleted

2 objects, 4.1 MB

Failed to delete

0 objects

Failed to delete (0)

Find objects by name

Name	Prefix	Version ID	Type	Last modified	Size	Error
No failed object deletions						

CloudShellFeedback

© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Sports headline
Football transfer

Search

ENG
US

06:35 PM
13-08-2025