


# Seedhe Maut


Namastute



 Play on Spotify


Hola Amigo



 Play on Spotify


Madira



 Play on Spotify


Champions



 Play on Spotify


Tour Shit



 Play on Spotify


TT



 Play on Spotify


Shutdown



 Play on Spotify


Nalla Freestyle



 Play on Spotify


Maina



 Play on Spotify


101



 Play on Spotify


Khatta Flow



 Play on Spotify

Nanchaku



 Play on Spotify

11K

Bhussi

Anaadi

Naksha

Pickup

Namuna

```

MINGW64~\C:\Users\HP\Desktop\CODING\SeedheMautGit
git config --global user.name "Your Name"

to set your account's default identity.
git --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'HP@DESKTOP-L8JJPEA.(none)')

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
AC
HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
^[[200~git config --global user.name "Ojas Jain"
sh: $'\E[200~git': command not found

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
git config --global user.email "ojas.jain.prog@gmail.com"

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
git config --global user.name "ojas-jain-prog"
git config --global user.email "ojasjain018@gmail.com"

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
git add .
git commit -m "Initial commit: seedhemautsite"
master (root-commit) 5dcb571 Initial commit: seedhemautsite
5 files changed, 430 insertions(+)
create mode 100644 static/101.png
create mode 100644 static/11k.png
create mode 100644 static/DL91fm.png
create mode 100644 static/bhussi.png
create mode 100644 static/hola amigo.png
create mode 100644 static/lunch_break.png
create mode 100644 static/maina.png
create mode 100644 static/naksha.png
create mode 100644 static/nalla.png
create mode 100644 static/nanchaku.png
create mode 100644 static/spotify icon.png
create mode 100644 static/tour shit.png
create mode 100644 static/tt.png
create mode 100644 templates/index.html
create mode 100644 templates/landing.html

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
git branch -M main
git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (19/19), 4.03 MiB | 1.39 MiB/s, done.
Total 19 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
https://github.com/ojas-jain-prog/Seedhemautsite.git
[new branch]      main -> main
branch 'main' set up to track 'origin/main'.

HP@DESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)

```



```
MINGW64 ~/Desktop/CODING/SeedheMautGit
git commit -m "Initial commit: seedhemautsite"
master (root-commit) 5dcb571 Initial commit: seedhemautsite
15 files changed, 430 insertions(+)
create mode 100644 static/101.png
create mode 100644 static/11k.png
create mode 100644 static/DL91fm.png
create mode 100644 static/bhussi.png
create mode 100644 static/hola_amigo.png
create mode 100644 static/lunch_break.png
create mode 100644 static/maina.png
create mode 100644 static/naksha.png
create mode 100644 static/nalla.png
create mode 100644 static/nanchaku.png
create mode 100644 static/spotify icon.png
create mode 100644 static/tour shit.png
create mode 100644 static/tt.png
create mode 100644 templates/index.html
create mode 100644 templates/landing.html
```

```
PODESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
git branch -M main
git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (19/19), 4.03 MiB | 1.39 MiB/s, done.
Total 19 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Pushing to https://github.com/ojas-jain-prog/Seedhemautsite.git
* [new branch]      main -> main
Branch 'main' set up to track 'origin/main'.
```

```
PODESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
AC
```

```
PODESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
ngrok config add-authtoken 345heNsigQZvlgM4UKHAdnk)co9_7yWot344eB9k3fn3rjp6
ash: ngrok: command not found
```

```
PODESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
git add .
git commit -m "Updated index text"
git push origin main
main c0d60ec Updated index text
1 file changed, 1 insertion(+), 1 deletion(-)
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 423 bytes | 105.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
Pushing to https://github.com/ojas-jain-prog/Seedhemautsite.git
5dcb571..c0d60ec main -> main
```

```
PODESKTOP-L8JJPEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
```





```

SEEDH... templates > index.html > html > head > style > {} @media (max-width: 800px) > h1
> static
templates
index.html M
landing.htm CAUsers\HP\Desktop\CODING\SeedheMautGit\templates\index.html • Modified

172     }
173     h1 {
174         font-size: 6vw;
175     }
176 }
177 </style>
178 </head>
179 <body>
180     <h1>Jenkins changed the heading</h1>
181     <table>
182         <!-- Row 1 -->
183         <tr><th>Namastute</th><th>Hola Amigo</th><th>Madira</th><th>Champions</th><th>Tour Shit</th><th>TT</th></tr>
184         <tr>
185             <td><a href="https://youtu.be/BAR-KBVnhfY" target="_blank"></a>
186                 <div class="spotify-container">
187                     <a class="spotify-link" href="https://open.spotify.com/track/4xj9pCtTgyG4peALUzgxl1?si=1f383df9fe48419b" target="_blank">
188                         <span class="spotify-label">Play on Spotify</span>
189                     </a>
190                 </div></td>
191
192             <td><a href="https://youtu.be/De9VIP37CjY" target="_blank"></a>
193                 <div class="spotify-container">
194                     <a class="spotify-link" href="https://open.spotify.com/track/19pHSvXUwerAXFktkvYmk9?si=df5b41f8ca6440c7" target="_blank">
195                         <span class="spotify-label">Play on Spotify</span>
196                     </a>
197                 </div></td>
198
199             <td><a href="https://youtu.be/CgK2iGxNy7M" target="_blank"></a>
200                 <div class="spotify-container">
201                     <a class="spotify-link" href="https://open.spotify.com/track/3ue7PTXmpCbn3LXfkZkxll?si=2ac60fb04be34428" target="_blank">
202                         <span class="spotify-label">Play on Spotify</span>
203                     </a>

```



# Getting Started

✓ Folders	✓ OWASP Markup Formatter	✓ Build Timeout	✓ Credentials Binding	** Token Macro
✓ Timestampers	⚙ Workspace Cleanup	⚙ Ant	⚙ Gradle	<b>Build Timeout</b>
⚙ Pipeline	⚙ GitHub Branch Source	⚙ Pipeline: GitHub Groovy Libraries	⚙ Pipeline Graph View	** bouncycastle API
⚙ Git	⚙ SSH Build Agents	⚙ Matrix Authorization Strategy	⚙ LDAP	** Credentials
⚙ Email Extension	⚙ Mailer	⚙ Dark Theme		** Plain Credentials
				** Variant
				** SSH Credentials
				<b>Credentials Binding</b>
				** SCM API
				** Pipeline: API
				<b>Timestampers</b>
				** Caffeine API
				** Script Security
				** JavaBeans Activation Framework (JAF) API
				** JAXB
				** SnakeYAML API
				** Jakarta Activation API
				** Jakarta XML Binding API
				** JSON Api
				** Jackson 2 API
				** Pipeline: Supporting APIs
				** - required dependency



## New Item

Enter an item name

seedhemautilsite-pipeline

Select an item type



### Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



### Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



### Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



### Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



### Multi-branch pipeline

OK

# Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

## Repositories ?

Repository URL ?

https://github.com/ojas-jain-prog/Seedhemautesite.git

Credentials ?

- none -

+ Add

Advanced

Add Repository

## Branches to build ?

Branch Specifier (blank for 'any') ?

\*/main

Add Branch

Save

Apply

- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#2'
- Polling Log
- Timings
- Git Build Data
- Previous Build

## Changes

### Summary

1. Updated index text ([details](#))

**Commit** `c0d60ec6667c90cd05dc81d5a455ca3ec0d52ff5` by `ojasjain018`  
updated index text

[templates/index.html \(diff\)](#)


REST API Jenkins 2.516.3



CI/CD pipeline setup

seedhemaubsite-pipeline #2

imperialistic-veronica-unshadily.ngrok-free.dev/job/seedhemaubsite-pipeline/2/

 **Jenkins**

seedhemaubsite-pipeline / #2

🔍

⚙️

👤

Status

Changes

Console Output

Edit Build Information

Delete build '#2'

Polling Log

Timings

Git Build Data

Previous Build

✅ #2 (Oct 15, 2025, 12:22:30 PM)

🕒

Started by GitHub push by ojas-jain-prog

Started 42 sec ago  
Took 4.2 sec

🕒

This run spent:

- 7.2 sec waiting;
- 4.2 sec build duration;
- 11 sec total from scheduled to completion.

📦 git

Revision: c0d60ec6667c90cd05dc81d5a455ca3ec0d52ff5

Repository: <https://github.com/ojas-jain-prog/Seedhemaubsite.git>

- refs/remotes/origin/main

📄

Changes


- Updated index text (details / [githubweb](#))

Add description

Keep this build forever

REST API

Jenkins 2.516.3



ENG  
15:10:2025

12:23 PM

```

MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ git add Jenkinsfile
$ git commit -m "Added Jenkinsfile for CI/CD deployment"
$ git push
fatal: pathspec 'Jenkinsfile' did not match any files
In branch main
Your branch is up to date with 'origin/main'.

Untracked files:
(use "git add <file>..." to include in what will be committed)
    templates/Jenkinsfile

nothing added to commit but untracked files present (use "git add" to track)
Everything up-to-date

MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ git add index.html
$ git commit -m "Trigger Jenkins build - test deploy"
$ git push origin main
fatal: pathspec 'index.html' did not match any files
In branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
    modified:   templates/index.html

Untracked files:
(use "git add <file>..." to include in what will be committed)
    templates/Jenkinsfile

no changes added to commit (use "git add" and/or "git commit -a")
Everything up-to-date

MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ AC

MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ git add templates/index.html templates/Jenkinsfile
$ git commit -m "Trigger Jenkins build - test deploy"
$ git push origin main
[main b8b3ccb] Trigger Jenkins build - test deploy
2 files changed, 58 insertions(+), 1 deletion(-)
create mode 100644 templates/Jenkinsfile
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1.05 KiB | 1.05 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ojas-jain-prog/Seedhemautsite.git
   c0d60ec..b8b3ccb  main -> main

MINGW64 ~/Desktop/CODING/SeedheMautGit (main)

```



SEEDH...  
> static  
templates  
index.html M  
jenkinsfile U  
landing.html

templates > index.html > html > head > style > {} @media (max-width: 800px) > h1

```
2 <html lang="en">
3 <head>
8 <style>
162 @media (max-width: 800px) {
163   table {
168   }
169   td img {
170     width: 28vw;
171     height: 16vw;
172   }
173   h1 {
174     font-size: 6vw;
175   }
176 }
177 </style>
178 </head>
179 <body>
180 <h1>Jenkins code changed the heading</h1>
181 <table>
182   <!-- Row 1 -->
183   <tr><th>Namastute</th><th>Hola Amigo</th><th>Madira</th><th>Champions</th><th>Tour Shit</th><th>TT</th></tr>
184   <tr>
185     <td><a href="https://youtu.be/BAR-KBVnhfY" target="_blank"></a>
186       <div class="spotify-container">
187         <a class="spotify-link" href="https://open.spotify.com/track/4xj9pCtTgyGHpeALUzgx1l?si=1f383df9fe48419b" target="_blank">
188           <span class="spotify-label">Play on Spotify</span>
189         </a>
190       </div></td>
191     <td><a href="https://youtu.be/de9VIP37CjY" target="_blank"></a>
192       <div class="spotify-container">
193         <a class="spotify-link" href="https://open.spotify.com/track/19pHSvXUMerAXFtkkvYmk9?si=df5b41f8ca6440c7" target="_blank">
194           <span class="spotify-label">Play on Spotify</span>
195         </a>
196       </div></td>
197     <td><a href="https://youtu.be/CgX2iGxNy7M" target="_blank"></a>
198   </td>
199   <td><a href="https://youtu.be/CgX2iGxNy7M" target="_blank"></a>
```

> OUTLINE

> TIMELINE

o jas-jain-prog (12 hours ago) Ln 175, Col 4 Spaces: 2 UTF-8 CRLF {} HT



Scanned with OKEN Scanner

```

MINGW64~/Users/HP/Desktop/CODING/SeedheMautGit
create mode 100644 static/tt.png
create mode 100644 templates/index.html
create mode 100644 templates/landing.html

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (master)
$ git branch -M main
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (19/19), 4.03 MiB | 1.39 MiB/s, done.
Total 19 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ojas-jain-prog/Seedhemautsite.git
 * [new branch]      main -> main
Branch 'main' set up to track 'origin/main'.

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ AC

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ ngrok config add-auth-token 345heNsigQZvlgM4UXHAdlkJcoB_7yWVot344eB9k3fn3rjP6
bash: ngrok: command not found

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ git add .
$ git commit -m "Updated index text"
$ git push origin main
main c0d60ec] Updated index text
1 file changed, 1 insertion(+), 1 deletion(-)
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 423 bytes | 105.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ojas-jain-prog/Seedhemautsite.git
 5dcb571..c0d60ec main -> main

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)
$ git add Jenkinsfile
$ git commit -m "Added Jenkinsfile for CI/CD deployment"
$ git push
fatal: pathspec 'Jenkinsfile' did not match any files
You are on branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    templates/Jenkinsfile

nothing added to commit but untracked files present (use "git add" to track)
everything up-to-date

IP@DESKTOP-L8JJFEA MINGW64 ~/Desktop/CODING/SeedheMautGit (main)

```





Status

</> Changes

📁 Workspace

▶ Build Now

⚙️ Configure

🗑 Delete Project

📄 GitHub Hook Log

✎ Rename

👤 Credentials

## Changes

#3 (Oct 15, 2025, 12:48:27 PM)

1. Trigger Jenkins build - test deploy — ojasjain018 / githubweb

#2 (Oct 15, 2025, 12:22:30 PM)

1. Updated index text — ojasjain018 / githubweb

### Builds

⋮ ↺

🔍 Filter

/

Today

- ✅ #3 12:48 PM ▼
- ✅ #2 12:22 PM ▼
- ✅ #1 12:19 PM ▼



## Global credentials (unrestricted)

+ Add Credentials

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
 <a href="#">github-push-token</a>	ojas-jain-prog/***** (GitHub PAT for gh-pages)	Username with password	GitHub PAT for gh-pages 

Icon:

S

M

L



ngrok

(Ctrl+C to quit)

Using ngrok for OSS? Request a community license: <https://ngrok.com/r/oss>

Session Status

online

Account

ojas-jain-prog (Plan: Free)

Version

3.24.0-msix

Region

India (in)

Web Interface

<http://127.0.0.1:4040>

Forwarding

<https://imperialistic-veronica-unshadily.ngrok-free.dev> -> <http://localhost:8080>

Connections

ttl	opn	rt1	rt5	p50	p90
0	0	0.00	0.00	0.00	0.00



```
Windows PowerShell
ngrok
( Ctrl+C to quit)

Using ngrok for OSS? Request a community license: https://ngrok.com/r/oss

Session Status      online
Account             ojas-jain-prog (Plan: Free)
Version             3.24.0-msix
Region              India (in)
Latency              8ms
Web Interface        http://127.0.0.1:4040
Forwarding           https://imperialistic-veronica-unshadily.ngrok-free.dev -> http://localhost:8080

Connections
  ttl    opn    rt1    rt5    p50    p90
    35     0    0.02   0.04   0.19   46.70

HTTP Requests
-----
12:22:21.583 IST POST /github-webhook/ 200 OK
12:21:39.352 IST GET /job/seedhemautesite-pipeline/buildHistory/ajax 200 OK
12:19:41.631 IST GET /job/seedhemautesite-pipeline/contextMenu 200 OK
12:19:41.631 IST GET /job/seedhemautesite-pipeline/childrenContextMenu 200 OK
12:19:40.571 IST GET /job/seedhemautesite-pipeline/buildHistory/ajax 200 OK
12:19:40.571 IST GET /i18n/resourceBundle 200 OK
12:19:40.258 IST GET /job/seedhemautesite-pipeline/changes 200 OK
12:19:37.513 IST GET /job/seedhemautesite-pipeline/buildHistory/ajax 200 OK
12:19:32.400 IST GET /job/seedhemautesite-pipeline/buildHistory/ajax 200 OK
12:19:32.400 IST GET /i18n/resourceBundle 200 OK
```



Personal Access Tokens (Classic) x +

github.com/settings/tokens

Google Duo - Andr... www.resonance.ac.in D How Artificial Intelli... www Gmail YouTube Maps TALLENTX Adobe Acrobat All Bookmarks

Settings / Developer Settings

Type (7) to search

Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

Personal access tokens (classic)

Generate new token

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your personal access token now. You won't be able to see it again!

Copied!

ghp\_8M8yE5J3ZYCSgqmfCZuVScR4eLCeeX4Gq44P Delete

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

© 2025 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

12:39 PM 15-10-2025

Scanned with OKEN Scanner

Webhooks - Settings - ojas-jainDashboard - Jenkins

github.com/ojas-jain-prog/Seedhemaautosite/settings/hooks

Google Duo - Andr...www.resonance.ac.inD How Artificial Intelli...wwwGmailYouTubeMapsTALLENTEXAdobe AcrobatAll Bookmarks

ojas-jain-prog / Seedhemaautosite

Type / to search

<> CodeIssuesPull requestsActionsProjectsWikiSecurityInsightsSettings

Okay, that hook was successfully created. We sent a ping payload to test it out! Read more about it at https://docs.github.com/webhooks/#ping-event.

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Models

Webhooks

Copilot

Environments

Codespaces

Pages

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our [Webhooks Guide](#).

https://imperialistic-veronica-unsha... (push)

EditDelete

This hook has never been triggered.

3

Windows Taskbar Icons

ENG US

12:14 PM 15-10-2025

github.com/ojas-jain-prog/Seedhemaute/site/settings/hooks/new

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Models

**Webhooks**

Copilot

Environments

Codespaces

Pages

Security

Advanced Security

Deploy keys

Secrets and variables

Integrations

GitHub Apps

Email notifications

We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, x-www-form-urlencoded, etc). More information can be found in [our developer documentation](#).

**Payload URL \***

https://imperialistic-veronica-unshadily.ngrok-free.dev/github-webhook/

**Content type \***

application/json

**Secret**

**SSL verification**

By default, we verify SSL certificates when delivering payloads.

☒ Enable SSL verification ☐ Disable (not recommended)

**Which events would you like to trigger this webhook?**

☒ Just the push event.

☐ Send me everything.

☐ Let me select individual events.

☒ **Active**

We will deliver event details when this hook is triggered.

Add webhook



```

C:\MinGW64\bin>git add .
no changes added to commit (use "git add" and/or "git commit -a")
everything up-to-date

C:\MinGW64\bin>git commit -m "Trigger Jenkins build - test deploy"
[master b8b3ccb] Trigger Jenkins build - test deploy
2 files changed, 58 insertions(+), 1 deletion(-)
create mode 100644 templates/Jenkinsfile
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 1.05 KiB | 1.05 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ojas-jain-prog/SeedhemautGit
   c0d60ec..b8b3ccb  main -> main

C:\MinGW64\bin>cd templates
C:\MinGW64\bin>python -m http.server 8081
Serving HTTP on :: port 8081 (http://[::]:8081/) ...
1 - - [15/Oct/2025 13:01:03] "GET / HTTP/1.1" 200 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /lunch_break.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /spotify%20icon.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /hola%20amigo.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "GET /tour%20shit.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /tt.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "GET /DL91fm.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /nalla.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "GET /maina.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /101.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /nanchaku.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /11k.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /bhussi.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /naksha.png HTTP/1.1" 404 -
1 - - [15/Oct/2025 13:01:04] "code 404, message File not found"
1 - - [15/Oct/2025 13:01:04] "GET /favicon.ico HTTP/1.1" 404 -

```





# Jenkins code Changed the heading

Namastute

[Namastute](#)



Play on Spotify

Hola Amigo

[Hola Amigo](#)



Play on Spotify

Madira

[Madira](#)



Play on Spotify

Champions

[Champions](#)



Play on Spotify

Tour Shit

[Tour Shit](#)



Play on Spotify

TT

[TT](#)



Play on Spotify

Shutdown

[Shutdown](#)



Play on Spotify

Nalla Freestyle

[Nalla Freestyle](#)



Play on Spotify

Malna

[Malna](#)



Play on Spotify

101

[101](#)



Play on Spotify

Khatta Flow

[Khatta Flow](#)



Play on Spotify

Nanchaku

[Nanchaku](#)



Play on Spotify

11K

[11K](#)

Bhussi

[Bhussi](#)

Anaadi

[Anaadi](#)

Naksha

[Naksha](#)

Pickup

[Pickup](#)

Namuna

[Namuna](#)



Scanned with OKEN Scanner