

```
import pandas as pd
import matplotlib.pyplot as plt
titanic_filepath = "/content/titanic_dataset.csv"
titanic = pd.read_csv(titanic_filepath)
import seaborn as sns
sns.set(style="white",color_codes=True)
titanic_pclass_fig, titanic_pclass_ax = plt.subplots()
color = ['cyan', 'purple', 'olive']
count = 0
for name, group in titanic.groupby('Pclass'):
    titanic_pclass_ax.plot(group.Age, group.Fare, '.',
                           label = name, alpha = 0.6,
                           c = color[count])
    count += 1
titanic_pclass_ax.legend(numpoints=1, title = "Passenger class", fontsize = 10)
plt.xlabel('Age (years)')
plt.ylabel('Fare (pounds, 1912 prices)')
titanic_pclass_ax.set_xlim(-1, 85)
titanic_pclass_ax.set_ylim(-1, 600)
plt.show(titanic_pclass_fig)
        600
             Passenger class
                     1
```




```
sns.lineplot(x="Pclass",y="Fare",data=titanic)
plt.show()
```




```
import seaborn as sns
sns.set(style="white",color_codes=True)


titanic_hist = titanic.Fare.plot.hist(bins = 40, color = 'lightcoral')
plt.xlabel('Fare (pounds, 1912 prices)')

plt.show(titanic_hist)
```



/usr/local/lib/python3.7/dist-packages/matplotlib/cbook/__init__.py:1376: VisibleDep
X = np.atleast_1d(X.T if isinstance(X, np.ndarray) else np.asarray(X))





Colab paid products - Cancel contracts here

✓ 0s completed at 11:29 AM

×