



# HIGH-SPEED CIRCULAR SAW MACHINES



# PRODUCT CATALOGUE OF METAL CIRCULAR SAWING MACHINES



## MCS SCISSOR-TYPE 70X-100X

MEBA India's MCS series (Models 70X, 80X and 100X) offers high-performance circular saw machines designed for fast, accurate, stable industrial metal cutting.

- Scissor-Type Cutting Mechanism
- Fully servo-driven motors (Feeding and Material) with ball screw feeding
- IOT-ENABLED intelligent control system
- Auto Lubrication system
- Integrated air filtration system
- Rigid hydraulic clamping and advanced blade guiding
- Strong gearbox construction for consistent performance and extended tool life
- Automatic chip removal, blade cleaning, and micro mist lubrication



# TECHNICAL SPECIFICATIONS

| CUTTING MODE            | SCISSOR TYPE |                               |                               |                               |
|-------------------------|--------------|-------------------------------|-------------------------------|-------------------------------|
| Circular Saw Model      | Unit         | MCS 70-X                      | MCS 80-X                      | MCS 100-X                     |
| Cutting Capacity Round  | mm           | 08-70                         | 10-80                         | 20-100                        |
| Cutting Capacity Square | mm           | 08-50                         | 10-60                         | 20-75                         |
| Saw Cutter Size         | mm           | 285*32*1.75                   | 285*2.0*1.75                  | 330*2.25*2                    |
| Saw Cutter Speed        | m/min        | 50-140                        | 0-200                         | 0-180                         |
| Saw Cutter Motor        | kW           | 4.0                           | 7.5                           | 11                            |
| Hydraulic Motor         | kW           | 1.5                           | 2.2                           | 2.2                           |
| Feed Motor              | kW           | 0.85                          | 1                             | 2                             |
| Material Feeding Motor  | kW           | 0.85                          | 1                             | 1.5                           |
| Hydraulic Oil           | L            | 33                            | 90                            | 90                            |
| Mist Oil                | L            | 3                             | 3                             | 3                             |
| Machine Size            | mm           | 1855(W)<br>1700(H)<br>1530(L) | 1700(W)<br>1900(H)<br>7500(L) | 1900(W)<br>1900(H)<br>7500(L) |
| Machine Weight          | Kg           | 1950                          | 2100                          | 2300                          |
| Bed Height              | mm           | 947                           | 920                           | 920                           |

## MCS PUSH-TYPE 80PT-300PT

The **MEBA India MCS-PT PUSH-TYPE** series (80PT-300PT) offers high-precision circular saws for efficient metal cutting in workshops and production, with capacities from 80 mm to 300 mm.

- Push-Type Cutting Mechanism
- Rigid casting bed for enhanced stability
- High-precision, backlash-free gearbox
- Servo-driven ball-screw feeding with rigid hydraulic clamping
- Air-conditioned electrical panel for optimal temperatures
- Integrated fire extinguisher for safety
- HMI software for cutter data analysis and blade life monitoring
- Automatic chip conveyor and lubrication systems




# TECHNICAL SPECIFICATIONS

| CUTTING MODE            |       | PUSH TYPE                     |                               |                               |                               |                               |                               |                               |                               |                               |
|-------------------------|-------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Circular Saw Model      | Unit  | MCS 80-PT                     | MCS 85-PT                     | MCS 100-PT                    | MCS 110-PT                    | MCS 120-PT                    | MCS 130-PT                    | MCS 150-PT                    | MCS 160-PT                    | MCS 180-PT                    |
| Cutting Capacity Round  | mm    | 10-80                         | 10-85                         | 15-100                        | 15-110                        | 15-120                        | 15-130                        | 60-150                        | 60-160                        | 70-180                        |
| Cutting Capacity Square | mm    | 10-54                         | 10-57                         | 15-70                         | 15-84                         | 15-84                         | 15-87                         | 60-110                        | 60-115                        | 70-125                        |
| Saw Cutter Size         | mm    | 300*34*1.75                   | 300*34*1.75                   | 360*40*2.25(1.7)              | 380*50*2.25(1.75)             | 380*50*2.25(1.75)             | 405*40*2.25(1.7)              | 485*50*2.25*2.7               | 485*50*2.25*2.7               | 530*50*2.25*2.7               |
| Saw Cutter Speed        | m/min | 50-140                        | 50-130                        | 45-120                        | 45-120                        | 45-120                        | 45-120                        | 40-100                        | 40-100                        | 40-95                         |
| Saw Cutter Motor        | kW    | 7.5                           | 7.5                           | 11                            | 11                            | 11                            | 11                            | 18.5                          | 18.5                          | 18.5                          |
| Hydraulic Motor         | kW    | 1.5                           | 1.5                           | 2.25                          | 2.25                          | 2.25                          | 2.25                          | 3.75                          | 3.75                          | 3.75                          |
| Feed Motor              | kW    | 0.85                          | 0.85                          | 1.3                           | 1.3                           | 1.3                           | 1.3                           | 1.8                           | 1.8                           | 1.8                           |
| Material Feeding Motor  | kW    | 0.85                          | 0.85                          | 1.3                           | 1.3                           | 1.3                           | 1.3                           | 1.8                           | 1.8                           | 1.8                           |
| Hydraulic Oil           | L     | 33                            | 33                            | 42                            | 42                            | 42                            | 42                            | 52                            | 52                            | 52                            |
| Mist Oil                | L     | 3                             | 3                             | 3                             | 3                             | 3                             | 3                             | 3                             | 3                             | 3                             |
| Machine Size            | mm    | 2000(W)<br>1900(H)<br>1780(L) | 2000(W)<br>1900(H)<br>1780(L) | 2100(W)<br>2000(H)<br>2060(L) | 2100(W)<br>2000(H)<br>2060(L) | 2100(W)<br>2000(H)<br>2060(L) | 2100(W)<br>2000(H)<br>2060(L) | 2500(W)<br>1950(H)<br>2350(L) | 2500(W)<br>1950(H)<br>2350(L) | 2500(W)<br>1950(H)<br>2400(L) |
| Machine Weight          | Kg    | 3460                          | 3460                          | 3600                          | 3650                          | 3650                          | 3660                          | 5050                          | 5050                          | 5200                          |
| Bed Height              | mm    | 1017                          | 1017                          | 992                           | 992                           | 992                           | 992                           | 962                           | 962                           | 964                           |

| CUTTING MODE            |       | PUSH TYPE                     |                               |                               |                               |                               |
|-------------------------|-------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Circular Saw Model      | Unit  | MCS 200-PT                    | MCS 230-PT                    | MCS 260-PT                    | MCS 280-PT                    | MCS 300-PT                    |
| Cutting Capacity Round  | mm    | 70-200                        | 100-230                       | 140-260                       | 150-280                       | 160-300                       |
| Cutting Capacity Square | mm    | 70-155                        | 100-175                       | 140-200                       | 150-220                       | 160-230                       |
| Saw Cutter Size         | mm    | 630*80*2.7*3.4                | 700*80*3.2*3.8                | 850*80*3.4*4.0                | 890*80*3.6*4.2                | 910*80*3.6*4.2                |
| Saw Cutter Speed        | m/min | 30-85                         | 30-75                         | 30-70                         | 30-65                         | 30-65                         |
| Saw Cutter Motor        | kW    | 22                            | 30                            | 37                            | 45                            | 45                            |
| Hydraulic Motor         | kW    | 5.5                           | 5.5                           | 5.5                           | 7.5                           | 7.5                           |
| Feed Motor              | kW    | 2.9                           | 2.9                           | 4.4                           | 4.4                           | 7.5                           |
| Material Feeding Motor  | kW    | 2.9                           | 2.9                           | 4.4                           | 4.4                           | 7.5                           |
| Hydraulic Oil           | L     | 90                            | 90                            | 90                            | 90                            | 90                            |
| Mist Oil                | L     | 3                             | 3                             | 3                             | 3                             | 3                             |
| Machine Size            | mm    | 2860(W)<br>2200(H)<br>2500(L) | 2860(W)<br>2200(H)<br>2600(L) | 3450(W)<br>2650(H)<br>2500(L) | 3450(W)<br>2650(H)<br>2600(L) | 3450(W)<br>2650(H)<br>2700(L) |
| Machine Weight          | Kg    | 6500                          | 6800                          | 10000                         | 10200                         | 11000                         |
| Bed Height              | mm    | 994                           | 994                           | 1024                          | 1024                          | 1024                          |

## MEBA INDIA PVT. LTD.

**Phone :** +91-86850-00843  
**Email :** info@mebaindia.com  
**Website :** www.mebaindia.com  
**Address :** Plot No-160, DLF Industrial Estate,  
 Phase-1, Village Atmadpur,  
 Faridabad-121003



### INQUIRY FORM



### SERVICES REGISTRATION

