

```

# count frequency of characters in a string.
"""
st :- hello world
{'h':1 , 'e':1 , 'l':3 , 'o':2 , 'w':1 , 'r':1 , 'd':1 , ' ':1}
"""

# d={10:20 , 30:50}
# d[40]=60
# print(d) => {10: 20, 30: 50, 40: 60}

"""
st=input("Enter Any string : ")
frequency={}

for i in st:
    if(i in frequency):
        frequency[i]+=1 # frequency["h"]=1
    else:
        frequency[i]=1

print(frequency)
for i in frequency:
    print(i," : ",frequency[i])

"""

# merge two dictionaries

d1={1:10,2:20,3:30,10:10,5:12}

# d2={"one":1,"two":2}
# d3=d1|d2
# d1.update(d2)
# print(d3)

# find maximum and minimum key and value pairs in the dictionary
# -----
"""
v=d1.values() # list of all values
max=max(v) # get maximum value
min=min(v) # get maximum value

for key in d1:
    if(d1[key]==max):
        print(key,":",d1[key])
    if(d1[key]==min):
        print(key,":",d1[key])
"""

# ===== Student Grade Book System =====
students=[]

ans='y'
while(ans=="y"):
    name=input("Enter Student Name : ")

```

```

age=input("Enter Student Age : ")
print()
hindi=int(input("Enter hindi marks : "))
english=int(input("Enter english marks : "))
maths=int(input("Enter maths marks : "))
science=int(input("Enter science marks : "))
computer=int(input("Enter computer marks : "))
print()

total_marks = hindi+english+maths+science+computer
percentage = (total_marks/500)*100

std = {"Name":name , "Age":age, "total_marks":total_marks,'percentage':percentage}

students.append(std)

ans=input("Do you want to insert the record of the Student (y/n) : ")
print()

print(students)
print()

# here records contains all dictionaries inside the students list.

print()
print("===== Students Records =====")

index=1
for records in students:

    print(f"""
    Name of Student {index} :\t{records["Name"]}
    Age of Student {index} :\t{records["Age"]}
    ~~~~~~
    Total Marks is :\t{records["total_marks"]}
    Percentage is :\t{records["percentage"]}
    .....\\n
    """)

    index+=1

print("=====")

```

