



CSS Coding Snippets

(level 1)

1. CSS Selectors

Which CSS selector is used to select elements by their class name?

```
.example {  
  color: red;  
}
```

- A) .example
- B) #example
- C) example
- D) *example

Answer: A) .example

2. CSS Font Size

Which of the following sets the font size of a paragraph to 16 pixels?

```
p {  
  font-size: 16px;  
}
```

- A) font: 16px;
- B) font-size: 16px;
- C) text-size: 16px;
- D) size: 16px;

Answer: B) font-size: 16px;

3. Background Color

How do you set a background color of blue for a div element?

```
div {  
  background-color: blue;  
}
```

- A) color: blue;
- B) bgcolor: blue;
- C) background: blue;
- D) background-color: blue;

Answer: D) background-color: blue;



4. Text Alignment

Which CSS property is used to center-align text within an element?

```
h1 {  
  text-align: center;  
}
```

- A) align: center;
- B) text-align: center;
- C) text-align: middle;
- D) align-text: center;

Answer: B) text-align: center;

5. Margin Property

How do you set the top margin of an element to 20 pixels?

```
div {  
  margin-top: 20px;  
}
```

- A) margin: 20px;
- B) padding: 20px;
- C) margin-top: 20px;
- D) top-margin: 20px;

Answer: C) margin-top: 20px;

6. Border Property

Which of the following correctly adds a solid, 2-pixel thick, black border around a div?

```
div {  
  border: 2px solid black;  
}
```

- A) border: solid 2px black;
- B) border: 2px black solid;
- C) border: 2px solid black;
- D) border: black 2px solid;

Answer: C) border: 2px solid black;



7. CSS Color Property

How do you change the text color of an h2 element to green?

```
h2 {  
  color: green;  
}
```

A) font-color: green; B) text-color: green; C) color: green; D) h2-color: green;

Answer: C) color: green;

8. Width Property

Which of the following sets the width of a div to 50% of its parent container?

```
div {  
  width: 50%;  
}
```

- A) width: 50;
- B) width: 50px;
- C) width: 50%;
- D) width: 50vh;

Answer: C) width: 50%;

9. Padding Property

How do you add 10 pixels of padding to all sides of a div element?

```
div {  
  padding: 10px;  
}
```

- A) padding: 10px 0 10px 0;
- B) padding: 10px;
- C) padding: 10px 10px;
- D) padding: 0 10px 0 10px;

Answer: B) padding: 10px;

10. Hover Effect

Which CSS pseudo-class is used to change the style of an element when the user hovers over it?

```
a:hover {  
  color: red;  
}
```



- A) :hover
- B) :focus
- C) :active
- D) :selected

Answer: A) :hover

11. Text Decoration

How do you remove the underline from an anchor (<a>) tag?

```
a {  
  text-decoration: none;  
}
```

- A) underline: none;
- B) text-style: none;
- C) text-decoration: none;
- D) no-underline: true;

Answer: C) text-decoration: none;

12. CSS Comments

Which of the following is the correct syntax for writing a comment in CSS?

```
/* This is a comment */
```

- A) // This is a comment
- B) <!-- This is a comment -->
- C) /* This is a comment */
- D) * This is a comment *

Answer: C) /* This is a comment */

13. Font Family

Which property is used to change the font of an element to Arial?

```
p {  
  font-family: Arial, sans-serif;  
}
```

- A) font: Arial;
- B) font-family: Arial, sans-serif;
- C) text-font: Arial, sans-serif;
- D) font-type: Arial;

Answer: B) font-family: Arial, sans-serif;



14. Float Property

How do you float an image to the right of a paragraph?

```
img {  
  float: right;  
}
```

- A) align: right;
- B) float: right;
- C) position: right;
- D) align-image: right;

Answer: B) float: right;

15. Background Image

Which CSS property is used to set a background image for a div element?

```
css  
  
div {  
  background-image: url('image.jpg');  
}
```

- A) background: image.jpg;
- B) background-image: image.jpg;
- C) background-image: url('image.jpg');
- D) bg-image: url('image.jpg');

Answer: C) background-image: url('image.jpg');

16. Display Property

Which property would you use to hide an element in CSS?

```
div {  
  display: none;  
}
```

- A) visibility: hidden;
- B) display: none;
- C) hide: true;
- D) opacity: 0;

Answer: B) display: none;



17. Opacity Property

Which CSS property is used to make an element transparent?

```
div {  
  opacity: 0.5;  
}
```

- A) opacity: 0.5;
- B) visibility: 0.5;
- C) alpha: 0.5;
- D) transparency: 0.5;

Answer: A) opacity: 0.5;

18. Box Shadow

How do you add a shadow to a div element?

```
div {  
  box-shadow: 2px 2px 5px grey;  
}
```

- A) shadow: 2px 2px 5px grey;
- B) box-shadow: 2px 2px 5px grey;
- C) div-shadow: 2px 2px 5px grey;
- D) text-shadow: 2px 2px 5px grey;

Answer: B) box-shadow: 2px 2px 5px grey;

19. Position Property

Which CSS property positions an element relative to its normal position?

```
div {  
  position: relative;  
  top: 20px;  
}
```

- A) relative-position: 20px;
- B) position: relative;
- C) top: 20px;
- D) relative: top 20px;

Answer: B) position: relative;



20. CSS Linking

How do you link a CSS file to an HTML document?

html

```
<link rel="stylesheet" href="styles.css">
```

- A) <css src="styles.css">
- B) <style src="styles.css">
- C) <link src="styles.css">
- D) <link rel="stylesheet" href="styles.css">

Answer: D) <link rel="stylesheet" href="styles.css">

CSS Coding Snippets

(level 2)

1. CSS Flexbox

Which CSS property is used to align items along the main axis in a flex container?

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- A) align-items: center;
- B) justify-content: center;
- C) align-content: center;
- D) align-self: center;

Answer: B) justify-content: center;

2. CSS Grid

How do you define a 3-column grid layout using CSS Grid?

```
.container {  
  display: grid;  
  grid-template-columns: repeat(3, 1fr);  
}
```

- A) grid-columns: 3 1fr;
- B) grid-template-columns: repeat(3, 1fr);
- C) grid-column: 1 / 3;



- D) columns: 3 1fr;

Answer: B) grid-template-columns: repeat(3, 1fr);

3. CSS Transitions

Which CSS property is used to apply a transition effect when changing properties like width?

```
div {  
  width: 100px;  
  transition: width 0.5s ease-in-out;  
}
```

- A) animation: width 0.5s ease-in-out;
- B) transition: width 0.5s ease-in-out;
- C) transform: width 0.5s ease-in-out;
- D) effect: width 0.5s ease-in-out;

Answer: B) transition: width 0.5s ease-in-out;

4. CSS Variables

How do you declare and use a CSS custom property (variable)?

```
:root {  
  --main-color: #3498db;  
}  
p {  
  color: var(--main-color);  
}
```

- A) --main-color: #3498db;
- B) color: \$main-color;
- C) color: var(main-color);
- D) color: var(--main-color);

Answer: D) color: var(--main-color);

5. CSS Pseudo-elements

Which CSS selector is used to add content before an element using a pseudo-element?

```
p::before {  
  content: 'Note: '  
  color: red;  
}
```

- A) p:before
- B) p::before
- C) p::first-line



- D) p:after

Answer: B) p::before

6. CSS Media Queries

How do you write a media query that applies styles for devices with a screen width of 768 pixels or less?

```
@media (max-width: 768px) {  
  body {  
    background-color: lightblue;  
  }  
}
```

- A) @media (min-width: 768px)
- B) @media screen and (max-width: 768px)
- C) @media (max-width: 768px)
- D) @media (min-width: 768px)

Answer: C) @media (max-width: 768px)

7. CSS Positioning

Which property positions an element at the top left of the viewport, even when the page is scrolled?

```
div {  
  position: fixed;  
  top: 0;  
  left: 0;  
}
```

- A) position: absolute;
- B) position: relative;
- C) position: sticky;
- D) position: fixed;

Answer: D) position: fixed;

8. CSS Transform

How do you scale an element to twice its size?

```
div {  
  transform: scale(2);  
}
```

- A) transform: scale(2x);
- B) transform: scale(2);



- C) transform: scaleX(2);
- D) transform: scaleY(2);

Answer: B) transform: scale(2);

9. CSS Flexbox: Aligning Items

How do you vertically center an item within a flex container?

```
.container {  
  display: flex;  
  align-items: center;  
}
```

- A) justify-content: center;
- B) align-content: center;
- C) align-items: center;
- D) align-self: center;

Answer: C) align-items: center;

10. CSS Z-Index

Which CSS property determines the stack order of an element?

```
div {  
  position: absolute;  
  z-index: 10;  
}
```

- A) position
- B) z-index
- C) order
- D) stack-order

Answer: B) z-index

11. CSS Box Model

How do you include padding and border in an element's total width and height?

```
div {  
  box-sizing: border-box;  
}
```

- A) box-sizing: padding-box;
- B) box-sizing: content-box;
- C) box-sizing: border-box;
- D) box-sizing: box-border;



Answer: C) box-sizing: border-box;

12. CSS Overflow

Which CSS property is used to add scrollbars when the content of an element is too big to fit?

```
div {  
  overflow: auto;  
}
```

- A) scroll: auto;
- B) overflow: scroll;
- C) overflow: auto;
- D) overflow: visible;

Answer: C) overflow: auto;

13. CSS Text Shadow

How do you apply a shadow effect to text in CSS?

```
h1 {  
  text-shadow: 2px 2px 5px grey;  
}
```

- A) box-shadow: 2px 2px 5px grey;
- B) text-shadow: 2px 2px 5px grey;
- C) shadow: 2px 2px 5px grey;
- D) text-shadow: grey 2px 2px 5px;

Answer: B) text-shadow: 2px 2px 5px grey;

14. CSS Gradients

How do you create a linear gradient that goes from red to blue?

```
div {  
  background: linear-gradient(to right, red, blue);  
}
```

- A) background: linear-gradient(to right, red, blue);
- B) background: gradient(linear, red, blue);
- C) background: linear-gradient(red, blue);
- D) background: gradient(to right, red, blue);

Answer: A) background: linear-gradient(to right, red, blue);



15. CSS Pseudo-classes

Which CSS pseudo-class targets the first child element within its parent?

```
p:first-child {  
    font-weight: bold;  
}
```

- A) p:first-of-type
- B) p:only-child
- C) p:first-child
- D) p:first

Answer: C) p:first-child

16. CSS Transforms: Rotate

How do you rotate an element by 45 degrees?

```
div {  
    transform: rotate(45deg);  
}
```

- A) transform: rotate(45);
- B) transform: rotate(45px);
- C) transform: rotate(45deg);
- D) rotate: 45deg;

Answer: C) transform: rotate(45deg);

17. CSS Flexbox: Wrapping

How do you allow flex items to wrap onto multiple lines?

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
}
```

- A) flex-wrap: wrap;
- B) flex-direction: row wrap;
- C) flex-wrap: nowrap;
- D) wrap: flex;

Answer: A) flex-wrap: wrap;



18. CSS Background-size

How do you ensure a background image covers the entire element without stretching?

CSS

```
div {  
  background-size: cover;  
}
```

- A) background-size: contain;
- B) background-size: cover;
- C) background-size: fill;
- D) background-size: stretch;

Answer: B) background-size: cover;

19. CSS Clip-path

Which CSS property is used to clip an element to a polygon shape?

```
div {  
  clip-path: polygon(50% 0%, 0% 100%, 100% 100%);  
}
```

- A) clip: polygon(50% 0%, 0% 100%, 100% 100%);
- B) clip-path: polygon(50% 0%, 0% 100%, 100% 100%);
- C) clip-area: polygon(50% 0%, 0% 100%, 100% 100%);
- D) mask: polygon(50% 0%, 0% 100%, 100% 100%);

Answer: B) clip-path: polygon(50% 0%, 0% 100%, 100% 100%);

20. CSS Responsive Design

Which CSS technique is used to make a website layout responsive?

```
.container {  
  width: 100%;  
  max-width: 1200px;  
  margin: 0 auto;  
}
```

- A) responsive-width
- B) media-queries
- C) flexbox
- D) fluid layout

Answer: D) fluid layout