DUROTECH

Engineered Construction Chemicals

Made In Australia For Over 45 Years

PRODUCT WARRANTY



10 YEARS PRODUCT WARRANTY

PRODUCT : sdfsd

PROJECT : dsfds

APPLICATOR :

DATE : 14/02/2026

DUROTECH

Engineered Construction Chemicals

Made In Australia For Over 45 Years

10 YEARS PRODUCT WARRANTY

Warr-GTY-123SER

dsfsd

Warranty Serial No.: sdfsd

Used As :

Product : sdfds

Building Address : sdfsd

dd

Building Name :

dsfsd

dfsds

Building/Area Name :

sdfsd

Area Warranted :

Applicator :

Applicator's active ABN:

Applicator's Address :

Commencement Date of Warranty Period:

Applicator's Contact Detail :

End Date of Warranty Period :

DUROTECH

Engineered Construction Chemicals

Made In Australia For Over 45 Years

TERMS, CONDITIONS, LIMITATIONS

1. Durotech Industries ('Durotech'), warrants to the warranty holder named above (the 'WARRANTY HOLDER'), that subject to the terms, conditions, and limitations stated herein, Durotech will warrant the Product's performance in accordance with this warranty, provided the Product has been applied in accordance with Durotech's product documentation by a Durotech licensedApplicator, for a period of time equivalent to and not exceeding the warranty provided by the Applicator for the work done in the Area Warranted, up to a maximum of 10 years, commencing from the date as shown above ('Commencement Date of Warranty Period') and ending at 17:00 PM on the earlier of the two dates, either the date in which the Applicator's warranty expires or the date as shown above ('End Date of Warranty Period').

2. To be entitled to rely on this warranty, the WARRANTY HOLDER must notify Durotech of any warranty claim within in the first 24 hours of the first business day (i.e Monday to Friday (inclusive), except statutory and public holidays in NSW) following the discovery of any leak in the Product and confirm within one week of notification in writing of any such leak and provide Durotech with a copy of this warranty document, the relevant contract for supply of the Products including volume, and product specific details and any other documents reasonably requested byDurotech, specifically the Applicator's warranty documentation.

3. If on Durotech's inspection, Durotech determines in its sole discretion that the leak is caused by a defect in the Product provided by Durotech to the Durotech authorised Applicator for the building named above, the WARRANTY HOLDER's remedy and Durotech's liability shall be limited to clause 4. Durotech's cumulative liability throughout the duration of this warranty shall not exceed the original cost of the Product as solely determined byDurotech.

4. In the event that a warranty claim under clause 2 is made subject to the provisions herein, Durotech will be responsible for one of the following (at Durotech's sole discretion):
   (a) Supply (as Durotech sees fit) of replacement product to the WARRANTY HOLDER, resupplied product will not extend the original warranty; or

   (b) Refund the WARRANTY HOLDER the original Product cost as reduced by a factor of 10% per annum (or pro rata) year on year since the date the Product was originally provided.

5. This warranty does not apply and may be declared null and void by Durotech if any of the following (but not limited to) occur either in isolation or in the aggregate:
   (c) The Product is damaged by a natural disaster or force majeure event including, but not limited to, earthquake, lightning, hail, windstorm in excess of gale force, hurricane, or flood, or;
   (d) The Product is damaged by any act of negligence, accident, or misuse including, but not limited to, vandalism, falling objects or particular matter, civil disobedience, or act of war, or;
   (e) A latent pre-existing condition related to the membrane host structure and construction or any equipment located on or in connection with the membrane is causing water entry, or;
   (f) Metal work or other accessories or equipment is used on or above the membrane and causes leaks, or;
   (g) The Product was not applied in accordance with Durotech's oral or written instructions, technical publications including data sheets and manuals available to the WARRANTY HOLDER or published on Durotech's website; or;
   (h) There are any alterations or repairs made on or penetrations through the Warranted Area, or objects such as but not limited to fixtures, equipment, or structures are placed on or attached to the Warranted Area without first obtaining written authorization from Durotech (failure of which will automatically void this warranty), or;
   (i) Failure by the building owner or its lessee or occupier to use reasonable care in maintaining the Product as prescribed in the Product's maintenance manual (including the therein mandated periodical 5 years inspection (and rectification works if required) by Durotech at the WARRANTY HOLDER's sole expense) provided with this warranty and including the proper use and application of sealants and caulking, or;
   (j) Loss of integrity of the building envelope and, or structure including, but not limited to partial or complete loss of membrane, roof decking, wall siding, windows, doors or other envelope components or from roof damage by wind-blown objects, or;
   (k) Condensation accumulates in the roof assembly due to incorrect design or due to a reduction in the vapour barrier effectiveness, or poor or inadequate regular building maintenance or;
   (l) Use of machinery or apparatus on or within the Product applied Warranted Area or used of the Warranted Area that is reasonably foreseeable to cause damage to the Warranted Area at any point in time;
   (m) Failure to avoid pooling of water for any substantial period of time or ensuring adequate water drainage by obstruction, blocking of gutters and drains or by roof design, or;
   (n) Use of machinery or apparatus on or within the Product applied Warranted Area or used of the Warranted Area that is reasonably foreseeable to cause damage to the Warranted Area at any point in time;
   (o) Failure to avoid pooling of water for any substantial period of time or ensuring adequate water drainage by obstruction, blocking of gutters and drains or by roof design, or;
   (p) A material change in the use of the building by its owner or its lessee or occupier as advised by the any such aforementioned party to Durotech that is likely to affect the Product as originally specified, or;
   (q) The Product is damaged by contaminates and/or spills of any corrosive or chemical composition or contact with any other product not pre-approved by Durotech, or;
   (r) Poor workmanship or insufficient application of the Product to the Warranted Area;

6. During the period of this warranty, Durotech, its agents and employees, shall have free access to the Warranted Area during the regular business hours of 8:30AM – 17:00PM Monday to Friday (inclusive), for the purposes of inspection, bearing in mind clause 8.

7. The 10 year warranty period herein comprises an initial 5 year period, subject to the Product's maintenance manual's provisions and completion of the Durotech inspection (to its satisfaction) as specified in the Product's maintenance manual. Thereafter the warranty will be extended in periods of 5 years (subject to clause 1 and 8) up to 10 years in total (which includes the initial warranty period).

8. Any extension period referred to in clause 7 is contingent on Durotech being able carry out inspections of the Product on each occasion in which an extension period is required.