
DUROTECH

Waterproofing • Sealants • Adhesives



# DUROTECH WATERPROOFING SYSTEMS

## Made In Australia For Over 40 Years

www.durotechindustries.com.au



# TABLE OF CONTENT


| | | |
|---|---|---|
| SYSTEM 1 | Lift Pits | 2 |
| SYSTEM 2 | Basement Waterproofing | 3 |
| SYSTEM 3 | Retaining Walls | 4 |
| SYSTEM 4 | Planter Box Waterproofing | 5 |
| SYSTEM 5 | Podium Waterproofing | 6 |
| SYSTEM 6 | Balcony/Decks | 7 |
| SYSTEM 7 | Internal Wet Area Waterproofing | 8 |
| SYSTEM 8 | External facade coatings | 9 |
| SYSTEM 9 | Plant Room Waterproofing | 10 |
| SYSTEM 10 | Water Tanks | 11 |
| SYSTEM 11 | Ponds/ Water Features | 12 |
| SYSTEM 12 | Roof Waterproofing Non exposed | 13 |
| SYSTEM 13 | Roof Waterproofing exposed | 14 |
| SYSTEM 14 | Epoxy Flooring System | 15 |


*Disclaimer : The information provided in this Durotech Waterproofing System brochure is correct at the time of printing (albeit is subject to change at any time) and is intended to give a simple description of the product and its capabilities. In practice, the substrate, intended surface to be treated and environmental conditions vary widely, making it essential for the user to determine the products suitability for a particular application and to ensure that the product is not used beyond its physical limitations. If in doubt contact the manufacturer. The product will perform as described herein provided it is applied in accordance with the manufacturer's instructions as stated in the manufacturers technical data sheet and provided that the building and installation is structurally sound and the application is carried out competently. Durotech terms and conditions of sale apply.*

# Lift Pits




## Duroproof PU BLACK (System 1a)

Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof Pu black |

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums




## Duroproof BLW (System 1b)

Water based Bitumen Latex membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic BLW |

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid curing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes




## Duroflex Tank (System 1c)

2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks



## DuroTorch Peel n Stick (System 1d)

Self adhesive sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch Peel n Stick |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)



## DuroTorch APP (System 1e)

Torch applied sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





# Basement Waterproofing




## Duroproof PU BLACK (System 2a)

Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof Pu black |

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums




## Duroproof BLW (System 2b)

Water based Bitumen Latex membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic BLW |

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid curing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes




## Duroflex Tank (System 2c)

2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks



## DuroTorch Peel n Stick (System 2d)

Self adhesive sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch Peel n Stick |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)



## DuroTorch APP (System 2e)

Torch applied sheet membrane system


| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)







# Retaining Walls




## Duroproof PU BLACK (System 3a)

Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof Pu black |

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums




## Duroproof BLW (System 3b)

Water based Bitumen Latex membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic BLW |

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid curing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes




## Duroflex Tank (System 3c)

2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks



## DuroTorch Peel n Stick (System 3d)

Self adhesive sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch Peel n Stick |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)



## DuroTorch APP (System 3e)


Torch applied sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





# Planter Box Waterproofing




## Duroproof PU BLACK (System 4a)

Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof Pu black |

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums




## Duroproof BLW (System 4b)

Water based Bitumen Latex membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic BLW |

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid curing

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes




## Duroflex Tank (System 4c)

2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks



## DuroTorch Peel n Stick (System 4d)


Self adhesive sheet membrane system


| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch Peel n Stick |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





# Podium Waterproofing




## Duroproof PPM (System 5a)


### Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof PPM |

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

**Use Areas**

- Internal Wet areas
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)






## Duromastic P15 (System 5b)

### Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic P15 |

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





## DuroTorch APP (System 5c)

### Torch applied sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)



# Balcony/Decks




## Duroproof NEP (System 6a)

### Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof NEP |

- Single component
- Excellent water resistance
- Excellent Toughness
- + 600% Elongation

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)




## Duromastic P15 (System 6b)

### Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic P15 |

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)




## Duromastic ACS2 (System 6c)

### 2 Part Flexible Cementitious Membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic ACS-2 |

- Water-Based, Environmentally Friendly
- Rapid Cure Membrane
- Economical Waterproofing Membrane
- Durable Fibre reinforced

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Exterior Facade walls



## DuroTorch APP (System 6d)

### Torch applied sheet membrane system


| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)







# Internal Wet Area Waterproofing




## Duroproof NEP (System 7a)

### Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof NEP |

- Single component
- Excellent water resistance
- Excellent Toughness
- + 600% Elongation

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)




## Duromastic P15 (System 7b)

### Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal PU-25 |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic P15 |

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





# External facade and parapet exposed surfaces



## Duromastic Duroarmor (System 8a)

Water based elastomeric membrane

| | |
|---|---|
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic P15 |

- Available in over 1000 Colours
- Excellent water resistance
- Low VOC
- + 300% Elongation

**Use Areas**

- Rooftops(Exposed to UV)
- Balconies
- Rooftops(non Exposed light traffic)
- Exterior Facade walls









## Duromastic Durosolar (System 8a)

Solar Reflective Membrane Coating for Facades, Walls & Fascias

| | |
|---|---|
| Primer | Hibuild Epoxy Primer |
| Membrane | Durosolar |

- Water Based, Environmentally Friendly
- Light Foot Traffic Resistant
- Low Odour & Low VOC
- Available in Colours

**Use Areas**

- Concrete, brick, blockwork, render walls and facades, concrete roof tiles
- Bitumen roof top coating
- As a Solar Reflective colour topcoat for Duroroof, Duromastic AC & P15.





# Plant Room Waterproofing




## Duroproof PPM/ATC (System 9a)

### Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof PPM |
| Top Coat | Duroproof TTC |

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

**Use Areas**

- Rooftops (Exposed to UV)
- Rooftops (non Exposed light traffic)




## Duromastic AC non slip (System 9b)

### Water based Acrylic membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic AC non slip |

- UV Stable
- Light Foot Traffic Resistant
- Water Based, Environmentally Friendly
- Low Odour & Low VOC

**Use Areas**

- Rooftops (Exposed to UV)
- Rooftops(non Exposed light traffic)
- Exterior Facade walls




## Duropoxy wear MC (System 9c)

### Solvent Less Epoxy Coating

| | |
|---|---|
| Joint Sealant | Duropoxy Repair Compound |
| Primer | Self Priming |
| Membrane | Duropoxy wear MC |

- Non-flammable, negligible odour and toxicity
- Resists mildew, mould and bacteria growth
- Withstands steam and chemical cleaning
- Long pot life and short touch-dry time.

**Use Areas**

- Plant room
- Garage
- Factory floor
- Car showroom floor







# Water Tanks




## Duroflex Tank (System 10a)


2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

### Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks







# Ponds/ Water Features




## Duroflex Tank (System 11a)


### 2 Part Flexible Cementitious membrane

| | |
|---|---|
| Joint Sealant | DuroElasto Tape |
| Primer | Self Priming |
| Membrane | DuroFlex Tank |

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD water Tanks






## Duromastic Duropond (System 11b)

### Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | Duroseal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic Duropond |

- Single component, waterbased
- Excellent water resistance
- Low VOC
- + 600% Elongation

**Use Areas**

- OSD water Tanks
- Water features
- Ponds
- Fountains & bird baths



# Roof Waterproofing non exposed




## Duroproof PPM (System 12a)

Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof PPM |

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

**Use Areas**

- Internal Wet areas
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)




## Duromastic P15 (System 12b)

Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic P15 |

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

**Use Areas**

- Internal Wet areas
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)



## DuroTorch APP (System 12c)

Torch applied sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)







# Roof Waterproofing Exposed




## Duroproof PPM/ATC (System 13a)

### Solvent based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | Duroproof PPM |
| Top Coat | Duroproof ATC |

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

**Use Areas**

- Rooftops (Exposed to UV)
- Rooftops(non Exposed light traffic)




## Duromastic Duraroof (System 13b)

### Water based polyurethane membrane

| | |
|---|---|
| Joint Sealant | DuroSeal 25LM |
| Primer | Hibuild Epoxy Primer |
| Membrane | DuroMastic Duraroof |

- Innovative Crack-bridging Technology
- Excellent Strength & Elongation
- Foot Traffic Resistant
- Water-Based, Environmentally Friendly

**Use Areas**

- Balconies
- Rooftops(Exposed to UV)
- Rooftops(non Exposed light traffic)
- Exterior Facade walls



## DuroTorch APP / Durotorch Mineral (System 13c)

### Torch applied sheet membrane system

| | |
|---|---|
| Primer | Durotorch Bitumen Primer |
| Membrane | DuroTorch APP |
| Top Coat | Durotorch Mineral |

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

**Use Areas**

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)







# Epoxy Flooring Systems

## DuroPoxy SLT 2000




DuroPoxy SLT 2000 is a solvent free, durable floor coating based on a hard wearing, two component epoxy resin system. The cured floor provides excellent resistance to chemical and mechanical damage. There is a mirror surface finish for this product that is glossy and durable. This product can be applied so a 2mm profile can be achieved in one coat.

### Features

- Kits – no onsite mixing errors
- 100% solvent free
- Extended working time
- Chemical resistance
- Bonds to damp surface
- Chemical resistant
- Non-flammable
- Can be coloured – enhance the solution for client needs

### Use Areas

- Workshops
- Garage floors
- Factory floor
- Warehouses
- Shop floors

*Can be applied 2000 microns in one coat*

## DuroPoxy SLR 100




DuroPoxy SLR100 is a solvent free, durable floor coating based on a hard wearing, two component epoxy resin system. The cured floor provides excellent resistance to chemical and mechanical damage. There is a semi-gloss surface finish for this product that is textured and durable. This product can be applied to a 400um profile, this can be achieved in two coats.

### Features

- Kits – no onsite mixing errors
- 100% solvent free
- Extended working time
- Chemical resistance
- Bonds to damp surface
- Chemical resistant
- Non-flammable
- Can be coloured – enhance the solution for client needs

### Use Areas

- Workshops
- Garage floors
- Factory floor
- Warehouses
- Shop floors

# Epoxy Flooring Systems

## DUROPOXY PRIMER 100

DuroPoxy Primer 100 is a solvent free, non pigmented two component epoxy based primer for Durotech self levelling flooring epoxy systems. This also can be for a primer for polyurethane flooring products medium to heavy industrial wear. DuroPoxy Primer 100 is used as a primer over dense concrete and cementitious surfaces as the key surface coating and bonding agent suitable for epoxy resin systems. DuroPoxy Primer 100 is applied to substrates such as concrete and cement screeds.




### Features

- High adhesive strength - creates an extremely good bond to concrete substrates and aggregates
- Lower viscosity
- Excellent cure rate low temperatures
- Chemical resistance
- Excellent adhesion to dry, damp and or dense surfaces
- Multi-purpose epoxy primer
- Non-flammble
- Very low VOC content

### Use Areas

- Primer for dense concrete
- Mortar
- Screed
- Primer for trafficable epoxy systems
- Primer for polyurethane membranes
- Primer for damp substrates

## DuroPoxy Binder

DuroPoxy Binder is an excellent product that is truly versatile. It is truly good technology ready for saving cost and creating leverage in your current based markets. The general-purpose binder has a wide variety of applications. This multi go to application allows epoxy to be used in a wide variety of application.

A solvent less binder to be used with sands and as a concrete binder designed for applications for structural integrity. This is low viscosity, hydrophobic (bonds to wet surfaces) and hardening to form a hard surface with excellent adhesions, compressive strength and tensile strength and creates resistance to the entry of water.




### Features

- One product - creates many solutions
- 100% solvent free
- Low temperature cure
- Extended working time
- Chemical resistance
- Excellent adhesion to damp or dry concrete
- Chemical resistant
- Excellent mechanical strength
- Extend time and suitable for aggregate mixture

### Use Areas

- Repair and structural bonding of new to old concrete
- Repair of cracks in old concrete floors
- Grouts for bolts and support in concrete
- Coving applications

DUROTECH
Waterproofing • Sealants • Adhesives

# Our Project Pictures



ACT Womens & Children's Hospital


Belmore Park Substation


Kurnell Substation



Rail Corp


Revesby Workers Club


Sydney Medical School, Werrington

DUROTECH
Waterproofing • Sealants • Adhesives

# Our Project Pictures


Global Switch (400 Harris St, Ultimo)


Queenwood School for Girls, Mosman



University of Wollongong – Early Start Facility



University of Wollongong – Early Start Facility


Westmead Millennium Institute (Westmead Hospital)



University of Western Sydney

DUROTECH
Waterproofing • Sealants • Adhesives

AUSTRALIAN Technology

SINCE 1977
Trialled • Tested • Approved


# Durotech Product Project Photos











DUROTECH

Waterproofing • Sealants • Adhesives

# Durotech Product Project Photos














DUROTECH

Waterproofing • Sealants • Adhesives

# CASE STUDY

## The Tallest Residential Tower In Western Sydney - One Australia Avenue



- **PROJECT**
  Sydney, NSW, Australia
- **PROJECT COMPLETION DATE**
  February 2015
- **DEVELOPER**
  Parkview

## PROJECT SPECIFICATIONS

Australia Avenue Olympic village is one of the most prestigious premium buildings in the Sydney Homebush area. Spanning over 2 towers featuring 360 views in Syndey as well as an impressive world class design and beautiful city and bridge views.

## THE DUROSYSTEM PRODUCT RANGE

The tallest residential tower in western Sydney – at 30 floor high – is to be known as One Australia Avenue and is located in Sydney Olympic Park.

The elliptical glass-walled building will have bronze-coloured bands wrapped around its façade and will be surrounded by 430-hecatres of parklands.

Supported, tested and backed by a team of specialist local experts with a combined 40 years of Australia market experience, Durotech was used across a number of applications.



- Water Tanks
- Lift Pits
- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies
- Podiums
- Roof Tops



With sustainability now the focus of many Tier One construction projects, Durotechs ECO friendly low VOC and green building products proved to be a high-quality environmentally friendly alternative to other waterproofing solutions on the market.

DUROTECH
Waterproofing • Sealants • Adhesives

# CASE STUDY

# ALTITUDE

**Parramatta's Tallest Riverfront Residential Tower**

**330 Church Street Parramatta NSW 2150**



- **PROJECT**
  Sydney, NSW, Australia
- **PROJECT COMPLETION DATE**
  February 2017
- **DEVELOPER**
  Meriton

## PROJECT SPECIFICATIONS

Altitude rises over 170m high with 54 levels of luxury apartment living, spectacular views and an unrivalled riverfront location. Live in the heart of the cultural district, surrounded by dining, sporting and outdoor options. Experience the ultimate height of living at Altitude apartments, and enjoy the luxurious fixtures and finishes, designed by award-winning Tony Caro architects.



## THE DUROSYSTEM PRODUCT RANGE

### Products Used

- Duromix Hibuild WBE Epoxy Primer
- Duroproof PPM
- Duromastic P15
- Duroseal 25LM

### Use Areas

- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies





DUROTECH
Waterproofing • Sealants • Adhesives

# DuroToll

## Duro Original Equipment Manufacturer

DuroToll is a specialist manufacturer providing private labels, OEM and toll manufacturing services to the construction, trade and civil industries throughout the world. DuroToll has a primary focus on manufacturing innovative solvent free, solvent less and solvent based technologies.

By having multiple technologies in house, DuroToll caters to a wide end to end range of waterproofing membranes, adhesives, protective coatings and sealing products.

DuroToll has a massive database of technologies after catering for this market for 40years. In return it offers unparalleled complete systems to its clients with the state of the art facility backed by local manufacturing and technical support.

DuroToll is unmatched and continues to gain a stronger foot hold in the market place. Offering both bulk finished products and small goods remains DuroToll's corestrength. DuroTollhas the ability to pack from 1L to 1000L IBC drums. After 40years of successful service, DuroToll has proved itself and is the preferred option for clients in 2018.



DUROTECH
Waterproofing • Sealants • Adhesives

# The DuroLab

With the new age of a fast pace world, it's more important than ever to be able to stay one step ahead of the market. It's extremely important to make sure that when deciding which technologies, you are choosing to use on your next project when you are partnering with the right people. At Durotech, we make it our mission to be at the front when choosing construction chemical products andsolutions.

## How do we stay at the front?

After getting established in 1977, Durotech is now over 40years old making it one of the proud original Australian made and owned manufactures of construction chemicals.
Durotech, now 40years later, has established themselves in the market as the most powerful Australian MADE and Australian OWNED companies

Durotech does not only have some of the highest quality products, but has the most innovative products backed by an extremely well experienced and educated team of technical chemists and engineers. After 4 decades of experience, Durotech has proven that its products have been designed according to one of the harshest weather condition in the world- the Australian Sun. By manufacturing locally in Sydney, Australia, we are able to support our customers with local support and quick response time.

Environment is a factor to be considered first when manufacturing construction products. At Durotech, we realize this fact and we ensure that we keep it that way.
By utilising the latest research techniques, Durotech Laboratory technical team is able to develop a range of low VOC products and ULTRA low VOC products, making these products not only safe for Australian conditions but being safe for global conditions as well. While Durotech has its own testing laboratory, the Durotech range has also been externally tested as low VOC by an independent, nationally accredited firm.
By doing this, Durotech has become the most environmental construction chemical supplier in Australia.
At Durotech, one of the main purpose to establish Durolab was to support and show our responsibility to our customers and our country. Making QUALITY products will remain our priority and we continually invest in the backbone of our company.

DuroLab is where it all started and its where it will take us into the future.

## Making Sure We Meet The Most Up to Date Standards

Our State of the Art Laboratory is just one piece of the puzzle. The other part is making sure that we comply with all the latest and most upto date Australian standards. Being Australian compliant is extremely strenuous and tough standard to comply to but with our state of the art testing facility and highly trained technical team, our products pass with flying colours:

**Some of the Australian Standards we test to:**

- AS4654.1 - Waterproofing Membrane Systems for External above ground use – materials
- AS4858 – Wet Area Membranes
- AS4020 – Products for use in contact with Drinking Water

**Some of the Test We perform:**

| | |
|---|---|
| - Abrasion Resistance | - Heat Ageing |
| - Bond Strength | - Temperature Resistance |
| - Cylic Movement | - Ultraviolet Resistance |
| - Dimensional Stability | - Tensile Strength |
| - Elongation at Break | - Thickness |
| - Field Seam Strength | - Durability |
| - Negative pressure rating | - Water Vapour Transmission Rate |


Durotech is very clear on its quality standards if the product don't pass we dont sell it. Qaulity first.

DUROTECH
Waterproofing • Sealants • Adhesives

# Be always up to date

## GET READY TO SEE SOMETHING AWESOME.

**DuroAPP industry first innovation waterproofing sealant and adhesive smart APP**




### 1 New Products

Stay up to date with all the latest Durotech products and projects.

### 2 Technical Support

Get quick access to Data sheets and MSDS

### 3 Project Leads

Sign up and get FREE project leads sent straight to your mobile

### 4 Quick Access

Use our new Quick scan QR code to get information on any Durotech product


+61 2 9603 1177
1300 791 177
+61 2 9475 5059

www.durotechindustries.com.au


**If you don't have our app just scan QR**

Download on the App Store
GET IT ON Google Play

Follow us @:

Shop Online

DUROTECH
Waterproofing • Sealants • Adhesives




**DUROTECH** Launches its new Online store, we want our solution driven innovative products right into our customers hands.

## Why DUROTECH ?

1. Innovative Products
2. High quality locally made
3. Online Customer Support
4. Australian made Australian warranties
5. 40 Years Australian Made
6. Compatible full systems

Follow us @:

PROUDLY AUSTRALIAN MADE



AUSTRALIAN Technology

# Australian made for 40 years




DUROTECH
Waterproofing • Sealants • Adhesives

Durotech Industries

+61 2 9603 1177
1300 791 177
+61 2 9475 5059
sales@durotechindustries.com.au
www.durotechindustries.com.au

Follow us @: