
DUROTECH

Waterproofing • Sealants • Adhesives



DUROTECH WATERPROOFING SYSTEMS

Made In Australia For Over 40 Years

www.durotechindustries.com.au



TABLE OF CONTENT

SYSTEM 1	Lift Pits	2
SYSTEM 2	Basement Waterproofing	3
SYSTEM 3	Retaining Walls	4
SYSTEM 4	Planter Box Waterproofing	5
SYSTEM 5	Podium Waterproofing	6
SYSTEM 6	Balcony/Decks	7
SYSTEM 7	Internal Wet Area Waterproofing	8
SYSTEM 8	External Facade Coatings	9
SYSTEM 9	Plant Room Waterproofing	10
SYSTEM 10	Water Tanks	11
SYSTEM 11	Ponds/ Water Features	12
SYSTEM 12	Roof Waterproofing Non Exposed	13
SYSTEM 13	Roof Waterproofing Exposed	14
SYSTEM 14	Epoxy Flooring System	15

Disclaimer : The information provided in this Durotech Waterproofing System brochure is correct at the time of printing (albeit is subject to change at any time) and is intended to give a simple description of the product and its capabilities. In practice, the substrate, intended surface to be treated and environmental conditions vary widely, making it essential for the user to determine the products suitability for a particular application and to ensure that the product is not used beyond its physical limitations. If in doubt contact the manufacturer. The product will perform as described herein provided it is applied in accordance with the manufacturer's instructions as stated in the manufacturers technical data sheet and provided that the building and installation is structurally sound and the application is carried out competently. Durotech terms and conditions of sale apply.

Lift Pits



Duroproof PU BLACK (System 1a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PU black

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums



Duroproof BLW (System 1b)

Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid Curing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes



Duroflex Tank (System 1c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks



DuroTorch Peel n Stick (System 1d)

Self Adhesive Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch Peel n Stick

- Excellent Elongation
- High Tensile Strength
- Tear Resistant
- Suitable for Low Temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DuroTorch APP (System 1e)

Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (non Exposed light traffic)





Basement Waterproofing



Duroproof PU BLACK (System 2a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PU black

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums



Duroproof BLW (System 2b)

Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid Curing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes



Duroflex Tank (System 2c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks



DuroTorch Peel n Stick (System 2d)

Self Adhesive Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch Peel n Stick

- Excellent Elongation
- High Tensile Strength
- Tear Resistant
- Suitable for Low Temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DuroTorch APP (System 2e)

Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (non Exposed light traffic)







Retaining Walls



Duroproof PU BLACK (System 3a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PU black

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums



Duroproof BLW (System 3b)

Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid Curing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes



Duroflex Tank (System 3c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks



DuroTorch Peel n Stick (System 3d)

Self Adhesive Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch Peel n Stick

- Excellent Elongation
- High Tensile Strength
- Tear Resistant
- Suitable for Low Temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DuroTorch APP (System 3e)


Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (non Exposed light traffic)





Planter Box Waterproofing



Duroproof PU BLACK (System 4a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PU black

- Moisture curing
- Application by brush, spray, roller, squeegee
- +800 % Elongation
- Single component no mixing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums



Duroproof BLW (System 4b)

Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

- Single Component, Simple Application
- Waterbased, Environmentally Friendly
- Excellent Strength & Elongation
- Rapid Curing

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes



Duroflex Tank (System 4c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks



DuroTorch Peel n Stick (System 4d)


Self Adhesive Sheet Membrane System


Primer	Durotorch Bitumen Primer
Membrane	DuroTorch Peel n Stick

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops(non Exposed light traffic)





Podium Waterproofing



Duroproof PPM (System 5a)


Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

Use Areas

- Internal Wet areas
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)





Duromastic P15 (System 5b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)





DuroTorch APP (System 5c)

Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (non Exposed light traffic)



Balcony/Decks



Duroproof NEP (System 6a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof NEP

- Single component
- Excellent water resistance
- Excellent Toughness
- + 600% Elongation

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



Duromastic P15 (System 6b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



Duromastic ACS2 (System 6c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic ACS-2

- Water-Based, Environmentally Friendly
- Rapid Cure Membrane
- Economical Waterproofing Membrane
- Durable Fibre reinforced

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Exterior Facade walls



DuroTorch APP (System 6d)

Torch Applied Sheet Membrane System


Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP


- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)







Internal Wet Area Waterproofing



Duroproof NEP (System 7a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof NEP

- Single component
- Excellent water resistance
- Excellent Toughness
- + 600% Elongation

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)





Duromastic P15 (System 7b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal PU-25
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



External facade and parapet exposed surfaces



Duromastic Duroarmor (System 8a)

Water Based Elastomeric Membrane

Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Available in over 1000 Colours
- Excellent water resistance
- Low VOC
- + 300% Elongation

Use Areas

- Rooftops(Exposed to UV)
- Balconies
- Rooftops (Non exposed light traffic)
- Exterior Facade walls









Duromastic Durosolar (System 8a)

Solar Reflective Membrane Coating For Facades, Walls & Fascias

Primer	Hibuild Epoxy Primer
Membrane	Durosolar

- Water Based, Environmentally Friendly
- Light Foot Traffic Resistant
- Low Odour & Low VOC
- Available in Colours

Use Areas

- Concrete, brick, blockwork, render walls and facades, concrete roof tiles
- Bitumen roof top coating
- As a Solar Reflective colour topcoat for Duroroof, Duromastic AC & P15.





Plant Room Waterproofing



Duroproof PPM/ATC (System 9a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM
Top Coat	Duroproof TTC

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

Use Areas

- Rooftops (Exposed to UV)
- Rooftops (Non exposed light traffic)



Duromastic AC non slip (System 9b)

Water Based Acrylic Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic AC non slip

- UV Stable
- Light Foot Traffic Resistant
- Water Based, Environmentally Friendly
- Low Odour & Low VOC

Use Areas

- Rooftops (Exposed to UV)
- Rooftops (Non exposed light traffic)
- Exterior Facade walls



Duropoxy wear MC (System 9c)

Solvent Less Epoxy Coating

Joint Sealant	Duropoxy Repair Compound
Primer	Self Priming
Membrane	Duropoxy wear MC

- Non-flammable, negligible odour and toxicity
- Resists mildew, mould and bacteria growth
- Withstands steam and chemical cleaning
- Long pot life and short touch-dry time.

Use Areas

- Plant room
- Garage
- Factory floor
- Car showroom floor







Water Tanks



Duroflex Tank (System 10a)


2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks







Ponds/ Water Features



Duroflex Tank (System 11a)


2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

- No primer required, bonds to damp surfaces
- Flexible with good elongation properties
- Can be applied on vertical and horizontal surfaces
- Suitable for immersed and underground areas

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- OSD Water Tanks





Duromastic Duropond (System 11b)

Water Based Polyurethane Membrane

Joint Sealant	Duroseal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic Duropond

- Single component, waterbased
- Excellent water resistance
- Low VOC
- + 600% Elongation

Use Areas

- OSD Water Tanks
- Water features
- Ponds
- Fountains & bird baths



Roof Waterproofing non exposed



Duroproof PPM (System 12a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

Use Areas

- Internal Wet areas
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



Duromastic P15 (System 12b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DuroTorch APP (System 12c)

Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)







Roof Waterproofing Exposed



Duroproof PPM/ATC (System 13a)

Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM
Top Coat	Duroproof ATC

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

Use Areas

- Rooftops (Exposed to UV)
- Rooftops (Non exposed light traffic)



Duromastic Duraroof (System 13b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic Duraroof

- Innovative Crack-bridging Technology
- Excellent Strength & Elongation
- Foot Traffic Resistant
- Water-Based, Environmentally Friendly

Use Areas

- Balconies
- Rooftops(Exposed to UV)
- Rooftops (Non exposed light traffic)
- Exterior Facade walls



DuroTorch APP / Durotorch Mineral (System 13c)

Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP
Top Coat	Durotorch Mineral

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)







Epoxy Flooring Systems

DuroPoxy SLT 2000



DuroPoxy SLT 2000 is a solvent free, durable floor coating based on a hard wearing, two component epoxy resin system. The cured floor provides excellent resistance to chemical and mechanical damage. There is a mirror surface finish for this product that is glossy and durable. This product can be applied so a 2mm profile can be achieved in one coat.

Features

- Kits – no onsite mixing errors
- 100% solvent free
- Extended working time
- Chemical resistance
- Bonds to damp surface
- Chemical resistant
- Non-flammable
- Can be coloured – enhance the solution for client needs

Use Areas

- Workshops
- Garage floors
- Factory floor
- Warehouses
- Shop floors

Can be applied 2000 microns in one coat

DuroPoxy SLR 100



DuroPoxy SLR100 is a solvent free, durable floor coating based on a hard wearing, two component epoxy resin system. The cured floor provides excellent resistance to chemical and mechanical damage. There is a semi-gloss surface finish for this product that is textured and durable. This product can be applied to a 400um profile, this can be achieved in two coats.

Features

- Kits – no onsite mixing errors
- 100% solvent free
- Extended working time
- Chemical resistance
- Bonds to damp surface
- Chemical resistant
- Non-flammable
- Can be coloured – enhance the solution for client needs

Use Areas

- Workshops
- Garage floors
- Factory floor
- Warehouses
- Shop floors

Epoxy Flooring Systems

DUROPOXY PRIMER 100



DuroPoxy Primer 100 is a solvent free, non pigmented two component epoxy based primer for Durotech self levelling flooring epoxy systems. This also can be for a primer for polyurethane flooring products medium to heavy industrial wear. DuroPoxy Primer 100 is used as a primer over dense concrete and cementitious surfaces as the key surface coating and bonding agent suitable for epoxy resin systems. DuroPoxy Primer 100 is applied to substrates such as concrete and cement screeds.

Features

- High adhesive strength - creates an extremely good bond to concrete substrates and aggregates
- Lower viscosity
- Excellent cure rate low temperatures
- Chemical resistance
- Excellent adhesion to dry, damp and or dense surfaces
- Multi-purpose epoxy primer
- Non-flammble
- Very low VOC content

Use Areas

- Primer for dense concrete
- Mortar
- Screed
- Primer for trafficable epoxy systems
- Primer for polyurethane membranes
- Primer for damp substrates

DuroPoxy Binder



DuroPoxy Binder is an excellent product that is truly versatile. It is truly good technology ready for saving cost and creating leverage in your current based markets. The general-purpose binder has a wide variety of applications. This multi go to application allows epoxy to be used in a wide variety of application.

A solvent less binder to be used with sands and as a concrete binder designed for applications for structural integrity. This is low viscosity, hydrophobic (bonds to wet surfaces) and hardening to form a hard surface with excellent adhesions, compressive strength and tensile strength and creates resistance to the entry of water.

Features

- One product - creates many solutions
- 100% solvent free
- Low temperature cure
- Extended working time
- Chemical resistance
- Excellent adhesion to damp or dry concrete
- Chemical resistant
- Excellent mechanical strength
- Extend time and suitable for aggregate mixture

Use Areas

- Repair and structural bonding of new to old concrete
- Repair of cracks in old concrete floors
- Grouts for bolts and support in concrete
- Coving applications

DUROTECH
Waterproofing • Sealants • Adhesives

AUSTRALIAN Technology

SINCE 1977
Trialled • Tested • Approved

Our Project Pictures


ACT Womens & Children's Hospital


Belmore Park Substation


Kurnell Substation



Rail Corp




Revesby Workers Club


Sydney Medical School, Werrington

DUROTECH
Waterproofing • Sealants • Adhesives

Our Project Pictures


Global Switch (400 Harris St, Ultimo)


Queenwood School for Girls, Mosman



University of Wollongong – Early Start Facility



University of Wollongong – Early Start Facility


Westmead Millennium Institute (Westmead Hospital)


University of Western Sydney


DUROTECH

Waterproofing • Sealants • Adhesives

AUSTRALIAN Technology

SINCE 1977 Trialled • Tested • Approved


Durotech Product Project Photos











DUROTECH

Waterproofing • Sealants • Adhesives

AUSTRALIAN Technology

SINCE 1977 Trialled • Tested • Approved


Durotech Product Project Photos














DUROTECH
Waterproofing • Sealants • Adhesives

CASE STUDY

The Tallest Residential Tower In Western Sydney - One Australia Avenue



- **PROJECT**
  Sydney, NSW, Australia
- **PROJECT COMPLETION DATE**
  February 2015
- **DEVELOPER**
  Parkview

PROJECT SPECIFICATIONS

Australia Avenue Olympic village is one of the most prestigious premium buildings in the Sydney Homebush area. Spanning over 2 towers featuring 360 views in Syndey as well as an impressive world class design and beautiful city and bridge views.

THE DUROSYSTEM PRODUCT RANGE

The tallest residential tower in western Sydney – at 30 floor high – is to be known as One Australia Avenue and is located in Sydney Olympic Park.

The elliptical glass-walled building will have bronze-coloured bands wrapped around its façade and will be surrounded by 430-hecatres of parklands.

Supported, tested and backed by a team of specialist local experts with a combined 40 years of Australia market experience, Durotech was used across a number of applications.



- Water Tanks
- Lift Pits
- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies
- Podiums
- Roof Tops



With sustainability now the focus of many Tier One construction projects, Durotechs ECO friendly low VOC and green building products proved to be a high-quality environmentally friendly alternative to other waterproofing solutions on the market.

DUROTECH
Waterproofing • Sealants • Adhesives

CASE STUDY

ALTITUDE

Parramatta's Tallest Riverfront Residential Tower

330 Church Street Parramatta NSW 2150



- **PROJECT**
  Sydney, NSW, Australia
- **PROJECT COMPLETION DATE**
  February 2017
- **DEVELOPER**
  Meriton

PROJECT SPECIFICATIONS

Altitude rises over 170m high with 54 levels of luxury apartment living, spectacular views and an unrivalled riverfront location. Live in the heart of the cultural district, surrounded by dining, sporting and outdoor options. Experience the ultimate height of living at Altitude apartments, and enjoy the luxurious fixtures and finishes, designed by award-winning Tony Caro architects.



THE DUROSYSTEM PRODUCT RANGE

Products Used

- Duromix Hibuild WBE Epoxy Primer
- Duroproof PPM
- Duromastic P15
- Duroseal 25LM

Use Areas

- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies





DUROTECH
Waterproofing • Sealants • Adhesives

DuroToll

Duro Original Equipment Manufacturer

DuroToll is a specialist manufacturer providing private label, OEM and toll manufacturing services to the construction, trade and citil industries throughout the world with a primary focus on manufacturing innovative solvent free, solvent less and solvent based technologies.

By having multiple technologies in-house DuroToll is able to cater for a wide end to end range of waterproofing membranes, adhesives, protective coatings and sealing products.

DuroToll has a massive database of technologies after being catering for these markets for 40 years. In return is able to offer unparallel complete systems to their clients. With the state of the art facility with local manufacturing and technical support.

DuroToll is unmatched and continues to gain a stronger foot hold in the market place. Offering both bulk finished products and small goods remain DuroToll strength. DuroToll has the ability to pack from 1L to 1000L IBC drums. After 40 years DuroToll has and is the preferred option for clients in 2017.



DUROTECH
Waterproofing • Sealants • Adhesives

The DuroLab

With the new age of a fast pace world, it's more important than ever to be able to stay one step ahead of the market. It's extremely important to make sure that when deciding which technologies, you are choosing to use on your next project when you are partnering with the right people. At Durotech, we make it our mission to be at the front when choosing construction chemical products andsolutions.

How do we stay at the front?

After establishing in 1977 Durotech is now just over 40 years old making Durotech one of the Original Australian Made and Owned manufactures of construction chemicals. Durotech now 40 years later has cemented themselfs in the market as the most powerful Australian MADE and Australian OWNED companies with 40 years comes a lot of history, evidence and facts that Durotech does not only have some of the highest quality products it has the most innovative products backed by an extremely well experienced and educated team off technical chemists and engineers. After 40 years Durotech has proven that its products have been designed and have lastest some of the harshest conditions in the world.... The Australian Sun. By manufacturing locally in Sydney Australia we are able to support out customers with local support and fast response times.

In today market the environment comes first. At Durotech we realise this and we ensure that we keep it that way. By utalising the lastest research techniques Durotech Laboratory technical team is able to develop a range of low VOC products and ULTRA low VOC products making these products not only safe for Australian conditions but being safe for global conditions as well.

While Durotech has its own testing laboratory, the Durotech range has also been externally tested as low VOC by an independent, nationally accredited Firm. by doing this Durotech has become the most environmental construction chemical supplier in Australia.

At Durotech 40 years ago DuroLab was establishing for one main purpose to support and show our responsibility to our customers and our country. Making QUALITY products was and still is our priority and continually investing in the backbone of our company. DuroLab is where it all started and it where it will take us into the future.

Making Sure We Meet The Most Up to Date Standards

Our State of the Art Laboratory is just one piece of the puzzle. The other part is making sure that we comply with all the latest and most upto date Australian standards. Being Australian compliant is extremely strenuous and tough standard to comply to but with our state of the art testing facility and highly trained technical team, our products pass with flying colours:

Some of the Australian Standards we test to:

- AS4654.1 - Waterproofing Membrane Systems for External above ground use – materials
- AS4858 – Wet Area Membranes
- AS4020 – Products for use in contact with Drinking Water

Some of the Test We perform:


- Abrasion Resistance	- Heat Ageing
- Bond Strength	- Temperature Resistance
- Cylic Movement	- Ultraviolet Resistance
- Dimensional Stability	- Tensile Strength
- Elongation at Break	- Thickness
- Field Seam Strength	- Durability
- Negative pressure rating	- Water Vapour Transmission Rate

Durotech is very clear on its quality standards if the product don't pass we dont sell it. Qaulity first.

DUROTECH
Waterproofing • Sealants • Adhesives

Be always up to date

GET READY TO SEE SOMETHING AWESOME.



DuroAPP industry first innovation waterproofing sealant and adhesive smart APP

1 New Products

Stay up to date with all the latest Durotech products and projects.

2 Technical Support

Get quick access to Data sheets and MSDS

3 Project Leads

Sign up and get FREE project leads sent straight to your mobile

4 Quick Access

Use our new Quick scan QR code to get information on any Durotech product

+61 2 9603 1177
1300 791 177
+61 2 9475 5059

www.durotechindustries.com.au

If you don't have our app just scan QR

Download on the App Store
GET IT ON Google Play

Follow us @:

Shop Online

DUROTECH
Waterproofing • Sealants • Adhesives



DUROTECH Launches

its new Online store,

we want our solution driven

innovative products right into

our customers hands.

Why DUROTECH ?

1 Innovative Products

2 High quality locally made

3 Online Customer Support

4 Australian made
Australian warranties

5 40 Years Australian Made

6 Compatible full systems

Follow us @:

PROUDLY AUSTRALIAN MADE



AUSTRALIAN Technology

Australian made for 40 years



DUROTECH
Waterproofing • Sealants • Adhesives

Durotech Industries

+61 2 9603 1177
1300 791 177
+61 2 9475 5059
sales@durotechindustries.com.au
www.durotechindustries.com.au

Follow us @: