

PROPOSAL PACKAGE | DOCUMENT 07

Data Onboarding and Integration Guide

How the client plugs real documents, contacts and systems into the platform later, without rebuilding anything

Document	07 of 15
Audience	Client IT and operations, product owner, delivery team
Version	1.0 (first-meeting edition)
Date	September 2026
Classification	Confidential - prepared for the client

Contents

1. The commitment..... 3

2. Five mechanisms that make this true..... 3

 2.1 Schema-first data model with custom fields..... 3

 2.2 Configuration-driven business rules..... 3

 2.3 Import templates with preview..... 3

 2.4 Connectors..... 4

 2.5 Demo data is removable..... 4

3. Onboarding sequence for real data..... 4

4. Data quality rules built in..... 4

5. Getting data out..... 5

6. What the client should prepare (checklist)..... 5

1. The commitment

The demo will run on sample data. When the client is ready, real data enters through **configuration, import templates and connectors**. No code changes are needed to add fields, stages, categories, decision types, document folders or mailboxes.

2. Five mechanisms that make this true

2.1 Schema-first data model with custom fields

Every core record (organisation, person, relationship, document, claim, follow-up, outreach request) has a fixed set of well-understood columns plus a "custom fields" area. An administrator defines a new field (name, type, validation, which category it applies to) in the interface; it appears in forms, imports, filters and reports immediately.

2.2 Configuration-driven business rules

Configurable item	Examples
Categories	Investor, partner/counterparty, customer/member; sub-types such as sovereign fund, family office, bank, EPC contractor
Pipelines and stages per category	GCC relationship pipeline, for the market the group is entering: introduction through an intermediary; first meeting; NDA; qualification; active discussion; term sheet or MoU; regulatory or board approval; signed; dormant. Each stage has SLA days and exit criteria.
Decision types and evidence checklists	"Approve contract" needs signed contract, board minute, budget line, legal opinion. "Investor commitment" needs KYC file, subscription agreement, source-of-funds letter.
Approval policies	Who approves outreach per category; minimum approvers; escalation time; restricted recipients
Classification and routing	Which document folders are "restricted"; which model handles which classification
Reminder policies	Days before due, digest time, escalation to manager

2.3 Import templates with preview

For contacts, organisations, relationships, historical interactions and a document manifest. Process: download template (CSV/XLSX) -> fill or map columns from an export -> upload -> validation preview (duplicates, missing required fields, unknown stages) -> confirm -> import log. Re-imports update rather than duplicate, keyed by external id or email.

2.4 Connectors

Source	What is synced
SharePoint / OneDrive	Selected libraries and folders; new and changed files; permissions mirrored to document access lists
Google Drive	Selected folders or shared drives
Microsoft 365 or Gmail mailbox	Selected folders for ingestion (for example "Investor correspondence"); send-as for approved outreach
Existing CRM (HubSpot, Salesforce, Dynamics, Zoho)	One-time export via template, or scheduled API sync for contacts and activities
ERP or finance system	Counterparty master data and contract references via export or API
Document management system	Metadata and files via API or export

2.5 Demo data is removable

All sample records carry an "is_demo" marker. One administrator action deletes demo records and their derived data (chunks, claims, findings) while keeping configuration, users and connectors. The corpus and pipelines are then empty and ready.

3. Onboarding sequence for real data

1. **Confirm data protection sign-off** (Document 08): lawful basis, classification rules, residency pattern.
2. **Configure** categories, pipelines, decision types, approval policies, fields (half a day with the product owner).
3. **Connect identity** so real users log in with single sign-on.
4. **Import contacts and relationships** from the client's spreadsheet or CRM export using the templates; review the validation report; resolve duplicates using the merge tool.
5. **Point connectors at document folders**, starting with one well-organised library; watch ingestion status; review classification.
6. **Review first findings** with management: confirm real contradictions, dismiss false ones, adjust tolerances.
7. **Run the golden question set** on the real corpus; compare to targets; tune.
8. **Connect the mailbox** for approved outreach; send a first approved message to an internal test recipient; verify audit entry.
9. **Switch on reminders** and dashboards for pilot users.
10. **Remove demo data.**

4. Data quality rules built in

- De-duplication of organisations by legal name, registration number and aliases; of persons by email and phone; merge with history preserved.

- Document version detection by checksum, filename pattern and metadata; administrators confirm "supersedes" links so that superseded values are not flagged as contradictions.
- Mandatory fields per category (configurable). Consent status required before outreach to a person.
- Where a person or organisation has a name in more than one language or script, both are stored side by side and search matches either.

5. Getting data out

The client is never locked in: full export of every table to CSV or Parquet, all documents with their metadata, and all audit events. The API exposes every record. Database backups are in standard PostgreSQL format.

6. What the client should prepare (checklist)

- List of document sources (folders, libraries, mailboxes) and who owns each.
- Current contact lists or CRM export, even if messy; the import preview will show what needs cleaning.
- The stages relationship managers actually use today, per category.
- The five to ten decisions management makes most often, and what evidence they expect to see.
- A person who can approve identity and mailbox connections in the IT tenant.