

CSS 3D Transforms

- CSS 3D transforms allows 3-Dimensional design.
- It will have configuration for X, Y and Z axis.
- The methods used for 3D are same as 2D but comprises of 3rd Dimension.

Translate3d()

- It sets the position of element along x, y and z axis.

Syntax:

translate3d(tx, ty, tz)

Ex:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Translate</title>
    <style>
      .container {
        width: 100px;
        height: 100px;
        border:5px solid darkcyan;
```

```
        background-image:
url("../Images/jblspeaker.jpg");
        background-size: 100px 100px;
        background-repeat: no-repeat;
        margin:20px;
    }
    img {
        width: 100px;
        height: 100px;
        border:1px dotted darkcyan;
        opacity: 0.8;
        box-shadow: -25px -25px 3px
darkcyan;
    }
    .transform-effect{
        transform: translate3d(0px, 0px, 0px);
        transition: 2s;
    }
    .transform-effect:hover {
        transform: translate3d(25px, 25px,
100px);
        transition: 2s;
    }
```

```
        </style>
    </head>
    <body>
        <div class="container">

            

        </div>
    </body>
</html>
```

Scale3d

- It changes the image size in 3 dimensions.

Syntax:

scale3d(x, y, z)

Ex:

```
<!DOCTYPE html>
<html>
    <head>
        <title>Translate</title>
        <style>
```

```
.container {
    width: 200px;
    height: 100px;
    border:5px solid darkcyan;
    background-color: darkgray;
    margin:20px;
}
img {
    width: 100px;
    height: 100px;
    border:1px dotted darkcyan;
    opacity: 0.8;
}
.transform-effect{
    transform: scale3d(1,1,1);
    transition: 2s;
}
.transform-effect:hover {
    transform: scale3d(1.5,1.5,1.5);
    transition: 2s;
}

</style>
</head>
```

```
<body>
  <div class="container">

    <marquee onmouseover="this.stop()"
onmouseout="this.start()"
scrollamount="10">
      
      
      
      
    </marquee>

  </div>
</body>
</html>
```

CSS Transition