

CSS Layouts

Center Alignment

- It keeps the content to the center of page.
- We have to use the properties
 - align-item
 - justify-content

Syntax:

```
.main {  
    align-items: center;  
    justify-content: center;  
}
```

```
<div class="main">
```

```
    <div>
```

```
        Content to display in center
```

```
    </div>
```

```
</div>
```

Ex:

```
<!DOCTYPE html>
```

```
<html>
```

```
    <head>
```

```
        <title>Center Content</title>
```

<style>

```
form {  
    background-color: lightskyblue;  
    padding: 20px;  
    width: auto;  
    border-radius: 20px;  
    box-shadow: 2px 2px 4px black;  
    opacity: 0.8;  
}  
  
.form-group {  
    margin-top: 20px;  
}  
  
.form-control {  
    border-radius: 5px;  
    border: 1px solid darkblue;  
    width: 500px;  
    height: 40px;  
}  
  
button{  
    width: 500px;
```

```
    height: 40px;
    border: 1px solid darkblue;
    border-radius: 5px;
    color: white;
    background-color: darkblue;
    font-size: 25px;
}


label {
    font-weight: bold;
    font-size: 20px;
    font-family: Arial;
}

h2 {
    font-family: Arial;
    text-align: center;
}

.container {
    display: flex;
    align-items: center;
    justify-content: center;
```

```
        box-shadow: 2px 2px 4px darkcyan;
        height: 600px;
        background-image: url("../Images/shoe.jpg");
        background-repeat: no-repeat;
        background-position: center center;
        background-attachment: fixed;
    }
</style>
</head>
<body>
    <div class="container">
        <div>
            <form>
                <h2>User Login</h2>
                <div class="form-group">
                    <label>User Name</label>
                    <div>
                        <input type="text" class="form-
control">
                    </div>
                </div>
            </form>
        </div>
    </div>
</body>
</html>
```

```
    </div>
    <div class="form-group">
      <label>Password</label>
      <div>
        <input type="password" class="form-
control">
      </div>
    </div>
    <div class="form-group">
      <button>Login</button>
    </div>
  </form>
</div>
</div>
</body>
</html>
```



Badges

- A badge is used for displaying numbering, count, another summary within the element.

Ex:

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <link rel="stylesheet"  
    href="../Fonts/css/all.css">
```

```
  <style>
```

```
    .badge{
```

```
      background-color: darkcyan;
```

```
      border-radius: 10px;
```

```
      padding: 2px;
```

```
      color:white;
```

```
    text-align: center;
    width: 30px;
}
.list-group li {
    display: flex;
    justify-content: space-between;
    align-items: center;
    list-style-type: none;
    margin-top: 10px;
    border-bottom: 2px dotted darkcyan;
}
a{
    text-decoration: none;
}
a:link{
    color: white;
}
a:visited{
    color:white;
}
```

```
    h1 {
        font-family: Arial;
        text-align: center;
    }
</style>
</head>
<body>
    <h1>Table of Contents</h1>
    <ul class="list-group">
        <li>HTML Tutorial <span class="badge"> <a
href="#">2</a> </span></li>
        <li>CSS Examples <span class="badge"> <a
href="#">8</a></span></li>
        <li>JavaScript Tutorial <span class="badge">
<a href="#">12</a></span></li>
    </ul>
</body>
</html>
```


Table of Contents

HTML Tutorial	2
CSS Examples	8
JavaScript Tutorial	12

Pagination Style

- Designing pagination for contents displaying information in more than one page.
- It is mostly used for navigation between pages, records in table, image slide show etc.

Ex:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Pagination</title>
```

```
<style>
```

```
.container {
```

```
width: 80%;
```

```
height: 100%;
```

```
border:2px solid darkcyan;
justify-content: center;
align-items: center;
margin: auto;
padding: 30px;
}
img {
    width:50%;
    height: 50%;
}
.container div {
    text-align: center;
}
ul {
    font-size: 80px;
}
nav {
    display:flex;
    justify-content: center;
}
```

```
.pagination {
    list-style-type: none;
    margin: 0px;
    padding: 0px;
    display: flex;
}

.pagination li {
    margin: 0px 2px;
    background-color: darkcyan;
    padding: 5px;
    border-radius: 5px;
    width: 100px;
}

a {
    text-decoration: none;
    color: white;
}

</style>
</head>
<body>
```

```
<div class="container">
  <div>
    
  </div>
  <div>
    <nav>
      <ul class="pagination">
        <li><a href="#">&laquo;</a></li>
        <li><a href="#">1</a></li>
        <li><a href="#">2</a></li>
        <li><a href="#">3</a></li>
        <li><a href="#">&raquo;</a></li>
      </ul>
    </nav>
  </div>
</div>
</body>
</html>
```

Breadcrumb

- It is commonly used in navigation, for creating site map.
- It is used in designing wizard steps.

Ex:

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>Bread Crumb</title>
```

```
    <style>
```

```
      a{
```

```
        text-decoration: none;
```

```
        color:white;
```

```
      }
```

```
    .breadcrumb ul {
```

```
      display:flex;
```

```
      list-style-type: none;
```

```
      font-size: 4em;
```

```
      background-color:red;
```

```
    }
```

```
    .breadcrumb li::before {
```

```
        content:"----->";
    }
    .breadcrumb li:first-child::before{
        content: "";
    }
</style>
</head>
<body>
    <nav class="breadcrumb">
        <ul>
            <li><a href="#">Details</a></li>
            <li><a href="#">Shipping</a></li>
            <li><a href="#">Payment</a></li>
            <li><a href="#">Checkout</a></li>
        </ul>
    </nav>
</body>
</html>
```

