FLIP ROBO TECHNOLOGIES

MCQ(question and their answer)

NAME: DEEPAK BUTOLIYA

BATCH: DS2308

- 41) Among the following identify the one in which dimensionality reduction reduces.
- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

Answer 41: a) Performance

- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

Answer 42: b) Random Forest

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

Answer 43: c) Decision Tree are prone to overfit

44) What is the term known as on which the machine learning algorithms build a model based on sample data?

a) Data Training
b) Sample Data
c) Training data
d) None of the above
Answer 44: b) Sample Data
45) Which of the following machine learning techniques helps in detecting the outliers in data?
a) Clustering
b) Classification
c) Anamoly detection
d) All of the above
Answer 45: d) All of the above
46) Identify the incorrect numerical functions in the various function representation of machine learning. a) Support Vector
b) Regression
c) Case based
d) Classification
Answer 46: c) Case based
47) Analysis of ML algorithm needs
a. Statistical learning theory
b. Computational learning theory
c. None of the above
d. Both a and b
Answer 47: d. Both a and b
48) Identify the difficulties with the k-nearest neighbor algorithm.
a) Curse of dimensionality

b) Calculate the distance of test case for all training cases
c) Both a and b
d) None
Answer 48: d) None
49) The total types of the layer in radial basis function neural networks is
a) 1
b) 2
c) 3
d) 4
Answer 49: C) 3
50 Which of the following is not a supervised learning
50 Which of the following is not a supervised learning a) PCA
a) PCA
a) PCA b) Naïve bayes
a) PCA b) Naïve bayes c) Linear regression
a) PCA b) Naïve bayes c) Linear regression d) KMeans