










SALES MANAGER	DELIVERY TIME	PRICE TERMS	VALIDITY
JESSIE LV	15 WORKING DAYS	FOB TIANJIN, CHINA	30 DAYS
ITEM	DESCRIPTION	REFERENCE PICTURE	UNIT PRICE (FOB TIANJIN)
SOLAR POWER SYSTEM MLW-5KW	1. Solar Panel: 270WP* 20pcs 2. Solar Generator: 5KW/96V/60A*1pc 3. Gel Battery: 200AH/12V*8pcs 4. Battery Supporting: 1set 5. PV Bracket: 5KW* 1set 6. PV Box: 5KW*1set 7. PV Cables: 4mm ² : 60m 16mm ² : 40m 8. MC4 connector: Matched.		US \$5,989.0

TERMS AND CONDITIONS

- 1-Price Term: FOB Tianjin, China.
- 2-Payment Term: 30%by T/T, balance by TT before shipment;
- 3-Delivery: Goods can be ready for shipment within 7-15 working days upon payment receiving.
- 4-Certification: CE, ROHS, ISO9001
- 5-Packing: Wooden and pallet, suitable for sea transport.
- 6-Warranty: 10 years for solar panel, 2 years for other component.
- 7-Validity: 20 days.
- 8-HS CODE: 8501610000

Component Technical Specification Detail

Item No	Photo	Name/Model	Specification
1		5KW Solar Generator	Controller Capacity: 96V/60A Output Power: 5000W Inverter type: Low frequency pure sine wave Output voltage: 110V/220V $\pm 5\%$ single phase Output voltage: 50Hz/60Hz $\pm 1\%$ Waveform(Pure sine wave): THD<2% Working efficiency: >85% Working model: Solar power first, if battery low switch to city power Protection: DC under voltage/overload/short circuit/peak surge. Life Span: 15 years
2		Solar Panel 270 WP	Maximum power(P_{max}): 270 WP Material: Poly-crystalline silicone cells Open circuit voltage (Voc): 37.9V Maximum current (Imp): 8.80A Size: 1640mm \times 990mm \times 35mm Weight: 18.5Kg
3		Battery 200AH/12V	Maintenance-free, deep cycle, Lead Acid Battery. Size: 523mm \times 241mm \times 220mm Weight: 57Kg Life Span: 5 years.
4		Cable	TUV and UL standard, with specification suitable for solar system;
5		PV Combiner	Applicable for outdoor PV systems Max Current: 100A Waterproof terminals
6		PV Bracket	Aluminum Alloy materials Wind load: 55m/s, Snow load:1.5kn/m2
7		Battery Support	Steel box with galvanization and lacquer-coated
8		Packing	Wooden case with pallet.