

TECHNICAL DOCUMENTATION

NHS Address Finder Technical Document

A free, partner-facing UK address lookup app. Single static HTML, two Cloudflare Workers, six upstream APIs (OS Places + OS Maps + Google Street View + MHCLG EPC + Ofcom Broadband + Ofcom Mobile), and a 4-page branded PDF report.

DOCUMENT REFERENCE	NHS Address Finder Technical Doc
CLIENT	New Home Solutions Ltd
DELIVERY PARTNER	CRM Mates Ltd - Deepak K Rana
DOCUMENT VERSION	1.0 - 27 May 2026
SCOPE	1 SPA - 2 Cloudflare Workers - 6 upstream APIs
STATUS	Sandbox live - Workers deployed - Push to GitHub pending

In one sentence: A standalone address-lookup tool for NHS partners that turns a UK postcode into a fully branded PDF property report in under three seconds, without a backend or build step.

Status: Live on Vercel · Cloudflare Workers deployed + CORS-locked · Ofcom + MHCLG + OS keys active

Production URL: <https://nhs-address-finder.vercel.app/> **Last updated:** 2026-05-29 **Owner:** Deepak K Rana (CRM Mates) · Built for New Home Solutions Ltd


1 · Overview

A free, partner-facing address lookup tool for NHS estate-agent, photographer and housebuilder partners. The app is a **single static HTML file** backed by two **Cloudflare Workers** for API-key-protected upstream services.

Type a UK postcode → pick a property → see UPRN, OS map, EPC, broadband, mobile coverage → download a branded NHS PDF report.

The whole thing is intentionally serverless and dependency-light: no build step, no bundler, no database, no auth. Just a HTML file, two Workers, and four external APIs.

2 • Architecture



Why Workers (not direct browser calls)

API	CORS-FRIENDLY?	KEY SENSITIVITY	VERDICT
OS Places	✓ yes	Public partner key	Direct browser call
OS Maps tiles	✓ yes	Same key	Direct browser call
Google Street View	✓ yes (iframe embed)	None needed	Direct browser embed
MHCLG EPC API	✗ no	Bearer token	Worker proxy
Ofcom Connected Nations	✗ no	Subscription key	Worker proxy

The Workers also give us free 24h **edge caching** per postcode — repeat lookups return in milliseconds at zero upstream cost.

3 • Data sources

#	LAYER	VENDOR	ENDPOINT PATTERN	TIER
1	Address lookup	Ordnance Survey OS Places	<code>GET /search/places/v1/postcode?postcode=...</code>	Standard
2	Map tiles	Ordnance Survey OS Maps	<code>GET /maps/raster/v1/zxy/Road_3857/{z}/{x}/{y}.png</code>	Standard
3	Street view	Google Maps (no key)	<code>iframe src="https://maps.google.com/maps?layer=c&cbll=..."</code>	Free embed
4	EPC	MHCLG EPC Register	<code>GET /api/domestic/search?postcode=...</code> + <code>GET /api/certificate?certificate_number=...</code>	Live
5	Broadband	Ofcom Connected Nations Broadband	<code>GET /broadband/coverage/{POSTCODE}</code>	Basic
6	Mobile	Ofcom Connected Nations Mobile	<code>GET /mobile/coverage/{POSTCODE}</code>	Basic

Latency budget per search: OS Places ~400ms · Ofcom Workers ~700ms · EPC Worker ~600ms — all fired in parallel via `Promise.all`, total page time ~1s warm.

4 • Frontend stack

CONCERN	CHOICE	WHY
Markup / styling	Hand-written HTML + CSS, all inline in <code>index.html</code>	Single-file portability; no build step
Type	Inter (UI) + JetBrains Mono (UPRNs / coords) + Futura LT Light (logo per brand spec)	Already on Google Fonts; logo font available system-wide on Mac
Map	Leaflet 1.9.4 via CDN	Native OS Maps raster tile support; small footprint
PDF generation	html2canvas 1.4.1 + jsPDF 2.5.1 via cdnjs	Lossless screenshot → A4 PDF; see §6
Icons	Inline SVG	No icon font dependency

No npm. No webpack. No React.

5 • Feature inventory

5.1 Address lookup

- Postcode input, validated by OS Places (UK only)
- Returns all UPRNs at the postcode (typically 5–50 properties)
- Each row shows UPRN, address, classification pill (Residential / Commercial / Other), coords

5.2 Two result views

- **List view** (default) — sage-tint headers, rows reveal action buttons on hover
- **Card view** — toggleable, compact cards with same actions

5.3 Property detail page

- Big address + UPRN + classification + postcode
- Six action rows: UPRN copy · Map · Street View · Coordinates copy · EPC · Council/Constituency
- **EPC band pill** (A–G gov.uk colour-coded) opening a full certificate lightbox with the ladder and cert summary
- **Broadband coverage** — half-circle SVG speedometer (0–5500 Mbps, red→amber→green bands) + 3-tier breakdown (Standard / Superfast / Ultrafast)
- **Mobile coverage** — 4 brand-coloured operator cards (EE teal · Three black · O2 blue · Vodafone red) with 4-bar signal indicators for indoor/outdoor voice + data
- Portal strip — quick links to Rightmove / Zoopla / OnTheMarket for the postcode

5.4 Generate Report (PDF)

See §6 below.

6 · PDF Report — Design + Implementation

The PDF report is the most complex single feature. It earned a full rebuild after the first three attempts produced corrupt output.

6.1 Final design

4-page A4 portrait report, NHS-branded per `docs/branding/NHS_Email_Template_Guidelines.md` from the parent project:

PAGE	CONTENT
1	Header bar · Address heading · Property Identity table · Section 01 Location (OS map + coords) · Footer
2	Header bar · Section 02 Energy (full EPC ladder + cert details table) · Footer
3	Header bar · Section 03 Broadband coverage (gauge + tier rows) · Footer
4	Header bar · Section 04 Mobile coverage (4 operator cards) · Footer

Repeated chrome on every page: - **Header bar** — `#C9D5CB` sage background, Futura LT Light "NEW HOME SOLUTIONS" left, "Property Report · DATE · TIME" right - **3px accent stripe** — `#4A6B5E` sage dark - **Footer bar** — `#EAF4EF` sage tint, centred, with "P: SAVE THE TREES" + page X of 4 + company registration

6.2 Brand compliance

Every visual element ladders back to the NHS Newsletter / Email Template Guidelines:

SPEC SECTION	IMPLEMENTATION
§1 Typography	Aptos (body, with Segoe UI / Helvetica fallback). Futura LT Light (logo only, 23px, weight 300, letter-spacing 0.06em, word-spacing 0.3em)
§2 Palette	Sage Dark <code>#4A6B5E</code> · Sage <code>#6B9080</code> · Sage BG <code>#C9D5CB</code> · Sage Tint <code>#EAF4EF</code> · Border <code>#C5DCCC</code> · Navy <code>#0D1E4A</code> · Muted <code>#6B7280</code>
§3 Structure	Header bar → accent stripe → white body → sage-tint footer
§4 Tables	All structural data in tables: <code>#4A6B5E</code> header, <code>#EAF4EF</code> label cells, white value cells, <code>1px solid #C5DCCC</code> borders, <code>border-radius: 10px</code>
§6 Footer	"P: SAVE THE TREES" mandatory copy + registered office line

The on-screen mockup uses a legacy `#075F50` teal palette for historical reasons. The PDF renderer overrides every `--nhs-*` CSS variable inside `.rpt-render-host` so all reused components (gauge, tier bars, EPC ladder, mobile cards) re-tint to sage automatically.

6.3 Render pipeline

```

User clicks "Generate Report"
  ▼
async generateReport()
  ▼
Fetch full EPC certificate via Worker (if RRN known)
  ▼
Build off-screen render host (opacity: 0, 210mm wide, pinned to viewport top-left)
  ▼
Render 4 × <div class="rpt-pdf-page"> – A4-sized (210mm × 297mm), flex column,
  header + body (flex: 1) + footer (pinned to bottom)
  ▼
Init Leaflet map inside page 1's body; wait for OS tile layer 'load' event
  (with 3.5s safety net)
  ▼
const pdf = new jsPDF({ unit: 'mm', format: 'a4', orientation: 'portrait' })
for each .rpt-pdf-page:
  canvas = await html2canvas(page, { scale: 3, useCORS: true, ... })
  imgData = canvas.toDataURL('image/png')
  pdf.addImage(imgData, 'PNG', 0, 0, 210, imgH, undefined, 'FAST')
  pdf.addPage() // except on the last
pdf.save(filename)
  ▼
Remove the off-screen host

```

6.4 Why per-page rendering (not html2pdf.js)

We initially used `html2pdf.js` with its `pagebreak: { mode: ['avoid-all', 'css', 'legacy'] }` config. It produced consistent bugs:

1. **Half-width output** — content rendered at ~95mm wide instead of full 190mm content area, with left-edges clipped on every page ("Certificate" became "rtificate")
2. **Mid-row table splits** — `page-break-inside: avoid` on `.rpt-id-table` was ignored, the Property Identity table split between page 1 and 2 with the "Geographic centroid" cell broken across both
3. **Vanishing sections** — Section 04 Mobile rendered as an empty page; Section 03 Broadband body lost entirely
4. **Content pushed to bottom of page 1** — huge empty space at top, header bar starting 70% down the page

Root cause: `html2pdf` renders the whole DOM into one tall canvas, then heuristically slices it across pages. Heuristics fight CSS rules. Heuristics produced garbage.

Solution: bypass them. Render **each page as its own canvas, place 1:1 into the PDF**. Each `.rpt-pdf-page` is sized to exactly A4 dimensions (210mm × 297mm) so the captured image fills its PDF page without scaling. One page in the DOM = one page in the PDF. Deterministic.

6.5 Quality tuning

- `scale: 3` on `html2canvas` → ~288 DPI captured canvas (above 300 DPI print quality threshold)
- `toDataURL('image/png')` for lossless text edges (JPEG at q=0.95 visibly softened type)
- `pdf.addImage(..., 'FAST')` for PNG compression in the PDF — keeps a 4-page report under 5MB

6.6 Known PDF quirks that took iterations to find

BUG	CAUSE	FIX
<code>NaNNaNNaN</code> shown in Postcode / Classification / Coordinates cells	<code>++ idCell(...)</code> typo — second <code>+</code> was unary plus, coercing HTML string to <code>NaN</code>	Removed the rogue <code>+</code>
Broadband gauge invisible in PDF	<code><feDropShadow></code> filter on the needle — <code>html2canvas</code> can't render SVG filters	Removed the filter
Gauge SVG missing even after filter removal	Inline <code><svg></code> without explicit <code>width</code> / <code>height</code> attributes serialises to <code>0x0</code> in <code>html2canvas</code> 's <code>foreignObject</code> path	Switched to <code></code> — <code>html2canvas</code> handles images reliably
EPC ladder rendered with garbled letters ("B" → "3") and indicator arrows in wrong column	The lightbox renderer uses <code>clip-path: polygon(...)</code> for pentagon arrows and <code>display: flex; justify-content: flex-end</code> for letter positioning. <code>html2canvas</code> can't reliably render either	Wrote a dedicated <code>renderEpcForReport(cert)</code> using a plain table with background-coloured cells and standard text alignment
Right edge of report header cropped ("Property Repor...", "13:2...")	Render host was 210mm wide but PDF content area is only 190mm — <code>html2pdf</code> was scaling, edge text fell off	Made host 210mm exactly + sized each <code>.rpt-pdf-page</code> to A4 so it's placed 1:1
Could not generate the PDF — PDF dependencies (<code>html2canvas</code> / <code>jsPDF</code>) not exposed by <code>html2pdf</code> bundle.	<code>html2pdf</code> bundles its dependencies as ES module internals; they're not on <code>window</code>	Switched to standalone <code>html2canvas</code> + <code>jsPDF</code> CDN scripts

7 · Cloudflare Worker details

7.1 Ofcom Coverage Worker (`workers/ofcom-coverage/`)

ITEM	DETAIL
Production URL	<code>https://nhs-ofcom-coverage.systemtest-827.workers.dev</code>
Deployed	2026-05-26
Upstream	<code>https://api-proxy.ofcom.org.uk/{broadband\ mobile}/coverage/{POSTCODE}</code>
Auth	<code>Ocp-Apim-Subscription-Key</code> header (server-side)
CORS	Allow-list — <code>https://nhs-address-finder.vercel.app</code> + <code>http(s)://localhost:*</code> + <code>http(s)://127.0.0.1:*</code> . All other origins blocked. <code>Vary: Origin</code> keeps cache honest.
Cache	24h edge cache keyed by <code>(product, postcode)</code> , origin-agnostic — CORS header rewritten per-request on cache hits
Endpoints	<code>?postcode=...&product=broadband\ mobile\ both</code>

The `product=both` mode does a single round-trip and returns both feeds — the Address Finder uses this exclusively for efficiency.

7.2 EPC Lookup Worker (`workers/epc-lookup/`)

ITEM	DETAIL
Production URL	<code>https://nhs-epc-lookup.systemtest-827.workers.dev</code>
Deployed	2026-05-14
Upstream	<code>https://api.get-energy-performance-data.communities.gov.uk</code>
Auth	<code>Authorization: Bearer <token></code> (server-side)
CORS	Same allow-list as Ofcom Worker (Vercel domain + localhost).
Cache	24h edge cache per query / certificate, origin-agnostic
Endpoints	<code>?postcode=...</code> (search) · <code>?cert=<RRN></code> (full certificate detail)

Both workers use `wrangler@^3.85.0` for deploy. POC keys are inlined as constants with `env.*` fallback hooks ready for production secret rotation.

8 • Deployment

8.1 Frontend (`index.html`)

Deployed to **Vercel** as a static site. `vercel.json` at the repo root configures:

- Cache control — `index.html` always re-validates, all other assets cached for 1h
- Security headers — `X-Content-Type-Options: nosniff`, `X-Frame-Options: SAMEORIGIN`, `Referrer-Policy: strict-origin-when-cross-origin`, `Permissions-Policy` denying camera/mic/geo, `Strict-Transport-Security` with 2-year max-age

Deploy options:

```
# Manual
npx vercel --prod

# Or wire the GitHub repo at vercel.com/new → auto-deploy on push to main
```

For local development, serve from `http://localhost:*` — the Workers' CORS allow-list permits any localhost port:

```
python3 -m http.server 8080
```

Opening `index.html` via `file://` is now **blocked** — the Workers' tightened CORS no longer permits `null` origins.

8.2 Workers

```
cd workers/ofcom-coverage
npm install
npx wrangler login
# optionally rotate POC keys to secrets:
npx wrangler secret put OFCOM_BROADBAND_KEY
npx wrangler secret put OFCOM_MOBILE_KEY
npx wrangler deploy
```

Same pattern for `workers/epc-lookup`.

9 • Key technical decisions

DECISION	RATIONALE
Single HTML file, no build step	Maximum portability for partners; anyone can fork / inspect / host
Cloudflare Workers (not Apex callouts)	Sub-100ms warm latency from anywhere, free tier covers all expected volume, edge caching is free
html2canvas + jsPDF (not html2pdf.js)	Direct library access lets us control pagination per-page; html2pdf's heuristics were unreliable
Per-page render (not full-doc slice)	One page in DOM = one page in PDF — eliminates entire class of pagebreak bugs
PNG (not JPEG) for PDF images	Lossless text edges; ~5MB file size is acceptable for a property report
<code>scale: 3</code> on html2canvas	Hits ~288 DPI (above print threshold); below this visibly blurry
Inline POC keys in Workers (not env secrets yet)	Faster iteration in sandbox; <code>env.*</code> fallback already wired for prod cutover
Aptos + Futura LT Light (brand-specified)	Spec compliance; system fallbacks (Segoe UI / Century Gothic) cover Windows users without Aptos

10 · Status & next steps

Done

- [x] Postcode → addresses lookup (OS Places live)
- [x] OS Maps tile viewer (Leaflet + OS Maps API)
- [x] Google Street View embed
- [x] EPC certificate ladder + details (MHCLG via Worker)
- [x] Broadband gauge + tier breakdown (Ofcom via Worker)
- [x] Mobile coverage cards (Ofcom via Worker)
- [x] Generate Report → 4-page branded PDF
- [x] Brand compliance per NHS Email Template Guidelines
- [x] Both Workers deployed to Cloudflare
- [x] Ofcom subscriptions active (Broadband + Mobile, Basic tier)
- [x] MHCLG EPC bearer token live

Pending

- [x] ~~Push to GitHub remote~~ — live at `github.com/deepakcrmmates/nhs-address-finder`
- [x] ~~Production host for `index.html`~~ — Vercel at `nhs-address-finder.vercel.app`
- [x] ~~Lock CORS `Allow-Origin` to the production domain~~ — both Workers now CORS-locked to Vercel + localhost
- [] Rotate Worker POC keys → `wrangler secret put` for production
- [] Restrict OS Data Hub API key by HTTP-Referer to the Vercel domain (key currently embedded in `index.html` is publicly visible)
- [] Add custom domain (e.g. `find.newhomesolutions.co.uk`) and add it to both Workers' CORS allow-lists
- [] Add usage analytics / partner attribution
- [] Add monthly rate-limit guard on the Ofcom Workers (the Basic tier has caps)

Considered, deferred

- Selectable text in the PDF — would need to rebuild via `pdfmake` and lose the gauge / operator cards. Trade-off not worth it for v1.
 - Server-side cache layer between Workers and upstreams beyond Cloudflare's edge cache — not needed at current call volumes.
-

11 • Glossary

TERM	MEANING
UPRN	Unique Property Reference Number — 12-digit identifier from OS AddressBase, the canonical UK property ID
RRN	Report Reference Number — EPC certificate identifier
NHS	New Home Solutions Ltd — the client (not the National Health Service)
Sprift / Street Data / HomeData	Other property data vendors NHS uses in the parent training app — not used here
MHCLG	UK Ministry of Housing, Communities and Local Government — owns the EPC Register
Ofcom	UK communications regulator — publishes Connected Nations data on broadband + mobile coverage
OS	Ordnance Survey — UK national mapping agency

New Home Solutions Ltd • Part Exchange & Assisted Move Specialists • Document maintained by CRM Mates