P&p

Pop & Pour

OWNER'S MANUAL — ORDERING SITE

Everything you need to run, change and fix the café site: daily use, menu & prices, loyalty, staff access, reports, updates and troubleshooting.

Site: popandpours.netlify.app · Project folder: C:\Users\Deepa\pop-n-pour · Version 2 · October 2026

Contents

1. How the system works (one-page picture)
2. Daily use — Order screen (customers)
3. Daily use — Barista screen
4. Daily use — Management screen
5. Loyalty programme (stamps, free soda, birthdays)
6. Changing drinks & prices
7. Promo codes
8. Staff access: barista PIN & owner password
9. Reports, exports & day close
10. QR poster & phone ordering
11. Updating the site (code changes & deploy)
12. Supabase — the database (accounts, tables, SQL)
13. Troubleshooting
14. Security & backups
15. Quick reference card

1. How the system works

PART	WHAT IT IS	WHERE
Website	The screens customers and staff use. Built in React, hosted free on Netlify.	popandpours.netlify.app
Database	Stores menu, orders, customers, promos, settings. Hosted free on Supabase.	supabase.com/dashboard
Code	The source files. Editing these and pushing to GitHub updates the website.	C:\Users\Deepa\pop-n-pour (and GitHub)

Three screens, one site:

SCREEN	WHO	HOW TO OPEN
🥤 Order (kiosk)	Customers — on the counter tablet or their own phone	Opens by default
Barista	Counter staff	Barista tab → PIN
Management	Owner only	Management tab → email + password

Order flow: customer picks drinks → Place order → gets a number → pays cash/UPI at counter → barista taps Start → Ready → "Paid & handed over" → customer earns 1 stamp (if logged in).

> Nothing is charged online. The site only takes the order; money is collected at the counter as before.

What is stored where

TABLE (SUPABASE)	HOLDS
menu_items	Every drink and add-on, prices (R / L), sold-out flag
orders	Every order: items, totals, status, customer, promo, cancel reason
customers	Name, mobile, stamps, birthday, PIN (hashed — unreadable)
promos	Promo codes
staff	Which logins are owner / barista
settings	Barista PIN (hashed)

2. Daily use — Order screen (customers)

1. **Pick a series** — "All drinks" shows everything on one page; or tap a series (Sparkling Soda, Popping Soda, Milk Tea, Milk Boba, Matcha, No Added Sugar).
2. **Add-ons** — on series without boba, tap *+ Chewy Boba* or *+ Popping Boba* (₹30 each) before adding. Price on the button updates.
3. **Size** — milk tea, boba and matcha show **R** and **L** buttons; sodas have one price.
4. **Your cup** (right side, or the orange bar on phones) — change quantity with + / −.
5. **Promo code** — type it, Apply. Shows an error if invalid or below minimum order.
6. **Loyalty** — "Earn loyalty stamps" → log in (mobile + 4-digit PIN) or create account. Or skip and type a name for the order.
7. **Place order** — shows a big order number and the amount to pay. After a few seconds, tap "Start a new order" to reset for the next customer.

> Sold-out drinks appear greyed with a "Sold out" tag and cannot be added. The menu refreshes itself every minute.

Counter tablet setup

- Open popandpours.netlify.app in Chrome → menu ⋮ → **Add to Home screen** → opens full-screen like an app.
- Keep it on the Order tab. Customers never need the Barista or Management tabs (both are locked).
- Logged-in customers are signed out automatically after each order, so the next customer never sees their account.

3. Daily use — Barista screen

Tap **Barista** → enter PIN → **Open counter**. Stays logged in on that device until Sign out (the ⏲ button in the header).

Order columns

COLUMN	MEANING	BUTTON
New	Just placed, not started	**Start** → moves to Preparing
Preparing	Being made	**Ready** → moves to Ready
Ready	Waiting for pickup	**Paid & handed over** → completes the order and awards the stamp

- **Timer badge** turns red after 10 minutes — attend to that order.
- **Collect ₹…** on each card is the exact amount to take. Tags show promo used, "Free soda" (reward used) or "Loyalty" (customer will earn a stamp).
- 🔔 **Sound** — a chime plays when a new order arrives. Toggle with the speaker button. The screen refreshes every 6 seconds; ↻ refreshes now.
- **Green WhatsApp button** (Ready orders, loyalty customers only) — opens WhatsApp with "your order is ready" pre-typed. Tap Send.
- ⊘ **Cancel** — pick a reason (Customer left / Wrong order / Out of stock / Duplicate / Other). The order is cancelled and the reason is recorded for Management.

Sold out today

Below the orders, open **Sold out today**. Tap a drink to mark it sold out (it turns dark with a strike-through); tap again to bring it back. The kiosk hides it within a minute.

Reset customer PIN

Customer forgot their 4-digit PIN: enter their 10-digit mobile and a new PIN → Reset. Tell the customer the new PIN.

> "Paid & handed over" is what awards the loyalty stamp and counts the sale in reports. Always press it — don't leave orders in Ready.

4. Daily use — Management screen

Tap **Management** → owner email + password. Six tabs:

TAB	USE IT FOR
Dashboard	Revenue, orders, average ticket, discounts, open and cancelled counts; revenue by hour; top drinks; sales by series; **Day close** summary with "Copy for WhatsApp"; cancel reasons.
Orders	Every order in the chosen date range with customer, mobile, items, total, status and cancel reason. ⬇ downloads a CSV (opens in Excel).
Customers	All loyalty customers: name, mobile, stamps, birthday, joined. Search box. **Download all** → CSV of every mobile number. Upcoming birthdays (30 days) with WhatsApp greeting links.
Promo codes	Create, pause/activate, delete codes.
Menu & prices	Edit any drink's name, description, R/L price, sold-out. Press Save on that row.
Settings	Change the barista PIN. Open the printable QR poster.

The date pickers (top right on Dashboard and Orders) default to today. Set a range for weekly/monthly figures. Dashboard numbers count only **completed** orders.

> The owner can also open the Barista screen (no PIN needed once signed in as owner).

5. Loyalty programme

RULE	DETAIL
Earning	1 stamp per completed order (not per drink), only when the customer logged in before placing the order.
Reward	8 stamps = one free **Sparkling Soda**. The customer ticks "Use 8 stamps…" in the cart; a Sparkling Soda must be in the cup. The cheapest sparkling soda in the cart becomes ₹0. 8 stamps are deducted when the barista completes the order; the order itself still earns 1 stamp.
Nudge	After every order the screen shows "N more drinks to a free Sparkling Soda".
Account	Mobile number (10 digits) + 4-digit PIN + name; birthday optional. PINs are stored hashed and cannot be seen by anyone, including you.
Forgot PIN	Barista resets it from the Barista screen.
Birthdays	Management → Customers lists birthdays in the next 30 days with a one-tap WhatsApp greeting ("free drink this week"). Honour it manually at the counter — e.g. use a promo code or just give it.

Changing the reward

The reward is fixed in two places. To change (e.g. 10 stamps, or free Popping Soda):

1. `src/menu.js` → `REWARD = { stamps: 8, label: 'a free Sparkling Soda' }` — the number and the wording shown on screen.
2. `supabase-v2.sql` → in `place_order` change `stamps < 8` and `mi.cat = 'sparkling'`; in `complete_order` change `else 8`. Re-run those two functions in Supabase SQL Editor.

Easiest: ask Claude — "change the reward to 10 stamps = free Popping Soda" — it will edit both and tell you what to run.

6. Changing drinks & prices

Price / name / description / sold out — no code needed

Management → **Menu & prices** → edit the row → **Save**. Live on the kiosk within a minute. Prices are checked by the database when an order is placed, so the browser can never be tricked into a wrong price.

Adding a new drink

Supabase → SQL Editor → run (change the values):

```
insert into menu_items (id, cat, name, descr, price_r, price_l, sort)
values ('mt7', 'milktea', 'Rose Milk Tea', 'Rose + milk', 160, 190, 37);
```

FIELD	NOTES
id	Short unique code (letters/numbers). Convention: sp=sparkling, po=popping, mt=milk tea, mb=boba, ma=matcha, sf=sugar-free.
cat	One of: sparkling, popping, milktea, boba, matcha, sugarfree, addon
price_l	Use `null` if there is no Large size.
sort	Display order within the series (lower first).

Removing a drink

Mark it sold out (keeps history), or delete permanently: `delete from menu_items where id = 'mt7';`

Adding a new series (category)

Needs a small code change in `src/menu.js` (CATEGORIES list: id, name, note, addons true/false, colour, emoji), then deploy (section 11). Ask Claude: "add a Cold Brew series with these drinks".

Add-on prices

Management → Menu & prices → **Add-ons** block at the top.

7. Promo codes

Management → **Promo codes**.

FIELD	MEANING
Code	What the customer types (saved in CAPITALS, e.g. WELCOME10)
Type	**% off** (value = percent, max 100) or **₹ off** (value = rupees)
Min order ₹	Code works only if the subtotal is at least this (0 = always)
Active / Paused	Pause to stop a code without deleting it (keeps it on old orders' history)

- Promo and free soda can be used together; promo applies first.
- Discounts show on the Dashboard "Discounts" tile and in order exports.
- Happy-hour timing is manual: activate the code at 3 pm, pause at 6 pm.

Ideas: `WELCOME10` (10%, first visit), `RAIN20` (₹20 off, min ₹150), `BDAY` (100%, min 0 — give verbally to birthday customers, pause after).

8. Staff access

WHO	LOGIN	CHANGE IT
Barista	4–6 digit PIN (default **1234** — change on day one)	Management → Settings → new PIN → Save PIN
Owner	Email + password (Supabase user)	Supabase → Authentication → Users → click the user → ⋯ → Reset / Update password

Add a second owner

1. Supabase → Authentication → Users → Add user → Create new user → email + password, tick **Auto Confirm User**.
2. SQL Editor → run:

```
insert into staff (user_id, role, name)
select id, 'owner', 'Partner' from auth.users where lower(email) = 'partner@example.com'
on conflict (user_id) do update set role = 'owner';
```

Remove an owner

Authentication → Users → ⋯ → Delete user.

How PIN login works (for curiosity)

The barista device signs in as an anonymous Supabase user, then proves the PIN to the database, which marks that device as "barista". The PIN itself is stored hashed. Old anonymous users accumulate harmlessly in Authentication → Users; you may delete them any time.

> Sign out of Management on shared devices. The owner session stays logged in until you press the sign-out button.

9. Reports, exports & day close

End of day

1. Barista: make sure every order is in Completed (press "Paid & handed over") or cancelled.
2. Management → Dashboard (today) → **Copy for WhatsApp** → paste into your owners' group. It contains sales, orders, average ticket, discounts, free sodas, cancellations, cash to tally and top drinks.
3. Revenue tile = total of completed orders = the cash + UPI you should have.

Weekly / monthly

Set the date range → Dashboard shows the figures. Orders tab → ⬇ downloads a CSV for your accountant (date, time, customer, mobile, items, subtotal, discount, promo, free soda, total, status, cancel reason).

Customer database

Management → Customers → **Download all** → CSV with every name and mobile number — use for WhatsApp broadcasts, festival offers, etc.

GST / accounts note

Order totals are inclusive amounts collected. There is no invoice generation in the site; your billing software/register stays the tax record. The CSV is a sales register you can reconcile against.

10. QR poster & phone ordering

1. Management → Settings → **Open printable poster** (or go to popandpours.netlify.app/poster.html).
2. Click **Print** → choose A4, "Save as PDF" or a colour printer. Print a few: counter, table tents, the entrance.
3. Customers scan → the Order screen opens on their phone → they order while queueing → pay at the counter → barista sees it instantly.

Phone orders look exactly like kiosk orders in the Barista screen. Encourage loyalty sign-up on phones — the account is tied to the mobile number, not the device.

11. Updating the site

You only need this when the **code** changes (new feature, new series, design). Menu, prices, promos, PIN and sold-out never need this.

A. Ask Claude to make the change

Open the project folder in Claude (desktop app or Claude Code), describe the change. Claude edits files in `C:\Users\Deepa\pop-n-pour`, runs `npm run build` and tells you if any SQL must be run in Supabase.

B. Test locally

```
cd C:\Users\Deepa\pop-n-pour
npm run dev
```

Open http://localhost:5173 and try it. Press **Ctrl+C** in the terminal to stop.

C. Publish

```
git add -A
git commit -m "describe the change"
git push
```

Netlify rebuilds automatically in about a minute. Check popandpours.netlify.app (hard-refresh with Ctrl+F5).

> "LF will be replaced by CRLF" warnings during `git add` are harmless.

If PowerShell blocks npm

```
Set-ExecutionPolicy -Scope CurrentUser RemoteSigned
```

Manual deploy (if GitHub/Netlify link breaks)

`npm run build` → Netlify → your site → Deploys → drag the `dist` folder onto the page.

Project files

FILE	PURPOSE
src/App.jsx	Header, tabs, login popups
src/components/CustomerKiosk.jsx	Order screen
src/components/BaristaKDS.jsx	Barista screen
src/components/ManagementMIS.jsx	Management screen
src/menu.js	Series list, colours, reward rule
src/ui.js	Colours and button styles
src/supabase.js, .env	Database connection keys — never share .env publicly
supabase.sql, supabase-v2.sql	Database setup scripts (already run; keep for reference / rebuild)
public/poster.html	QR poster

12. Supabase — the database

Login: supabase.com/dashboard → project "deepakjain70641's Project". Free plan is enough for a café (pauses after 7 days of zero traffic on the free tier — opening the site wakes it; if the site shows "Loading menu..." forever after a long break, open the Supabase dashboard once and click Restore).

SIDEBAR ITEM	USE
Table Editor	Browse/edit rows by hand (orders, customers, menu_items...). Handy for fixing a typo or checking a customer's stamps.
SQL Editor	Run SQL snippets from this manual.
Authentication → Users	Owner login accounts; password resets.
Authentication → Sign In / Providers	"Allow anonymous sign-ins" must stay ON (barista PIN login depends on it).

Useful SQL snippets

TASK	SQL
Give a customer stamps manually	`update customers set stamps = 5 where phone = '9876543210';`
Merge/fix a customer's name	`update customers set name = 'Priya S' where phone = '9876543210';`
Delete a customer (their request)	`delete from customers where phone = '9876543210';` (old orders keep the mobile; clear with `update orders set customer_phone = null, customer_name = null where customer_phone = '9876543210';`)
Today's sales	`select count(*), sum(total) from orders where status = 'completed' and created_at >= current_date;`
Clear all test orders (before launch)	`delete from orders;` then `update customers set stamps = 0;`
Reset barista PIN to 1234	`update settings set value = extensions.crypt('1234', extensions.gen_salt('bf')) where key = 'barista_pin_hash';`
Make a user owner	See section 8
Remove old anonymous barista logins	`delete from auth.users where is_anonymous and created_at < now() - interval '30 days';`

Rebuild from scratch (new Supabase project)

1. Create project → SQL Editor → run `supabase.sql`, then `supabase-v2.sql`.
2. Authentication → Sign In / Providers → Allow anonymous sign-ins ON.
3. Add owner user; run the staff insert (section 8).
4. Project Settings → API → copy URL and anon key into `.env` (`VITE_SUPABASE_URL`, `VITE_SUPABASE_ANON_KEY`) and into Netlify → Site settings → Environment variables. Redeploy.

13. Troubleshooting

SYMPTOM	CAUSE → FIX
"Loading menu..." never finishes	Supabase paused or internet down → open Supabase dashboard, Restore project; check Wi-Fi.
Barista PIN: "Wrong PIN"	PIN changed → Management → Settings set a new one; or reset via SQL (section 12).
Barista PIN: "Enable Anonymous sign-ins"	Supabase → Authentication → Sign In / Providers → toggle ON → Save.
"function crypt... does not exist"	Run: `alter function claim_barista(text) set search_path = public, extensions;` (same for set_barista_pin, customer_register, customer_login, reset_customer_pin).
Management: "not an owner account"	Password is right but no staff row → run the owner insert (section 8).
Management: "Invalid login credentials"	Wrong password → reset in Authentication → Users.
Order fails: "X is sold out"	Barista marked it sold out while the customer was ordering → remove item.
Order fails: "Add a Sparkling Soda to use your free drink"	Reward ticked without a sparkling soda in the cup.
No chime on new orders	Browser blocks sound until the screen is tapped once; tap anywhere, check the speaker toggle.
Customer: "This number is already registered"	They have an account → use "I have an account"; barista can reset PIN.
Site shows old version after deploy	Hard refresh Ctrl+F5; on tablet clear site data or reinstall the home-screen shortcut.
`npm` "cannot be loaded... scripts disabled"	Run `Set-ExecutionPolicy -Scope CurrentUser RemoteSigned` once.
Dashboard revenue looks low	Only completed orders count — check Barista for orders stuck in Ready.
Netlify build failed	Netlify → Deploys → open the failed deploy → copy the red error → ask Claude.

14. Security & backups

- **No passwords in code.** The old hardcoded barista PIN and owner password are gone. The old owner password is still in GitHub history — don't reuse it anywhere.
- **Customer PINs** are hashed (bcrypt). Nobody can read them. Mobile numbers are visible only to Management.
- **Prices are enforced by the database** — a customer cannot tamper with totals from the browser.
- **.env** contains the anon key. It's safe in the browser by design, but keep the repo private anyway.
- **Backups:** Supabase free tier has no automatic backups. Once a month: Management → Orders (set range to the month) → ⬇ CSV, and Customers → Download all. Keep them in Drive.
- **Old tables** from version 1 (`loyalty_stamps`, `items`, `coupons`) — if still present, drop them: `drop table if exists loyalty_stamps, items, coupons cascade;` (loyalty_stamps held plain-text PINs).
- **Who can do what:** Owner — everything. Barista — orders, sold-out, customer PIN reset. Customer — order, own account. Nobody else can read anything.

15. Quick reference card

I WANT TO...	DO THIS
Change a price	Management → Menu & prices → edit → Save
Mark a drink sold out	Barista → Sold out today → tap it
Add a promo	Management → Promo codes
Change barista PIN	Management → Settings
Owner forgot password	Supabase → Authentication → Users → ⋯ → Reset password
Customer forgot PIN	Barista → Reset customer PIN
Day-end summary	Management → Dashboard → Copy for WhatsApp
All mobile numbers	Management → Customers → Download all
Monthly sales for accountant	Management → Orders → set dates → ⬇
Print QR poster	Management → Settings → Open printable poster → Print
Add a drink	Supabase SQL insert (section 6)
New feature / design	Ask Claude in the project folder → test → git push (section 11)

Links

Live site	https://popandpours.netlify.app
QR poster	https://popandpours.netlify.app/poster.html
Database	https://supabase.com/dashboard
Hosting	https://app.netlify.com
Code	C:\Users\Deepa\pop-n-pour (GitHub repo linked to Netlify)

Default logins (change on day one)

Barista PIN	1234
Owner	deepakjain8976@gmail.com + the password set in Supabase