

Started on	Sunday, 12 February 2023, 8:46 PM
State	Finished
Completed on	Sunday, 12 February 2023, 8:46 PM
Time taken	11 secs
Marks	0/4
Grade	0 out of 100




Question 1

Not answered

Marked out of 1

The primary purpose of the analysis shown in the below graph is to





Select one:

- ☐ Determine effectiveness of an intervention
- ☐ Estimate genetic linkage
- ☐ Determine degree of non-causal association
- ☐ Determine hazard ratio
- ☐ Study cause effect relationship

Your answer is incorrect.

This describes a path analysis. The main purpose is to study multiple causations in relation to an effect.

The correct answer is: Study cause effect relationship




Question **2**

Not answered

Marked out of 1

The value $R^2 = 0.13$ in the below graph stands for





Select one:

- ☐ Random relationship
- ☐ Relative risk
- ☐ Coefficient of determination
- ☐ Risk Reduction
- ☐ Correlation coefficient

Your answer is incorrect.

The coefficient of determination (R^2) is the proportion of the total variation in the dependent variable that is accounted for by the regression model (independent variable). Values of R^2 close to 1 imply that most of the variability in the dependent variable is explained by the regression model built using the predictors. R^2 is denoted as R^2 in regression when there is only one predictor variable (bivariate simple linear regression).

The correct answer is: Coefficient of determination




Question **3**

Not answered

Marked out of 1

The values 0.24 and 0.45 in the below graph are correctly termed as





Select one:

- ☐ Correlation coefficients
- ☐ Degrees of freedom
- ☐ Significance level
- ☐ Confidence levels
- ☐ Path coefficients

Your answer is incorrect.

The numbers over the paths are the standardized path coefficients, which are the same as the regression coefficients in a multiple regression.

The correct answer is: Path coefficients




Question **4**

Not answered

Marked out of 1

Which of the following inferences from the below graph is NOT correct?





Select one:

- ☐ Self-esteem directly affects QOL
- ☐ In the absence of depressed mood, self esteem cannot influence QOL
- ☐ Depressive mood affects QOL
- ☐ Uncooperativeness affects QOL via self esteem
- ☐ Higher the depressed mood, lower the self esteem

Your answer is incorrect.

The negative value indicates (-0.24) that higher the depressed mood, lower the self-esteem. Also higher the uncooperativeness, lower the self-esteem. A positive value of 0.45 indicates that higher the self-esteem, better the QOL. Depressed mood indirectly affects QOL. Self-esteem mediates the influence of depressed mood and uncooperativeness on QOL in this model. (NOTE: We cannot say if this model is true or not - we can only describe the fit and relationships). Kunikata, H et al. (2005) Quality of life of schizophrenic patients living in the community: The relationships with personal characteristics, objective indicators, and self-esteem. Psychiatry and Clinical Neurosciences, 59, 163-169.

The correct answer is: In the absence of depressed mood, self esteem cannot influence QOL



© 2023 SPM Course Limited, UK.

[Refund Policy](#) | [Terms & Conditions](#)

