

Started on	Sunday, 12 February 2023, 8:30 PM
State	Finished
Completed on	Sunday, 12 February 2023, 8:30 PM
Time taken	8 secs
Marks	0/40
Grade	0 out of 100



Question 1

Not answered

Marked out of 3

Structured instruments

Choose one option for each of the following descriptions

A popular structured clinical risk assessment tool for violence risk with ten historical items, five clinical items and five risk management items

Choose...

A 20-item set of risk factors. It is helpful in the assessment of spousal assault

Choose...

A 20 item guide for assessing violence risk in sex offenders

Choose...

Your answer is incorrect.

Explanation:

1) Structured Clinical Risk assessment HCR-20 (Webster): It is a popular structured clinical assessment tool for violence risk. HCR-20 (Historical, Clinical and Risk) shows good inter-rater reliability. It has 10 historical items (history of previous violence, PCLR score etc), 5 Clinical items (lack of insight, diagnosis of PD) and 5 risk management items (feasibility of plans, lack of support etc). It has been useful in predicting inpatient violence and community violence in discharged patients.

2) SARA: Spousal assault risk assessment guide SARA is a 20-item set of risk factors. It is useful in the assessment of spousal assault. It can be used to help gauge the risk of future violence in men arrested for spousal assault.

3) SVR-20 is sexual violence risk 20 scale - this is a 20-item guide for assessing violence risk in sex offenders.

The correct answer is: A popular structured clinical risk assessment tool for violence risk with ten historical items, five clinical items and five risk management items → Historical, clinical and Risk 20 (HCR-20), A 20-item set of risk factors. It is helpful in the assessment of spousal assault → Spousal assault risk assessment (SARA), A 20 item guide for assessing violence risk in sex offenders → SVR-20

Question 2

Not answered

Marked out of 4

Actuarial instruments

Choose one option for each of the following descriptions

A scale used to diagnose psychopathy, inform risk assessment and treatment decision

Choose...



A ten-item actuarial assessment instrument used for adult male sexual offenders who are at least 18 years of age at the time of release to the community.

Choose...



A scale is entirely reliant on historical factors that is made of 12 items and includes PCL-R as a subscale.

Choose...



This scale is a 14 item actuarial instrument that incorporates PCL-R.

Choose...



Your answer is incorrect.

Explanation:

1) PCL-R (Hare) is a scale to diagnose Psychopathy, informs risk assessment and treatment decisions. 0 - 40 score range; 0-2 for each item; 20 items in total. Cut off of 25 used to diagnose psychopathy. In the strictest sense, PCL was not designed to be an actuarial tool for risk assessment on its own.

2) The Static-99 is a ten item actuarial assessment instrument. It was created by Hanson and Thornton, for use with adult male sexual offenders who are at least 18 years of age at the time of release to the community.

3) VRAG (violence risk appraisal guide - Quinsley 1995) is entirely reliant on historical factors. It was originally validated at Canadian prisons. It is made of 12 items and includes PCL_R as a subscale.

4) SORAG (Sexual risk offender appraisal guide) is a 14 item actuarial instrument that incorporates PCL_R.

The correct answer is: A scale used to diagnose psychopathy, inform risk assessment and treatment decision → Psychopathy check list-revised (PCL-R), A ten-item actuarial assessment instrument used for adult male sexual offenders who are at least 18 years of age at the time of release to the community. → Static-99, A scale is entirely reliant on historical factors that is made of 12 items and includes PCL-R as a

subscale. → Violence risk appraisal guide (VRAG), This scale is a 14 item actuarial instrument that incorporates PCL-R. → Sexual offending risk appraisal guide (SORAG)



Question 3

Not answered

Marked out of 5

Typology of Stalking

Identify the typology of stalking using the descriptions given below

The stalker who pursues ex-intimates, either in the hope of reconciliation or for vengeance.

Choose...



The stalker who stalk someone they believe they love and thinks they will reciprocate

Choose...



The stalker who inappropriately intrude, someone, usually seeking a date or brief sexual encounter

Choose...



The stalker who pursues victims to exact revenge for actual or perceived injury.

Choose...



Stalking forms a part of sexual offending.

Choose...



Your answer is incorrect.

Explanation:

A **rejected stalker** is one who pursues an ex-intimate person, either in the hope of reconciliation or for vengeance.**Intimacy seekers** who stalk someone they believe they love, and they think they will reciprocate.**Incompetent suitors**, who inappropriately intrude, someone, usually seeking a date or brief sexual encounter.The **resentful stalker** pursues victims to exact revenge for actual or perceived injury.The **predatory stalker** stalks for a sexual offence.

The correct answer is: The stalker who pursues ex-intimates, either in the hope of reconciliation or for vengeance. → Rejected, The stalker who stalk someone they believe they love and thinks they will reciprocate → Intimacy Seeker, The stalker who inappropriately intrude, someone, usually seeking a date or brief sexual encounter → Incompetent suitors, The stalker who pursues victims to exact revenge for actual or perceived injury. → Resentful, Stalking forms a part of sexual offending. → Predatory

Question 4

Not answered

Marked out of 3

Terms and concepts in forensic medicine

Choose the most appropriate legal terminology applicable for each of the following situations

Allows the Court to take control of the property and affairs of a patient that lacks mental capacity

Choose...



At the time of offending, a mentally ill offender did not know that the act he was doing was wrong

Choose...



This is used by courts as an alternative to prison sentences for a mentally ill offender

Choose...



Your answer is incorrect.

Explanation:

- 1) A Court of Protection order can be made to deal with the financial affairs of an incapacitated patient.
- 2) Not Guilty by Reason of Insanity can be entertained if at the time of offending the nature of mental illness is such that the offender did not know whether he was doing right or wrong.
- 3) The courts use hospital orders commonly as a form of psychiatric disposal.

The correct answer is: Allows the Court to take control of the property and affairs of a patient that lacks mental capacity → Court of Protection Order, At the time of offending, a mentally ill offender did not know that the act he was doing was wrong → Not Guilty by Reason of Insanity, This is used by courts as an alternative to prison sentences for a mentally ill offender → Hospital Order

Question 5

Not answered

Marked out of 3

Perpetrators of homicide

For each of the following description choose the best term applicable from the list provided:

Killing of one's father	Choose... ▾
Killing of one's wife	Choose... ▾
Killing of one's child	Choose... ▾

Your answer is incorrect.

Explanation: **Uxoricide** (from Latin uxor meaning "wife") is the murder of one's wife. The act of murdering one's father is called **patricide**. **Filicide** is the deliberate act of a parent killing his or her son or daughter. The word filicide derives from the Latin words filius meaning "offspring".

The correct answer is: Killing of one's father → Patricide, Killing of one's wife → Uxoricide, Killing of one's child → Filicide



Question 6

Not answered

Marked out of 3

Legal terminology (1)

For each of the following description choose the best term applicable from the list below

The right to a hearing to determine if an accused is being legally detained before trial

Choose... ▾

An offence eligible for trial by the jury

Choose... ▾

The factual evidence for a crime to have been committed

Choose... ▾

Your answer is incorrect.

Explanation:

Habeas corpus is Latin for "you may have the body" (subject to examination). It is a writ that requires a person detained by the authorities be brought before a court of law so that the legality of the detention could be examined.

A summary offence are tried by a judge with no requirement for a jury at the trial hearing. An indictable offence, in contrast, is an offence that can only be tried after a preliminary hearing usually by the jury. In contrast to summary offences, indictable offenses are more serious or complex in nature. (Ref: Retrieved from <http://www.criminal-law-lawyer-source.com/terms/corpus-delicti.html>)

Corpus delicti is the legal term, which refers to the body of the offense or the essence of the crime. Most literally, corpus delicti is the term used to refer to the actual victim's body in a murder case. Corpus delicti is also a term that can be used to mean any material evidence of a crime or objective proof in a criminal case. The laws of corpus delicti relate to what must be proven in a case to elicit an acquittal or conviction.

The correct answer is: The right to a hearing to determine if an accused is being legally detained before trial → Habeas corpus, An offence eligible for trial by the jury → Indictable offence, The factual evidence for a crime to have been committed → Corpus delicti

Question 7

Not answered

Marked out of 3

Legal terminology (2)

For each of the following description choose the best term applicable from the list provided

The physical action of a crime

Choose...



Not legally responsible for committing a serious offence before the age of criminal responsibility

Choose...



The intent to commit a crime

Choose...



Your answer is incorrect.

Explanation: In order to be guilty of a crime two things must be proved: The defendant carried out the criminal act - the 'Actus reus' (The guilty act) & The defendant had a guilty state of mind - the 'Mens Rea' (The guilty mind). Mens rea is the subjective element of an offence that describes the state of mind or required intention of accused in a criminal charge. The Latin term "Doli incapax" means, in a UK legal context: "incapable of crime". (Ref: Law 12. (n.d.). Retrieved from <http://law12.blogspot.com>)

The correct answer is: The physical action of a crime → Actus rea, Not legally responsible for committing a serious offence before the age of criminal responsibility → Doli incapax, The intent to commit a crime → Mens rea



Question 8

Not answered

Marked out of 4

Impulse control disorders

Choose the most likely diagnosis from the following descriptions

A 34-year-old woman with failure to resist impulses to steal items that are not needed.

Choose...

A 19-year-old man with mild learning difficulties has a history of multiple episodes of deliberate and purposeful fire setting

Choose...

A 23-year-old woman with stereotyped recurrent pulling of hair, exacerbated by stress

Choose...

A 64-year-old woman with persistent and recurrent maladaptive patterns of betting behaviour

Choose...

Your answer is incorrect.

Explanation:

1) Kleptomania is failure to resist impulses to steal items that are not needed or sought for personal use or monetary value. It is usually seen in females in their thirties.

2) Pyromania is the presence of multiple episodes of deliberate and purposeful fire setting leading to property damage, legal consequences and injury or loss of life. It is more prevalent in male adolescents with poor social skills and learning difficulties.

3) Trichotillomania is stereotyped recurrent pulling of hair, exacerbated by stress. Pulling hair relieves the feelings of tension, and it involves the scalp, eyelashes or eyebrows.

4) Pathological gambling disorder is persistent and recurrent maladaptive patterns of gambling behaviour. There is a preoccupation with gambling and needing to gamble with larger amounts of money to get the same feeling of excitement. It is relatively common and may lead to significant personal, family and occupational difficulties. (Ref: Oxford handbook of psychiatry- 386)

The correct answer is: A 34-year-old woman with failure to resist impulses to steal items that are not needed. → Kleptomania, A 19-year-old man with mild learning difficulties has a history of multiple episodes of deliberate and purposeful fire setting → Pyromania, A 23-year-old

woman with stereotyped recurrent pulling of hair, exacerbated by stress → Trichotillomania, A 64-year-old woman with persistent and recurrent maladaptive patterns of betting behaviour → Pathological gambling disorder



Question 9

Not answered

Marked out of 4

Forensic Psychiatry & Homicide

Choose the most likely data pertaining to epidemiological observations for the following statements:

The proportion of homicide perpetrators with a primary diagnosis of a personality disorder that received prison sentence

Choose... ▾

What percentage of homicide perpetrators with a primary diagnosis of a personality disorder had no contact with the mental health services in the year before?

Choose... ▾

What percentage of PD patients had no other psychiatric illness at the time of committing the homicide?

Choose... ▾

What percentage of homicide perpetrators with a history of 'mental disorder' has personality disorders as a primary diagnosis?

Choose... ▾

Your answer is incorrect.

Explanation:

All of the required data to answer this EMI can be found in "Avoidable Deaths" - five-year report of the national confidential inquiry into suicide and homicide by people with mental illness. www.nmhdu.org.uk/silo/files/avoidable-deaths-five-year-report-.pdf

Among all homicide perpetrators, 30% have one or other mental disorder mentioned in the psychiatric reports, with around 10% having had a contact with mental health services in the last 12 months. Interestingly schizophrenia, alcohol /substance use and affective disorders are equally prevalent (18% each, of all those 30% with a 'diagnosis'), but the most common diagnosis is personality disorders (27%). In essence, 5% of all homicide perpetrators have a diagnosis of schizophrenia and another 5% have personality disorders as the primary diagnosis. Of the 5% perpetrators with a personality disorder, 29% had been in contact with services in the last 12 months, 28% had been in contact but not in the last 12 months and 43% had no previous contact with services at all. In total, 55% of the perpetrators with a PD had a secondary diagnosis, mainly alcohol and drug dependence. 92% of those with PD as a primary diagnosis are imprisoned, while 4 % receive hospital disposal. On the other hand, 29% of those with schizophrenia were imprisoned while 71% received a hospital order. In total, around 6% of homicide perpetrators receive a hospital disposal. Women and >65 age group are more likely to receive this outcome after a homicide. Among these, 70% have schizophrenia or related illnesses.

The correct answer is: The proportion of homicide perpetrators with a primary diagnosis of a personality disorder that received prison sentence → 9%, What percentage of homicide perpetrators with a primary diagnosis of a personality disorder had no contact with the mental health services in the year before? → 7%, What percentage of PD patients had no other psychiatric illness at the time of committing the homicide? → 45%, What percentage of homicide perpetrators with a history of 'mental disorder' has personality disorders as a primary diagnosis? → 25-30%



Question 10

Not answered

Marked out of 4

Measuring Tools in Forensic services

For each of the following descriptions, identify the most appropriate tool from the list below;

Which of the listed tools is an outcome scale?

Choose... ▾

Which of the listed tools guide decisions regarding the need for secure placement

Choose... ▾

Which of the listed tools focuses on personality traits?

Choose... ▾

Your answer is incorrect.

Explanation:

Sugarman & Walker adapted the HONOS scale by adding 'SECURE' items to enable its use in secure forensic settings. HONOS-Secure was previously known as HONOS-MDO. The 7 security rating items include risk of harm to adults or children; risk of self-harm (deliberate or accidental); need of building security to prevent physical escape; need for a safely staffed living environment; need for escort on leave (beyond the secure perimeter); risk to individual from others and the need for risk management procedures. HoNOS-secure is not a risk assessment tool, but a tool that enable the clinical risk assessment to be translated to need for care and clinical risk management.

DUNDRUM is a structure professional risk assessment tool to guide decisions regarding placement in forensic services. It defines eleven items relevant to the decision to allocate a person to high or medium security, low security, open hospital beds or community follow-up.

HCL-R focuses on psychopathic traits

Ref: <http://www.rcpsych.ac.uk/quality/honos/secure.aspx>

Flynn, G., O'Neill, C., McInerney, C., & Kennedy, H. G. (2011). The DUNDRUM-1 structured professional judgment for triage to appropriate levels of therapeutic security: a retrospective cohort validation study. BMC Psychiatry, 11(1), 43.

The correct answer is: Which of the listed tools is an outcome scale? → HoNOS-secure, Which of the listed tools guide decisions regarding the need for secure placement → DUNDRUM, Which of the listed tools focuses on personality traits? → HCL-R

Question 11

Not answered

Marked out of 4

Forensic epidemiology

Using the most widely accepted epidemiological data, identify the probabilities associated with each of the following scenarios

The proportion of shoplifters that will reoffend after conviction

Choose... ▾

Proportion of prisoners that will self-harm during their prison term

Choose... ▾

The lifetime rate of any mental disorder in perpetrators of homicide

Choose... ▾

The probability of having a mental disorder at the time of committing a homicide offence

Choose... ▾

Your answer is incorrect.

Explanation:

Around 90% of shoplifters, when convicted, will not reoffend. The remaining 10% will repeat the offence.

Self-harm is much more prevalent among prisoners than among the general population. One-half of female remand prisoners have self-harmed at some time in their lives and more than one-quarter in the previous year. The corresponding figures for men are about half of these. Perhaps as many as 10% of prisoners will self-harm during their term with the likelihood increasing with the length of time in custody. Highest rates are among sentenced female prisoners who have spent two or more years in prison, 23% of whom will have self-harmed during the current term (Meltzer et al., 1999).

A national clinical survey of people convicted of homicide (n=1594) in England and Wales (1996-1999) showed that (34%) had a mental disorder: most had not attended psychiatric services; 85 (5%) had schizophrenia (lifetime); 164 (10%) had symptoms of mental illness at the time of the offence; 149 (9%) received a diminished responsibility verdict and 111 (7%) a hospital disposal - both were associated with severe mental illness and symptoms of psychosis.

Ref: <http://www.ncbi.nlm.nih.gov/books/NBK56398/>

Shaw, J., Hunt, I. M., Flynn, S., Meehan, J., Robinson, J. O., Bickley, H., ... & Appleby, L. (2006). Rates of mental disorder in people convicted of homicide. *The British Journal of Psychiatry*, 188(2), 143-147.

The correct answer is: The proportion of shoplifters that will reoffend after conviction → 10%, Proportion of prisoners that will self-harm during their prison term → 10%, The lifetime rate of any mental disorder in perpetrators of homicide → 30%, The probability of having a mental disorder at the time of committing a homicide offence → 10%



© 2023 SPMM Course Limited, UK.

[Refund Policy](#) | [Terms & Conditions](#)

