April 2026 Recalls

1. Exosystem
2. Khat- amphetamine
3. Mirtazapine antiemetic-5HT3
4. First rank symptoms-thought insertion
5. MDMA- serotonin vesicles
6. NMDA- glutamate vesicle
7. 1st order kinetics- fraction
8. Part of DMN- parietal lobe
9. Buspiron- partial agonist
10. Tardive dyskinesia- dopamine supersensitivity
11. SSRI+ tramadol- fever
12. Lithium - worsening psoriasis
13. Topiramate- weight loss
14. NT high in REM; ACH
15. Stroop test- selectivity
16. Safer profile in high cardiac risk- Lurasidone
17. Secure attachment - baby cry after mother leave
18. Critical phase - imprinting
19. Authoritarian
20. Authoritative
21. Basal ganglia's part- putamen
22. Papez circuit - cingulate gyrus
23. CCK- synthesized from Intestinal cell
24. Oxytocin synthesized by Hypothalamus
25. Leptin- adipose tissue
26. Insulin like GF- Liver
27. Neuropeptide Y- appetite increase
28. Organogenesis - 2nd trimester
29. Alzheimer's - beta amyloid
30. Camberwell test- high expression
31. NART- premorbid
32. Ribot's law- recent memory loss
33. Severe delusion- nihilistic
34. Jamais vu- feeling of familiarity
35. Hayling test- response initiation and inhibition
36. Depression: IL 6
37. Ray ostrich test: visuospatial ability and visual memory
38. Heritability
39. Memantine: Non competitive NMDA antagonist
40. Brain organoid limitations - absence vascular system
41. T2 weighted MRI
42. Dark- melatonin
43. Dosulepin high fatal toxicity index
44. Modafinil - used by ppl before exam
45. Sleep spindle- stage 2
46. Typical absence- 3 hz
47. Cariprazine -D2 D3
48. 5HT2A- cognitive increases

49. Decentration
50. Endocannabinoids- anandamide
51. Caffeine - adenosine
52. Retrograde amnesia - forget memory before road traffic accident
53. Fear of failure more- withdrawal
54. Nicotine dependence- take after waking
55. HIV associated neurocognitive disorder- neuronal loss
56. Vygotsky
57. Neural tube formation - neurulation
58. Big 5 personality
59. Prolong grief more than 6 months
60. Monotropy
61. Midlife- Erikson study: generativity vs stagnation
62. Musical hallucinations
63. Autoscopic
64. Out of body experience
65. Parkinsonism- high occupancy
66. Agranulocytosis in clozapine: trimetoprim
67. Test for schizophrenia- prepulse inhibition
68. Test for Alzheimer's- morris water maze
69. Diazepam binds to what? GABA-A receptors
70. Propranolol MOA
71. Cross-sectional study
72. Classical Conditioning
73. Second messenger: Adenosine
74. Negative Affectivity means – anxious, emotional instability
75. Normal pressure Hydrocephalus: Apraxic gait
76. Cerebellar gait: Broad based unsteady gait
77. Steppage gate
78. Derived from serotonin: melatonin
79. Mentalization
80. Maslow's hierarchy of needs? Esteem
81. Increased D2/D3 receptor density by ~3 by antipsychotics
82. Quetiapine first to reach peak after oral intake
83. Serotonin Syndrome over Neuroleptic Malignant Syndrome: Clonus
84. Paid at the end of every month: Fixed Interval
85. A gambler: Variable ratio
86. In vivo measurement of neurotransmitters: MRS
87. 3 mountain tests: Egocentricism
88. Damage to the frontal lobe: Perseveration
89. Drug-induced Parkinsonism: High occupancy of dopamine D_2 receptors in the striatum
90. Lecanemab: given only in evidence of amyloid beta deposition
91. Dopamine is concentrated in the Striatum
92. Perception? A hypothesis, making inferences from sensory data based on past experiences
93. Delay of gratification: Higher academic performance
94. A man settles in his country and retains his culture: Integration
95. Locus coeruleus: NA

96. A blue capsule with active ingredient was changed to a blue capsule with a placebo after 5 days and yest there was no change: Insight
97. Negative bias: gives more weight to positive more than negative events

98. Self serving bias: -ve things caused by external factors
99. Conventional: Law and order
100. Features of Delirium: Disturbance in attention and awareness and agitation
101. Post Conventional – Universal ethical principle
102. Havinghurst question on skills developed in adolescence
103. Alport theory
104. Cattell approach
105. Pregabalin
106. Correct sequence of learning
107. In older adults, when sensory input is reduced, which type of attention is most severely affected? Selective attention
108. Procyclidine MOA
109. Rosential effect
110. MOA Semaglutide: reduces glucagon
111. Receptor for memory: Alpha 5
112. Smallest unit of language: Morpheme
113. Charlse bounet visual hallucination
114. White matter tract- DAT
115. OCD- caudate
116. Pulvinar – VCZD
117. Long time anti retro viral therapy- increase CD4
118. Heritability more – PD
119. What is Descriptive psychology? - observation and explanation
120. Activity level question
121. LG11 age grp
122. Increase obedience - physical proximity of the experimenter
123. Excessive vomiting- parotid swelling
124. Laxatives- decreased colonic motility
125. decrease anxiety after performing compulsive acts.
126. Stranger anxiety- 9 mnths
127. Schizophrenia - all subtypes removed
128. NMDA- glutamate
129. GABA-Chloride
130. Lamotrigine MOA?
131. Nominal aphasia - dominant temproparietal region
132. Classification
133. 3-6 poly spike: juvenile
134. Class with higher risk of hyperprolactinaemia-
135. The most sensitive and specific test for detecting heavy alcohol use in the last ~28 days is: Phosphatidylethanol (PEth)

136. What is added to depot antipsychotics

137. Which of the following drugs are having high risk of causing sleep paralysis as a side effect? SSRIs