April 2023.

1. Area under the curve – distribution properties of the drug, absorption?
2. Absorption constant is independent of – extravascular route of administration, form of drug (tablets, suspension)
3. Bioavailability increased – poor absorption, extensive presystemic metabolism
4. Which of the following would increase by at least 30% if taken with Lithium? – Amisulpride, Citalopram
5. EMI – 40year old woman is unable to remember a traumatic experience – dissociative amnesia, dissociative identity disorder, dissociative neurological symptom, possession trance disorder
6. EMI – A woman is unable to remember personal identity – same options as above
7. EMI – Regarding type of power, patient stops using a medication following a Dr's advice – expert power, coercive power, information power
8. EMI - Regarding type of power, Group campaign on negative effects of smoking - expert power, coercive power, information power
9. EMI on medical ethics – Patient on admission was found to have a suspicious mass on routine chest X-ray and the team decides not to tell him – Beneficence, Non-maleficence, Autonomy, Paternalism, Utilitarianism
10. EMI on medical ethics – Patient developed agranulocytosis following Cloazapine, Dr decides not to prescribe same medication as a re-challenge – Non-maleficence
11. EMI on medical ethics – Man with depression, made an advanced decision not to have ECT. When admitted, the decision was respected - Autonomy
12. Which of the following describes a "flash bulb" experience – heightened visual stimulation, intense emotion…
13. Which of the following was listed in more than 1 category in ICD 11 – Depression, Dissociative Disorder, Anxiety Disorder, Factitious disorder
14. Rapid Catalytic rate with substrate – GABA A, COMT, Glutamate
15. Which of the following has categories in ICD 11 and cannot have further subtypes – Depression, Dissociative Disorder, Anxiety Disorder, Bipolar 1
16. What differentiates Complex PTSD from PTSD – Repetitive, intense, severe traumatic experiences, continuing threats from memory of trauma, psychotic symptoms, suicidal ideation
17. Which of the following drugs do not cross the Blood brain barrier? – Aripiprazole, Lithium, Amisulpride, Risperidone, Olanzapine
18. Which of the following drugs has a poor absorption – Risperidone, Lurasidone, Asenapine
19. Which of the following drugs increases the risk of Autism – Carbamazepine, Amisulpride, Levetiracetam, Sodium Valproate
20. Antiemetic action of Mirtazapine is mediated through what receptor – 5HT2A, 5HT3, H1, 5HT6, 5HT7
21. How long does IM Paliperidone monthly depot take to reach maximum plasma concentration? – 3 days, 13 days, 23 days, 33 days, 43 days
22. By what mechanism does Lithium-induced polyuria occur – Increased sensitivity to ADH, Changes in chloride channel and signalling, By increasing sodium excretion leading to hyponatremia, reduced expression of aquaporins
23. EMI – Likely changes to be seen in Vomiting in Anorexia nervosa (binge eating/purging type) – gastric ?, acute pancreatitis, High T3, decreased colonic motility, Low GH and Cortisol, Parotid swelling

24. EMI – Likely changes to be seen in laxative abuse in Anorexia nervosa – same options as above
25. Attention difficulty in a teenager, part of brain responsible – orbitofrontal cortex, dorsomedial prefrontal cortex, insula
26. EMI on Radiological finding in Antipsychotic use in a schizophrenia patient – reduced volume of striatum, dorsolateral prefrontal cortex
27. Part of brain involved in Auditory hallucinations – Superior temporal lobe, fusiform gyrus
28. Antipsychotics with low availability in the brain- agomelatine
29. Which one is activated during mentalisation in adolescents more than in adults- medial orbitofrontal cortex, lateral orbitofrontal cortex
30. What explains "cocktail party phenomenon"? – selective auditory attention, focused attention, clouding of consciousness
31. EMI Genetic antigen??
32. Which of these is true about Likert scale? – free from bias, similar to visual analogue, …. Differential scale
33. Which scale measures "no pain at all" to "excruciating pain" – Likert, semantic, nominal, Thurstone scale
34. Which of these is true about Purines- gotten primarily from diet-not synthesized in the body, made up of cytosine and thymine, only present in eukaryotic cells.
35. What is true of Prejudice – obtaining more information about a class of people will reduce prejudice
36. Q on stigma – "Courtesy stigma" is from being with someone who is stigmatised, "Enacted stigma" is the feeling that one will be stigmatised by others due to a condition or experience
37. EMI on GABA A receptor – heterodimer, homodimer, heteropentomer, heterotetramer
38. EMI on Glutamate receptor – same options as above
39. EMI on types of gait seen in Neurological disorders – UMN lesion –
40. Gait seen in Normal Pressure Hydrocephalus
41. Gait seen in Cerebellar disease
42. What part of the brain is more active in teenager than an adult
43. Q on maternal attachment with infant – hippocampus and limbic system, amygdala and hippocampus, hippocampus and dorsolateral prefrontal cortex
44. What receptor does Cocaine act on – Dopamine Transporter, GABA, Acetylcholine
45. Receptor acted on by use of psychedelic substances- ? NMDA, 5HT2A
46. "Khat" has pharmacological effect similar to which substance – Amphetamine, Cocaine, MDMA, Ketamine
47. Hayling Test is for – intelligence, language, executive function, verbal memory
48. Part A of trail making test assesses? – Perceptuomotor speed, intelligence, visual memory, verbal memory
49. Short term memory stores information for – 10 secs, 30secs, 1 minute, 15minutes
50. Which is true about bullying – commoner in girls, bullies prefer same victim, commoner in primary than secondary school, bullies have less social maturity
51. Q on institutional racism – not common, overt so it can be easily identified, last option likely answer?
52. Which is true about Clozapine in pregnancy – contraindicated, dose needs increasing due to enzyme induction, dose needs increasing due to increased GFR, dose reduction required due to enzyme inhibition by Oestrogens
53. Test for abstract reasoning – Go/No go test, Luria test, Similarities, Clock drawing, Tower of London

54. Test for executive function – Go/No go test, Luria test, Similarities, Clock drawing, Tower of London
55. Which of the following organism is implicated in the development of OCD – CMV, Varicella, Staph aureus, Strept Pyogenes, Clostridium botulinum
56. Which stage is Conservation seen?
57. Which stage does mid-life crises occur in?
58. Drug with active metabolite – sertraline
59. A drug whose active metabolite may be an anxiogenic -
60. Drug that does not act as a prodrug – Desipramine
61. EMI - Theory that believes consequences of an action determines whether the action is good or bad – social contract, law and order, punishment
62. Kohlberg's theory that is Authority based?
63. Which of the following is true about the Big Five model of personality – personality changes with time, biological characteristics,
64. Forced swim test is related to which condition – Depression, OCD, Anxiety
65. Psychopathology of illusions – perception and cognitive, cognitive and conceptual, conceptual and perceptual, perceptual and signal processing
66. "Top-down" theory of perception/illusion – Cognition and perception
67. Which is true about Agomelatine – MT antagonist, half-life of 12 hours, increases serotonin in the synapses, extensively metabolised by CYP1A2
68. Drug with high affinity for Histamine (H1) receptors
69. Anomie suicide according to Durkheim theory – lack of close relationship
70. Exaggerated and catastrophic misinterpretation of body signs and symptoms – hypochondriasis, bodily distress disorder
71. Bight light therapy is used in – circadian rhythm, diurnal rhythm,
72. Which is part of the Papez circuit – insula, cingulate cortex, angular gyrus, hippocampus
73. Psychiatric Screening tool – EPND, MADRS, Hamilton, Montgomery scale
74. Advantage of research in children using a Cross-sectional method – reliability, validity, easily accessible data?
75. Test of premorbid intelligence – National Adult Reading Test
76. Condition whose phenotype is related to Schizophrenia – DiGeorge, Fragile X, Prader Willi
77. Autosomal Recessive condition – Autism, Fragile X, Prader Willi, Wilson's dx
78. Which is true about alcohol dependence in young people – incidence of binge drinking is lower in 18–20-year-olds, early onset of drinking is a predictor of later dependence
79. Which of the following do not cause delayed language development – migration, maternal smoking, lack of cognitive stimulation, large family size, maternal alcohol use
80. Pathological finding in Alzheimer's – Alpha synuclein, Beta Amyloid, Ubiquitin
81. Neurodegenerative disorder linked to Schizophrenia – Huntington, Muscular Dystrophy, Friedreich's Ataxia???
82. Which is a human Prion Disease – , Fatal Familial Insomnia, Progressive Focal Leukoencephalopathy, Friedreich's Ataxia
83. 2 EMI questions on Ideomotor and Ideational apraxias
84. Deep Brain stimulation is most useful for – Depression, Psychosis, ADHD
85. EMI – EEG findings – 3-4Hz polyspike and slow wave (options are atypical absence seizures, juvenile myoclonic epilepsy, typical absence seizures, infantile seizure )
86. EMI – EEG findings – 3Hz generalized slow wave ????
87. Patient with Hyperprolactinemia on Risperidone – increased by adding Aripiprazole, mechanism is by blockade of D2 Receptors in the Hypothalamus, other options???

88. Definition of Neuralation –
89. Memory affected in Korsakoff syndrome – Implicit memory, semantic memory, episodic memory
90. Memory preserved in Normal aging – working memory, speed of processing, attention, executive function, procedural memory
91. Which is true in Confabulation – Autobiographical memory is affected, other options same as previous recalls
92. Brain Organoid – age corresponds with second trimester fetus
93. EMIs on hormones for satiety and hunger – Hormone secreted in Gut - CCK
94. EMIs – Hormone secreted in Adipose tissue - Leptin
95. EMIs – Hormone secreted in Hypothalamus – Neuropeptide Y
96. In children with ADHD which is better to help them focus on tasks – ignore negative actions, use of small immediate rewards, use of large, delayed rewards, small immediate punishments, use of large, delayed punishment
97. HIV-associated neurocognitive disorder in patient who has been on ART for a long time, what is seen? – High CD4 count, High CD8 count, Neuronal loss
98. Definition of avoidant/restrictive food intake disorder
99. What is used in T2 weighted MRI – Calcium, water, haemoglobin
100. Ion implicated in Schizophrenia??? – Calcium, potassium
101. What acts as intracellular second-messenger system – Calcium, potassium
102. EMI – family members ganging up against one family member – triangulation, detouring, circular causality, enmeshment.
103. EMI – Q on being aware that people's interaction are influenced by each other which in turn are influenced by others - Circular causality, triangulation, detouring, enmestment.
104. Q on Rogerian – reflecting on how intended outcomes are affected by current behaviours – Cognitive Therapy, Motivational interview, Cue therapy
105. Q on Alcohol addiction - Cue therapy
106. What setting has the highest likelihood of obedience, Presence of:- legitimate authority in prestigious setting, legitimate authority in mundane setting, uniform-wearing person in mundane setting, telephone instruction from legitimate authority
107. Infected neuron with cytokines in the surrounding milieu is suggestive of – Necrosis
108. When does stranger anxiety develop? – 3 months, 9 months, 6 years, 12 years
109. Neurotransmitter which is easily disintegrated – Acetylcholine, Dopamine, Serotonin
110. Disulfiram acts on what ? – Aldehyde dehydrogenase
111. Q on Imprinting???
112. Which neuroimaging modality is more …… - PET, SPECT, fMRI, 11c labelling approach
113. Which neuroimaging technique to detect 70% D2 occupancy……- same as above
114. Potent inhibitor of DAT – Fluoxetine, Sertraline, Citalopram, Trazodone, Vortioxetine
115. A man who migrated to another country has adopted the new culture while maintaining his culture of origin – Integration, Assimilation, Marginalisation
116. What bias is expected if individuals are asked to fill a self-questionnaire about their personality traits – Social desirability, factor analysis
117. A child is given a star sticker every time he takes his medicine, after collecting 10 stickers he can get a fruit. What type of reinforcement is achieved with the fruit? – primary reinforcement, positive conditioning, secondary reinforcement
118. Which of these is part of the basal ganglia? Putamen, stria terminalis
119. Which of these is a Metabotropic receptor? 5HT2A, AMPA, GABA A, NMDA

120. After how many half-lives is a drug eliminated? – 2,3,4,5,10
121. Erickson's stage where a child can understand the pain of another child – Formal operational, Preoperational, Sensorimotor
122. Question about auto-immune encephalitis and the antibodies of this? NMDA, DPPX, IGCLON.
123.