Started on	Saturday, 23 July 2022, 11:32 AM
State	Finished
Completed on	Saturday, 23 July 2022, 11:32 AM
Time taken	7 secs
Marks	0.00/73.00
Grade	**0.00** out of 100.00

Question **1**

Not answered

Marked out of 1.00

Flag question

Which of the following is regarded as a 'Father of Sociology'?

Select one:

- Talcott Parsons
- Jean-Paul Sartre
- Soren Kierkegaard
- William Tuke
- Emil Durkheim

Explanation:

Classical sociology has been influenced by the writings of three social theorists in particular: Karl Marx, Emile Durkheim, and Max Weber. Along with August Comte, they are often regarded as the 'Fathers of Sociology'. Emile Durkheim was a French sociologist who challenged the assumption that social processes can be understood in terms of the actions of individuals and argued that even suicide, apparently the ultimately individualistic act, cannot be fully explained at the purely individual level.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Emil Durkheim

Question **2**

Not answered

Marked out of 1.00

Flag question

Which of the following is NOT a measure of expressed emotions?

Select one:

- Critical comments
- Positive comments and warmth
- Emotional over involvement
- Hostility
- Social isolation

Explanation:

The concept of expressed emotion was developed by Brown and Rutter in 1966, and later modified by Vaughn and Leff in 1976. Expressed emotion (EE) represents the grouping of emotional characteristics expressed by relatives towards ill family members. The Camberwell Family Interview is considered the gold standard measurement, with five domains of EE: critical comments, emotional over-involvement, hostility, warmth, and positive remarks.

Ref: O'Driscoll C et al. Caregiving processes and expressed emotion in psychosis, a cross-cultural, meta-analytic review. Schizophrenia research. 2019 Jun 1;208:8-15.

The correct answer is: Social isolation

Question **3**

Not answered

Marked out of 1.00

Flag question

Partial adaptation of a new culture without giving up one's culture of origin completely is called

Select one:

- Acculturation
- Sojourning
- Enculturation
- Accommodation
- Assimilation

Enculturation: This refers to culture being learnt through contact with family, friends, classmates, teachers and the media. This happens in everyone irrespective of migration, etc. Assimilation refers to the partial adaptation of a new culture (seen in immigrants or refugees) without giving up one's culture of origin completely.

The correct answer is: Assimilation

Question **4**

Not answered

Marked out of 1.00

Flag question

The term refrigerator mother is associated with which of the following mental illness?

Select one:

- Autism
- Panic disorder
- Schizophrenia
- ADHD
- Depression

Explanation:

Leo Kanner, in his delineation of autism as a clinical entity, created a powerful stereotype of parents of autistic children as highly educated, intelligent, and emotionally distant. This became popularly known as the ‘refrigerator mother’ theory. Kanner’s parental stereotype has long fallen out of favour.

Ref: Sterwald C, Baker J. Frosted Intellectuals: How Dr. Leo Kanner Constructed the Autistic Family. Perspectives in biology and medicine. 2019;62(4):690-709.

The correct answer is: Autism

Question **5**

Not answered

Marked out of 1.00

Flag question

Which of the following increases the likelihood that a patient with a particular disease gets stigmatized?

Select one:

- Disease is well concealable
- Disease is thought to be inflicted by an external agent
- Disease leads to disruption in social interactions
- Disease elicits pity but no disgust in others
- Disease is reversible

Disruptiveness indicates the extent to which a disease strains or obstructs interpersonal interactions. The degree of stigmatisation is directly proportional to the degree of disruption in social interaction produced by the condition.

The correct answer is: Disease leads to disruption in social interactions

Question **6**

Not answered

Marked out of 1.00

Flag question

A man doesn't think drinking alcohol is a problem and doesn't want to quit. According to Prochaska's model, which stage is he in?

Select one:

- Relapse
- Precontemplation
- Contemplation
- Action
- Maintenance

Explanation:

Six stages of change:

(1) **Precontemplation:** not even considering changing behaviour; does not see the behaviour as a problem, minimizes and denies associated risks, and avoids information to the contrary

(2) **Contemplation:** has become aware that the behaviour is a problem but is ambivalent about changing, and likely sees equal or more benefits than costs from the behaviour

(3) **Preparation:** has made a decision to attempt change

(4) **Action:** has implemented a plan and is changing the behaviour

(5) **Maintenance:** maintaining gains made and attempting to improve areas of life that have been harmed

(6) **Relapse:** return to previous behaviour, but with the possibility of gaining useful strategies to extend the maintenance period on the next attempt

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul

30. p. 575.

The correct answer is: Precontemplation

Question **7**

Not answered

Marked out of 1.00

Flag question

Which of the following was one of the longest running anti-stigma campaigns conducted in the UK?

Select one:

- Changing Minds
- Time to Change
- Beyond Blue
- Opening Minds
- Open Access

National anti-stigma campaigns have focused on improving public attitudes and behaviours towards persons with mental illness by promoting education and social contact, challenging stigmatising media coverage, and empowering people with lived experience of mental distress. Some notable national campaigns are *beyondblue* and *SANE* in Australia, *Opening Minds* in Canada, and the UK's *Time to Change* campaign.

Evaluation of the impact of *Time to Change* has shown an increase in mental health knowledge in around 10% of people, a moderate positive effect on attitudes in around 13% of people and a small decrease in the level of desire for social distancing from mental distressed people in around 12% of people from 2009 to 2019 (Henderson et al., 2020).

Excerpt from Hermaszewska S, Sweeney A, Sin J. Time to change course in stigma research?. Journal of Mental Health. 2022 Jan 2;31(1):1-4.

Henderson C, Potts L, Robinson EJ. Mental illness stigma after a decade of Time to Change England: inequalities as targets for further improvement. European journal of public health. 2020 Jun 1;30(3):497-503.As one of the world's longest running anti-stigma campaigns, *Time to Change* (UK),

The correct answer is: Time to Change

Question **8**

Not answered

Marked out of 1.00

Flag question

Which of the following statements about Camberwell family interview is not true?

Select one:

- It includes positive comments
- The rating is based on content and vocal tone
- It is carried out with the patient
- It is a semi-structured standard interview
- It assesses expressed emotions

Explanation:

Expressed emotion (EE) represents the grouping of emotional characteristics expressed by relatives towards ill family members. The Camberwell Family Interview (CFI) is considered

the gold standard measurement, with five domains of EE: critical comments, emotional over-involvement, hostility, warmth, and positive remarks. The CFI requires specially trained staff, interviewing of family members (not the patient), and about 3 hours for each assessment, including subsequent coding of the recorded interview. It is an objective observation of EE exhibited by family members.

Ref: O'Driscoll C et al. Caregiving processes and expressed emotion in psychosis, a cross-cultural, meta-analytic review. Schizophrenia research. 2019 Jun 1;208:8-15.

Ng SM et al. A concise self-report scale can identify high expressed emotions and predict higher relapse risk in schizophrenia. Comprehensive psychiatry. 2019 Feb 1;89:1-6.

The correct answer is: It is carried out with the patient

Question **9**

Not answered

Marked out of 1.00

Flag question

A 12-year-old girl is called by names at her school after her dad's admission at the local psychiatric hospital. This is called

Select one:

- NIMBY opposition
- Self stigma
- Nosophobia
- Courtesy stigma
- Stereotyping

Explanation:

Self-stigma occurs when the stigmatised person becomes aware of and internalises public stigma. Courtesy stigma (also called family stigma or associative stigma) occurs when people associated with the stigmatised person, particularly family members, are also subjected to stigmatisation, which may lead the family member to be mocked or blamed. Consequently, family members may develop negative emotions and negative cognitions about themselves, resulting in social withdrawal or concealment.

Ref: Mitter N, Ali A, Scior K. Stigma experienced by families of individuals with intellectual disabilities and autism: A systematic review. Research in Developmental Disabilities. 2019 Jun 1;89:10-21.

The correct answer is: Courtesy stigma

Question **10**

Not answered

Marked out of 1.00

Flag question

A 40-year-old man received inpatient detoxification two weeks ago and since then has been staying away from alcohol use. According to Prochaska's model, which stage is he in?

Select one:

- Maintenance
- Action
- Relapse
- Contemplation
- Pre-contemplation

Explanation:

Six stages of change:

(1) **Precontemplation:** not even considering changing behaviour; does not see the behaviour as a problem, minimizes and denies associated risks, and avoids information to the contrary

(2) **Contemplation:** has become aware that the behaviour is a problem but is ambivalent about changing, and likely sees equal or more benefits than costs from the behaviour

(3) **Preparation:** has made a decision to attempt change

(4) **Action:** has implemented a plan and is changing the behaviour

(5) **Maintenance:** maintaining gains made and attempting to improve areas of life that have been harmed

(6) **Relapse:** return to previous behaviour, but with the possibility of gaining useful strategies to extend the maintenance period on the next attempt

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 575.

The correct answer is: Maintenance

Question **11**

Not answered

Marked out of 1.00

Flag question

When a psychiatric patient is unwell, family and friends report their actions to mental health professionals in an attempt to get them admitted to an institution. What was the term used by Goffman to describe it?

Select one:

- Role stripping
- Batch living
- Institutional neurosis
- Mortification
- Betrayal funnel

Goffman also described the social/moral career of a mental patient. i.e., the process whereby a person with social ties, friends, and family in the community is institutionalized and converted into an inmate whose world is limited to his immediate hospital ambience. (Peele et al. 1977). The first step is process by which patients pass through a 'betrayal funnel', as the people they trust most family and friends conspire against them, reporting their actions to doctors and mental health professionals (called the 'circuit of agents') who run the decision-making process.

The correct answer is: Betrayal funnel

Question **12**

Not answered

Marked out of 1.00

Flag

Which of the following is a semi-structured interview that can be used to gather information regarding expressed emotions from family members of a patient with psychosis?

Select one:

- Camberwell Family Interview

question

- LEDS Inventory
- Brown & Harris Family Interview
- Cambridge Family Interview
- Holmes & Rahe Inventory

Explanation:

Expressed emotion (EE) represents the grouping of emotional characteristics expressed by relatives towards ill family members. The Camberwell Family Interview is considered the gold standard measurement, with five domains of EE: critical comments, emotional over-involvement, hostility, warmth, and positive remarks.

Ref: O'Driscoll C et al. Caregiving processes and expressed emotion in psychosis, a cross-cultural, meta-analytic review. Schizophrenia research. 2019 Jun 1;208:8-15.

The correct answer is: Camberwell Family Interview

Question **13**

Not answered

Marked out of 1.00

Flag question

A patient admitted at an inpatient unit is making steady progress. But his symptoms worsen whenever he comes back from home leave. His mother criticises him of being very reluctant and lazy to get involved in 'normal life'. The next step in management must consider

Select one:

- Behavioural therapy
- Increase antipsychotic dose
- Family therapy
- Detention
- Antidepressant drugs

Explanation:

Family intervention in the treatment of schizophrenia has evolved from studies of the family environment and its possible role in affecting the course of schizophrenia. Brown and colleagues were able to show that the emotional environment within a family is an effective predictor of relapse in schizophrenia. Family intervention models have been developed that aim to help families cope with their relatives' problems more effectively, provide support and education for the family, reduce levels of distress, improve ways in which the family communicates and negotiates problems, and try to prevent relapse.

Ref: National Institute for Health and Clinical Excellence. The NICE guideline on the treatment and management of psychosis and schizophrenia in adults. Updated edition 2014.

The correct answer is: Family therapy

Question **14**

Not answered

Marked out of 1.00

Flag

Before being diagnosed as having schizophrenia, Mark was regarded as a suspicious young man by his colleagues. After an acute admission, his colleagues avoided him and so he became more suspicious if any one ever approached him. Which of the following aspect of social labeling applies to Mark's suspiciousness following diagnostic labeling?

question

Select one:

- Partial deviance
- Formal deviance
- Primary deviance
- Secondary deviance
- Spiral deviance

Explanation:

Labelling theory is an influential theory of deviance, according to which a label attached to a person can function as a self-fulfilling prophecy, profoundly influencing that person's behaviour. Classical labelling theory was first proposed by sociologist Edwin Lemert and developed further by sociologist Thomas Scheff. The theory distinguishes between primary deviance such as the hallucinations and thought disorder that are usually taken as symptoms of schizophrenia, and those same experiences in a person who is aware of having been labelled as mentally ill (secondary deviance). According to the theory, primary deviance is usually relatively brief and insignificant, but a person who becomes aware of the label begins to play the role of mentally ill person, at first inadvertently and later often involuntarily, and this can have a profound influence. In labelling theory, deviance is not an attribute of a person or of behaviour but of the categorisation or naming of behaviour by psychiatrists, courts, police, family members, and others.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015. p. 409.

The correct answer is: Secondary deviance

Question **15**

Not answered

Marked out of 1.00

Flag question

Which of the following statements is correct about abuse of children?

Select one:

- Children with disabilities were less likely to be maltreated than children without disabilities
- Boys are more likely to be the subject of sexual abuse
- Girls are more likely to be the subject of physical abuse and are at a greater risk of physical injury
- Abuse is inversely proportional to family size
- People who were subjected to physical abuse in childhood are more likely to abuse their own children

About one-third of all individuals who were maltreated would subject their children to maltreatment. Children with disabilities are 1.7 times more likely to be maltreated than children without disabilities. Girls are sexually abused three times more often than boys. Boys are at a greater risk of serious injury and of emotional neglect than are girls.

The correct answer is: People who were subjected to physical abuse in childhood are more likely to abuse their own children

Question **16**

The right action is the one that has the best foreseeable consequences. This is called

Not answered

Marked out of 1.00

Flag question

Select one:

- Engel's model
- Utilitarian moral theory
- Paternalistic model
- Hammurabi code
- Oath of Hippocrates

Consequentialist moral theories are teleological: they aim at some goal state and evaluate the morality of actions in terms of progress toward that state. The best-known version of consequentialism is utilitarianism. As most clearly stated by Mill a proponent of the utilitarianism (teleology), the basic principle of utilitarianism is: Actions are right to the degree that they tend to promote the greatest good for the greatest number. In contrast, deontological principles are duty based. Kant's theory is an example of a deontological or duty-based ethics: it judges morality by examining the nature of actions and the will of agents rather than goals achieved. A deontological theory looks at inputs rather than outcomes.

The correct answer is: Utilitarian moral theory

Question **17**

Not answered

Marked out of 1.00

Flag question

Which class of psychotropic medication are the most likely ones to impair driving performance?

Select one:

- Antipsychotics
- Psychostimulants
- Mood stabilizers
- Benzodiazepines
- Antidepressants

Explanation:

All drugs acting on the central nervous system can impair alertness, concentration and driving performance. This is particularly so at the initiation of treatment or soon after and when the dosage is being increased. Benzodiazepines are the most likely psychotropic medication to impair driving performance.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 972.

The correct answer is: Benzodiazepines

Question **18**

Not answered

Marked out of 1.00

Flag

Torts are wrongs for which a person is liable in

Select one:

- Court of protection
- Civil law

question

- Both civil and criminal law
- Criminal law
- Military law

Torts are errors for which a person is liable in civil as opposed to criminal law. They include negligence, libel, slander, trespass and nuisance. If a person of unsound mind commits a wrong, then any damages awarded in a court of law are usually only nominal.

The correct answer is: Civil law

Question **19**

Not answered

Marked out of 1.00

Flag question

According to Holmes and Rahe social readjustment scale, which of the following has the highest life change value?

Select one:

- Birth of a child
- Personal injury
- Marriage
- Road traffic offence
- Divorce

Explanation:

In 1967, psychiatrists Thomas Holmes and Richard Rahe examined over 5000 patients' medical records to determine whether stressful events cause illnesses. Patients ranked a list of 43 life events based on a relative score. Each event had a different 'weight' for stress. Their results were published as the Social Readjustment Rating Scale, now commonly known as the Holmes and Rahe Stress Scale. The scale lists common stressful events and arbitrarily assigns a value of 50 Life Change Units (LCUs) to the stress caused by marriage. Death of a spouse has the highest LCUs at 100, followed by divorce (73 LCUs), and marital separation (65 LCUs).

Ref: Noone PA. The Holmes–Rahe Stress Inventory. Occupational Medicine. 2017 Oct 1;67(7):581-2.

Holmes TH, Rahe RH. The social readjustment rating scale. Journal of psychosomatic research. 1967.

The correct answer is: Divorce

Question **20**

Not answered

Marked out of 1.00

Flag question

Which of the following is NOT true concerning research ethics?

Select one:

- Subjects can be recruited by contacting medical colleagues
- Written approval must be obtained from ethics committees
- Advertisements can be used to recruit subjects
- Financial incentives can be offered for subjects to participate in research

- A subject is ethically bound to complete a study after giving written informed consent

Explanation:

Signing a consent form does not mean that subjects cannot discontinue the study during its course. Research participants have the right to withdraw from research projects at any time.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. p. 834.

The correct answer is: A subject is ethically bound to complete a study after giving written informed consent

Question **21**

Not answered

Marked out of 1.00

Flag question

A patient with paranoid schizophrenia was enraged at a shop and killed the shopkeeper. A forensic psychiatrist who examined him feels that he needs psychiatric treatment. The court decides that he must be sentenced to prison. Which of the following ethical principle is closely related to the above scenario?

Select one:

- Non-maleficence
- Distributive justice
- Confidentiality
- Utilitarianism
- Paternalism

Explanation:

Utilitarianism approximates the principle of 'beneficence' and fits well with approaches to public policy. Legislated responsibilities of psychiatrists, particularly in relation to issues of public safety, are invariably utilitarian in nature and have usually emerged in the context of social and political responses to issues such as public safety especially in relation to forensic patients. By accepting a utilitarian logic, the forensic psychiatrist takes action that is in agreement with the principle of ‘the greatest good for the greatest number’. The ethics of beneficence consist in adopting an impartial attitude, allowing valuing equally the interests of the individual and the interests of society.

Ref: Niveau G, Welle I. Forensic psychiatry, one subspecialty with two ethics? A systematic review. BMC medical ethics. 2018 Dec 1;19(1):25.

The correct answer is: Utilitarianism

Question **22**

Not answered

Marked out of 1.00

Flag question

Which of the following genetic changes have been shown to influence an individual's response to stressful life events in terms of later depression?

Select one:

- Prion protein polymorphisms
- Serotonin transporter polymorphisms
- CYP450 polymorphisms

- COMT polymorphism
- GABA B receptor polymorphisms

Caspi demonstrated a link between 5HT polymorphisms and life events in depressive response.

The correct answer is: Serotonin transporter polymorphisms

Question **23**

Not answered

Marked out of 1.00

Flag question

A 20 years old immigrant Jamaican man develops schizophrenia. Which of the following is most likely to be true?

Select one:

- His immigration is likely to be due to psychotic experiences
- His parents are likely to be from a lower socioeconomic class compared to parents of native patients
- He is likely to be poorly educated compared to native patients
- He is likely to seek professional help early in the course of his illness
- The risk of schizophrenia in his parents is likely to be similar to the risk in the parents of native patients

Theories such as prepsychotic segregation have failed to explain the high rates of schizophrenia seen in immigrants. The most acceptable notion at present is that this risk is mediated by social adversity faced by immigrants.

The correct answer is: The risk of schizophrenia in his parents is likely to be similar to the risk in the parents of native patients

Question **24**

Not answered

Marked out of 1.00

Flag question

Mr. Brown is not feeling well and calls off sick at work. Which of the following behaviours, if expressed by Mr. Brown under these circumstances, would be regarded as abnormal by the sociologist Talcott Parsons?

Select one:

- Extending absence from work when the illness continues
- Taking self-blame for the illness
- Complying with treatment as prescribed by the doctor
- Not carrying out normal social roles
- Seeking help from an internet doctor

Explanation:

The American sociologist Talcott Parsons argued that being sick is a ‘role’, which means that certain expectations come with identifying oneself as sick. A sick person is entitled to be relieved of normal work and family responsibilities but is subject to seek medical treatment and comply with doctors’ orders. Parsons defined the sick role as having four chief

characteristics: 1. The sick person is freed or exempted from carrying out normal social roles. 2. People who are sick are not directly responsible for their disease. 3. It is necessary that a sick person tries to get well. 4. The sick person must seek competent help and cooperate with medical care to get well.

Ref: Frank AW. From sick role to practices of health and illness. Medical education. 2013 Jan;47(1):18-25.

The correct answer is: Taking self-blame for the illness

Question **25**

Not answered

Marked out of 1.00

Flag question

A doctor carries out what he thinks is best for the patient, regardless of patient's own wishes. This approach can be termed as

Select one:

- utilitarianism
- maternalism
- paternalism
- deontology
- consequentialism

Explanation:

Paternalism is the use of the doctor's judgement about the best course of action for the patient.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. p. 829.

The correct answer is: paternalism

Question **26**

Not answered

Marked out of 1.00

Flag question

A clinician refuses to prescribe clozapine to an elderly lady with resistant schizophrenia as she had developed neutropenia 13 years ago when it was first prescribed to her. Which of the following ethical principle is maintained here?

Select one:

- Non maleficence
- Autonomy
- Beneficence
- Justice
- Teleology

American philosophers Tom Beauchamp and James Childress and British doctor and philosopher Raanon Gillon pioneered the following prima facie principles: Non-maleficence refers to avoiding harm (primum non nocere).

The correct answer is: Non maleficence

Question **27**

Not answered

Marked out of 1.00

Flag question

Which of the following syndromes refer to the fear of cold seen in Chinese men?

Select one:

- Pa-leng
- Koro
- Piblokto
- Shenkui
- Amok

Explanation:

Pa-leng is a culture-bound syndrome found in China and southeast Asia, characterised by pathological fear of cold (frigophobia) and of wind (anemophobia), believed to produce fatigue, impotence, and death.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Pa-leng

Question **28**

Not answered

Marked out of 1.00

Flag question

A 31-year-old woman of Inuit origin started becoming too excited for no apparent reason, taking her clothes off and throwing her naked body into cold icy water. Which of the following is the most likely diagnosis?

Select one:

- Amok
- Tstsumu
- Koro
- Latah
- Piblokto

Explanation:

Piblokto is a culture-specific syndrome found among the Inuit in which individuals present with attacks of screaming, crying, and running naked through the snow. It is characterised by a dissociative episode with excitement often followed by seizures and coma lasting up to 12 hours.

Ref: Casey P, Kelly B. Fish's clinical pathology: Signs and symptoms in psychiatry, 4th Edition. 2019. p. 126.

The correct answer is: Piblokto

Question **29**

Not answered

Marked out of 1.00

Which of the following type of life events predicts the onset of pure depressive illness?

Select one:

- Humiliation

Flag question

- Threat
- Danger
- Entrapment
- Loss

Combined loss and humiliation events are more depressogenic than a threat or other individual types of events. Humiliation events induce defeat and submission responses that may be directly related to depression. In a study by Kendler et al. (2003), humiliation predicted onsets of pure major depression but not pure generalised anxiety episodes, and danger predicted pure generalised anxiety but not pure major depression episodes. But the results had only moderate strength in prediction.

Kendler KS, Hettema JM, Butera F, Gardner CO, Prescott CA. Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety. Archives of general psychiatry. 2003 Aug 1;60(8):789-96.

Collazzoni A, Capanna C, Bustini M, Stratta P, Ragusa M, Marino A, Rossi A. Humiliation and interpersonal sensitivity in depression. Journal of Affective Disorders. 2014 Oct 1;167:224-7.

The correct answer is: Humiliation

Question **30**

Not answered

Marked out of 1.00

Flag question

The following are true in relation to the biopsychosocial model except

Select one:

- It is based on the fact that each system is at the same time a component of higher system
- The hierarchy and continuum of natural systems were discussed to explain biopsychosocial model
- It is based on systems theory
- It is similar to biomedical model
- It was proposed by George Engel

Explanation:

In 1977, George Engel published a paper that articulated the biopsychosocial model of disease, which stressed in integrated approach to human behaviour and disease. The biological system refers to the anatomical, structural, and molecular substrates of disease; the psychological system refers to the effects of psychodynamic factors; and the social system examines cultural, environmental, and familial influences. Engel postulated that each system affects and is affected by the others. The biopsychosocial model is not similar to the biomedical model.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. p. 923.

The correct answer is: It is similar to biomedical model

Question **31**

One year after losing her job of 15 years, a depressed woman gets another job but

Not answered

Marked out of 1.00

Flag question

unfortunately within two weeks she loses the new job. She feels 'stuck in her life'. Which of the following category does this event belong?

Select one:

- Loss
- Entrapment
- Threat
- Danger
- Humiliation

Explanation:

Perceived entrapment occurs when the usual psychobiological motivation to escape threat or stress is blocked because of no or low likelihood of individual agency, or rescue by others. Individuals can experience perceptions of entrapment in relation to external (e.g. difficult job or relationship; unwanted role as a caregiver) or internal (e.g. health problems; unwanted negative thoughts or emotions) experiences. Example entrapment cognitions include: “I am in a situation I feel trapped in” and “I feel trapped inside myself”.

Ref: Siddaway AP et al. A meta-analysis of perceptions of defeat and entrapment in depression, anxiety problems, posttraumatic stress disorder, and suicidality. Journal of affective disorders. 2015 Sep 15;184:149-59.

The correct answer is: Entrapment

Question **32**

Not answered

Marked out of 1.00

Flag question

A depressed 55-year-old man reports a high amount of adverse life events, but no positive events preceding his first episode of depression. Which of the following explanation is NOT correct?

Select one:

- His depression is probably due to absence of positive life events
- Social adversity experienced from an event depends on contextual rating by the patient
- Recurrent episodes have less preceding life events than the first episode
- Stressful life events have established association with depressive disorder
- He is recalling more stressful life events due to cognitive bias

Depressed patients may recall more stressful life events due to cognitive bias. It is shown that the frequency of desirable (or entrance life events) was comparable in controls and the depressed population; so the absence of positive events cannot be the simple explanation for depression. It is demonstrated that those with a recurrent episode of depression have less preceding life events than those with a first episode of depression. This may be related to kindling phenomenon.

The correct answer is: His depression is probably due to absence of positive life events

Question **33**

A boy whose mother has depression has a high likelihood to develop one of the following

Not answered

Marked out of 1.00

Flag question

conditions before age 20?

Select one:

- Schizophreniform illness
- OCD
- Borderline personality disorder
- Alcohol use disorder
- Depression

The strongest risk factor for depression is a personal or family history of depression.

The correct answer is: Depression

Question **34**

Not answered

Marked out of 1.00

Flag question

Which one among the following is classified under higher-level principle?

Select one:

- Maleficence
- Justice
- Beneficience
- Respect for autonomy
- Best interests

Higher level principles include Deontology (Rights and duties or Rules) and Teleology (practice based on best interests / outcomes). The prima-facie principles (constituting the ethical principlism) are lower level principles.

The correct answer is: Best interests

Question **35**

Not answered

Marked out of 1.00

Flag question

In which of the following disorder an overrepresentation of higher social class is seen in brothers and children of the patients?

Select one:

- Anorexia nervosa
- Bipolar disorder
- Alcoholism
- Depressive disorder
- Antisocial personality

An overrepresentation is found in the higher occupational class in bipolar probands' brothers and children. It is consistently noted that the family of origin in bipolar probands belong to a higher social class thought the patients themselves might be at a lower social class. A study

(Tsuchiya et al. 2004) that examined the above phenomenon in two merged Danish registers had nearly 950 probands and 50 matched control for each case. The results of this study clearly showed that higher social class of parents together with longer paternal education history and larger possession of wealth increased the risk of bipolar disorder in the offspring. It is speculated that bipolar genes may offer some survival benefits such as excessive creativity or productivity which uplifts the families to higher social status.

The correct answer is: Bipolar disorder

Question **36**

Not answered

Marked out of 1.00

Flag question

A Japanese man is afraid of going out with his friends as he is embarrassed about his bad body odour. Despite repeated reassurances that he does not smell badly, he insists on being left alone. The most likely diagnosis is

Select one:

- Jikoshu-kyofu
- Piblokto
- Pa-leng
- Koro
- Susto

Explanation:

Olfactory reference syndrome (ORS) is characterised by the false belief that one is emitting an offensive body odour, resulting in excessive fear and preoccupation. ICD-11 is the first diagnostic classification to recognise 'olfactory reference disorder' as a separate diagnosis. ORS is currently classified as a type of 'other specified obsessive-compulsive and related disorders' in DSM-5. More specifically, ORS is listed under jikoshu-kyofu (which translates as oneself-odour-fear), characterised by fear of having an offensive body odour. Jikoshu-kyofu is also classified under taijin-kyofu, a Japanese culture-bound syndrome. Taijin-kyofu is a form of social anxiety, defined as a persistent and excessive fear of causing offense to others because of physical characteristics (such as blushing, defect in appearance, staring inappropriately, or emitting foul odours).

Ref: Skimming KA, Miller CW. Transdiagnostic approach to olfactory reference syndrome: neurobiological considerations. Harvard review of psychiatry. 2019 May 1;27(3):193-200.

The correct answer is: Jikoshu-kyofu

Question **37**

Not answered

Marked out of 1.00

Flag question

The four prima facie ethical principles were promulgated by

Select one:

- Charaka
- Beauchamp and Childress
- Hippocrates
- Galen
- Aristotle

Explanation:

The four principles of Beauchamp and Childress – autonomy, non-maleficence, beneficence, and justice – have been extremely influential in the field of medical ethics.

Ref: Page K. The four principles: Can they be measured and do they predict ethical decision making?. BMC medical ethics. 2012 Dec;13(1):1-8.

The correct answer is: Beauchamp and Childress

Question **38**

Not answered

Marked out of 1.00

Flag question

Insanity sometimes is the sane response to an insane society. This was proposed by

Select one:

- R.D. Laing
- Anthony Cleare
- Thomas Szasz
- Michel Foucault
- Phillip Pinel

Explanation:

Scottish psychiatrist RD Laing, together with South African psychiatrist David Cooper, popularised ‘antipsychiatry’, a radical critique of traditional (especially medical) approaches to mental disorders. Laing wrote 'The Divided Self'.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: R.D. Laing

Question **39**

Not answered

Marked out of 1.00

Flag question

Which of the following is NOT a vulnerability factor for depression in Brown and Harris study?

Select one:

- Having a long standing physical illness
- Lack of employment outside home
- Absence of a close confiding relationship
- Loss of mother before age of 11
- Having 3 or more children under 15 living at home

Explanation:

Social and economic circumstances associated with the onset of depression in women living in inner urban London were studied by Brown and Harris in 1978. The Brown and Harris model of depression holds that certain ‘vulnerability factors’ – namely early maternal loss, lack of a confiding relationship, greater than three children under the age of 14 at home, and lack of paid employment – can interact with ‘provoking agents’ to increase the risk of depression for women. More recent studies support the lack of a confiding relationship as a risk factor for depression.

Ref: Patten SB. Are the Brown and Harris" vulnerability factors" risk factors for depression?.

Journal of Psychiatry and Neuroscience. 1991 Dec;16(5):267.

Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 254.

The correct answer is: Having a long standing physical illness

Question **40**

Not answered

Marked out of 1.00

Flag question

A young male doctor from India gets married and moves to the UK with his wife and his two kids. The children are attending a primary school. His retired parents also join him soon after. Which of the following is true?

Select one:

- No one can adjust to the change for next 5 years
- The young couple will have the maximum difficulty in adjusting to change
- The children will have the maximum difficulty in adjusting to change
- The grandparents will have the maximum difficulty in adjusting to change
- Everyone will adjusts with same degree of ease

The elderly find it more challenging to acculturate when compared to the younger immigrants.

The correct answer is: The grandparents will have the maximum difficulty in adjusting to change

Question **41**

Not answered

Marked out of 1.00

Flag question

A 40-year-old man with schizophrenia is treatment resistant. He lives with his family who apparently has high EE. Which of the following statements about EE is true?

Select one:

- High EE may be the cause for his schizophrenia
- Reducing the duration of face to face time spent with family may reduce the relapse
- High EE can cause poor insight
- EE can be measured using Camberwell Assessment of Needs (CANE)
- High EE has no effect on relapse rates in female patients

In the majority of the studies, high expressed emotion was predictive of relapse in symptoms of schizophrenia nine months later for both genders. A large amount of face-to-face contact (more than 35 hours per week) with a relative with a high expressed emotion score increased the risk of relapse, but in households with a low expressed emotion score, high levels of contact appeared to be protective (Expressed emotion across cultures | BJPsych Advances, http://apt.rcpsych.org/content/9/5/342 (accessed April 13, 2015).).

The correct answer is: Reducing the duration of face to face time spent with family may reduce the relapse

Question **42**

A patient with acute relapse of schizophrenia was given time off the ward. He came back

Not answered

Marked out of 1.00

Flag question

next day with his mother who was blaming him for his illness, and 'what he has put himself through'. Which of the following actions is likely to be most helpful?

Select one:

- Suggest Cognitive Behavioural Therapy for schizophrenia
- Stop all home leave immediately
- Suggest family therapy
- Provide psychodynamic support to the mother
- Use Mental Health Act to detain the patient on the ward

Explanation:

Family intervention in the treatment of schizophrenia has evolved from studies of the family environment and its possible role in affecting the course of schizophrenia. Brown and colleagues were able to show that the emotional environment within a family is an effective predictor of relapse in schizophrenia. Family intervention models have been developed that aim to help families cope with their relatives' problems more effectively, provide support and education for the family, reduce levels of distress, improve ways in which the family communicates and negotiates problems, and try to prevent relapse.

Ref: National Institute for Health and Clinical Excellence. The NICE guideline on the treatment and management of psychosis and schizophrenia in adults. Updated edition 2014.

The correct answer is: Suggest family therapy

Question **43**

Not answered

Marked out of 1.00

Flag question

A patient refuses to have a nasogastric intubation after an overdose, and the AandE consultant feels this procedure is potentially lifesaving and complies with expected standard of care. The best course of action is

Select one:

- Refer the patient to a psychiatrist
- Do not perform the procedure if the patient is determined to have the capacity to make this decision
- Assume that the patient does not have the capacity to decide whether to have the procedure or not
- Try repeatedly and convince the patient that the procedure is necessary until they eventually consent
- Sedate the patient first and then carry out the procedure

Patients have the right to refuse medical care, even when it seems medically necessary to save their life. The risks and benefits of accepting or refusing the procedure must be explained to and understood by the patient in order for them to make an informed decision about such a refusal. If they show good under- standing of the risks and benefits, then they have the capacity to decide. Bullying them into changing their mind is inappropriate, although they should be made aware that the procedure will likely still be made available to them at a later date should they voluntarily change their mind about having it done. A psychiatry consult may be helpful in this case if there is concern that an underlying mental illness is affecting the patient's judgment but is not necessary for determining the patient's capacity to make this

decision.

The correct answer is: Do not perform the procedure if the patient is determined to have the capacity to make this decision

Question **44**

Not answered

Marked out of 1.00

Flag question

What is the number of girls and women that have been amputated in the genital area?

Select one:

- 10 millions
- 1 million
- 100 millions
- 10,000
- 100,000

Explanation:

At least 200 million girls and women alive today have been cut in 30 countries in Africa, the Middle East, and Asia where female genital mutilation (FGM) is concentrated. FGM involves the partial or total removal of external female genitalia or other injury to the female genital organs for non-medical reasons. The practice has no health benefits for girls and women and is a violation of human rights.

Ref: https://www.who.int/news-room/fact-sheets/detail/female-genital-mutilation

The correct answer is: 100 millions

Question **45**

Not answered

Marked out of 1.00

Flag question

Major recurring themes behind the stigma against mental illness includes all except

Select one:

- Blaming
- Cost of treatment required
- Poor prognosis
- Disruption of social interaction
- Dangerousness

Hayward and Bright described four major recurring themes or beliefs behind the stigma against mental illness. These include 1.Dangerousness 2.Attribution of responsibility 3.Poor prognosis 4. Disruption of social interaction

The correct answer is: Cost of treatment required

Question **46**

Not answered

Marked out of

A West African student presents with difficulty concentrating, insomnia, anxiety, and pressure in the head. Choose one culture-bound syndrome:

Select one:

1.00

Flag question

- Windigo
- Dhat
- Latah
- Piblokto
- Fag

Explanation:

Brain fag is described particularly in Western African students. It is characterised by distress from ‘thinking too much’, reduced concentration, poor memory, blurred vision, and head/neck pain (often described as tightness, pressure, heat, or burning). Symptoms closely resemble anxiety, depressive, or somatoform disorders.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 991.

The correct answer is: Fag

Question **47**

Not answered

Marked out of 1.00

Flag question

A Chinese man is afraid of going out of his house. He believes that the cold wind will destroy his soul. What is the culture-bound syndrome described here?

Select one:

- Koro
- Piblokto
- Pa-leng
- Susto
- Windigo

Explanation:

Pa-leng is a culture-bound syndrome found in China and southeast Asia, characterised by pathological fear of cold (frigophobia) and of wind (anemophobia), believed to produce fatigue, impotence, and death.

On the other hand, a culture-bound syndrome relevant to the fear of soul leaving one's body is Susto. It is known as a "fright sickness". Susto comes from the Spanish word for "fright" (i.e. sudden intense fear, as of something immediately threatening). A more severe and potentially fatal form of susto is called espanto (also from Spanish, meaning terror or intense fright). People believe that if a person is suffering from susto, his or her soul has (or is going to be) separated from the body.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Pa-leng

Question **48**

Not answered

The notion that there are inherent distinctions among ethnic groups and that some ethnicities are biologically superior to others can be described as

Marked out of 1.00

Flag question

Select one:

- Xenophobia
- Scientology
- Racism
- Determinism
- Right-centeredness

Explanation:

Racism is a belief that races are inherently different from one another and that people's characteristics and capacities are determined largely by race, usually accompanied by a belief in the intrinsic superiority of one particular race over another or others.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Racism

Question **49**

Not answered

Marked out of 1.00

Flag question

A doctor wants to establish a long-term therapeutic relationship with her patient. Focusing on which of the following provides the best likelihood for achieving this?

Select one:

- Strengths and interests of the patient
- Adherence to medication
- Patient's childhood experiences
- Wishes of the patient's carers
- Insight of the patient

The major functions of medical interviews include gathering information, developing and maintaining a therapeutic relationship and communicating information. The establishment of long-term therapeutic relationship hinges on understanding the strengths and interests of a patient. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1496871/

The correct answer is: Strengths and interests of the patient

Question **50**

Not answered

Marked out of 1.00

Flag question

The concept of schizophrenogenic-mother was proposed by

Select one:

- Lidz
- Fromm-Reichmann
- Rutter
- Bateson
- Wynne

Explanation:

The concept of schizophrenogenic-mother was coined by Freida Fromm-Reichmann. These mothers were described to be 'rejecting, impervious to the feelings of others, rigid in moralism concerning sex and had a significant fear of intimacy'. In the 1960s, social theories of schizophrenia (e.g. 'schizophrenogenic mother' proposed by Fromm-Reichmann, marital skew, and schism) were common. They are now of historical interest only, not having withstood scientific scrutiny.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 189.

The correct answer is: Fromm-Reichmann

Question **51**

Not answered

Marked out of 1.00

Flag question

Which of the following describes an extreme anxiety symptom where a person thinks that his penis is shrinking into his abdomen, and he may die as a result?

Select one:

- Fag
- Koro
- Dhat
- Amok
- Latah

Explanation:

Koro is a form of 'genital retraction syndrome' – the fear or delusion that the genitals are retracting into the abdomen and that death will occur once this has happened. It occurs predominantly in young, single males in Asia and the Middle East, with epidemics described in the Malay Archipelago, Thailand, China, India, Singapore, and Israel. Sporadic cases have been reported in Africa, Europe, and North America. The female equivalent (fear or delusion that the labia or nipples are retracting) occurs rarely, and most reported cases have been during epidemics. Other names for this syndrome include: suk-yeong/suo yang (Chinese 'shrunken penis'), kattao (Indian: 'cut off'), jinjinia bemar (Assam), and rok-joo (Thailand).

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. pp. 990-991.

The correct answer is: Koro

Question **52**

Not answered

Marked out of 1.00

Flag question

Identify the study that is related to deliberately infected individuals with hepatitis

Select one:

- ECA study
- Willowbrook study
- Isle of wight study
- Belmont study
- Tuskegee study

Explanation:

In the 1950s, the Willowbrook State School in Staten Island, New York, was a residential school for children with intellectual disabilities. Saul Krugman, a specialist in pediatric infectious disease, conducted studies in which children were exposed to live hepatitis virus by oral administration of bodily fluids from patients with hepatitis. Some children were given gamma globulin and live virus, and others (controls) were given live virus alone. Krugman later rechallenged these children with another deliberate exposure to live hepatitis virus. He went on to an enormously successful career. Krugman maintained that 'meticulous explanations' had been given to the parents who enrolled their children in the studies. He later admitted, however, that the consent process that he used in the early studies was inadequate.

Ref: Lantos J. Henry K. Beecher and the oversight of research in children. Perspectives in biology and medicine. 2016;59(1):95-106.

The correct answer is: Willowbrook study

Question **53**

Not answered

Marked out of 1.00

Flag question

Which of the following is least likely to be consistent with an individual assuming the sick role?

Select one:

- The individual takes time off work to aid recovery
- The individual refuses medical help and does not accept his/her diagnosis
- The individual is considered not responsible for his/her sickness
- The individual is relieved of his social and vocational responsibilities
- The individual wants to get better

Explanation:

Patients are afforded the 'sick role', which allows them to relinquish some of their normal obligations. This is a man-made concept, encompassing the special rights and expected behaviour of someone who is sick. The individual is exempted from blame and from their normal duties while in the sick role. They are expected to seek help, to be open and honest, to comply with treatment, and to give up the sick role once well.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. pp. 8-9.

The correct answer is: The individual refuses medical help and does not accept his/her diagnosis

Question **54**

Not answered

Marked out of 1.00

Flag question

Which of the following is false with respect to Nuremberg code?

Select one:

- Nuremberg is a place in Germany
- Voluntary consent was upheld as a vital aspect of research
- The code pertains to human research ethics
-

Tried Japanese doctors for unfair treatment of patients

It is related to World War 2

Explanation:

Multiple examples of past unethical research studies conducted throughout the world have cast a significant historical shadow on research involving human subjects. As the aftermath of these practices, wherein uniformed and unaware subjects were exposed to disease or subject to unproven treatments, became known, the need for rules governing the design and implementation of human-subject research protocols became very evident.

The first such ethical code for research was the Nuremberg Code, arising in the aftermath of Nazi research atrocities brought to light in the post-World War II Nuremberg Trials in Germany. This set of international research standards sought to prevent gross research misconduct and abuse of vulnerable and unwitting research subjects by establishing specific human subject protective factors. The Nuremberg Code set the standard for every subsequent attempt to regulate human experimentation. Its first principle remains its most important: the requirement of the voluntary, competent, informed, and understanding consent of the human subject.

Ref: Annas GJ. Beyond Nazi war crimes experiments: the voluntary consent requirement of the Nuremberg Code at 70. American journal of public health. 2018 Jan;108(1):42-6.

The correct answer is: Tried Japanese doctors for unfair treatment of patients

Question **55**

Not answered

Marked out of 1.00

Flag question

In clinical psychiatric population which of the following disorders is more common in higher social classes?

Select one:

Autism

Anorexia Nervosa

Bulimia Nervosa

ADHD

Schizophrenia

For a long time now it is debated whether the social class differences in anorexia reflects help seeking or referral patterns only or the actual disease prevalence. Reappraisal of socioeconomic status from clinical data in anorexia shows that the social class distribution is consistently weighted toward social classes 1/2. Community studies have shown that the social class, professional status, and education were not associated with an increased risk of reporting an eating disorder in such community samples.

The correct answer is: Anorexia Nervosa

Question **56**

Not answered

Marked out of 1.00

Which of the following aspects best describes one's ethnicity?

Select one:

social activities

Flag question

- genetic factors
- group identification
- their appearance
- values and beliefs

Explanation:

Ethnicity refers to the shared historical, linguistic, religious, and cultural identity of a community, group, nation, or race. Ethnic groups are often, though not always, distinguished by shared territory and/or common race.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: group identification

Question **57**

Not answered

Marked out of 1.00

Flag question

Institutional neurosis was described by

Select one:

- Pavlov
- Goffman
- Barton
- Parsons
- Pilowsky

Russell Barton (1976) described 'institutional neurosis', characterized by symptoms such as apathy, lack of initiative, loss of interest and submissiveness. Factors attributed to this state include loss of contact with the outside world, enforced idleness, brutality and bossiness of staff, loss of friends and personal possessions, poor ward atmosphere and loss of prospects outside the institution.

The correct answer is: Barton

Question **58**

Not answered

Marked out of 1.00

Flag question

Which of the following ethical principles is not associated with Charaka?

Select one:

- Compassion towards patients
- Updating medical knowledge
- Sympathy towards the sick
- Maintaining medical records
- Confidentiality

Charaka promoted 4 Cs - confidentiality, caring practice, continuous professional development and compassion. Charaka also argued for six qualities that every physician

should possess: required learning, rationality, scientific knowledge, memory, devotion to the patient's cause and regular practice (action).

Amiel H. INTRODUCTION TO MEDICAL ETHICS. Biomedical Ethics. 2019 Aug 2:1.

The correct answer is: Maintaining medical records

Question **59**

Not answered

Marked out of 1.00

Flag question

A medical student is undertaking a clinical research project and is keen to know the ethical principles that are widely implemented in medical practice. Choose the correct option:

Select one:

- Duty of care and good will
- Respect for autonomy, justice and confidentiality
- Consent, confidentiality and capacity assessment
- Respect, justice and consent
- Respect for autonomy, beneficence and justice

Explanation:

The four principles of Beauchamp and Childress – autonomy, non-maleficence, beneficence, and justice – have been extremely influential in the field of medical ethics. The prima facie principles may be defined as follows: a) autonomy - respecting patients' wishes and freedom of choice b) beneficence - acting in patients' best interests c) Non-maleficence - avoiding harm d) Justice - treating problems equally, with equitable distribution of resources to the needy. These four principles are the main guiding aspects of current medical practice, and most other related ethical discussions relevant to clinical practice can be brought under these four aspects.

Ref: Page K. The four principles: Can they be measured and do they predict ethical decision making?. BMC medical ethics. 2012 Dec;13(1):1-8.

The correct answer is: Respect for autonomy, beneficence and justice

Question **60**

Not answered

Marked out of 1.00

Flag question

Understanding the impact of a life event in light of one's current social context and self-perspective is called contextual rating of social adversity. Which of the following employs the above method?

Select one:

- Holmes and Rahe social adjustment scale
- Life cycle chart
- Impact of Events Scale
- Life Events and Difficulties Schedule
- Sociogram

Explanation:

The Life Events and Difficulties Schedule (LEDS) is widely considered the gold standard to assess exposure to psychosocial stressors among both adults and adolescents. It was

developed in the UK in the 1970s, as an alternative to stressor assessment via self-reported checklists. LEDS is based on semi-structured interview in which the researchers (not the participants) are responsible for eliciting complete descriptions of stressful situations and for deciding whether these situations qualify as severe (among other dimensions).

Ref: Dupéré V et al. Adaptation and validation of the Life Events and Difficulties Schedule for use with high school dropouts. Journal of Research on Adolescence. 2017 Sep;27(3):683-9.

The correct answer is: Life Events and Difficulties Schedule

Question **61**

Not answered

Marked out of 1.00

Flag question

Immigrants carry a higher risk of schizophrenia than the native population in UK. Which of the following is correct in this regard?

Select one:

- Significant social disadvantage in the immigrants may explain the association
- Pre-psychotic segregation explains the higher risk
- Incidence rates of schizophrenia in Caribbean countries are higher than UK
- Psychiatric hospital admission rates are lesser among ethnic minorities
- Excess risk is specific for African and Caribbean immigrants

Explanation:

There are increased rates of schizophrenia and related psychotic disorders in first- and second-generation migrants compared to the native population. This increase cannot be attributed to high incidences of psychotic disorders in migrants' countries of origins. Environmental factors in the host countries contribute to the increased manifestation of psychotic experiences. Stress factors associated with social exclusion, discrimination, and 'defeat' contribute to delusional ideation. Financial resources and social status of a migrant group generally affect mental wellbeing. In addition to negative effects of poverty on mental health, social exclusion and discrimination stress may contribute to the high incidence of psychotic disorders among first- and second-generation migrants.

Ref: Henssler J et al. Migration and schizophrenia: meta-analysis and explanatory framework. European archives of psychiatry and clinical neuroscience. 2019 Jun 4:1-1.

The correct answer is: Significant social disadvantage in the immigrants may explain the association

Question **62**

Not answered

Marked out of 1.00

Flag question

Best evidence base to decrease alcohol harm is

Select one:

- Education of public about harm of alcohol
- Interventions in drinking environments
- Increasing the price of alcohol
- Extending the times of sales
- Media-advocacy

When other factors are held constant, such as income and the price of other goods, a rise in alcohol prices leads to less alcohol consumption and vice versa. Price increases reduce the harms caused by alcohol and can also indicate that heavier drinking has been reduced. Policies that increase alcohol prices delay the initiation of drinking, slow young people's progression towards drinking larger amounts and reduce heavy drinking among them. Setting a minimum price per gram of alcohol can be as effective as an across- the-board increase in tax, with both options costing heavy consumers far in excess of the cost to light consumers. Natural experiments in Europe consequent to economic treaties have shown that as alcohol taxes and prices have gone down, so sales and alcohol consumption have usually increased. (From Evidence for the effectiveness and cost-effectiveness of interventions to reduce alcohol-related harm, WHO 2009).

The correct answer is: Increasing the price of alcohol

Question **63**

Not answered

Marked out of 1.00

Flag question

Which of the following describes the code of ethical recommendations used currently to guide clinical research worldwide?

Select one:

- Tuskegee code
- GMC guidance
- Mt Sinai declaration
- Nuremberg Code
- Helsinki declaration

Explanation:

The Declaration of Helsinki, adopted by the World Medical Association's General Assembly in 1964, is the most important set of guidelines about research on human participants. It both reflects and shapes the ethos of international research ethics. It is a living instrument and is reviewed and revised regularly. Its latest revision was in 2013.

Ref: Malik AY, Foster C. The revised Declaration of Helsinki: cosmetic or real change?. Journal of the Royal Society of Medicine. 2016 May;109(5):184-9.

The correct answer is: Helsinki declaration

Question **64**

Not answered

Marked out of 1.00

Flag question

The Myth of Mental Illness' was written by

Select one:

- Szasz
- Cleare
- Cooper
- Laing
- Foucalt

Antipsychiatry refers to a confederation of psychiatrists, psychologists, nurses, social and

welfare workers, lay people and patients who oppose the traditional mental health practice and treatment. Three major pioneers are 1. R.D. Laing, 2. Thomas Szasz and 3. Foucault. R.D.Laing wrote 'The Divided Self' (1959), Sanity, Madness and the Family (1964). Thomas Szasz wrote 'The Myth of Mental Illness' 1961) and 'The Manufacture of Madness' (1971). Foucault wrote Madness and Civilization (1965).

The correct answer is: Szasz

Question **65**

Not answered

Marked out of 1.00

Flag question

Which of the following is true with regards to Changing Minds campaign?

Select one:

- It is not a part of Care Programme Approach
- It provides a legal clause against stigma
- It is an initiative from World Health Organisation
- It is focussed on geriatric mental health issues
- It is an ongoing programme against stigma

Concern about the stigma of mental illness culminated in the Royal College of Psychiatrists' 5-year 'Changing Minds' campaign (1998-2003) whose aim was to promote positive images of mental illness, challenge misrepresentations and discrimination, encourage patient advocacy and educate the public about the real nature and treatability of mental disorder (Crisp et al, 2000) (Effectiveness of Changing Minds campaign factsheets. Retrieved from http://pb.rcpsych.org/content/pbrcpsych/31/10/377.full.pdf.)

The correct answer is: It is not a part of Care Programme Approach

Question **66**

Not answered

Marked out of 1.00

Flag question

Melting pot model is a term applied to describe cultural dynamics in which of the following types of countries?

Select one:

- Countries with increasing immigration trend
- Countries with no immigration
- Countries with zero population growth
- Countries with high population attrition due to emigration
- Countries with negative population growth

The melting pot model describes nations with increasing immigration trend. These nations are formed by an assortment of immigrant cultures resulting in a hybrid sociocultural unit. According to the melting pot theory, like various metals melted together forming an alloy with new properties, the melting together of several cultures produces a new culture with greater strength and advantages. The melting pot theory can be applied to any country that has integrated new cultures into its own, e.g., Brazil and those with high immigration trend (e.g., France). But in practice, this theory is most invoked to describe the United States as a new world with an amalgamated group of immigrants and used synonymously with ‘Americanization’.

Maddern SW. Melting pot theory. The Encyclopedia of Global Human Migration. 2013 Feb 4.

Woldeab, D., Yawson, R.M. and Woldeab, I., 2021, March. Re-examining the Philosophical Underpinnings of the Melting Pot vs. Multiculturalism in the Current Immigration Debate in the United States. In *Harnessing Analytics for Enhancing Healthcare & Business. Proceedings of the 50th Northeast Decision Sciences Institute (NEDSI) Annual Meeting, Pgs* (pp. 264-285).

The correct answer is: Countries with increasing immigration trend

Question **67**

Not answered

Marked out of 1.00

Flag question

An Asian immigrant in England is observed to practice his religion and cultural traditions at home but adapts well especially at work with a good degree of fluency in both English and his native language. This type of enculturation is called

Select one:

- Accommodation
- Assimiliation
- Melting Pot
- Biculturalism
- Bisection

The acculturative process involves acquisition and retention as well as relinquishing attitudes/values and practices in both majority and minority populations that continue over several generations. The rate of change and the circumstances that influence it vary greatly, both between and within groups. For these reasons, studies of groups experiencing acculturative change often divide the groups by temporal experience into first-, second-, and third-generation immigrants. Families within such groups have been categorized as traditional, transitional, or bicultural. Traditional families are characterized as using their native tongues rather than English, living in ethnic enclaves, avoiding interaction with majority cultural institutions, and maintaining preimmigration values and behaviors. Transitional families are characterized by greater fluency in the language of the host culture and by children who are becoming familiar with the values and social behaviors of the dominant majority population through attendance at school and school-related activities. Bicultural families are defined as those with a high degree of language fluency in their native languages as well as English, economic stability, and residence in multiethnic settings. Biculturalism appears to be more adaptive and associated with minimal acculturation stress.

The correct answer is: Biculturalism

Question **68**

Not answered

Marked out of 1.00

Flag question

The phenomenon of relative deprivation is explained by

Select one:

- Barthel index
- Jarman index
- Brian index
- Jasper index
- Haschinski index

A scoring system developed by the British general practitioner Brian Jarman for the level of social deprivation in a community, using census data on percentages of old people living alone, single-parent families, children younger than 5 years of age, unskilled and unemployed persons, ethnic minorities, overcrowded dwellings, changes of address in previous year, etc. Although a valid indicator, it is not generally accepted outside the United Kingdom.

The correct answer is: Jarman index

Question **69**

Not answered

Marked out of 1.00

Flag question

In prematurely born infants, after which week of pregnancy are we legally able to resuscitate an infant irrespective of parental wishes?

Select one:

- 22 wks
- 16 wks
- 20 wks
- 21 wks
- 24 wks

In United Kingdom women have access to termination of pregnancy for maternal reasons until 24 weeks completed gestation; so it is rational children born at or beyond 25 weeks gestation are treated according to the child's perceived best interests even if this is not in accordance with parental wishes. There is no legislation imposing an age limit in UK for resuscitating premature babies as of now.

The correct answer is: 24 wks

Question **70**

Not answered

Marked out of 1.00

Flag question

Which among the following is the risk factor most highly associated with the diagnosis of schizophrenia in a young man?

Select one:

- Having lost his mother before the age of 14
- Being a migrant
- Living alone
- Alcohol use
- HLADR2 gene

Explanation:

There are increased rates of schizophrenia and related psychotic disorders in first- and second-generation migrants compared to the native population. This increase cannot be attributed to high incidences of psychotic disorders in migrants' countries of origins. Environmental factors in the host countries contribute to the increased manifestation of psychotic experiences. Stress factors associated with social exclusion, discrimination, and 'defeat' contribute to delusional ideation. Financial resources and social status of a migrant

group generally affect mental wellbeing. In addition to negative effects of poverty on mental health, social exclusion and discrimination stress may contribute to the high incidence of psychotic disorders among first- and second-generation migrants.

Ref: Henssler J et al. Migration and schizophrenia: meta-analysis and explanatory framework. European archives of psychiatry and clinical neuroscience. 2019 Jun 4:1-1.

The correct answer is: Being a migrant

Question **71**

Not answered

Marked out of 1.00

Flag question

The term total institution is associated with

Select one:

- Thomas Szasz
- Michel Foucault
- Thomas Hardy
- Jacques Lacan
- Erving Goffman

Explanation:

Erving Goffman was a Canadian-born US sociologist whose writing provides insights into the mental hospital environment, particularly as experienced by patients. He described the 'total institution' as a 'place of residence and work where a large number of life-situated individuals, cut off from the wider society for an appreciable period of time, together lead an enclosed, formally administered round of life'. He considered mental hospitals to be total institutions. The term was coined and defined by Goffman in his 1961 work Asylums.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

Capps D. The mortification of the self: Erving Goffman's analysis of the mental hospital. Pastoral psychology. 2016 Feb 1;65(1):103-26.

The correct answer is: Erving Goffman

Question **72**

Not answered

Marked out of 1.00

Flag question

A 40-year-old man complains of chest pain and dizziness but his blood tests and ECG are normal. This is called

Select one:

- Sick role
- Illness
- Depression
- Worried well
- Illness behaviour

Explanation:

Patients generally present complaining of symptoms, and this process is called illness or illness behaviour. Patients need not be suffering from a disease or a disorder in order to do

this, and sometimes illness behaviour may be abnormal.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 8.

The correct answer is: Illness behaviour

Question **73**

Not answered

Marked out of 1.00

Flag question

According to Nuremberg code formulated after the Second World War, human experimentation can be carried out only if which of the following conditions is satisfied?

Select one:

- Written consent is given for infliction of more than necessary pain
- Voluntary consent is given
- A study causing harm can be completed only if carers agree with patients
- Research is economical
- Subjects are well compensated for any suffering underwent

Explanation:

Multiple examples of past unethical research studies conducted throughout the world have cast a significant historical shadow on research involving human subjects. As the aftermath of these practices, wherein uniformed and unaware subjects were exposed to disease or subject to unproven treatments, became known, the need for rules governing the design and implementation of human-subject research protocols became very evident.

The first such ethical code for research was the Nuremberg Code, arising in the aftermath of Nazi research atrocities brought to light in the post-World War II Nuremberg Trials in Germany. This set of international research standards sought to prevent gross research misconduct and abuse of vulnerable and unwitting research subjects by establishing specific human subject protective factors. The Nuremberg Code set the standard for every subsequent attempt to regulate human experimentation. Its first principle remains its most important: the requirement of the voluntary, competent, informed, and understanding consent of the human subject.

Ref: Annas GJ. Beyond Nazi war crimes experiments: the voluntary consent requirement of the Nuremberg Code at 70. American journal of public health. 2018 Jan;108(1):42-6.

The correct answer is: Voluntary consent is given

Finish review

PREVIOUS ACTIVITY
Social Psychology

NEXT ACTIVITY
EMIs Psychology

Jump to...

Drop here!

© 2022 SPMM Course Limited, UK.

