Mock Paper A(1)

Started on	Thursday, 21 June 2018, 8:12 AM
State	Finished
Completed on	Thursday, 21 June 2018, 8:12 AM
Time taken	11 secs
Grade	**0.00** out of 100.00
Feedback	You are on the right track. Could you spend some more time on your revision?

Question 1

Not answered

Marked out of 1.00

Flag question

MoK Classification 005
With respect to depression seen in patients with schizophrenia, which of the following is correct?

Select one:

- It is seen only in post-psychotic period
- It is not an outcome indicator
- It often coexists with negative symptoms
- It is often a side effect of antipsychotic use
- It does not respond to antidepressants

Your answer is incorrect.

Depression can be seen in either acute or postpsychotic phases of schizophrenia. Post-schizophrenic depression is diagnosed if the general criteria for schizophrenia were met within the past twelve months, but not in full at the present time. But one of either positive/negative symptoms/formal thought disorder/catatonia symptoms must be present.

The correct answer is: It often coexists with negative symptoms

Question 2

Not answered

Marked out of 1.00

Flag question

MoK Classification 007
Which of the following is true with regard to posttraumatic stress disorder?

Select one:

- Diagnostic EEG findings often noted
- Not seen in children
- Patients show decreased startle reaction
- Onset is within 6 months of trauma
- Trauma must be near fatal in nature

Your answer is incorrect.

The onset of PTSD is generally within six months of the trauma. Retrospective reports of war veterans reveal that delayed-onset PTSD is extremely rare one year post-trauma, and there was no evidence of PTSD symptom onset 6 or more years after trauma exposure. Br J Psychiatry. 2009 Jun;194(6):515-20.

The correct answer is: Onset is within 6 months of trauma

Question 3

Not answered

Marked out of 1.00

Flag question

MoK Classification 009
Select one typical feature of hypomania

Select one:

- Presence of bizarre delusions
- Presence of mood incongruent delusions
- Absence of flight of ide
- Absence of significant psychosocial dysfunction
- Presence of hallucinations

Your answer is incorrect.

Hypomania produces some but not significant psychosocial dysfunction according to ICD

The correct answer is: Absence of significant psychosocial dysfunction

Question 4

Not answered

Marked out of 1.00

Flag question

MoK Classification 020
What is the most common psychiatric disorder in children with mild learning disability?

Select one:

- Conduct disorder
- Psychosis
- Autistic spectrum disorder
- Personality disorder
- Depression

Your answer is incorrect.

Disruptive and conduct-disorder behaviours occurred more commonly in the mildly disabled group, which represents approximately 85 percent of persons with learning disability. ADHD is often a prominent feature in children with LD (up to 20%). Those with severe mental retardation have a particularly high rate of autistic disorder and pervasive developmental disorders.

The correct answer is: Conduct disorder

Question 5

Not answered

Marked out of 1.00

Flag question

MoK Classification 021
A 45-year-old woman believes that his neighbours are plotting to kill her for last 6 months. There is no hallucination. The diagnosis is

Select one:

- Adjustment disorder
- Dementia
- Schizophrenia
- Bipolar disorder
- Delusional disorder

Your answer is incorrect.

Delusional disorder is an illness characterized by the presence of nonbizarre delusions in the absence of other mood or psychotic symptoms

The correct answer is: Delusional disorder

Question 6
Not answered
Marked out of 1.00
Flag question

MoK Classification 024
Mrs. Chomes has recently lost her husband after his protracted fight with stomach cancer. The following is indicative of a pathological grief reaction:

Select one:
- Signing up for counselling
- Denial 4 months after the death
- Joining a charity for fighting prostate cancer
- Clearing his room of his belongings
- Visual hallucinations of her husband

Your answer is incorrect.

Pathological grief can be delayed grief (not occurring for a long period), inhibited grief (symptoms of normal grief not shown), prolonged grief (grief more than 6-12 months) or frank depressive reaction (psychosis, suicidality, inappropriate guilt outside the death event etc). Some degree of mummification (preserving the belongings of the deceased as they were before death), visual hallucinations of the deceased ('sighting the dead'), altruistic charity and seeking help through counseling are normal reactions.

The correct answer is: Denial 4 months after the death

Question 7
Not answered
Marked out of 1.00
Flag question

MoK Classification 026
In ICD-10 astasia-abasia is described under:

Select one:
- Dissociative fugue disorder
- Dissociative motor disorder
- Factitious disorder
- Malingering
- Dissociative stupor

Your answer is incorrect.

In ICD10 dissociative (conversion) disorders are classified into dissociative amnesia, dissociative fugue, trance /possession, disorders of movement (includes motor disorders), dissociative stupor, dissociative convulsions (pseudoseizures) and dissociative sensory loss / anaesthesia. Astasia-abasia is discussed under dissociative motor disorders.

The correct answer is: Dissociative motor disorder

Question 8
Not answered
Marked out of 1.00
Flag question

MoK Classification 028
A university student has been diagnosed with Kleine Levine syndrome after presenting with recurring periods of excessive drowsiness and sleep. Which of the following feature is NOT a part of this diagnosis?

Select one:
- Irritability
- Excessive food intake
- Drop attacks
- Uninhibited sex drive

- Amnesia following episodes

Your answer is incorrect.

Drop attacks are not a part of Kleine Levine syndrome. Kleine-Levin syndrome (KLS) is a rare disorder characterised by periodic episodes of hypersomnolence and hyperphagia. Associated features of the disorder include a lack of concentration, mood changes, sometimes hypersexuality and anxiety. Laboratory tests may show slight changes in the electroencephalogram. However, clinical presentation and laboratory tests are normal during asymptomatic intervals. KLS most often presents in adolescent males, with complete recovery by the 3rd to the 4th decade of life. Possible precipitating factors include excessive workload, febrile illness, and respiratory infections (Kleine-Levin syndrome: a unique cause of fatigue. Retrieved from http://bjsm.bmj.com/content/39/2/e7.full.html).

The correct answer is: Drop attacks

Question 9

Not answered

Marked out of 1.00

Flag question

MoK Classification 029
Which of the following is highly characteristic of somatisation disorder?

Select one:

- Somatic delusions is a core feature
- Usually presents after the age of 40
- Less observable clinical association with childhood illness in the patient
- Excessive use of medications and non compliance with medical advice
- Occurs commonly in males

Your answer is incorrect.

Somatisation disorder can be associated with a great deal of stigma; there is a risk that patients may be dismissed by their physicians as having problems that are 'all in their head'. Doctors' explanations of their symptoms are often at odds with these patients' own thinking.

The correct answer is: Excessive use of medications and non compliance with medical advice

Question 10

Not answered

Marked out of 1.00

Flag question

MoK Classification 030
Mr Richmond obtains gratification by rubbing against women travelling on the crowded Dockland Railways. What is this condition called?

Select one:

- Exhibitionism
- Voyeurism
- Frotteurism
- Fetishism
- Masochism

Your answer is incorrect.

Frotteurism is a paraphilia (sexual deviancy) classified in ICD10. In this disorder, non-consensual rubbing of genital organs against another person to achieve arousal is seen.

The correct answer is: Frotteurism

Question 11

Not answered

MoK Classification 031

Marked out of 1.00

Flag question

When asked how many legs a cat has, a 42-year-old male prisoner answers 'five legs'. Which of the following conditions is likely?

Select one:

- Dementia
- Autistic Spectrum Disorder
- Schizophrenia
- Learning Disability
- Ganser syndrome

Your answer is incorrect.

This is a rare condition of uncertain or variable aetiology. It was first described by the psychiatrist Sigbert Ganser in 1898 nad characterised by approximate answers. The essential feature of approximate answers is that while the patient gives an incorrect response, the approximately correct nature of the response suggests that he or she understands the question well. Thus, the responses in Ganser's are not nonsensical, perseverative or otherwise inappropriate.

The correct answer is: Ganser syndrome

Question 12

Not answered

Marked out of 1.00

Flag question

MoK Classification 033
A middle aged man presents with 2 year history of having abnormal limb movements and memory problems. He has no past history of psychiatric problems and physical investigations are unremarkable. His father died at the age of 50 and he had similar 'limb shakes'. The likely diagnosis is

Select one:

- Wilson's disease
- Catatonic disorder
- Crutzfeld Jakob disease
- Huntington's disease
- Lewy body dementia

Your answer is incorrect.

Huntington's disease onset is defined by the beginning of motor symptoms, and most often the initial complaint that leads patients to seek medical attention is 'clumsiness', 'tremor', 'balance trouble', or 'jerkiness'. The primary involuntary movement abnormality, and often the earliest symptom, is chorea or choreoathetosis, continuous and irregular writhing and jerking movements. The limbs and trunk are most prominently affected

The correct answer is: Huntington's disease

Question 13

Not answered

Marked out of 1.00

Flag question

MoK Classification 035
Which of the following is a characteristic feature of schizoid personality disorder?

Select one:

- Labile affect
- Insensitivity to prevailing social norms
- Highly sensitive and intolerability to setbacks
- Poor frustration tolerance
- Rigidity and stubbornness

Your answer is incorrect.

Taking pleasure in few, if any, activities, indifference to social norms and conventions, preoccupation with fantasy and introspection are features of schizoid personality.

The correct answer is: Insensitivity to prevailing social norms

Question 14

Not answered

Marked out of 1.00

Flag question

MoK Classification 036
According to DSM-5 criteria, which of the following is not included in the diagnostic criteria for a manic episode?

Select one:

- Increased energy levels
- Flight of ideas
- Much more talkative than usual
- Insomnia/hypersomnia
- Inflated self esteem/grandiosity

Your answer is incorrect.

The DSM-5 gives a number of criteria that must be met before a disorder is classified as mania. The first one is that an individual's mood must be elevated, expansive or irritable. Reduced need for sleep, not insomnia, is a feature of mania according to DSM-5.

The correct answer is: Insomnia/hypersomnia

Question 15

Not answered

Marked out of 1.00

Flag question

MoK Classification 040
Which of the following is true with regard to classification of psychiatric disorders?

Select one:

- Every symptom used to diagnose a disorder can be reliably elicited
- ICD-10 is theoretical
- Most diagnoses are dependent on few identified core symptoms
- Diagnosis obtained using psychodynamic formulation is the most reliable
- DSM-IV is theoretical

Your answer is incorrect.

Most diagnoses in descriptive systems are based on few core symptoms and some ancillary symptoms. But not all of the listed symptoms in a category could be reliably diagnosed. For example, loss of libido may be more reliable than anhedonia. Both ICD and DSM are atheoretical. Theoretical assumptions such as psychodynamic theory does not make classifications reliable.

The correct answer is: Most diagnoses are dependent on few identified core symptoms

Question 16

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 009
A 76-year-old man presents to the memory clinic with a MMSE score of 23/30. What will you do in terms of management?

Select one:

- Wait and watch for 6 months
- Repeat memory test in 3 months time
- Prescribe antidepressant drugs

- Discharge back to GP
- Arrange for dementia screen work up

Your answer is incorrect.

MMSE score of 23/30 suggests a possibility of dementia. Consider dementia screen work up, which includes blood tests, urine tests, ECG and CT scan.

The correct answer is: Arrange for dementia screen work up

Question 17

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 010
Physical findings that point to a metabolic cause of mental status change include

Select one:

- Hyporeflexia
- Positive Rhomberg's sign
- Positive Babinski sign
- Asterixis
- Dilated pupils

Your answer is incorrect.

It is helpful to look for asterixis, tremor and myoclonic jerks in patients who are confused and agitated. These are helpful signs that point to a metabolic or toxic cause of altered mental status. In the absence of myoclonus, asterixis, or other definitive localizing neurologic signs on an exam, the examiner should consider various conditions that could explain bihemispheric involvement.
http://www.aan.com/go/education/curricula/internal/chapter4

The correct answer is: Asterixis

Question 18

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 011
On examination, there is a repeated fluctuant movement of agonist and antagonist muscles when the patient tries to reach something. Where is the lesion?

Select one:

- Frontal lobe
- Basal ganglia
- Parietal lobe
- Pons
- Cerebellum

Your answer is incorrect.

The description refers to intentional tremor, which is a feature of cerebellar damage. Intentional tremors are the result of the lack of the cerebellum's ability to coordinate the timing of alternately contracting and inhibiting antagonistic muscles, and are often associated with dysdiadochokinesia.

The correct answer is: Cerebellum

Question 19

Not answered

MoK Clinical Examination 012
Which one of the following eye signs is pathognomonic of multiple sclerosis?

Marked out of 1.00

Flag question

Select one:

- Argyll Robertson pupil
- Kayser Fleischer ring
- Bilateral internuclear ophthalmoplegia
- Holmes Adie Pupil
- Horner's syndrome

Your answer is incorrect.

In young patients with bilateral internuclear ophthalmoplegia, multiple sclerosis is often the underlying cause. In older patients with one-sided ophthalmoplegia, stroke is a more common cause. Internuclear ophthalmoplegia (INO) strems from a dysfunction of the medial longitudinal fasciculus (MLF), a tract that contains axons projecting from the VI nucleus to the medial rectus subnuclei of the contralateral III nuclear complex. The cardinal findings in INO are impaired adduction and abducting nystagmus during conjugate version movements. The resulting ocular divergence leads to horizontal diplopia. (Ref: Barton JS (2008). Retrieved from http://www.neuroophthalmology.ca/textbook/disorders-of-eye-movements/)

The correct answer is: Bilateral internuclear ophthalmoplegia

Question 20

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 013
A 64 year old lady has a history suggestive of frontal lobe dementia. Which of the following bedside cognitive tests is appropriate to assess frontal lobe function?

Select one:

- Rey Osterreith test
- Wisconsin card sorting test
- Visual field test
- Mini mental status examination
- Category fluency test

Your answer is incorrect.

Wisconsin card sorting test is not a bed side cognitive test. It is a more detailed neuropsychological assessment.

The correct answer is: Category fluency test

Question 21

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 014
Intention tremor is characteristically seen in which of the following conditions?

Select one:

- Essential tremor
- Cerebellar disease
- Anxiety
- Lithium toxicity
- Frontal lobe disorders

Your answer is incorrect.

Intention tremor is an oscillating tremor that accelerates in pace on approaching the target. It is one of the neurological signs seen in disorders involving the cerebellum.

The correct answer is: Cerebellar disease

Question 22
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 015
Which of the following is the single most useful tool for diagnosing dementia?

Select one:
- Clinical interview of patient and carer
- MMSE
- MRI scan
- Neuropsychological testing
- CT scan


Your answer is incorrect.

Nothing can replace a careful clinical interview for diagnostic evaluation of most disorders

The correct answer is: Clinical interview of patient and carer

Question 23
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 019
Read the strip of ECG shown below and identify the relevant abnormality. P waves are marked in the figure.



Select one:
- Mobitz type II
- Type I second degree heart block
- Mobitz type I
- Complete heart block
- Normal ECG

Your answer is incorrect.

There is a complete interruption of conduction between atria and ventricles so that the two appear to be working independently. The atrial P waves bear no relationship to the ventricular QRS complex, which usually arise as the result of a ventricular escape rhythm. (Ref: Houghton & Gray, Making sense of the ECG. Pg 120-122).

The correct answer is: Complete heart block

Question 24
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 006
Which one of the following is not a negative symptom of schizophrenia?

Select one:
- Alexithymia
- Attentional impairment
- Affective flattening or blunting
- Anhedonia
- Avolition

Your answer is incorrect.

The prominent negative symptoms include affective flattening or blunting, attentional impairment, avolition-apathy (lack of initiative), anhedonia, asociality, alogia (lack of speech output).

The correct answer is: Alexithymia

Question 25

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 008
Simultaneous presence of contrasting attitudes towards a person, an action or an idea is called

Select one:

- Automatic obedience
- Avolition
- Ambivalence
- Anhedonia
- Avoidance

Your answer is incorrect.

Ambivalence is a state of having simultaneous, conflicting feelings toward a person or thing. It is a term coined by Bleuler, who differentiated between Affective ambivalence- e.g., To love and hate the same person at the same time and Intellectual ambivalence-e.g., Assertion and denial of the same idea. In contrast, ambitendence is the equivalent of the ambivalence of the will- (Ambitendence is a catatonic symptom). An ambitendent schizophrenia patient may try to bring the spoon to his mouth number of times but never completes the act.

The correct answer is: Ambivalence

Question 26

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 017
A man with epilepsy answers a question correctly, but goes well past the point before moving on to the next response. This form of speech is called

Select one:

- Circumstantiality
- Clang association
- Verbigeration
- Tangentiality
- Vorbereiden

Your answer is incorrect.

In circumstantiality, thinking proceeds slowly, with many unnecessary details and digressions, before returning to the point. It is seen in some patients with temporal lobe epilepsy or alcohol-induced persisting dementia, learning difficulty and in obsessional personalities. Circumstantiality must be differentiated from tangentiality - the patient never reaches the point in tangentiality, whereas they do reach the point of discussion in circumstantiality.

The correct answer is: Circumstantiality

Question 27

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 019
The most common form of synesthesia is

Select one:

- Word taste type

- Colour sound type
- Colour number type
- Touch colour type
- Flavour colour type

Your answer is incorrect.

Colour number type is the most common type - it is also known as Grapheme colour synesthesia

The correct answer is: Colour number type

Question 28

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 020
Mr. Smith experiences repetitive intrusive images of corpses of his family members in coffins. He had to imagine the same people alive to reduce the anxiety associated with the experience. This compensatory attempt is best described as

Select one:

- Ruminations
- Disaster image
- Obsessional image
- Disruptive image
- Compulsive image

Your answer is incorrect.

Two types of recurrent images are described in OCD. Obsessive image refers to recurrent images that are recognised as irrelevant, senseless appearing in one's own mind but with no wilful control. Sometimes patients may voluntarily produce images that are counter-intuitive in order to negate the feared effects of such obsessive images - these are called as compulsive images.

The correct answer is: Compulsive image

Question 29

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 021
On a nice sunny day you are driving along a country road where you have never been before. You suddenly have a sense of familiarity for the place. This is known as:

Select one:

- Transient amnesia
- Derealisation
- Reduplicative paramnesia
- Jamais vu
- Deja vu

Your answer is incorrect.

Deja vu is classified as a pathology of familiarity. Deja vu is the feeling of having seen or experienced an event, which is being experienced for the first time. It occurs more frequently under stress and fatigue, while it declines with age. Deja vu is reported more frequently in temporal lobe epileptics.

The correct answer is: Deja vu

Question 30

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 022
A 49-year-old lady repeatedly presents to police asking them to arrest her for a murder despite never having committed this crime. This condition is known as:

Select one:

- Anhedonia
- Delusion of guilt
- Delusion of reference
- Depersonalisation
- Nihilistic delusion

Your answer is incorrect.

This lady probably has a delusion of guilt and expects some punishment for an uncommitted wrongful act. This presentation is common in psychotic depression.

The correct answer is: Delusion of guilt

Question 31

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 023
"Today I took a train from Derby to Matlock with Jeff, my dog. I carried my knife and pepper spray as we walk through the town, as I am convinced someone will abduct and mutilate me and kill Jeff". This can be described as a

Select one:

- Nihilistic delusion
- Delusion of misidentification
- Delusion of persecution
- Delusion of reference
- Delusion of control

Your answer is incorrect.

Persecutory delusions are among the most common features of the psychotic illness. Here the person believes that he/she is being persecuted e.g. being spied upon or being poisoned by known or unknown others.

The correct answer is: Delusion of persecution

Question 32

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 024
A 45-year-old woman in a psychiatric inpatient unit complains that someone is injecting blood into her body on a regular basis. On further questioning she points to a black mole in her hand as an explanation for her belief. This is best termed as

Select one:

- Delusional perception
- Delusional elaboration
- Persecutory delusion
- Somatic hallucination
- Delusional infestation

Your answer is incorrect.

A patient with schizophrenia often actively devotes his or her attention to understanding/explaining the profound but inscrutable relationships among events and things, to reduce perplexity. This process of secondary "delusional elaboration" (Hamilton 1984, Slater and Roth 1969) can itself be experienced with the same intensity and conviction of other primary mental phenomena (e.g. hallucinations).

The correct answer is: Delusional elaboration

Question 33

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 004
The average capacity of short term memory is

Select one:

- 7+/_2
- 9+/_2
- 5+/_2
- 3+/_2
- 6+/_2

Your answer is incorrect.

Short term memory: It holds a small amount of information. The capacity of STM according to Miller is 7+/-2, as evident while testing digit span. By chunking, larger information could be sorted into 7+/- 2 items and effectively stored. Chunks are bits of information coordinated together with the help of long-term memory. Unaided, STM lasts 15 to 30 seconds. By maintenance rehearsal (repetition of items in one's mind) this duration can be increased further up to indefinite periods. STM largely uses acoustic coding (mostly) or visual coding. Recall of information is effortless and usually error-free. Information is held in STM by the process of rehearsal. Loss of information from STM occurs mainly through displacement (newly acquired items entering STM displaces existing material) and decay (recently acquired material has a higher trace strength than older items)

The correct answer is: 7+/_2

Question 34

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 008
Which one among the following is a mode of retrieval from long-term memory?

Select one:

- Recall
- Re-learning
- Recognition
- All of the above
- Reintegration

Your answer is incorrect.

Modes of retrieval (LTM store being passed onto STM) are through recognition (solving MCQs), recall (actively searching and reproducing), re-learning, confabulation and reintegration (recollection of past experiences based on certain cues). An eyewitness testimony is a reconstructive memory, which is a mode of retrieval from long-term memory. However, a reconstructive memory of events as in eyewitness testimony is affected by the type of questioning asked to elicit the information.

The correct answer is: All of the above

Question 35

MoK Basic Psychology 010
With regard to attention which of the following is incorrect?

Not answered

Marked out of 1.00

Flag question

Select one:

- Divided attention is paying attention to multiple tasks at a time.
- Concentration is sustained attention.
- Stroop test is a test for selective attention
- Alternating attention is the highest level of attention.
- Selective attention is the ability to avoid distractions

Your answer is incorrect.

Divided attention is the highest level of attention, and it refers to the ability to respond simultaneously to multiple tasks or multiple task demands.

The correct answer is: Alternating attention is the highest level of attention.

Question 36

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 015
Incorporating "applied tension" is necessary when doing exposure therapy with what particular group of phobias?

Select one:

- Blood Injury type
- Claustrophobia
- Agoraphobia
- Situational phobia
- Social Phobia

Your answer is incorrect.

Blood/illness/injury phobia is unique in that a paradoxical drop in blood pressure occurs during exposure to a particular stimulus, leading to fainting. Applied tension involves contraction of large muscle groups to maintain a normal blood pressure during exposure. This practice is contrary to the progressive muscle relaxatin that is employed when treating other forms of anxiety.

The correct answer is: Blood Injury type

Question 37

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 016
A 45-year-old female patient is undergoing regular chemotherapy for her breast cancer; at her last visit she became nauseated and vomited as she entered the clinic room. This is likely to be related to

Select one:

- Positive reinforcement
- Classical conditioning
- Modeling
- Negative reinforcement
- Habituation

Your answer is incorrect.

Classical conditioning occurs when a patient associates some aspect of the oncology clinic (e.g., the room, smell, the sight of the intravenous infusion bottle) with the nausea previously experienced during the intravenous process itself. Thus, the mere sight or smell of one or more components of the experience can produce the conditioned response of nausea and vomiting.

The correct answer is: Classical conditioning

Question 38
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 022
A 45 year old man was admitted to the acquired brain injury unit with severe memory impairment. Which of the common clinical tests is used in testing his immediate memory?

Select one:
- Recall of recent topics in news
- Recall of distant personal events
- Recall of items after 5 minutes
- Recall of last meal
- Digit span

Your answer is incorrect.

The terms used in psychology and psychiatry are somewhat different which could lead to some confusion. The terms used in psychology are short term memory (immediate memory in psychiatry) and long-term memory (recent memory and remote memory in psychiatry). In psychology, short term memory refers to immediate memory, which is tested by the recall of digits immediately after their presentation (Digit span). However, in psychiatry it is often referred to as a test of immediate memory. Recollection of a name and an address after 5 minutes is seen as a test of recent memory (which, in fact, is a part of LTM and should not be considered as a test of STM)

The correct answer is: Digit span

Question 39
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 024
According to Aaron Beck, depression results from

Select one:
- high expressed emotions
- aggression turned inwards
- genetic risk
- distorted negative thoughts
- low expressed emotions

Your answer is incorrect.

Aaron Beck first proposed the theory behind cognitive distortions that are associated with depression.

The correct answer is: distorted negative thoughts

Question 40
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 026
With regards to exposure based treatment approaches which of the following is true?

Select one:
- Exposure should be sufficiently long for response to occur
- Direct exposure to feared object is detrimental
- An overtly safe environment should not be created
- Experience of anxiety during the first session must be avoided
- Patients must be discouraged from being exposed outside the treatment context

Your answer is incorrect.

Exposure therapy has been shown to be an evidence-based treatment component for Phobias, GAD, OCD, Panic disorder. There are several variations of exposure therapy (in vivo, graded, flooding, imaginal, interoceptive, systematic desensitisation). Over time, people find that their reactions to feared objects or situations decrease. Exposure can help weaken previously learned associations between feared objects, activities, or situations and bad outcomes.

The correct answer is: Exposure should be sufficiently long for response to occur

Question 41

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 032
2 Antidepressants A and B were introduced. Both A and B had similar mechanism of action and similar efficacy. A shows 50% failure rate. B shows 50% success rate. Drug B reported much better sales when marketed than drug A. Select the cognitive heuristic in this case.

Select one:

- Anchoring
- Simulation
- Representation
- Availability
- Framing

Your answer is incorrect.

Framing is a cognitive heuristic in which people tend to reach conclusions based on the 'framework' within which a situation was presented. Framing- with reliance on how information is presented, a judgment is made on the benefit of a choice

The correct answer is: Framing

Question 42

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 034
Which brain region plays a predominant role in working memory?

Select one:

- Hippocampus
- Amygdala
- Occipital lobe
- Frontal cortex
- Cerebellum

Your answer is incorrect.

Dorsolateral prefrontal cortex is considered to be a significant seat of working memory capacity. Impairment of fronto-parietal networks in schizophrenia is thought to be related to working memory deficits seen in this disorder.

The correct answer is: Frontal cortex

Question 43

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 035
Which theory of perception is most aligned with the view that "the whole is more than the sum of the parts"?

Select one:

- Kohut

- Mahler
- Freud
- Adler
- Gestalt

Your answer is incorrect.

When the perceptual system forms a percept or gestalt, the whole thing has a reality of its own, independent of the parts. The Gestalt psychologist Kurt Koffka made a famous statement about this: "The whole is other than the sum of its parts." This statement is often translated into English as, "The whole is greater than the sum of the parts." Koffka did not like that translation. He firmly corrected students who substituted "greater" for "other" (Heider, 1977). "This is not a principle of addition," he said. The statement as originally worded was supposed to mean that the whole had an independent existence in the perceptual system (Excerpt from Dewey RA. The Whole is Other than the Sum of the Parts. Retrieved from http://www.intropsych.com/ch04_senses/).

The correct answer is: Gestalt

Question 44

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 036
Motivational interviewing is associated with

Select one:

- Inventiveness
- Increasing cognitive dissonance
- Negative reinforcement
- Premack's principle
- Learned resourcefulness

Your answer is incorrect.

Motivational interviewing attempts to encourage people to take on responsibility for their own life and to deal with their problems themselves. The nature, principles and techniques of MI are, without exception, found to relate to one or more of the principles of cognitive dissonance. In creating a cognitive dissonance, however subtly or gently you may do that, you are inevitably directing the client to where, in many ways, you as the therapist want him to be, to get him to be open to change. (Ref: "MOTIVATIONAL INTERVIEWING Preparing People to Change Addictive Behaviour" by W.R. Miller & S. Rollnick, The Guildford Press, New York, London, 1991)

The correct answer is: Increasing cognitive dissonance

Question 45

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 037
Sternberg's triarchic theory is a theory of

Select one:

- Temperament
- Adolescent development
- Sociocultural adapatation
- Intelligence
- Psychosexual development

Your answer is incorrect.

The tendency for attributers to underestimate the impact of situational factors and to overestimate the role of dispositional factors in controlling behavior' (Ross, 1977, p.183) is called the fundamental attribution error.

The correct answer is: Intelligence

Question 46

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 038
The Stanford-Binet test is a test of

Select one:

- Behaviour
- Personality
- Intelligence
- Attitude
- Memory

Your answer is incorrect.

It is a test of intelligence. Around 50% of the population are said to have an IQ between 90 and 110. In the Stanford-Binet test, IQ is Calculated as, IQ = Measured Age/Chronological Age multiplied by 100.

The correct answer is: Intelligence

Question 47

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 039
Which of the following statements about Eysenck's three-factor theory is true?

Select one:

- Extraverts is related to autonomic lability
- Introversion is associated with autonomic lability
- Introverts have a more reactive reticular activating system
- Extraverts have a more reactive reticular activating system
- Extraversion is related to cortisol levels

Your answer is incorrect.

In introverts, the ascending reticular activating system is over-aroused and excited. In Extraverts, the ARAS is under-aroused and inhibited.

The correct answer is: Introverts have a more reactive reticular activating system

Question 48

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 040
According to Yerkes-Dodson Law, the level of arousal is related with performance of an act by;

Select one:

- J-shaped curve
- U-shaped curve
- Straight line
- Inverted U-shaped curve
- Inverted J-shaped curve

Your answer is incorrect.

Yerkes-Dodson Law: An inverted U-shaped curve relates the level of arousal with the performance of an act. Optimum arousal (moderate) is required for best performance; too low or too high arousal proves to be a hindrance and can lead to a poorer performance. The optimum level of arousal for best performance is also influenced by the nature of the task. A simple well-rehearsed task will require a higher level of optimum arousal than more complex, less well-rehearsed tasks.

The correct answer is: Inverted U-shaped curve

Question 49

Not answered

Marked out of 1.00

Flag question

MoK Social Psychology 003
Which of the following is a behavioural component of Allport's concept of prejudice?

Select one:

- Circumlocution
- Stereotype
- Discrimination
- Hostility
- Moral attack

Your answer is incorrect.

Prejudice is essentially an attitude. Hence, it has 1. Cognitive component - stereotypes; 2. Affective component - hostility; 3. Behavioural component - which according to Allport can be of several types in terms of increasing severity starting from anti-locution, avoidance, discrimination, physical attack and in some cases, ending in extermination .

The correct answer is: Discrimination

Question 50

Not answered

Marked out of 1.00

Flag question

MoK Social Psychology 005
A police officer arrives at a place to investigate a reported crime. He notices a suspicious looking man who looks at the officer and runs way without talking to the officer. The police team arrests him out of suspicion and is not ready to listen to any of his explanations. But he turns out to be not guilty as the investigation proceeds. Which of the following is a likely explanation?

Select one:

- Primacy effect
- Hawthorne effect
- Halo effect
- Barnum effect
- Pygmalion effect

Your answer is incorrect.

Halo effect is the tendency to perceive other persons as wholly good or bad based on few observed traits (e.g. physical attractiveness). Thus a person's positive or negative traits 'spill over' from one area to influence the total perception of their personality. Investigators evaluating suspects are susceptible for halo effect (to be accurate - reversed halo effect or devil effect or association fallacy). For example, a policeman may conclude someone is guilty by association with attributes he has previously seen in other criminals. Mere similarity of a person to a suspect often causes the police to wrongly associate the innocent with a guilty act.

The correct answer is: Halo effect

Question 51

MoK Sociocultural Psychiatry 003

Not answered

Marked out of 1.00

Flag question

Autonomy, beneficience, non-maleficinece in medical ethics are described as

Select one:

- Utilitarianism
- Teleology
- Enshrinement
- Principlism
- Deontology

Your answer is incorrect.

Principlism refers to Childress and Beauchamp's four prima facie principles in ethics.

The correct answer is: Principlism

Question 52

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 006
In infants born prematurely, after which week of pregnancy are we legally able to resuscitate an infant irrespective of parental wishes?

Select one:

- 20 wks
- 16 wks
- 22 wks
- 21 wks
- 24 wks

Your answer is incorrect.

In the United Kingdom women have access to termination of pregnancy for maternal reasons until 24 weeks' completed gestation, but it is accepted practice for children born at or beyond 25 weeks' gestation to be treated according to the child's perceived best interests even if this is not in accordance with parental wishes (Retrieved from Campbell AV. Viability and the moral status of the fetus. Ciba Found Symp. 1985;115:228-43. http://www.ncbi.nlm.nih.gov/pubmed/3849416). There is no legislation imposing an age limit in UK for resuscitating premature babies as of now. If this is a choice, this must be chosen. Boyle et al. Ethics of refusing parental requests to withhold or withdraw treatment from their premature baby. J Med Ethics.2004; 30: 402-405

The correct answer is: 24 wks

Question 53

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 010
Social deprivation has no role in the aetiology of which of the following disorders?

Select one:

- Bipolar Disorder
- ADHD
- Depression
- Alzheimer's disease
- Schizophrenia

Your answer is incorrect.

There is no significant causal association between increased risk of Alzheimer's disease (AD) and socioeconomic status (SES). There is an association between low education and increased AD risk, but this is not mediated by adult SES or socioeconomic mobility. (Karp et al., 2003; http://aje.oxfordjournals.org/content/159/2/175)

The correct answer is: Alzheimer's disease

Question 54

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 012
A 29-year-old man with a long history of schizophrenia and currently being effectively treated in the community decides to donate blood. His treating team feels he has the capacity to make decision with respect to this issue. Which of the following principle the treating team has adhered to?

Select one:

- Maleficence
- Non-maleficence
- Beneficence
- Autonomy
- Equality

Your answer is incorrect.

Individual freedom is based on the principle of autonomy in modern medical ethics. It is the principle that a person should be free to make his or her own decisions.

The correct answer is: Autonomy

Question 55

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 018
An Asian immigrant in England is observed to practice his religion and cultural traditions at home but adapts well especially at work with good degree of fluency in both English and his native language. This type of enculturation is called

Select one:

- Melting Pot
- Bisection
- Assimiliation
- Accommodation
- Biculturalism

Your answer is incorrect.

The acculturative process involves acquisition and retention as well as relinquishing attitudes/values and practices in both majority and minority populations that continues over several generations. The rate of change and the circumstances that influence it vary greatly, both between and within groups. For these reasons, studies of groups experiencing acculturative change often divide the groups by temporal experience into first-, second-, and third-generation immigrants. Families within such groups have been categorized as traditional, transitional, or bicultural. Traditional families are characterized as using their native tongues rather than English, living in ethnic enclaves, avoiding interaction with majority cultural institutions, and maintaining preimmigration values and behaviors. Transitional families are characterized by greater fluency in the language of the host culture and by children who are becoming familiar with the values and social behaviors of the dominant majority population through attendance at school and school-related activities. Bicultural families are defined as those with a high degree of language fluency in their native languages as well as English, economic stability, and residence in multiethnic settings. Biculturalism appears to be more adaptive and associated with minimal acculturation stress.

The correct answer is: Biculturalism

Question 56

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 020
Theories of social origins of depression is related to which one of the following pair of individuals?

Select one:

- Crow and Johnstone
- Ingvar and Franzen
- Cerletti and Bini
- Watson and Crick
- Brown and Harris

Your answer is incorrect.

In 1978, as the result of two community surveys carried out in Camberwell between 1969 and 1975 of women aged 18 and 65 and a series of comparable psychiatric patients, Brown and Harris published their influential book, 'Social Origins of Depression'.

The correct answer is: Brown and Harris

Question 57

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 021
Which of the following instruments could be used to measure the discriminant attitudes and level of stigma in a community?

Select one:

- Changing minds scale
- Helsinki Scale of Stigma Burden
- Community attitudes to mental illness scale
- Openness and discrimination scale
- Stigma and Social prejudice scale

Your answer is incorrect.

Community Attitudes to Mental Illness (CAMI) measures attitudes across a number of key parameters. It was developed specifically for use in the community (in the context of the emptying of the asylums) and refined to quantify attitudes across four scales: authoritarianism, benevolence, social destructiveness and community mental health ideology. It was developed by Taylor and Dear in 1981 (Psychiatric stigma. The British Journal of Psychiatry, http://bjp.rcpsych.org/content/178/3/281).

The correct answer is: Community attitudes to mental illness scale

Question 58

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 023
According to Holmes and Rahe's social readjustment rating scale (SRRS) which one was rated as the most serious life event?

Select one:

- Death of a spouse
- Loss of a job
- Violation of law
- Moving home
- Marriage

Your answer is incorrect.

Holmes and Rahe created a list of 43 life events of carrying severity collected from the analysis of data from 5000 patient records. Death of a spouse was arbitrarily rated as the most serious life event with minor violations of law rated as the least serious.

The correct answer is: Death of a spouse

Question 59

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 028
Koro can be classified as a/an

Select one:

- Somatisation phenomenon
- Autoscopic phenomenon
- Desomatisation phenomenon
- Heautoscopic phenomenon
- Derealisation phenomenon

Your answer is incorrect.

Koro is a culture-bound syndrome. The fear of shrinking genitalia seen in Koro can be phenomenologically classified as a desomatisation phenomenon.

The correct answer is: Desomatisation phenomenon

Question 60

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 029
A Sri Lankan man presents with depression and fatigue, and attributes it to excessive masturbation and losing semen in urine. What is the name of his condition?

Select one:

- Koro
- Susto
- Dhat
- Latah
- Piblokto

Your answer is incorrect.

This is called as Dhat syndrome. It is seen in India and some parts of South East Asia. Dhat refers to the severe anxiety and hypochondriacal concerns associated with the seminal discharge accompanied by feeling weak and exhausted. Patients may show guilt for excessive masturbation.

The correct answer is: Dhat

Question 61

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 006
Ainsworth constructed a strange situation experiment with

Select one:

- 1 separation and 3 re-union episodes
- 2 separation and 3 re-union episodes
- 2 separation and 2 re-union episodes
- 3 separation and 1 re-union episodes

1 separation and 2 re-union episodes

Your answer is incorrect.

Ainsworth constructed a strange situation experiment with 2 separation and 2 reunion episodes. It is a controlled observation carried out in a comfortable room equipped with toys. An infant is observed in the presence and absence of its mother and a stranger in the vicinity in seven different combinations. According to the infant's behaviour it is classified as type A, B or C. A- Anxious avoidant, B- Secure, C- Anxious resistant

The correct answer is: 2 separation and 2 re-union episodes

Question 62

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 008
Gender identity in a normal child develops around

Select one:

- Puberty
- Early schooling
- 4 years of age
- 2 years of age
- 1 year of age

Your answer is incorrect.

Gender identity refers to the unshakable self-conviction of being male or female that begins around 18 months and gets fixed by 24 to 30 months.

The correct answer is: 2 years of age

Question 63

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 009
At what age can a child copy a circle with crayon?

Select one:

- 6 months- 12 months
- 3-4 years
- 4-5 years
- 1- 2 years
- 2-3 years

Your answer is incorrect.

Age 2-3: In terms of fine motor skills, a child can copy a straight line with a crayon. (By 30 months, he or she tries to copy a circle and a plus sign.)

The correct answer is: 2-3 years

Question 64

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 010
The range of pubertal time period in a boy lasts for duration of

Select one:

- 5-6 yrs
- 6-7yrs

- 7-8yrs
- 2-3 yrs
- 3-5yrs

Your answer is incorrect.

Boys enter puberty at an average age of 11-12 (one year later than girls) but this may occur anytime. One of the largest cohorts of the pubertal adolescents reported so far has estimated the duration of puberty in boys to be around 2.4 years; in girls about 1.9 years. In this study, duration was defined by the difference in ages at onset of a pubertal growth spurt (OGS) and peak height velocity (PHV). Depending on the method used, the duration of puberty varies between 2 to 3 years in both sexes, with boys having longer duration than girls consistently (refer to Tanner's method and Gasser's method for further discussion).

The correct answer is: 2-3 yrs

Question 65

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 016
Which of the following is INCORRECT with regard to child development?

Select one:

- A 2 years old child can speak more than 50 words
- A 5 years old child can tell time by quarter of an hour accuracy
- A 12 months old child can speak up to 3 words
- A child starts babbling at 3 months of age
- A 4 years old child speaks with correct grammar

Your answer is incorrect.

Reception class children (ages 4-5) should be beginning to read the time to the hour, year 1 children (age 5-6) should be able to read the time to the hour or the half hour on analogue clocks and year 2 children (age 6-7) should be able to read the time to the hour, half hour or quarter hour on analogue clocks.

The correct answer is: A 5 years old child can tell time by quarter of an hour accuracy

Question 66

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 017
When children are hospitalised for physical problems, a short period of separation from primary care giver ensues. This temporary separation from the loved ones is termed as

Select one:

- Anaclitic depression
- Privation
- Deprivation
- Pathological separation anxiety
- Childhood Greif reaction

Your answer is incorrect.

Anaclitic depression or hospitalism: Spitz described this. When children are hospitalised for physical problems, a short period of separation from primary caregiver ensues; this loss produces Anaclitic (object loss) depression. It is thought to be counterproductive to a child's development. But recovery can be very good if maternal deprivation is kept minimum i.e. less than three months. To some extent, surrogate mothering can help an infant experiencing anaclitic depression .

The correct answer is: Anaclitic depression

Question 67

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 018
A 4-year-old child asks 'When do clouds sleep, papa?' Which of the following features is she exhibiting?

Select one:

- Semiotic thinking
- Lack of conservation
- Animism
- Conservation
- Egocentricity

Your answer is incorrect.

Animism refers to the attribution of life and consciousness to certain inanimate objects.

The correct answer is: Animism

Question 68

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 021
Mahler is associated with

Select one:

- Autistic phase
- Conventional morality
- Anal phase
- Operational stage
- Individuality vs. inferiority

Your answer is incorrect.

Margaret Mahler proposed a separation individuation theory in which a normal autistic phase was described.

The correct answer is: Autistic phase

Question 69

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI003
Obstructive techniques
For each of the following examples, identify the type of obstructive techniques that may hamper the progress of information sharing;

Do you take a proper break from work every six months and are you able to relax?	Choose...
These voices, which you are describing, are not from your head. Am I right?	Choose...
When the patient stated, 'Over the last four weeks I have had trouble with my sleep', the doctor replied 'We are here to talk about your mood.'	Choose...
You wanted to see me as nothing had gone well for you. But you just mentioned that you have got a new job and entered into a new relationship	Choose...

Your answer is incorrect.

Explanation:

Compound or polythematic questioning is adding two or more questions in a single statement. This interview technique confuses the patient and will lead to either a vague response or non-response.

In **suggestive questions**, the answers are contained in the question. It misleads both the patient and the doctor. The patient is left with little choice.

Disapproval is expressing unhappiness with a topic that the patient wants to discuss; may lead to withdrawal and not revealing the important problem faced by the patient. Setting traps is tricking the patient using his words. Often seen as doctor's attempt to negate patient's problems.

The correct answer is: Do you take a proper break from work every six months and are you able to relax? – Polythematic questions, These voices, which you are describing, are not from your head. Am I right? – Suggestive questions, When the patient stated, 'Over the last four weeks I have had trouble with my sleep', the doctor replied 'We are here to talk about your mood.' – Disapproval, You wanted to see me as nothing had gone well for you. But you just mentioned that you have got a new job and entered into a new relationship – Setting traps

Question 70

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI009

Assessment instruments

For each description below choose an option from the list of scales given here.

A 34-year-old woman complains of loss of weight and appetite for last two months. She has poor sleep and has multiple somatic complaints that started when she and her husband separated three months ago. She denies using alcohol.

Choose...

A researcher is keen to evaluate the degree of self-rated psychiatric symptoms in a sample of 125 diabetic outpatients attending an insulin clinic.

Choose...

As a part of a new World Mental Health initiative, it is planned to conduct a nationwide survey of mental health burden. It is intended to administer a fully structured instrument through trained non-clinical research workers to ascertain lifetime diagnosis of mental illness.

Choose...

A newly constituted mental health trust wants to adopt a standard scale for monitoring clinical recovery on discharge from different adult units.

Choose...

Your answer is incorrect.

Explanation: Beck's depression scale (BDI) is a self-rated questionnaire containing 21 statements with four possible responses for each.

The General Health Questionnaire (GHQ) is a self-rated screening instrument for the presence of psychiatric illness.

The diagnostic interview schedule (DIS) is a non-clinician administered fully structured interview and used in Epidemiological catchment area study.

The Health of Nations Outcome Scale (HONOS) is used for monitoring clinical recovery and is helpful to measure clinical outcomes in mental health.

The correct answer is: A 34-year-old woman complains of loss of weight and appetite for last two months. She has poor sleep and has multiple somatic complaints that started when she and her husband separated three months ago. She denies using alcohol. – Beck's depression scale, A researcher is keen to evaluate the degree of self-rated psychiatric symptoms in a sample of 125 diabetic outpatients attending an insulin clinic. – General Health Questionnaire, As a part of a new World Mental Health initiative, it is planned to conduct a nationwide survey of mental health burden. It is intended to administer a fully structured instrument through trained non-clinical research workers to ascertain lifetime diagnosis of mental illness. –

Diagnostic interview scale, A newly constituted mental health trust wants to adopt a standard scale for monitoring clinical recovery on discharge from different adult units. – Health of Nations Outcome Scale

Question 71

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI012

Psychodynamic reactions

Identify the defence mechanisms involved in each of the following situations:

A 39-year-old woman is diagnosed with metastatic cervical cancer. She exhibits no emotions with respect to her physical health but discusses at great length about the pathology of cervical cancer and anatomy of cervix. — Choose...

A 34-year-old man is served debt collection notice for unpaid bills. He does not react to this note but soon gets furious at his wife for no apparent fault of hers. — Choose...

A 20-year-old woman is diagnosed with borderline personality disorder. She finds it difficult to trust people and cannot accept that people can have both good and bad qualities. She thinks that everyone in this world must be either good or bad with no moderation in between. — Choose...

The above-described woman undergoes psychotherapy. She calls her therapist as "the best person in the world" within the first few weeks of uninterrupted sessions. — Choose...

The same woman calls her therapist the "the worst person in the world" and demands a change in therapist when the therapist announces a short break in sessions due to a planned holiday. — Choose...

Your answer is incorrect.

Explanation:

In intellectualization, excessive abstract thinking or factual information are used to control threatening emotions.

Displacement refers to choosing inappropriate but softer targets to vent one's frustrations.

Splitting is said to occur when an individual is unable to see others in moderation, i.e., between black and white - as grey. Hence, anybody's action is seen as either all good or all bad. Idealisation refers to classifying someone as 'all good'. Denigration refers to classifying someone as 'all bad.'

The correct answer is: A 39-year-old woman is diagnosed with metastatic cervical cancer. She exhibits no emotions with respect to her physical health but discusses at great length about the pathology of cervical cancer and anatomy of cervix. – Intellectualisation, A 34-year-old man is served debt collection notice for unpaid bills. He does not react to this note but soon gets furious at his wife for no apparent fault of hers. – Displacement, A 20-year-old woman is diagnosed with borderline personality disorder. She finds it difficult to trust people and cannot accept that people can have both good and bad qualities. She thinks that everyone in this world must be either good or bad with no moderation in between. – Splitting, The above-described woman undergoes psychotherapy. She calls her therapist as "the best person in the world" within the first few weeks of uninterrupted sessions. – Idealisation, The same woman calls her therapist the "the worst person in the world" and demands a change in therapist when the therapist announces a short break in sessions due to a planned holiday. – Denigration

Question 72

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI015

Gait abnormalities in clinical practice

Choose best option for each of the following:

Parkinson's disease — Choose...

Cerebellar disease — Choose...

Upper motor neuron dysfunction — Choose...

Foot drop — Choose...

Your answer is incorrect.

Explanation: In shuffling gait, the individual takes short steps to the point of practically not moving forward. In some patients, the steps vary with a tendency for the patient to accelerate (festinating gait) as he or she walks. This is seen in Parkinson disease.

A patient with ataxia may spread his or her legs apart to widen the base of support to offset the imbalance while standing or walking. The heel-to-toe or tandem walking manoeuvres and standing on one leg uncover subtle forms of ataxia / broad-based gait.

In diplegia (UMN damage) associated with cerebral palsy, the legs are held in adduction while hip and the thighs brush against each other upon walking. A spasm of the inner thigh muscles make the knees tend to slide over each other like the blades of scissors (Scissoring gait).

Steppage gait is seen in chronic peripheral neuropathies and can be the result of the functional elongation of the legs due to bilateral drop foot. The gait is made of high steps as if climbing a flight of stairs while walking on a level surface.

Ref: Neurological History and Physical Examination, http://emedicine.medscape.com/article/1147993-overview (accessed March 31, 2015).

The correct answer is: Parkinson's disease – Festinant gait (shuffling gait), Cerebellar disease – Broad-based and unsteady gait, Upper motor neuron dysfunction – Stiff legged scissoring gait, Foot drop – High stepping gait (Steppage gait)

Question 73

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI017
Disturbed thinking processes
For each description given below choose the most appropriate term from the list above;

Rapid production of speech output with a subjective feeling of racing thoughts — Choose...

When answering questions, the patient gets stuck on the last syllable of a word and repeats it — Choose...

Abrupt interruption in a train of thinking before an idea is complete — Choose...

The individual cannot express ideas as quickly as they come into his head, presenting with fragmented thoughts, abrupt changes in the topic and general incoherence. — Choose...

Replies to questions are irrelevant or oblique. The response usually refers to the relevant topic but fails to give a complete answer — Choose...

Your answer is incorrect.

Explanation: In tangentiality the replies to questions are irrelevant or oblique. The response usually refers to the appropriate topic but fails to give a complete answer. The patient never reaches the point in tangentiality, whereas they do reach the point in circumstantiality. In flight of ideas, the individual cannot express ideas as quickly as they come into his head, leading to fragmented thoughts, abrupt changes in the topic and general incoherence. It is characteristic of mania. In logoclonia, the patient gets stuck on the last syllable of a word and repeats it. It is often a symptom of Parkinson's disease. Thought blocking (or deprivation) is the abrupt interruption in a train of thinking before a thought or idea is finished. Following a pause, the patient may report no recall of what was being said or what was going to be said. Pressure of speech refers to the rapid production of speech output with a subjective feeling of racing thoughts often seen in mania.

The correct answer is: Rapid production of speech output with a subjective feeling of racing thoughts – Pressure of speech, When answering questions, the patient gets stuck on the last syllable of a word and repeats it – Logoclonia, Abrupt interruption in a train of thinking before an idea is complete – Thought blocking, The individual cannot express ideas as quickly as they come into his head, presenting with fragmented thoughts, abrupt changes in the topic and general incoherence. – Flight of Ideas, Replies to

questions are irrelevant or oblique. The response usually refers to the relevant topic but fails to give a complete answer – Tangentiality

Question 74

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI018

Varieties of Delusions

For each of the descriptions below choose the most closely associated psychopathological terms from the given list.

A 32-year-old psychotic patient with persistent auditory hallucinations is now developing a belief that a transmitter has been placed in his ear. — Choose...

A 21-year-old psychotic patient remembers his parents taking him for an operation as a child becoming convinced that he had been implanted with monitoring devices, which have become active in his life. — Choose...

A 29-year-old psychotic patient with an odd belief that certain individuals are not who they externally appear to be. — Choose...

A 33-year-old psychotic patient is convinced that the Mafia is after him and are conspiring to ruin his life — Choose...

Your answer is incorrect.

Explanation:

Secondary delusions that arise when a patient attempts to find an explanation for primary psychopathological processes (in case 1, a hallucination) are called delusional elaborations. In the above scenario, a patient with auditory hallucinations is now developing a belief that a transmitter has been placed in his ear.

Delusional memory is a primary delusion, which is recalled as arising as a result of a memory. In the above scenario, a psychotic patient remembers his parents taking him for an operation as a child (memory). However, in a delusional manner he is now convinced that control and monitoring devices were implanted. Delusional memory can also be a retrospective delusion where something that never happened and so false, irrational or bizarre is reported as if it has occurred in the past.

Delusional misidentification is a delusional belief that certain individuals are not who they externally appear to be. It includes Capgras and Fregoli syndrome).

A persecutory delusion is a belief that one's life is being interfered with in a harmful way.

(Ref: Oxford Handbook of Psychiatry 1e-Pg 84-87)

The correct answer is: A 32-year-old psychotic patient with persistent auditory hallucinations is now developing a belief that a transmitter has been placed in his ear. – Delusional elaboration, A 21-year-old psychotic patient remembers his parents taking him for an operation as a child becoming convinced that he had been implanted with monitoring devices, which have become active in his life. – Delusional memory, A 29-year-old psychotic patient with an odd belief that certain individuals are not who they externally appear to be. – Delusional misidentification, A 33-year-old psychotic patient is convinced that the Mafia is after him and are conspiring to ruin his life – Persecutory delusions

Question 75

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI020

Sensory disturbances

For each of the description below choose one correct option from the given list:

A 22-year-old man can smell music after consuming an unknown drug cocktail — Choose...

A 44-year-old man walking down a dimly lit road perceives fearsome shadows beneath trees — Choose...

A 77-year-old man admitted with delirium has altered sensory threshold and the nurses have to shout aloud to communicate with him — Choose...

Your answer is incorrect.

Explanation: Synaesthesia is characterised by object perception in a modality different from that of the original stimulus. It can occur in subjects using hallucinogens. Illusion described in question 2 refers to affect illusion where a fearful emotional state contributes to misperceptions. In some cases of altered sensorium (delirium), hypoacusis is commonly seen.

The correct answer is: A 22-year-old man can smell music after consuming an unknown drug cocktail – Synaesthesia, A 44-year-old man walking down a dimly lit road perceives fearsome shadows beneath trees – Illusions, A 77-year-old man admitted with delirium has altered sensory threshold and the nurses have to shout aloud to communicate with him – Hypoaesthesia

Question 76

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI035

Jung and Analytical Psychology

For each description given below, select the most appropriate Jungian concept from the list above

A concept regarded as universally common to mankind. It contains various archetypes described by Jung.	Choose...
Images and symbols that represent human experience common to different cultures	Choose...
The unconscious feminine aspects of man	Choose...

Your answer is incorrect.

Explanation: Jung founded analytic psychology and introduced the terms extraversion and introversion. He described collective unconscious - a term to describe all of the mankind's collective symbolic past, and archetypes - like images and symbols that constitute the collective unconscious. These representational images have universal symbolic meaning (e.g. Hero, Old Wise Man, Tree, etc.). Other terms described by Jung include Persona which is the mask covering one's personality and presented to outside world, Anima - unconscious feminine aspect of a man, Animus - unconscious masculine character of a woman, Shadow - an archetype - a personification of unacceptable aspects of oneself symbolized as a dark internal alien and Individuation - ultimate goal of life where an individual develops a sense of self- identity.

The correct answer is: A concept regarded as universally common to mankind. It contains various archetypes described by Jung. – Collective unconscious, Images and symbols that represent human experience common to different cultures – Archetypes, The unconscious feminine aspects of man – Anima

Finish review