Mock Paper A(1)

Started on	Thursday, 21 June 2018, 8:16 AM
State	Finished
Completed on	Thursday, 21 June 2018, 8:17 AM
Time taken	33 secs
Grade	**0.00** out of 100.00
Feedback	You are on the right track. Could you spend some more time on your revision?

Question 1
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 015
At what age does theory of mind develop?

Select one:
- 4 years
- 9 years
- 5 year
- 3 years
- 2 months

Your answer is incorrect.

At about age 4, children begin to understand that what people think and believe, as well as what they desire, crucially affects how they behave. 4-year-old children pass the false belief task because they understand that people's beliefs interpret the world, rather than are direct copies.

The correct answer is: 4 years

Question 2
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 020
Which one of the following infants do not attempt to interact with the mother when she is present, nor do they appear particularly upset when left with the stranger?

Select one:
- Disorganised infants
- Anxious/resistant infants
- All of the above
- Anxious/avoidant infants
- Securely attached infants

Your answer is incorrect.

Anxious/avoidant infants do not attempt to interact with the mother when with her nor do they appear particularly upset when left with the stranger. When the mother returns, the infant may not make any attempt to get close to her. There is a lack of proximity or interaction during the reunion.

The correct answer is: Anxious/avoidant infants

Question 3
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 023
Which of the following experiments is not correctly matched with Piaget's stages of cognitive development?

Select one:
- Classification of objects according to rules-concrete operational stage
- Hiding objects- Sensorimotor stage
- Pendulum experiment- Formal operational stage
- Mountain tasks- Pre-operational stage
- Conservation tasks- Sensorimotor stage

Your answer is incorrect.

Piaget illustrated egocentric thinking with his famous 'mountain task' and conservation tasks to demonstrate the deficiencies in pre-operational thinking. Using a series of experiments Piaget demonstrated that during this stage the child has not grasped the concept of conservation and does not realise that certain properties of objects such as mass, volume, number, length, and weight remain unchanged even when the objects' appearances are altered. Piaget and Inhelder demonstrated that children's understanding of the physical world changes with growth by using pendulum experiment. At the start of formal operational thinking, children can construct experiments to deduct facts. They can work out the factor that determines swinging duration as string length and not weight or speed, etc.

The correct answer is: Conservation tasks- Sensorimotor stage

Question 4
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 025
A 4-year-old boy is playing a hide-and-seek game. He 'hides' the sought object on his head. He assumes that since he cannot see the object, others cannot see it too. In Piaget's terms, this is best described as

Select one:
- Artificialism
- Egocentrism
- Propositional thought

- Precausal reasoning
- Circular reaction

Your answer is incorrect.

Egocentrism refers to the restricted ability to view the world from a single point of view at a preoperational developmental stage. This was demonstrated using the Mountains task where a child at this age group could not say what a person would see from another side of the desk when only one side of a mountain was visible from each view.

The correct answer is: Egocentrism

Question 5
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 026
Which one among the following fears is present at birth?

Select one:
- Fear of loud noises
- Fear of strangers
- Fear of animals
- Fear of dark
- Fear of supernatural things

Your answer is incorrect.

At birth, the newborn infant shows an innate reflex to sudden or loud noises. They also show a similar reaction to a sense of falling or sudden loss of physical support.

The correct answer is: Fear of loud noises

Question 6
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 029
Family instability affects development of children at home. Which of the following is correct in this regard?

Select one:
- There is no effect on cognitive development
- Boys are less affected than girls
- Hyperactive children are more affected than easy-going children
- Younger children are less affected than older children
- Psychosis is the most common effect

Your answer is incorrect.

Family instability can affect children to various extent depending on sex (boys affected more than girls), age (younger affected more than older children), and temperament hyperactive affected more than placid). This has demonstrable effect on a child's cognitive achievements; the most common psychopathology noted is behavioural difficulty.

The correct answer is: Hyperactive children are more affected than easy-going children

Question 7
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 030
Which of the following is NOT an effect of parental separation?

Select one:
- Guilt and accepting responsibility for separation
- Suicidal ideas
- Physical aggression
- Increased motivation for academic performance
- Changes in bowel habits

Your answer is incorrect.

All age groups prone to behavioural difficulties after parental divorce -this is evident even in infants who may show changes in eating, sleeping and bowel patterns, with fearful or anxious responses. Academic and social aptitude suffers due to divorce; asthma, injuries, headaches and speech defects are more common in divorced families.

The correct answer is: Increased motivation for academic performance

Question 8
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 031
According to Erik Erikson, between the ages of 6 and 11, the crisis to be resolved is

Select one:
- Autonomy vs shame
- Initiative vs guilt
- Industry vs inferiority
- Trust vs mistrust
- Identity vs role confusion

Your answer is incorrect.

During 6 to 12 years of age we are capable of learning, creating and accomplishing numerous new skills and knowledge, thus developing a sense of industry. This is also a very social stage of development, and if we experience unresolved feelings of inadequacy and inferiority among our peers, we can have serious problems in terms of competence and self-esteem.

The correct answer is: Industry vs inferiority

Question 9
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 036
Which of the following programme is very appropriate for the needs of children and adults with communication and learning difficulties?

Select one:
- British Sign Language
- Makaton
- Sensory therapy
- Phonetic training
- Habit reversal

Your answer is incorrect.

The Makaton Vocabulary was originally devised in the 1970's by Margaret Walker a speech and language therapist and two of her colleagues Katharine and Tony, the name Makaton is made up of syllables from the beginning of each of their names Ma-Ka-Ton. Makaton consists of a core vocabulary of specially selected concepts and ideas. These are considered to be most appropriate for the needs of children and adults with communication and language difficulties. The initial stages introduce the vocabulary required to express basic ideas. More complex concepts are introduced in the later stages. There is also an additional resource vocabulary grouped into topics.

The correct answer is: Makaton

Question 10
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 025
Amnesia refers to marked impairment in

Select one:
- Procedural memory
- Episodic memory
- All of the above
- Working memory
- Semantic memory

Your answer is incorrect.

Amnesia refers to a marked impairment in episodic memory, although other types of memory such as working memory, semantic memory and procedural memory may remain relatively intact. It is useful to remember two types of amnesia here; 1. Anterograde Amnesia: In hippocampal damage, a lack memory for the immediate future is seen. The subject cannot learn anything new as no information can be moved from STM to LTM. 2. Retrograde Amnesia: Following head injury, a lack memory for immediately preceding events is seen. The subject never consolidates the info (the information moves from STM to LTM, but cannot be retrieved when needed; thus the stored memory is 'lost' or inaccessible).

The correct answer is: Episodic memory

Question 11
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 027
A 5-year-old girl loved to help her mother in kitchen. She was scared of going near the cooker after she burnt her hand. This is explained by

Select one:
- Reciprocal inhibition
- Extinction
- Negative reinforcement
- Positive reinforcement
- Operant conditioning

Your answer is incorrect.

When the conditioned stimulus no longer produces conditioned response, this is known as extinction. In this case, the extinction is associated with a 'punishing' experience of being burnt.

The correct answer is: Extinction

Question 12
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 030
Which type of reinforcement is the least resistant to extinction?

Select one:
- Fixed interval
- Variable ratio.
- Continuous
- Fixed ratio
- Variable interval

Your answer is incorrect.

Reinforcement schedules may be continuous, fixed interval, fixed ratio, variable interval or variable ratio. Variable ratio reinforcement is the most resistant e.g., gambling. Continuous reinforcement is the one that can be easily made extinct. Intermittent reinforcement takes the longest to establish.

The correct answer is: Continuous

Question 13

MoK Basic Psychology 031

Not answered

Marked out of 1.00

Flag question

A psychologist takes a 31 year old patient with significant fear of heights to the top of a 21 storey-building. Which of the following behavioural technique is he employing?

Select one:

- Relaxation training
- Desensitisation
- Flooding
- Implosion
- In vitro flooding

Your answer is incorrect.

Flooding: It is an operant conditioning technique where actual exposure to feared stimulus takes place for a substantial amount of time, so the accompanying anxiety response fades away while the stimulus is continuously present. This will lead to an extinction of the fear. When a similar technique is attempted with imagined not actual exposure, then it is called as implosion.

The correct answer is: Flooding

Question 14

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 033
In patients with moderate head injury, post traumatic amnesia is usually expected to last

Select one:

- From 1 week to 1 month
- From 1 day to 1 week
- Less than 1 hour
- From 1 to 24 hours
- Less than 1 minute

Your answer is incorrect.

Post traumatic amnesia is the time between the injury and recovery of normal continuous memory, seen in head injury patients. The longer the PTA, the more severe the brain damage and poorer the prognosis for the recovery. PTA grading system is as follows; PTA less than 1 hour- mild head injury PTA from 1 to 24 hours-moderate head injury PTA longer than 24 hours-severe injury. Retrograde amnesia is also possible after a head injury. In most cases, the amnesic gap is short and lasts for less than one minute. It is not a good indicator of prognosis.

The correct answer is: From 1 to 24 hours

Question 15

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 041
Which of the following statements regarding operant conditioning is correct?

Select one:

- It cannot be used in patients with learning disability as the concept of reward is non-existent in most patients
- Punishment is the most effective form of operant learning
- It is a form of associative learning
- It was first described by Albert Bandura
- Negative reinforcement refers to introducing an aversive stimulus to reduce the frequency of a behaviour

Your answer is incorrect.

Operant conditioning and classical conditioning are two types of associative learning. Habituation and sensitisation are described as non-associative learning. Punishment is not an effective conditioning technique; it helps to learn how not to behave but not how to behave. On most occasions, it only serves to suppress a response - not abolishing it completely.

The correct answer is: It is a form of associative learning

Question 16

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 042
Which statement among the following about short-term memory is false?

Select one:

- The retrieval process in short term memory is error free.
- Information is held in the STM for 15 to 30 seconds.
- It can be extended by rehearsal
- Chunking of material can effectively increase the capacity of short term memory
- It is mainly stored in the visual modality

Your answer is incorrect.

The information in the short-term memory is mainly stored in the auditory modality. In STM, the encoding is acoustic, and the retrieval is error-free.

The correct answer is: It is mainly stored in the visual modality

Question 17

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 046
Which one of the following is associated with classifying personality according to body build?

Select one:

- Kretschmer
- Rutter

- Kraeplin
- Russell
- Fairburn

Your answer is incorrect.

Kretschmer classified body types into pyknic, asthenic and athletic types and proposed that personality traits vary with body type.

The correct answer is: Kretschmer

Question 18

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 047
Which type of learning behaviour meant that there is a preformed mental representation even without reinforcement;

Select one:

- Modelling
- None of the above
- Insight learning
- Latent learning
- Observational learning

Your answer is incorrect.

Latent Learning: For example if an animal is allowed to wander around a maze without being reinforced for doing so, then later on, when placed in the maze, it will learn it faster than other animals with no previous experience, suggesting that a mental representation of the maze is being made even without any reinforcement-based learning.

The correct answer is: Latent learning

Question 19

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 048
Which one of the following statements about memory loss following ECT is incorrect?

Select one:

- Memory impairment is more pronounced with unilateral ECT
- There is no lasting memory impairment
- A third of patients report persistent memory loss
- There may be both Anterograde and retrograde amnesia
- Most studies did not measure autobiographical memory over the long term

Your answer is incorrect.

Memory loss following ECT; The impairment is usually temporary, and there is no lasting memory impairment. There may be both Anterograde and retrograde amnesia, both of which shrink rapidly. A third of patients report persistent memory loss following ECT (Rose et al 2003). Memory impairment is less pronounced with unilateral ECT. Most studies on ECT have not measured autobiographical memory over the long term.

The correct answer is: Memory impairment is more pronounced with unilateral ECT

Question 20

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 049
Which of the following instruments assess personality as a construct spread over nine different psychopathological domains?

Select one:

- International personality disorders examination
- Eysenck's personality questionnaire
- NEO personality inventory
- Thematic appreception test
- Minnesota multiphasic personality inventory

Your answer is incorrect.

MMPI assesses personality across nine psychopathological domains using more than 500 questions.

The correct answer is: Minnesota multiphasic personality inventory

Question 21

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 050
Which one among the following is an objective personality test?

Select one:

- Roschach ink blot test
- Sentence completion test.
- Draw a person test
- Thematic apperception test
- Minnesota multiphasic personality inventory

Your answer is incorrect.

MMPI is an objective personality test devised initially from a clinical population. It includes a lie scale, frequency and correction scales. Cattell 16 PF scale is an objective personality test devised from a nonclinical population. It includes a lie scale, frequency and correction scales. Non-objective or projective tests include Rorschach inkblot test (10 cards), TAT (Thematic Apperception Test- with pictures of ambiguous persons and scenes, make up a story), DAPT (Draw a person test) and sentence completion test.

The correct answer is: Minnesota multiphasic personality inventory

Question 22
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 053
Which one among the following is a feature of attentional processing according to Shiffrin and Schneider's divided attention theory?

Select one:
- Automatic through extensive training
- Not limited
- Needs more mental effort.
- Unconscious
- Resistant to change.

Your answer is incorrect.

According to Shiffrin and Schneider's divided attention theory (1977), automatic processing is unconscious, not limited, automatic through extensive training, and once learnt are resistant to change. But Attentional (controlled) processing is consciously directed, needs focussed attention and more mental effort and also has limited capacity.

The correct answer is: Needs more mental effort.

Question 23
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 054
Which of the following offers a psychological explanation regarding the aetiology of OCD?

Select one:
- Reciprocal inhibition
- Punishment
- Negative reinforcement
- Positive reinforcement
- Reward orientation

Your answer is incorrect.

Compulsions provide short-term relief of obsessional anxiety via negative reinforcement. When practicing compulsive rituals, anxiety is reduced acutely. This provides a reinforcement to practice the compulsions repeatedly. In other words the termination of the aversive anxiety cued by obsessions, increases or stamps in the compulsive behaviour that removed the anxiety, without addressing the core of obsessions.

The correct answer is: Negative reinforcement

Question 24
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 057
Star chart is based on the principles of

Select one:
- Avoidance conditioning
- Classical conditioning
- Operant conditioning
- Higher order conditioning
- Trace conditioning

Your answer is incorrect.

Both positive and negative reinforcement increase the desired response e.g., the use of a "star chart," with a variable interval schedule (2 or 3 stars are administered per day depending on the frequency of desired behaviour).

The correct answer is: Operant conditioning

Question 25
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 059
Which part of the brain is involved in mediating performances in short term memory?

Select one:
- Left and right ventricles
- Parietal lobes
- Prefrontal lobes
- Entorhinal cortex of the medial temporal lobe
- Limbic lobe

Your answer is incorrect.

Brain imaging and neuropsychological studies provide strong evidence that a.The brain areas mediating performances in STM are principally the pre-frontal lobes b.The phonological STM system is mediated by the left hemisphere regions of Broca's' area and prefrontal cortex. c.The visuospatial STM system is mediated by the parietal and prefrontal areas of the right hemisphere. d.The brain areas responsible for LTM includes the regions of the limbic system especially the hippocampus and the Entorhinal cortex of the medial temporal lobe.

The correct answer is: Prefrontal lobes

Question 26
Not answered
Marked out of 1.00
Flag question

MoK Social Psychology 007
A candidate who has appeared for a mock exam before the actual exam does well than a candidate who has not. This is called

Select one:
- Regression of mean
- Hawthorne effect
- Observer effect
- Halo effect
- Practice effect

Your answer is incorrect.

Practice effects occur when a participant in an experiment performs a task after having performed the same task earlier. Subjects can either have a positive (subjects become better at performing the task) or negative (subjects become worse at performing the task) effect. Repeated measures designs are almost always affected by practice effects.

The correct answer is: Practice effect

Question 27
Not answered
Marked out of 1.00
Flag question

MoK Social Psychology 008
The most common effect of cognitive dissonance is

Select one:
- Psychological distress
- Cognitive distortions
- Memory disturbances
- Formal thought disorder
- Behavioural modification

Your answer is incorrect.

'Cognitive dissonance' is an aversive psychological state aroused when there is a discrepancy between actions and attitudes (Festinger, 1957). In situations when actions cannot be reversed, or when doing so requires great effort, adjusting attitudes to be in line with decisions often reduces this discrepancy.

The correct answer is: Psychological distress

Question 28
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 013
Compulsory treatment cannot be justified under which of the following ethical principles?

Select one:
- Deontology
- Beneficience
- Autonomy
- Teleology
- Non maleficience

Your answer is incorrect.

A deontologist could justify detention as a duty; a teleologist can defend it based on intended outcome. But detention is against the principle of autonomy.

The correct answer is: Autonomy

Question 29
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 015
The following is true about the prima facie (main) principles of medical ethics:

Select one:
- Virtue theory: principle based on the characteristics of moral agents
- Autonomy: Respecting patient's views despite disagreement
- Utilitarianism: principle based on the greatest benefit for the greater number of people
- Deontology: principle based on the act as stemming from duties irrespective of the moral agent characteristics
- Teleology: principle based on consequences of the act

Your answer is incorrect.

Note that, even though, the pairs are correct with respect to the explanations attached, except autonomy other ethical principles stated here belong to 'higher-order' values.

The correct answer is: Autonomy: Respecting patient's views despite disagreement

Question 30
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 030
The life event with highest rating in Holmes Rahe scale is

Select one:
- Marriage
- Childbirth
- Divorce
- Job loss

- Jail term

Your answer is incorrect.

In the absence of 'death of a spouse' among the given choices, divorce can be chosen as the answer.

The correct answer is: Divorce

Question 31

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 034

Which of the following research materials is covered by the Helsinki Declaration?

Select one:

- Identifiable human data
- Anonymised human data
- Animal data
- Environmental data
- Non-clinical digital data

Your answer is incorrect.

The World Medical Association (WMA) has developed the Declaration of Helsinki as a statement of ethical principles for medical research involving human subjects, including research on identifiable human material and data.

The correct answer is: Identifiable human data

Question 32

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 038

A man who works full time at the local council office has headache, abdominal pain and dizziness. He feels tired and has a fever. Which of the following best describes the above situation?

Select one:

- Health behaviour
- Illness
- Sick role
- Abnormal illness behaviour
- Illness behaviour

Your answer is incorrect.

The description given here fits the illness itself rather than the patient's response or social changes that take place.

The correct answer is: Illness

Question 33

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 040

A 45 year old man holds out his arm to allow measurement of blood pressure as soon as the staff nurse walks towards him following the daily routine of medication dispensing. Which of the following is true?

Select one:

- As the patient is competent consent is not needed
- Explicit consent is not required as this is a situation of necessity
- Explicit consent need not be sought for routine procedures
- Blood pressure is measured under principle of best interests
- Implied consent can be assumed

Your answer is incorrect.

Implied consent is assumed here. This is not a situation of necessity, and best interest decisions do not apply here.

The correct answer is: Implied consent can be assumed

Question 34

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 042

Which of the following is true with regards to Changing Minds campaign?

Select one:

- It is focussed on geriatric mental health issues
- It is an initiative from World Health Organisation
- It is not a part of Care Programme Approach
- It provides a legal clause against stigma
- It is an ongoing programme against stigma

Your answer is incorrect.

Concern about the stigma of mental illness culminated in the Royal College of Psychiatrists' 5-year 'Changing Minds' campaign (1998-2003) whose aim was to promote positive images of mental illness, challenge misrepresentations and discrimination, encourage patient advocacy and educate the public about the real nature and treatability of mental disorder (Crisp et al, 2000) [Excerpt retrieved from: Effectiveness of Changing Minds campaign factsheets, http://pb.rcpsych.org/content/pbrcpsych/31/10/377.full.pdf].

The correct answer is: It is not a part of Care Programme Approach

Question 35
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 043
Exaggerated startle response is one of the important features of which culture bound syndrome?

Select one:
- Koro
- Amok
- Dhat syndrome
- Latah
- Windigo

Your answer is incorrect.

Latah is a condition where, triggered by the startle reflex; victims fall into a trance in which he or she engages in repetitive speech or movements. Often these take the form of echopraxic and/or echolaliac automatisms. Latah is found only in certain world cultures and is therefore commonly considered a culture-specific syndrome.

The correct answer is: Latah

Question 36
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 045
With respect to vulnerability for depression, poor coping style is best described as which of the following?

Select one:
- Modifying factor
- Maintaining factor
- Precipitating factor
- Predisposing factor
- Protective factor

Your answer is incorrect.

Brown et al. identified the following factors as maintaining factors for depression: a. Further negative life events b. Persistent poor quality social support c.Poor coping style characterized by self-blame and helplessness, denial of problems, poor problem-solving ability, blaming others or external forces d. Inability to obtain adequate social support due to fear of intimacy and e. Low educational level.

The correct answer is: Maintaining factor

Question 37
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 046
Which of the following is true with regard to discrimination experienced by patients with mental health difficulties?

Select one:
- Majority of service users experience discrimination at workplace
- Most of them experience no discrimination
- Discriminant behaviour against mentally ill leads to enhanced public safety
- Health professionals do not make service users feel discriminated
- No discrimination is experienced when attending one's own general practitioner

Your answer is incorrect.

A report from 556 service users in UK shows that 70% have experienced discrimination in some form: 47% in the workplace, 44% from general practitioners and 32% from other health professionals (Mental Health Foundation, 2000).

The correct answer is: Majority of service users experience discrimination at workplace

Question 38
Not answered
Marked out of 1.00
Flag question

MoK Classification 023
Mania is often characterized by the presence of

Select one:
- Delusions of control
- Delusions of reference
- Delusions of love
- Delusions of grandiosity
- Delusions of pregnancy

Your answer is incorrect.

Grandiose delusions in the absence of mania are relatively uncommon though schizophrenia is the commonest condition after mania in which this type of delusion can be seen.

The correct answer is: Delusions of grandiosity

Question 39
Not answered
Marked out of 1.00
Flag question

MoK Classification 038
Mr. Y is a 83 year old man seen in the outpatients clinic. He is complaining of vivid dreams. On performing a cognitive examination, he shows a decline in attention and visuo-spatial ability. The most likely diagnosis is;

Select one:
- Alzheimer's dementia
- Fronto-temporal dementia

- Lewy body dementia
- Chronic subdural haematoma
- Huntington's dementia

Your answer is incorrect.

In Dementia of Lewy Body, memory impairment appears to result from deficits in alertness and attention rather than in memory acquisition; thus, short-term recall is affected less than digit span memory (ability to repeat 7 digits forward and 5 backward). Patients may stare into space for long periods. Excessive daytime drowsiness is common. Visuospatial and visuoconstructional abilities (tested by block design, clock drawing, or figure copying) are affected more than other cognitive deficits. Extreme sensitivity to antipsychotics is typical. Many patients have rapid eye movement (REM) sleep behavior disorder, a parasomnia characterized by vivid dreams without the usual physiologic paralysis of skeletal muscles during REM sleep. As a result, dreams may be acted out, sometimes injuring the bed partner.

The correct answer is: Lewy body dementia

Question 40

Not answered

Marked out of 1.00

Flag question

MoK Classification 048

Neurasthenia is a diagnosis included under which of the following topics in 'Neurotic, stress related and somatoform disorders' in ICD 10?

Select one:

- Adjustment disorders
- Dissociative disorders
- Other anxiety disorders
- Somatoform disorders
- Other neurotic disorders

Your answer is incorrect.

Neurasthenia is defined in the ICD-10 as a psychiatric disorder whose main feature is 'persistent and distressing complaints of increased fatigue after mental effort, or persistent and distressing complaints of bodily weakness and exhaustion after minimal effort' (Chronic fatigue syndrome or neurasthenia?, http://bjp.rcpsych.org/content/181/4/350.2.full).

The correct answer is: Other neurotic disorders

Question 41

Not answered

Marked out of 1.00

Flag question

MoK Classification 049

Excessive doubt and distrust in relationships is a characteristic feature of which of the following personality disorder?

Select one:

- Schizoid
- Dissocial
- Schizotypal
- Borderline
- Paranoid

Your answer is incorrect.

Paranoid PD is characterized by distrust in relationships.

The correct answer is: Paranoid

Question 42

Not answered

Marked out of 1.00

Flag question

MoK Classification 050

A 40-year-old man demanded to see you in the outpatient clinic. He says that he does not want to see any member of the community mental health team as they have been late for visits on 3 occasions. He is unhappy with the council in terms of rubbish collections and is in the process of writing his 12th compliant letter. What is the most likely personality disorder?

Select one:

- Borderline
- Paranoid
- Dissocial
- Histrionic
- Schizoid

Your answer is incorrect.

Paranoid personality disorder (PPD) is characterized by a pervasive mistrust of other people. Other common features of the disorder include quarrelsomeness, hostility, emotional coldness, hypersensitivity to slights or criticism, stubbornness, and rigidly held maladaptive beliefs of others' intents (Paranoid Personality Disorder. Retrieved from http://www.sagepub.com/upm-data/15198_Chapter3.pdf).

The correct answer is: Paranoid

Question 43

Not answered

Marked out of 1.00

Flag question

MoK Classification 053

Which one among the following can produce both positive and negative schizophrenic symptoms in non schizophrenic individuals?

Select one:

- LSD
- Amphetamine
- PCP or Phencyclidine
- Levodopa
- Psilocybin

Your answer is incorrect.

Amphetamines and Levodopa releases dopamine at the synapse and can cause positive schizophrenic symptoms but do not produce negative symptoms. LSD and Psilocybin are 5HT-2A/2C receptor agonist, and both can cause positive symptoms of schizophrenia in non-schizophrenic individuals. LSD also produces visual hallucinations which are uncommon in schizophrenia. A single dose of phencyclidine which is a non-competitive NMDA receptor antagonist can produce both positive and negative schizophrenic symptoms in non-schizophrenic individuals and exacerbations of schizophrenia in schizophrenic patients.

The correct answer is: PCP or Phencyclidine

Question 44

Not answered

Marked out of 1.00

Flag question

MoK Classification 054
Paraphrenia is included in ICD 10 under which of the following descriptions?

Select one:

- Induced delusional disorders
- Acute polymorphic psychosis
- Persistent delusional disorder
- Paranoid schizophrenia
- Schizo affective disorder

Your answer is incorrect.

Paraphrenia refers to the delusional disorder that occurs in the elderly. It is more common in those with sensory impairments like deafness or visual problems and is also more common in those who live on their own. In this condition personality, integration is better than with early onset schizophrenia.

The correct answer is: Persistent delusional disorder

Question 45

Not answered

Marked out of 1.00

Flag question

MoK Classification 055
A 40 year-old chef presents with a 4-year history of pain involving the left side of the body. There is no pathological evidence for a cause of such pain. The most likely diagnosis is

Select one:

- Body dysmorphic disorder
- Persistent somatoform pain disorder
- Hypochondriasis
- Somatisation disorder
- Somatoform autonomic dysfunction

Your answer is incorrect.

Persistent somatoform pain syndrome is characterised by unexplained, usually isolated pain symptom of the musculoskeletal system.

The correct answer is: Persistent somatoform pain disorder

Question 46

Not answered

Marked out of 1.00

Flag question

MoK Classification 057
Which one of the following is not considered to be a melancholic feature of major depressive disorder?

Select one:

- Loss of interest or pleasure
- Early morning awakening
- Phobic symptoms
- Psychomotor agitation
- Psychomotor retardation

Your answer is incorrect.

Melancholic features (DSM-IV) includes loss of interest or pleasure in usual activities, lack of reactivity to pleasurable stimuli, plus at least three of the following: distinct quality of mood (unlike normal sadness); morning worsening of mood; early morning waking; psychomotor agitation or retardation; significant anorexia or weight loss; excessive guilt and marked loss of libido.

The correct answer is: Phobic symptoms

Question 47

Not answered

Marked out of 1.00

Flag question

MoK Classification 058
A patient with schizophrenia was treated for an acute episode and left hospital seven months ago. For the last 2 weeks, he has been having symptoms of social isolation, poor eating and sleeping. The most likely diagnosis is

Select one:

- Major depressive disorder
- Undifferentiated schizophreni
- Post schizophrenic depression
- Residual schizophrenia
- Hebephrenic schizophrenia

Your answer is incorrect.

Postschizophrenic depression is an ICD 10 diagnosis - it refers to depressive episode less than 12 months of an acute episode of schizophrenia

The correct answer is: Post schizophrenic depression

Question 48
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 017
Which of the following tests can detect visual hemi-neglect?

Select one:
- Head tilting test
- Abbreviated Mental Test
- Calorie stimulation test
- Clock drawing test
- Mini Mental State examination

Your answer is incorrect.
Clocks drawn by patients with hemi-neglect often have no numbers on one side (often the left side)
The correct answer is: Clock drawing test

Question 49
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 022
In MMSE, intersecting pentagons primarily assesses which of the following functions?

Select one:
- Orientation
- Constructional praxis
- Language
- Copying skills
- Visual retention

Your answer is incorrect.
Visuospatial functioning and constructional praxis.
The correct answer is: Constructional praxis

Question 50
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 030
A 57-year-old man came to the clinic with a history of personality changes, sexual disinhibition and tremors. Which of the following is crucial to elicit in the history?

Select one:
- Family history
- Forensic history
- Social history
- Psychosexual history
- Medication history

Your answer is incorrect.
The scenario is suggestive of frontal lobe dementia. There is a strong family history present in 50% of cases.
The correct answer is: Family history

Question 51
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 031
A 32-year-old patient with an acute psychotic episode is being treated with antipsychotics. He has developed muscular stiffness. Which of the following neurological signs would raise suspicions of a cause other than drug induced side effects?

Select one:
- Blepharospasm
- Tremors
- Fasciculation
- Rigidity
- Bradykinesia

Your answer is incorrect.
Fasciculations are seen in lower motor nerve lesions
The correct answer is: Fasciculation

Question 52
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 032
Which of the following is not a feature of upper motor neuron lesion?

Select one:
- Hypertonia
- Rigidity
- Mild disuse atrophy
- Fasciculation
- Exaggerated reflexes

Your answer is incorrect.

Fasciculations are characteristic of LMN lesions

The correct answer is: Fasciculation

Question 53
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 033
Select one investigation for a patient on antipsychotics presenting with weight loss and thirst

Select one:
- U and Es
- FBC
- Fasting glucose
- Li level
- LFTs

Your answer is incorrect.

Type 2 diabetes may be present in this individual (but note weight gain is more common in type 2 diabetes).

The correct answer is: Fasting glucose

Question 54
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 034
A 49-year-old man presented to the clinic with jerky movements, clumsiness and history of memory decline for the last year but no family history of similar illnesses. How could we identify his disorder?

Select one:
- Genetic testing
- Medication history
- CT scan
- Drug and alcohol history
- Family history

Your answer is incorrect.

The diagnosis is Huntington's disease. A genetic test can then confirm the diagnosis by determining if the person indeed has inherited the HD gene mutation (an expansion of the CAG triplet)

The correct answer is: Genetic testing

Question 55
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 035
You instruct the patient to tap once in response to your single tap, and to withhold the tapping response for your double taps. This is test is known as

Select one:
- N-back test
- Fluency Test
- Go No-Go Test
- continuous performance test
- oddball test

Your answer is incorrect.

Impulsivity is thought to reflect a failure of response inhibition, and is seen in inferior frontal pathology. It can be assessed using the Go-No-Go task. The examiner instructs the patient to tap once in response to a single tap and to withhold a response for two taps. This test can be made more difficult by changing the initial rule after several trials (for example, "tap once when I tap twice, and not at all when I tap once")(Kipps and Hodges, 2006. Retrieved from http://jnnp.bmj.com/content/76/suppl_1/i22.full).

The correct answer is: Go No-Go Test

Question 56
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 036
Which of the following can test abstract reasoning?

Select one:
- Clock drawing test
- Digit symbol substitution test
- Goldstein's card sorting test
- Trail making test
- n-back test

Your answer is incorrect.

The Goldstein-Scheerer Color Form Sorting Test was initially designed to test abstract reasoning (concept formation rather than the simple identification of abstract rules). Wisconsin card sorting test is a descendant of Goldstein task nd it tests concept identification rather than formation

The correct answer is: Goldstein's card sorting test

Question 57
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 037
Which of the following complications of anorexia is unlikely to correct itself on weight restoration?

Select one:
- hypothyroidism
- salivary enlargement
- growth restriction
- lipid abnormalities
- osteoporosis

Your answer is incorrect.

Impaired linear growth and the possibility of permanent short stature are significant medical complications in adolescents with Anorexia Nervosa. There are reports in the pediatric literature of children and adolescents with anorexia presenting with growth failure or short stature. Reports regarding catch-up growth after weight restoration include failure to gain any height or incomplete catch-up growth, with very rare instances where complete catch-up growth occurs. (Int J Eat Disord 2005; 37: S52-S59)

The correct answer is: growth restriction

Question 58
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 038
Whilst on call, you see a psychotic patient on a long term inpatient unit. The patient has a tremor, is ataxic and restless. During the interview the patient vomits. The nurse tells you he has been having diarrhea and has been urinating very frequently. What question would be most useful to ask the patient?

Select one:
- Can you subtract 7 serially from 100?
- What place is this?
- Who is the current prime minister?
- Have you been drinking a lot of water recently?
- Where are you from?

Your answer is incorrect.

The case presented in this question is a common description of water intoxication. Symptoms include tremor, ataxia, restlessness, diarrhea, vomiting, polyuria, and eventual stupor. This is a problem that has been reported in up to 20% of some cohorts of patients with chronic schizophrenia.

The correct answer is: Have you been drinking a lot of water recently?

Question 59
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 039
A 55-year-old man who was admitted to the hospital yesterday has become combative and wants to leave. His wife reports that he has episodic irritability and altered sleep wake cycle. She feels that he has completely changed as a person in last 1 year. He also has poor memory and has palmar erythema and multiple subcutaneous bleeds over his back. He has bilateral plantar extensor reflexes. The most probable diagnosis is

Select one:
- Haemophilia
- Huntington's disease
- Wilson's disease
- Hepatic failure
- Idiopathic thrombocytopenic purpura

Your answer is incorrect.

Hepatic failure can produce asterixis, tremors, exaggerated deep tendon reflexes and altered consciousness with preceding history of changes in personality, abrupt mood swings, and cognitive deterioration. Peripheral signs may include subcutaneous bleeds, pedal edema, ascites, palmar erythema, etc.

The correct answer is: Hepatic failure

Question 60
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 040
Presence of lymphocytic pleiocytosis with many red cells in the CSF, along with hyperintense appearance of left temporal lobe in T2 weighted MRI imaging and lateralised periodic discharges in EEG in a semi-conscious patient suggests

Select one:
- Pneumococcal meningitis
- Crutzfeldt Jakob disease
- Temporal lobe malignancy
- Subdural haemorrhage
- Herpes encephalitis

Your answer is incorrect.

MRI is the preferred modality for evaluating the brain.[14, 15, 16] However, early in the clinical course of the disease, MRI results may be negative. A negative MRI does not rule out HSV encephalitis. In adults, T2-weighted MRI reveals hyperintensity corresponding to edematous changes in the temporal lobes (see the first two images below), inferior frontal lobes, and insula, with a predilection for the medial temporal lobes. Foci of hemorrhage occasionally can be observed on MRI (Imaging in Herpes Encephalitis - Medscape Reference, http://emedicine.medscape.com/article/341142-overview).

The correct answer is: Herpes encephalitis

Question 61
Not answered

MoK Clinical Examination 041
Degeneration of head of caudate nucleus is associated with

Marked out of 1.00

Flag question

Select one:

- Huntington chorea
- OCD
- Tourete's syndrome
- Fahr's disease
- Wilson disease

Your answer is incorrect.

Degeneration of the striatum (mainly caudate nucleus) and selective loss of GABAergic neurons is seen in Huntington's disease.

The correct answer is: Huntington chorea

Question 62

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 026
Which one of the following is not a type of primary delusion?

Select one:

- Delusional memory
- Delusional misidentification
- Delusional atmosphere
- Delusional perception
- Autochthonous delusions

Your answer is incorrect.

The four types of primary delusions are an autochthonous delusion, delusional mood, delusional memory and delusional perception.

The correct answer is: Delusional misidentification

Question 63

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 028
A 19 year-old university student, seen for first time by a psychiatrist, is very perplexed and claims that he could feel something odd happening around him. This phenomenon is termed as

Select one:

- Sensitive ideas of reference
- Delusional mood
- Oneiroid state
- Vorbeireden
- Persecutory delusion

Your answer is incorrect.

The sense of perplexity that could precede frank psychotic reaction I s called as delusional mood or atmosphere. At this stage, the patient will not have any fully formed delusions. But once delusions arrive, this will provide a sense of relief from perplexity, and everything will seem to 'fall in place'. Delusional mood is a type of Jasperian primary delusion.

The correct answer is: Delusional mood

Question 64

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 031
'I saw a blue caravan on the road and I immediately realised that the South Pole is going to sink soon'. This is consistent with

Select one:

- Delusional perception
- Delusional memory
- Delusional atmosphere
- Delusional mood
- Autochthonous delusion

Your answer is incorrect.

Note that there are two distinct processes here - visual perception and delusional misjudgment.

The correct answer is: Delusional perception

Question 65

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 036
Cameron described the following form of thought disorder:

Select one:

- Omission
- Derailment
- Fusion
- Drivelling
- Desultory thinking

Your answer is incorrect.

Cameron's analysis of formal thought disorder in 25 'unmistakably schizophrenia' patients led to the concept of asyndetic thinking that included derailment, loss of the central determining idea, and loose associations.

The correct answer is: Derailment

Question 66
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 037
A patient describes that everything around him appears hazy, dull and lifeless. This can be termed as

Select one:
- Anhedonia
- Aphemia
- Depersonalisation
- Derealisation
- Agnosia

Your answer is incorrect.

The description here suits derealisation. Depersonalisation is characterised by a profound disruption of the self-awareness mainly characterised by feelings of disembodiment and subjective emotional numbing (Depersonalization: a selective impairment of self-awareness, http://www.ncbi.nlm.nih.gov/pubmed/21087873).

The correct answer is: Derealisation

Question 67
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 042
When asked about his favorite sport the patient answers, "I like soccer. The players wear shirts. Shirts are clothes. Clothes are dirty." The speech disturbance noted here is best described as

Select one:
- Loosening of association
- Paragrammatism
- Tangentiality
- Flight of ideas
- Circumstantiality

Your answer is incorrect.

Flight of ideas refers to speech that often (but not always) occurs at a rapid rate and involves fragmented or unrelated ideas, connected by distracting cues rather than the goal of the discourse. This is common in mania.

The correct answer is: Flight of ideas

Question 68
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 044
The nature of conversational speech in jargon dysphasia is

Select one:
- Non-fluent and intelligible
- Fluent and unintelligible
- The rhythm of speech is not retained
- Non-fluent and unintelligible
- Fluent and intelligible

Your answer is incorrect.

Wernicke's aphasia is fluent but unintelligible

The correct answer is: Fluent and unintelligible

Question 69
Not answered
Marked out of 3.00
Flag question

MoK Psychology EMI002
Reinforcement & Learning
Lead in: Which type of learning process is involved in each of the following situations?

This principle can be used to teach toilet training in the learning disabled, after having the process broken down into simple steps that link to each other — Choose...

Gambling is an example of this. — Choose...

This type of learning occurs through observation alone — Choose...

Your answer is incorrect.

Chaining: This refers to reinforcing a series of related behaviours, each of which provides the cue for the next to obtain a reinforcer. Chaining can be forward or backward chaining according to where the first nodal point of learning starts. If it started from the end behaviour and connected backwards, it is called backward chaining e.g. in completing a jigsaw puzzle a child can be taught by starting from the whole puzzle and then removing pieces one by one. Forward chaining is used in situations such as toilet training. Individual behaviours such as defecating, removing one's trousers, calling for parents, running to the toilet may be seen as 'pieces' in a child - by chaining they can be made into a sequence leading to effective toilet habits.

In variable ratio reinforcement, random rewarding is seen i.e. it is not possible to predict when the reward will occur following a response. Variable schedules generate a constant rate of response as the chance of obtaining a reward stays the same at any time and any instance of behaviour - so the organism keeps responding till it gets the reward. In contrast, with fixed schedules where there is either a fixed time interval between rewards or fixed ratio between rewards and responses, the organism can somewhat predict the

reward. So, a reduction in the response rate immediately after obtaining a reward is seen in fixed interval reinforcements (if you will get the reward only after 10 minute gaps, why bother responding during the first 8-9 minutes?).

According to Bandura's social learning theory, people can learn by observing the behaviour of others and the outcomes of those behaviours without undergoing conditioning paradigms. Learning is defined as the relatively permanent change in behaviour, according to behaviourists. Cognition plays a role in learning.

The correct answer is: This principle can be used to teach toilet training in the learning disabled, after having the process broken down into simple steps that link to each other – Chaining, Gambling is an example of this. – Variable ratio reinforcement, This type of learning occurs through observation alone – Modelling

Question 70

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI022

Hallucinatory phenomena

Which of the listed descriptive psychopathological terms is the most appropriate descriptor for each of the symptoms below?

Visual experience of seeing oneself	Choose...
An individual complains seeing small sized figures such as dwarfs or midgets	Choose...
Bugs are crawling over one's skin	Choose...
Seeing flashes of light as part of a seizure activity	Choose...
Simple visual hallucinations of geometric patterns with micropsia and macropsia	Choose...

Your answer is incorrect.

Explanation:

Autoscopic hallucinations are hallucinations of one's physical self. It is predominantly seen in males at a ratio of 2:1, with depression being the commonest psychiatric cause. In negative autoscopy, one looks into a mirror and sees no image at all.

Lilliputian hallucinations can occur in visual mode - they usually involve seeing tiny people or animals and are seen in delirium tremens and unlike other organic visual hallucinations. Lilliputian hallucinations can often be amusing though while withdrawing from alcohol, anxiety and fear predominate. These are not the same as micropsia.

Case 3: This is formication, a form of haptic hallucination. Simple haptic hallucinations such as the feeling that bugs are crawling over one's skin are common in alcohol withdrawal syndrome and cocaine intoxication.

Ictal hallucinations can occur as a part of seizure activity. They may be simple images, such as flashes of light or even elaborate ones such as visual recollections of past experiences. They last only seconds to minutes and are typically brief.

Migrainous hallucinations are commonly reported by patients with migraine (50%). These are simple visual hallucinations of geometric patterns with micropsia and macropsia.

The correct answer is: Visual experience of seeing oneself – Autoscopic hallucinations, An individual complains seeing small sized figures such as dwarfs or midgets – Lilliputian hallucination, Bugs are crawling over one's skin – Haptic hallucinations, Seeing flashes of light as part of a seizure activity – Ictal hallucinations, Simple visual hallucinations of geometric patterns with micropsia and macropsia – Migrainous hallucination

Question 71

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI024

Memory related phenomenon

Choose the appropriate terms associated with each of the following descriptions:

Exaggerated degree of retention and recall	Choose...
Temporary inability to remember a name or proper noun	Choose...
Confusion of facts and fantasies	Choose...
Visual memories with almost hallucinatory vividness	Choose...
Unconscious forgetting of unacceptable ideas	Choose...

Your answer is incorrect.

Explanation: **Hypermnesia** is an ability to remember material that ordinarily is not retrievable and is an exaggerated degree of retention and recall. **Lethologica** is the temporary inability to remember a name or proper noun. **Paramnesia** refers to the falsification of memory by distortion of recall leads to a confusion of facts and fantasies. **Eidetic imagery** refers to the phenomenon of experiencing visual memories of almost hallucinatory vividness.**Repression** is a type of defence mechanisms, which refers to unconscious forgetting of unacceptable ideas or impulses

The correct answer is: Exaggerated degree of retention and recall – Hypermnesia, Temporary inability to remember a name or proper noun – Lethologica, Confusion of facts and fantasies – Paramnesia, Visual memories with almost hallucinatory vividness – Eidetic images, Unconscious forgetting of unacceptable ideas – Repression

Question 72

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI025

Personality disorders

Choose one option each from above list:

A 49-year-old man came to A&E department and insisted on seeing an expert. He looks much younger than his years. He tells that he has recently been made bankrupt, and he is facing fraud charges, which he dismisses as just the ordinary sort of thing. His second wife has left him; he has three children with whom he has no contact. He tells that he cannot cope living with them anymore. He would like to escape this mess with the most dignity, and a clean suicide would be the way forward.	Choose...
A 23-year-old woman was seen in the clinic. She tells you that she was abused by her stepfather and has often thought of killing him and herself. She thinks she might be lesbian but is not sure. She feels tired and empty all the time	Choose...
A 42-year-old woman has always been impeccable and conscientious; She often stays long after regular working hours to check on punctuation errors. She had to do all jobs by herself and could not delegate work.	Choose...
A 35-year-old man refuses to provide answers to standard questions during an initial clerking and threatens to stop the interview if recording his telephone number is insisted upon. It seems that he has taken many hospitals to court for suspicions about how his personal data has been handled.	Choose...

A 33-year-old night security at a local hospital prefers to be alone whenever possible. He has no friends, and he does not socialise. He does not keep update with current affairs and has no sexual interests. He spends most time daydreaming. Choose...

Your answer is incorrect.

Explanation:

Narcissistic personality disorder-Exaggerated sense of own importance, frequently self-centered, Intolerant of other people, grandiose plans and ideas, cravings for attention and admiration.

Borderline personality disorder- poor self-image, unstable personal relationships, Impulsive behaviour in areas such as personal safety and substance misuse, may self-harm, feel suicidal and act on these feelings, experience instability of mood, , Have episodes of micro-psychosis, feelings of chronic emptiness and fears of abandonment - rejection sensitivity hence form intense but short lasting relations.

The cardinal features of Obsessive-Compulsive personality disorder are "an exaggerated and pervasive attempt to control those who are close to them, to control every uncertainty, and to control their thoughts and emotions".

Paranoid personality disorder: Suspicious of other people and their motives, hold longstanding grudges against people, believe others are not trustworthy, emotionally detached and feel other people are deceiving, threatening, or making plans against them.

Schizoid personality disorder: Have difficulties in expressing emotions, particularly around warmth or tenderness, Prefer loneliness, aloof or remote, have difficulty in developing or maintaining social relationships, remain unaware of social trends, unresponsive to praise or criticism.

The correct answer is: A 49-year-old man came to A&E department and insisted on seeing an expert. He looks much younger than his years. He tells that he has recently been made bankrupt, and he is facing fraud charges, which he dismisses as just the ordinary sort of thing. His second wife has left him; he has three children with whom he has no contact. He tells that he cannot cope living with them anymore. He would like to escape this mess with the most dignity, and a clean suicide would be the way forward. – Narcissistic personality disorder, A 23-year-old woman was seen in the clinic. She tells you that she was abused by her stepfather and has often thought of killing him and herself. She thinks she might be lesbian but is not sure. She feels tired and empty all the time – Borderline personality disorder, A 42-year-old woman has always been impeccable and conscientious; She often stays long after regular working hours to check on punctuation errors. She had to do all jobs by herself and could not delegate work. – Obsessive-compulsive personality disorder, A 35-year-old man refuses to provide answers to standard questions during an initial clerking and threatens to stop the interview if recording his telephone number is insisted upon. It seems that he has taken many hospitals to court for suspicions about how his personal data has been handled. – Paranoid personality disorder, A 33-year-old night security at a local hospital prefers to be alone whenever possible. He has no friends, and he does not socialise. He does not keep update with current affairs and has no sexual interests. He spends most time daydreaming. – Schizoid personality disorder

Question 73

Not answered

Marked out of 5.00

Flag question

MoK Assessment CXEMI026

Conflicts and Defences

Choose the best option from the list above for each description below.

1. Which defence mechanisms are used in patients with obsessive-compulsive personality disorder (Choose three answers)

2. Which defence mechanism is used when a person tries to negate his actions?

3. Which defence mechanisms are used in patients with impulse control disorder?

Explanation: Isolation (obsessional thoughts), undoing (compulsive rituals) and reaction formation (obsessive personality disorder) are three defence mechanisms employed in patients with OCD. Reaction Formation- When someone is confronted with disturbing desires or impulses, he or she may actively express the opposite impulse. This involves openly displaying a particular attitude that is opposite of disturbing repressed traits. Undoing- When a person acts inappropriately, it sometimes produces anxiety. To counter this anxiety, the person may try to negate the original behaviour. For example, a child who becomes unruly at the dinner table but then offers to help during cleanup. Acting out refers to an expression of an unconscious wish or impulse, through action, to avoid being conscious of an accompanying affect. The unconscious fantasy is lived out impulsively in behaviour, thereby gratifying the impulse instead of prohibiting it, seen in impulse control disorders.
Ref: Defense Mechanisms - What are Defense Mechanisms?, http://panicdisorder.about.com/od/symptoms/a/DefMech.htm (accessed April 1, 2015).

The correct answer is:
Which defence mechanisms are used in patients with obsessive-compulsive personality disorder (Choose three answers)- Undoing, Isolation, Reaction formation,

Which defence mechanism is used when a person refuses to accept the impact of his actions? - Denial,

Which defence mechanisms are used in patients with impulse control disorder? - Acting out

Question 74

Not answered

Marked out of 5.00

Flag question

MoK Assessment EMI030

Substance misuse- signs & symptoms

Identify the type of illicit substance misuse associated with each of the following clinical signs & symptoms

Nasal mucosal atrophy and septal perforation Choose...

Vivid afterimages & recurring intense sensations Choose...

Apathy and amotivational syndrome Choose...

Water intoxication Choose...

Pinpoint pupils Choose...

Your answer is incorrect.

Explanation:

Cocaine snorting produces nasal mucosal atrophy and nasal perforation.

Long after ingesting a hallucinogen like LSD, a person can experience a recurrence of hallucinogenic symptoms. This condition can be diagnosed as hallucinogen persisting perception disorder using DSM-5. This reexperiencing of perceptual symptoms following cessation of hallucinogen use is characterized by seeing geometric hallucinations, false perceptions of movement in the peripheral visual fields, flashes or intensified colours, trails of images of moving objects, positive afterimages, halos around objects, macropsia, and micropsia. This is also called flashback phenomenon.

Chronic cannabis use is can cause lethargy, apathy, loss of interest, anergia, reduced drive and lack of ambition, which is collectively known as the amotivational syndrome. Some authors do not agree with the validity of this syndrome.

Water intoxication associated with drug abuse is typically caused by MDMA ("ecstasy"), often secondary to excessive sweating. MDMA is commonly used as a party drug; so abusers often dance for several hours, after preparing themselves by drinking a lot of water beforehand. As a lot of salts is lost through the sweat but does not get replenished by water loading, the osmotic balance is affected, resulting in water intoxication.

Acute opioid intoxication (e.g. through the use of heroin) is characterized by bradycardia, hypotension, respiratory depression, subnormal body temperature and pin-point pupils. [Ref: Gowing LR et al. (2002) The health effects of ecstasy: a literature review. Drug Alcohol Rev 21: 53-63]

The correct answer is: Nasal mucosal atrophy and septal perforation – Crack cocaine, Vivid afterimages & recurring intense sensations – LSD, Apathy and amotivational syndrome – Cannabis, Water intoxication – Ecstasy, Pinpoint pupils – Heroin

Question 75

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI033

Culture bound syndromes - Descriptions

What is the most appropriate diagnosis in the following cases?

A 25-year-old Srilankan man presenting with lethargy, sleep disturbance and impotence which he attributes to the loss of semen	Choose...
A 4--year-old Malaysian woman presenting with dissociation, automatic obedience and echolalia in response to the news of her son's death	Choose...
A 25-year-old Japanese woman who has a persistent and overwhelming fear that his appearance and bodily odour is offensive to other people	Choose...
A 50-year-old Ethiopian man has an experience of spirit possession. His symptoms include episodes of laughing inappropriately, shouting and hitting his head against a wall	Choose...

Your answer is incorrect.

Explanation:

Dhat/Jiryan/Sukra-Prameha refers to semen-loss syndrome noted in the Indian subcontinent. Young adult males present with excessive fatigue and impotence attributed to loss of vitality through ejaculated semen.

Latah is seen in Malaysia and Indonesia. It includes hypersensitivity to sudden fright, often with echopraxia, echolalia, command obedience, and dissociative or trance-like behavior. This condition is more frequent in middle-aged women.

Taijin kyofusho (Japan) is "a syndrome of intense fear that one's body, body parts, or bodily functions are displeasing, embarrassing, or offensive to other people in appearance, odor, facial expressions, or movements".

Zar is an exclusively North African syndrome: where subjects present with an experience of spirit possession. Symptoms may include "dissociative episodes with laughing, shouting, hitting the head against a wall, singing, or weeping". Individuals may show withdrawal, refusing to eat or carry out daily tasks, or may develop a long-term relationship with the possessing spirit.

Ref: Timothy Hall., Index of Culture-Bound Syndromes By Culture, http://mccajor.net/cbs_cul.html (accessed April 1, 2015).

The correct answer is: A 25-year-old Srilankan man presenting with lethargy, sleep disturbance and impotence which he attributes to the loss of semen – Dhat, A 4--year-old Malaysian woman presenting with dissociation, automatic obedience and echolalia in response to the news of her son's death – Latah, A 25-year-old Japanese woman who has a persistent and overwhelming fear that his appearance and bodily odour is offensive to other people – Taijin Kyofusho, A 50-year-old Ethiopian man has an experience of spirit possession. His symptoms include episodes of laughing inappropriately, shouting and hitting his head against a wall – Zar

Finish review