Mock Paper A(1)

Started on	Thursday, 21 June 2018, 8:17 AM
State	Finished
Completed on	Thursday, 21 June 2018, 8:18 AM
Time taken	25 secs
Grade	**0.00** out of 100.00
Feedback	You are on the right track. Could you spend some more time on your revision?

Question 1
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 024
Which of the following attachment behaviour pattern has been commonly reported in children subjected to abuse?

Select one:
- Anxious/avoidant attachment
- Secure attachment
- Multiple attachment
- Disorganised attachment
- Ambivalent/resistant attachment

Your answer is incorrect.

In addition to the 3 major types of attachment noted by Ainsworth, Main and Solomon in 1990 described a fourth category of attachment for children who did not fit neatly into the three patterns described by Ainsworth. This fourth category is disorganised/ disorientated type. The children with this pattern appear insecure, fearful, with a dazed look, act as if it is frightened of the mother and show overly conflicted behaviour during the strange situation procedure. 15% of children in middle-class non-clinical groups show this type of attachment behaviour pattern. This is seen more often in maltreated or maternally deprived children. May be a precursor to personality difficulties later or dissociative experiences. The mother may have been herself abused as a child. Some studies have reported the much higher proportion of this category of attachment behaviour pattern in children subjected to abuse.

The correct answer is: Disorganised attachment

Question 2
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 027
Fears that show no particular age trend include:

Select one:
- Fear of open spaces
- Fear of snakes
- Fear of the dark
- Fear of animals
- Fear of sex

Your answer is incorrect.

Fear of animals - age 3; fear of the dark - age 4 or 5; fear of imaginary creatures and supernatural things - 5 plus; Fear of bodily injury, disasters - 5 to 8 years; fears that arrive in late childhood or adult life - fear of sex/open spaces, fear that occurs from teenage onwards includes fear of failure, illness and death. Fears that show no particular age trend include fear of snakes or storms.

The correct answer is: Fear of snakes

Question 3
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 028
Deductive reasoning is achieved in which stage of Piaget's cognitive development theory?

Select one:
- Operational stage
- Concrete operational stage
- Pre-operational stage
- Sensorimotor stage
- Formal operational stage

Your answer is incorrect.

Formal operational stage is characterized by the emergence of abstract reasoning, logical thinking and hypothesis testing. Hypotheticodeductive reasoning is achieved in a proportion of children after age 12.

The correct answer is: Formal operational stage

Question 4
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 032
An 8-year-old boy is most likely to fall under which stage of Erikson's psychosocial development?

Select one:
- Trust vs mistrust
- Identity vs role confusion

- Initiative vs guilt
- Autonomy vs shame
- Industry vs inferiority

Your answer is incorrect.

Between 6-11 years, the life crisis described by Erikson was industry vs. inferiority. The outcome expected is a sense of achievement/inadequacy.

The correct answer is: Industry vs inferiority

Question 5

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 033

In Ainsworth's strange situation experiment, a child showed no signs of distress at leaving the mother and ignored her on return. Which type of attachment behaviour is this?

Select one:

- Disorganized attachment behaviour
- Insecurely attached anxious ambivalent behaviour
- Insecurely attached anxious resistant behaviour
- Insecurely attached anxious avoidant behaviour
- Securely attachment behaviour

Your answer is incorrect.

Avoidant children (about 20%) don't appear too distressed by the separation, and, upon reunion, actively avoid seeking contact with their parent, sometimes turning their attention to play objects on the laboratory floor.

The correct answer is: Insecurely attached anxious avoidant behaviour

Question 6

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 037

The mode of language designed to provide a means of communication for those with a learning disability is

Select one:

- COPE method
- BASDEC method
- Jarmen system
- Makaton system
- Barthel method

Your answer is incorrect.

Makaton is a method of sign language designed to provide a means of communication to individuals who cannot communicate efficiently by speaking. It has been used effectively in individuals with learning disabilities, autistic spectrum disorder and multisensory impairment

The correct answer is: Makaton system

Question 7

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 038

Who proposed a theory of identity development in children, independent of their mothers?

Select one:

- Freud
- Rutter
- Margaret Mahler
- Spitz
- Winnicott

Your answer is incorrect.

Margaret Mahler described the development of a sense of identity in young children, independent of their mothers. This is called separation-individuation theory, and the proposed stages are supposed to be universal in all children.

The correct answer is: Margaret Mahler

Question 8

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 041

Which of the following type of parents will not set any limit for child's behaviour but show poor impulse control and act aggressively if boundaries are violated?

Select one:

- Authoritarian
- Authoritative
- Permissive
- Good enough parent
- Neglectful

Your answer is incorrect.

Authoritarian style parents impose strict rules that can be associated with low self-esteem and social withdrawal in the children. Permissive style parents set no limits, leading to poor impulse control and aggression. The neglectful style of parenting can lead to poor self-esteem, impaired self-control, and increased aggression. Parents with an authoritative style set firm rules but share decision-making with their children, creating a warm, loving environment, which promotes self-reliance and positive self-esteem.

The correct answer is: Permissive

Question 9
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 042
A 4-year-old child now recognizes she's a girl and wants to spend more time with her dad. According to Freud she's at what phase of psychosexual development?

Select one:
- Genital phase
- Oral phase
- Anal phase
- Latency phase
- Phallic phase

Your answer is incorrect.

In phallic phase (3-5 years), the main site of gratification is genital area. The girl develops penis envy (discontent with female genitalia following a fantasy that they result from a loss of penis). This is theorized by Freud to lead to a wish to 'receive' the penis and to bear a child. The resolution occurs by identification with the mother. This phase has been called as 'Electra complex'.

The correct answer is: Phallic phase

Question 10
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 051
Which one of the following is an objective test of personality?

Select one:
- Rorschach inkblot test
- Minnesota multiphasic personality inventory
- Sentence completion test
- Draw a person test
- Thematic apperception test

Your answer is incorrect.

Minnesota multiphasic personality inventory MMPI is a popular inventory for measuring personality. It has ten scales with clinical labels. It is NOT a projective test. Rorschach inkblot test and Murray's Thematic Apperception Test are projective tests; so are sentence completion and draw-a-person tests. Projective tests use ambiguous stimuli, and the patient is expected to generate narratives based on them; rating scales may or may not be used in conjunction to rate such measures.

The correct answer is: Minnesota multiphasic personality inventory

Question 11
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 052
The best neuropsychological test of semantic memory is

Select one:
- Naming objects and describing their meanings
- Address recall
- Rivermead behavioural memory test
- Vocabulary test
- Weschler's Memory Scale

Your answer is incorrect.

Semantic Memory is the accumulation of facts and experience gained over a lifetime. Tasks dependent on semantic memory include object naming, generation of definitions for spoken words, word-picture and picture-picture matching and the generation of exemplars on category fluency tests (e. g. animals). Weschler's Memory Scale reports on Auditory Memory, Visual Memory, Visual Working Memory, Immediate Memory, and Delayed Memory - but not specifically on Semantic Memory (Excerpt from Hodges et al., Brain (1992), 115, 1783-1806).

The correct answer is: Naming objects and describing their meanings

Question 12
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 055
Which of the following scales utilizes the theory of Big Five personality constructs?

Select one:
- Eysenck's Personality Inventory
- IPDE
- NEO Inventory
- Thematic Apperception Test
- Minnesota Multiphasic Personality Inventory

Your answer is incorrect.

The NEO Personality Inventory, or NEO PI, is a 240-item measure of the Big Five personality traits: Extraversion, Agreeableness, Conscientiousness, Neuroticism, and Openness to Experience.

The correct answer is: NEO Inventory

Question 13
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 056
In Skinner box experiments, rats receive food pellets in response to pressing a lever. What type of learning is this?

Select one:
- Backward conditioning
- Operant conditioning
- Forced conditioning
- Classical conditioning
- Forward conditioning

Your answer is incorrect.

Operant conditioning also known as instrumental conditioning was first demonstrated by Skinner using a box in which a rat received food pellets in response to pressing a lever. Operant conditioning refers to a type of learning in which the likelihood of a behaviour being repeated depends on the associated consequences. The ABC refers to antecedents, behaviour and consequences.

The correct answer is: Operant conditioning

Question 14
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 058
Star charts are effective in managing certain behavioural problems. They work on the basis of

Select one:
- Modelling
- Social learning
- Operant conditioning
- Classical conditioning
- Covert conditioning

Your answer is incorrect.

Star charts are used to positively reinforce each dry night in children who have a delay in developing bladder control. The charts are often used along with a no-blaming parental attitude towards the enuresis.

The correct answer is: Operant conditioning

Question 15
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 060
A child was told to finish homework tasks before he can play outside. This is based on

Select one:
- Reciprocal inhibition
- Classical conditioning
- Cognitive mapping
- Premack's principle
- Operant conditioning

Your answer is incorrect.

Premack's principle states that more probable behaviors will reinforce less probable behaviors. Premack's Principle suggests that if a person wants to perform a given activity, the person will perform a less desirable activity to get at the more desirable activity.

The correct answer is: Premack's principle

Question 16
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 061
With respect to memorising a list of words, which one among the following statements is true?

Select one:
- In immediate recall the primacy effect is stronger than the recency effect
- The retroactive inhibition refers to prior learning interfering with subsequent learning
- Primacy effect is related to initial items receiving most consolidation
- Elaborative rehearsal helps to store information in STM.
- Retrieval of material from semantic long term memory is an implicit process which requires clear knowledge of the time of acquisition of the semantic knowledge

Your answer is incorrect.

An accurate recollection of an item is more likely if it is one of the first (primacy effect) or last items (recency effect) to be learnt. Primacy is because initial items receive most consolidation and recency is because immediate information is still in STM. The Proactive inhibition of 'interference theory' refers to prior learning interfering with subsequent learning. Retroactive inhibition is based on the fact that over time, new memories interfere with existing ones and this interference effect is increased if there is a considerable similarity between the new memory and existing ones. The other hypothesis for forgetting is decay theory due to the trace of the memory fading with time.

The correct answer is: Primacy effect is related to initial items receiving most consolidation

Question 17
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 062
Which of the following is a type of non-declarative memory?

Select one:
- Semantic memory

- Autobiographical memory
- Procedural memory
- All of the above
- Episodic memory

Your answer is incorrect.

There are two forms of LTM, which includes declarative (explicit) and non-declarative (implicit) memory and their subdivisions. Declarative memory has two components; episodic and semantic memory. Non declarative memory is made of procedural memory for skills and habits, priming, classical conditioning and non-associative learning.

The correct answer is: Procedural memory

Question 18

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 064

A family has got a new dog. A 3 year old child in the family is afraid of dogs and would stay in the same room with the dog only if he could sit on his mother's lap and had his favourite ice cream. Select the learning theory principle employed here

Select one:

- Avoidance learning
- Extinction
- Operant conditioning
- Reciprocal inhibition
- Classical conditioning

Your answer is incorrect.

The modification of a behavioural pattern by the conditioning of responses that are incompatible with the response to be eliminated is called as reciprocal inhibition.

The correct answer is: Reciprocal inhibition

Question 19

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 066

Identify the term that best denotes the feeling of familiarity that accompanies the return of stored material to consciousness;

Select one:

- Jamais vu
- Retrieval
- Dejavu
- Recognition
- Recollection

Your answer is incorrect.

The feeling of knowing that characterizes recognition is a "fringe conscious" phenomenon, that is, an event that has high accuracy but low reported conscious content (Baars, 2002). There is considerable evidence that people are conscious of retrieved memories in a recall, but not necessarily in a recognition task (e.g., Gardiner et al., 1998). For pioneering memory researchers like Ebbinghaus, indeed, the term "recall" meant retrieval to consciousness (Excerpt from Franklin et al., The Role of Consciousness in Memory, Brain Minds and Media, 2005;93;1505). In numerous experiments, these differences result in striking dissociations between subjective reports in "remember" vs. "know" -types of retrieval.

The correct answer is: Recognition

Question 20

Not answered

Marked out of 1.00

Flag question

MoK Social Psychology 009

Which of the following can reduce groupthink?

Select one:

- Strong chairperson
- Financial incentives
- Unplanned meetings of the group
- Seeking external opinion
- Pairing up group members

Your answer is incorrect.

Various strategies that can reduce groupthink include encouraging open debate, acknowledging the presence of groupthink, seeking external opinion, splitting the group into smaller units for discussion, holding last chance meetings to encourage challenges and reserving leader's opinions until after the groups discussion has been completed.

The correct answer is: Seeking external opinion

Question 21

Not answered

Marked out of 1.00

Flag question

MoK Social Psychology 010

People prefer relationships that appear to offer an optimum cost benefit ratio and with expectations that our actions towards others will be reciprocated in some way. Which of the following theories suggest this?

Select one:

- Cannon Baird theory
- Functional attribution error
- James Lange theory
- Social Cognitive Theory

- Social exchange theory

Your answer is incorrect.

Social exchange theory is a theory of social interaction based on the proposition that people expect rewards and costs from a social exchange to be equitable. Most of our social behaviour is influenced by the expectations that our actions towards others will be reciprocated in some way and relationships are based on a mutual exchange of benefits. The US sociologist George Caspar Homans developed this theory. (Ref: Oxford Dictionary of Psychology- Pg 709)

The correct answer is: Social exchange theory

Question 22

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 025
The ethics to determine goodness from acts and intentions behind them rather than their consequences is

Select one:

- Teleologic ethics
- Liberation ethics
- Utilitarian ethics
- Deontologic ethics
- Virtual ethics

Your answer is incorrect.

Consequentialist moral theories are teleological: they aim at some goal state and evaluate the morality of actions in terms of progress toward that state. The best-known version of consequentialism is utilitarianism. As most clearly stated by Mill a proponent of the utilitarianism (teleology), the basic principle of utilitarianism is: Actions are right to the degree that they tend to promote the greatest good for the greatest number. In contrast, deontological principles are duty based. Kant's theory is an example of a deontological or duty-based ethics: it judges morality by examining the nature of actions and the will of agents rather than goals achieved. A deontological theory looks at inputs rather than outcomes (Retrieved from Kay, C. Utilitarianism, http://sites.wofford.edu/kaycd/utilitarianism/).

The correct answer is: Deontologic ethics

Question 23

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 026
A patient is next on waiting list to receive CBT. A new referral comes up which needs more urgent treatment. The psychotherapist refuses to displace the next patient on the list as this would be against his sense of duty and responsibility. Which ethical principle is he upholding?

Select one:

- Teleology
- Beneficience
- Deontology
- Non maleficience
- Autonomy

Your answer is incorrect.

Deontology and Teleology are two alternative higher-order ethical principles concerning medical practice. The term Deontology derives from the Greek 'Deon' for 'duty' indicating the centrality of rules in governing medical practice. Accordingly, rights and duties determine action and so it is also called as absolutism. The term Teleology derives its name from the Greek 'Teleon', meaning 'purpose' and the central concept is that rather than rights, people have interests, whether these are concerns, desires or needs. Accordingly, a broad judgment of benefits and harm determine medical practice.

The correct answer is: Deontology

Question 24

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 035
Which of the following offers a guideline for principles of ethical research?

Select one:

- Hippocartic oath
- Mt. Sinai declaration
- Helsinki declaration
- Bristol code
- Warsaw pact

Your answer is incorrect.

The World Medical Association (WMA) has developed the Declaration of Helsinki as a statement of ethical principles for medical research involving human subjects, including research on identifiable human material and data.

The correct answer is: Helsinki declaration

Question 25

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 039
A 40 year old man has chest pain and dizziness. His bloods and ECG are normal. He is advised to take medications, fat restricted diet, exercise. This is called

Select one:

- Illness behaviour
- Illness
- Sick role
- Worried well
- Depression

Your answer is incorrect.

The concept of illness behavior was largely defined and adopted during the second half of the twentieth century. Broadly speaking, it is any behavior undertaken by an individual who feels ill to relieve that experience or to better define the meaning of the illness experience.

The correct answer is: Illness behaviour

Question 26
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 041
The first written account on ethical aspects of medicine was authored by

Select one:
- Burton
- Childress
- Hippocrates
- Charaka
- Ishaq bin Ali al-Ruhawi

Your answer is incorrect.

The first written book on medical ethics was authored by Ishaq bin Ali Rahawi. This book, called Adab al-Tabib (Conduct of a Physician), is thought to be first published in 9th century

The correct answer is: Ishaq bin Ali al-Ruhawi

Question 27
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 044
Which of the following model of reducing stigma demands equal rights and criminal responsibility for the mentally ill?

Select one:
- Disability inclusion model
- No fault approach
- Libertarian model
- Brain disease model
- Individual growth model

Your answer is incorrect.

The libertarian approach advocates equal rights with no discrimination - both positive and negative. It has the risk of inducing serial losses for the mentally ill at workplaces or courts.

The correct answer is: Libertarian model

Question 28
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 047
Tearooom Trade Study is an example of ethically controversial research practices. Which of the following was the subject of investigation in this study?

Select one:
- Response to hepatitis vaccine
- Response to injected cancer cells
- Male sexual behaviours
- Natural history of syphilis
- Female contraception

Your answer is incorrect.

During 1960s, a sociologist called Laud Humphries followed up many men who had anonymous sex in public places by tracing their number plates after falsely befriending them. The research was conducted without explicit informed consent and became a matter of debate, highlighting the important of ethics in scientific research in non-medical fields of enquiry.

The correct answer is: Male sexual behaviours

Question 29
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 048
The nurses in your ward do not like a newly admitted patient. They are angry that she is trying to split them up by giving conflicting messages at ward rounds. Which of the following phenomenon is likely?

Select one:
- Introjection
- Identification
- Elimination
- Malignant alienation
- Transference

Your answer is incorrect.

Morgan (1979) coined the term malignant alienation to describe a process characterised by a progressive deterioration in the relationship between carers (staff in a ward) and a patient, including loss of sympathy and support from members of staff, who tended to construe these patients' behaviour as provocative, unreasonable, or overdependent. In some instances, such alienation may precede suicide/ attempted suicide of the patient (Excerpt from Watts & Morgan, Br J Psychiatry. 1994 Jan;164(1):11-5. http://www.ncbi.nlm.nih.gov/pubmed/8137091)

The correct answer is: Malignant alienation

Question 30
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 049
Which of the following is not a central antipsychiatry belief?

Select one:
- Medication and hospitalisation are harmful to the individual so treated
- The scientific method cannot explain the subjective abnormalities of mental disorder as no direct observation can take place
- Mental disorder can be best explained by social, ethical and political factors
- Mind is a bodily organ and can be diseased
- The labelling of individuals as 'ill' is an artificial device used by society to maintain its stability in the face of challenge

Your answer is incorrect.

Antipsychiatry refers to the many different individuals and organizations who have criticised the consideration of psychiatry as a scientific discipline ever since it became a recognized medical specialty in the 1800s. Antipsychiatry advocates claim that psychiatry presents itself as a healing art yet actually controls behaviour deemed abnormal, irrational or socially unacceptable.

The correct answer is: Mind is a bodily organ and can be diseased

Question 31
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 050
The most common reason for doctors to be taken to the court is

Select one:
- Problems in the doctor/patient relationship
- Misuse and abuse
- Negligence
- Not obtaining informed consent
- Breaking confidentiality

Your answer is incorrect.

Negligence: This requires the plaintiff to prove three things 1. That the doctor owed a duty of care to the particular patient 2. That the doctor was in breach of the appropriate standard of care imposed by the law. 3. That the breach in duty of care caused the patient harm, meriting compensation.

The correct answer is: Negligence

Question 32
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 051
With respect to population studies, cultural analysis refers to

Select one:
- Racial profile of groups
- Norms in a group
- Beliefs among the group members
- Lingual diversity in a group
- Geographical clusters of separation

Your answer is incorrect.

Cultural analysis refers to the study of norms or behavior patterns that are typical of specific cultural groups. These norms are often passed down from generation to generation by observational learning by the groups gatekeepers - parents, teachers, religious leaders, and peers. Cultural norms include how people choose marriage partners, attitudes toward alcohol consumption, and acceptance (or rejection) of spanking children.

The correct answer is: Norms in a group

Question 33
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 053
Which of the following form the basis of official social classification in Britain?

Select one:
- Residential status
- Land ownership
- Financial status
- Educational status
- Occupational status

Your answer is incorrect.

Social class is determined by occupation, financial status (paying capacity), education, type of residence, and leisure activities. In Britain, occupational classification forms the main mode of social classification.

The correct answer is: Occupational status

Question 34
Not answered
Marked out of 1.00
Flag question

MoK Classification 051
Which personality disorder is the most likely in a 23-year-old man who is sensitive to rebuffs and avoids close contact as a result?

Select one:
- Paranoid personality disorder
- Dissocial personality disorder

- Narcissistic personality disorder
- Schizoid personality disorder
- Schizotypal disorder

Your answer is incorrect.

A pervasive distrust and suspiciousness of others such that their motives are interpreted as malevolent, beginning by early adulthood and present with (1) suspicion without sufficient basis (2) preoccupation with unjustified doubts about the loyalty or trustworthiness of friends or associates (3) reluctance to confide in others (4) reads hidden demeaning or threatening meanings into benign remarks or events (5) persistently bears grudges, i.e., is unforgiving of insults, etc.

The correct answer is: Paranoid personality disorder

Question 35
Not answered
Marked out of 1.00
Flag question

MoK Classification 052
A 28-year-old man has complained to local council numerous times about his neighbours throwing rubbish into his garden. Being vengeful, he emptied his weekly rubbish collection into their backyard before going in person to council office to make a complaint. He has always had trouble with different neighbours and has changed 9 houses in last 3 years.

Select one:
- Borderline personality disorder
- Schizotypal personality disorder
- Paranoid personality disorder
- Schizoid personality disorder
- Anankastic personality disorder

Your answer is incorrect.

Paranoid personality disorder: Suspicious of other people and their motives, hold longstanding grudges against people, believe others are not trustworthy, emotionally detached and feel other people are deceiving, threatening, or making plans against them. Tenacious sense of personal rights, excessive self-importance with self-referential nature are seen in paranoid personality disorder.

The correct answer is: Paranoid personality disorder

Question 36
Not answered
Marked out of 1.00
Flag question

MoK Classification 059
An 8 year old child present with multiple tics. Which of the following must be explored during mental state examination?

Select one:
- Presence of delusions
- Presence of formal thought disorder
- Absence of insight
- Presence of obsessions
- Psychomotor retardation

Your answer is incorrect.

Obsessions commonly accompany tics especially in children. This is particularly true if the diagnosis is Tourette's syndrome.

The correct answer is: Presence of obsessions

Question 37
Not answered
Marked out of 1.00
Flag question

MoK Classification 060
Which of the following is treated as a measurement of severity of depression in ICD 10?

Select one:
- Presence of psychomotor retardation
- Presence of somatic symptoms
- Presence of psychotic features
- History of mania
- Presence of suicidal ideas

Your answer is incorrect.

Irrespective of the total symptom count, the presence of psychotic symptoms contribute towards the classification of a depressive episode as severe.

The correct answer is: Presence of psychotic features

Question 38
Not answered
Marked out of 1.00
Flag question

MoK Classification 061
Which of the following is a type of narcissistic defences?

Select one:
- Acting out
- Repression
- Projection
- Suppression
- Splitting

Your answer is incorrect.

People with narcissistic thinking and behavior strive to defend their fragile self-esteem through projection and denial. They also use other primitive defenses.

The correct answer is: Projection

Question 39

Not answered

Marked out of 1.00

Flag question

MoK Classification 062

Select one typical feature of depressive episode with psychotic symptoms

Select one:

- Prominent affective symptoms and mood congruent delusions
- Systemised delusions
- Persecutory delusions
- Bizzare delusions
- Non prominent affective symptoms and mood congruent delusions

Your answer is incorrect.

Affective symptoms of depression are prominent, and delusions are almost always mood-congruent though the mere presence of mood incongruence need not negate a diagnosis of psychotic depression. Bizarre delusions point to schizophrenia. In mania, delusions are often fleeting and not systematized.

The correct answer is: Prominent affective symptoms and mood congruent delusions

Question 40

Not answered

Marked out of 1.00

Flag question

MoK Classification 064

In DSM IV axis 4 is a description of which of the following?

Select one:

- Psychiatric disorder
- Psychosocial functioning
- General medical health
- Personality traits
- Intellectual ability

Your answer is incorrect.

Psychosocial and environmental factors contributing to a psychiatric disorder were described in axis 4. DSM-5 has abolished the multiaxial system.

The correct answer is: Psychosocial functioning

Question 41

Not answered

Marked out of 1.00

Flag question

MoK Classification 065

A 27-year-old soldier returns from war field with distressing feelings, flashbacks, nightmares, and hypervigilance. Which of the following diagnosis is likely?

Select one:

- Generalised anxiety disorder
- Schizophrenia
- Panic disorder
- PTSD
- Dissociative disorder

Your answer is incorrect.

PTSD generally starts within six months; delayed onset is rare.

The correct answer is: PTSD

Question 42

Not answered

Marked out of 1.00

Flag question

MoK Classification 066

In comparison to DSM, ICD10 has the following features, except:

Select one:

- Includes schizotypal disorders under schizophrenia
- Has acute polymorphic psychosis as a diagnosis
- Post-psychotic depression is included under schizophrenia
- Has dissocial personality disorder as a diagnostic entity
- Requires 6 months criteria for schizophrenia

Your answer is incorrect.

ICD10 is somewhat more lenient in diagnosing schizophrenia. One month of symptom duration is enough to diagnose schizophrenia using ICD10 where as six months duration criteria is required for DSM-IV.

The correct answer is: Requires 6 months criteria for schizophrenia

Question 43

Not answered

Marked out of 1.00

Flag question

MoK Classification 067

Which of the following features validate a diagnosis of OCD when a patient presents with repetitive thoughts?

Select one:

- Thoughts spoken aloud
- Resisting the thoughts
- Possessing full control of the thoughts
- Thoughts coming from an external agent
- Repeating thoughts take a variety of new themes each day

Your answer is incorrect.

Ego dystonicity and resulting resistance is characteristic of OCD

The correct answer is: Resisting the thoughts

Question 44

Not answered

Marked out of 1.00

Flag question

MoK Classification 068

Which of the following distinguishes depressive reaction of adjustment disorder from major depressive disorder?

Select one:

- Resolution is seen within 6 months after termination of the stressor
- Symptoms develop within 1 month of the onset of the stressor
- Marked psychosocial and occupational impairment in functioning is seen
- Symptoms are distinctly different from those seen in depressive episode
- Follows a stressful life event

Your answer is incorrect.

Symptoms of adjustment disorder (depressive reaction) are phenomenologically same as those seen in depression. In both disorders, these can follow a stressful life event. But in adjustment reactions, one expects resolution of symptoms within 6 months of the cessation of the stressor.

The correct answer is: Resolution is seen within 6 months after termination of the stressor

Question 45

Not answered

Marked out of 1.00

Flag question

MoK Classification 069

A patient complains of poor sleep due to paraesthesia in her legs. The most probable diagnosis is

Select one:

- Akathisia
- Anxiety
- Periodic limb movement disorder
- Dyskinesia
- Restless leg syndrome

Your answer is incorrect.

Patients with restless legs syndrome experience tingling, burning, itching (paresthesia) or cramping of calf muscles; often relieved by moving or rubbing their legs.

The correct answer is: Restless leg syndrome

Question 46

Not answered

Marked out of 1.00

Flag question

MoK Classification 070

Who first described Bulimia Nervosa?

Select one:

- Klermann and Weissmann
- Greisinger
- Russell
- Liddle
- Crow

Your answer is incorrect.

Russell sign is a classical skin marker of induced vomiting. Russell described bulimia nervosa in 1979

The correct answer is: Russell

Question 47

Not answered

Marked out of 1.00

Flag question

MoK Classification 071

Which of the following personality disorders is not included in both ICD 10 and DSM 5?

Select one:

- Borderline
- Paranoid
- Histrionic
- Sadistic
- Schizoid

Your answer is incorrect.

Though described in the research manual, DSM does not include sadistic PD in its clinical manual. It is not included in ICD either. The DSM Research criteria describe Sadistic Personality Disorder as a pervasive pattern of cruel, demeaning and aggressive behaviour, beginning by early adulthood.

The correct answer is: Sadistic

Question 48
Not answered
Marked out of 1.00
Flag question

MoK Classification 073
Mr Wells has spent most of his life researching about a time machine. He is unmarried and has poor communication skills. He has extensive theories about extraterrestrial species. He admits to unusual experiences wherein he is able to communicate with some extraterrestrial species using clairvoyance. He is most likely to have

Select one:
- Paranoid schizophrenia
- Schizoid personality disorder
- Schizotypal personality disorder
- Cyclothymic personality
- Paranoid personality disorder

Your answer is incorrect.

This is a classical description of schizotypal disorder (a personality disorder in DSM-IV). Patients may appear odd or eccentric, may have illusions, magical thinking, obsessions without resistance, thought disorders and paranoia. Some of them are often members of quasi-cultural groups and may believe in ESP, clairvoyance, etc. They may even claim themselves to be mediums and may have transient psychotic features.

The correct answer is: Schizotypal personality disorder

Question 49
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 021
Clock drawing test can be used to detect

Select one:
- Abnormal time perception
- Episodic memory loss
- Poor attention
- Constructional dyspraxia
- Disorientation

Your answer is incorrect.

A number of cognitive, motor and perceptual functions are required simultaneously for successful completion of the clock drawing test. Visual-spatial organization (constructional praxis), memory and executive function, auditory comprehension, visual memory, motor programming, numerical knowledge, semantic instruction, inhibition of distracting stimuli, and concentration and have all been highlighted as contributing to the successful drawing of clock.

The correct answer is: Constructional dyspraxia

Question 50
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 042
A 42-year-old man presents with motor clumsiness, poor coordination and unsteadiness of gait. He is apathetic and his thinking process is slowed. He has a strong family history of similar presentations. What is the most likely diagnosis?

Select one:
- CJD
- Lewy body dementia
- Huntington's disease
- Alzheimer's dementia
- Wilson's disease

Your answer is incorrect.

A strong family history with motor disturbances in a patient with psychosis and cognitive impairment suggests Huntington's.

The correct answer is: Huntington's disease

Question 51
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 043
Which of the following is a good opening question when discussing compliance with treatment?

Select one:
- It is very important that you take your tablets
- Are you taking your tablets?
- How many times have you missed your tablets so far?
- Why are you not taking your tablets?
- Is there any difficulty with your tablets?

Your answer is incorrect.

Asking "Is there any difficulty with your tablets?" is less judgmental and least confrontational among all the other given options.

The correct answer is: Is there any difficulty with your tablets?

Question 52
Not answered

MoK Clinical Examination 046

Marked out of 1.00

Flag question

Mr Z is a 49-year-old gentleman with history of memory loss and personality changes. He also presents with wing beating tremors. The biochemical abnormality to be identified in this case would be

Select one:

- Low serum ceruloplasmin
- Low albumin
- Low serum calcium
- Low serum thyroxine
- Low serotonin

Your answer is incorrect.

The diagnosis is Wilson's disease, which is caused by copper deposits in the lenticular nuclei in the brain due to deficiency of serum ceruloplasmin. Wing beating tremors is a characteristic feature of Wilson's disease.

The correct answer is: Low serum ceruloplasmin

Question 53

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 047

A patient is suspected to have parietal damage related to a vascular lesion. Which of the following signs may be elicited in neurological examination?

Select one:

- Bitemporal hemianopia
- Homonymous hemianopia
- One sided blindness
- Upper quadrantonopia
- Lower quadrantanopia

Your answer is incorrect.

Lower homonymous quadrantanopias are usually caused by damage to the optic radiation as it passes through the parietal lobes.

The correct answer is: Lower quadrantanopia

Question 54

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 048

An anorexic patient repeatedly purges with laxatives. Which of the following is a possible complication?

Select one:

- Hyponatraemia
- None of the above
- Hyperkalaemia
- Metabolic alkalosis
- Metabolic acidosis

Your answer is incorrect.

In laxative induced diarrhoea, a large amount of bicarbonate may be lost in the stool. With normal kidneys, the lost bicarbonate is replaced effectively, and a serious base deficit does not develop. When there is poor renal blood flow due to hypovolaemia/starvation, base deficit and acidosis develop rapidly. Acidosis also results from excessive production of lactic acid when patients have severe diarrhoea.

The correct answer is: Metabolic acidosis

Question 55

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 049

Which test would you do to screen the cognitive functions of elderly at bedside?

Select one:

- MOCA
- Addenbrookes cognitive examination
- MMSE
- Mini-COG
- Clock drawing test

Your answer is incorrect.

The Mini-Mental State Examination (MMSE) is the standard screening instrument for dementia. It takes 5-10 minutes to administer. It is a brief tool used to quickly assess the cognitive functions of elderly at bedside, for grading cognitive impairment in elderly and screening for dementia.

The correct answer is: MMSE

Question 56

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 050

Read the strip of ECG shown below and identify the relevant abnormality. Blue lines indicate PR intervals. A 'P wave' is also marked in the figure.



Select one:

- Complete heart block

- Type I second degree heart block
- Mobitz type II
- Mobitz type I
- Normal ECG

Your answer is incorrect.

Mobitz type I AV block: The PR interval shows progressive lengthening until one P wave fails to be conducted and fails to produce a QRS complex. The PR interval resets to normal, and the cycle repeats. (Ref: Houghton & Gray, Making sense of the ECG. Pg 120-122)

The correct answer is: Mobitz type I

Question 57


Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 051

Read the strip of ECG shown below and identify the relevant abnormality. Blue lines indicate PR intervals. A P wave is also marked in the figure.



Select one:

- Type I second degree heart block
- Normal ECG
- Mobitz Type II
- Complete heart block
- Mobitz type I

Your answer is incorrect.

Mobitz type 2 block: If the PR interval is fixed and normal but occasionally a P wave fails to produce a QRS complex, the patient has Mobitz type 2 block. (Ref: Houghton & Gray, Making sense of the ECG. Pg 120-122)

The correct answer is: Mobitz Type II

Question 58

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 052

Choose one advantage that a MRI scan has over a CT scan of the brain:

Select one:

- MRI scan is cheaper to obtain than CT scans
- MRI scan can get multiple views of brain anatomy
- MRI scan is very useful for calcified lesions
- MRI scan can be done in emergencies
- MRI scan produces less claustrophobia

Your answer is incorrect.

Using MRI one can obtain multiple slices of different views that can be useful in analysing brain pathology in greater detail.

The correct answer is: MRI scan can get multiple views of brain anatomy

Question 59

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 053

A man was admitted with severe depression and on examination has bilateral ptosis and reduced muscle tone. Which of the following medical condition is most likely?

Select one:

- Myasthenia Gravis
- Addison's disease
- Carcinoid tumors
- Diabetes
- Hypothyroidism

Your answer is incorrect.

Myasthenia often presents with ptosis with fatigue and reduced muscle tone upon examination. The two classic features of myasthenic weakness are variability, in that weakness changes over minutes or days, or even shifts between different muscles, and fatigability, which means that the weakness worsens with repeated use and improves with rest. Many people (15-20%) who are diagnosed with myasthenia develop depression (Retrieved from http://www.neuroophthalmology.ca/textbook/disorders-of-eye-movements/iii-neuromuscular-junction/i-myasthenia-gravis).

The correct answer is: Myasthenia Gravis

Question 60

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 054

Mr. Y is a 63 year old man who presents with a dementia characterised by disinhibition, lack of concern towards others and recklessness. Which of the following language deficits is he most likely to experience first?

Select one:

- Receptive dysphasia
- Dyslexia
- Non-fluent expressive dysphasia
- Dysarthria

- Fluent expressive dysphasia

Your answer is incorrect.

In frontal lobe type of dementia the following frontal lobe behavioral abnormalities occur over time: disinhibition, impulsivity, impersistence, inertia, loss of social awareness, neglect of personal hygiene, mental rigidity, stereotyped behavior, and utilization behavior (ie, tendency to pick up and manipulate any object in the environment). These descriptions included language abnormalities such as reduced speech output, mutism, echolalia, and perseveration.

The correct answer is: Non-fluent expressive dysphasia

Question 61

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 055
Which of the following is NOT correct with regard to body language during a psychiatric interview?

Select one:

- Reduced eye contact suggests passive behaviour
- Sitting on the edge of the chair suggests anxiety
- Lack of congruent facial expression can occur in schizophrenia
- Non-invasive but direct eye contact suggests aggressiveness
- Lack of voice modulation is seen in depression

Your answer is incorrect.

Reduced eye contact may suggest passive behaviour with a lack of assertiveness, but direct eye contact does not mean aggressiveness if non-invasive. Eye contact is also subject to the cultural background of the therapist and the patient.

The correct answer is: Non-invasive but direct eye contact suggests aggressiveness

Question 62

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 056
A characteristic magnetic gait is seen in which of the following disorders?

Select one:

- Fronto-temporal dementia
- Parkinson's disease
- Lewy Body Dementia
- Normal Pressure Hydrocephalus
- Corticobasal degeneration

Your answer is incorrect.

Normal-pressure hydrocephalus is caused by a deficiency in the resorption of CSF and is responsible for 2% to 5% of all dementias. Normal-pressure hydrocephalus causes a characteristic triad of dementia, gait disturbance, and (later) incontinence. The dementia is frontal-subcortical in nature, characterized by deficits in attention, visuospatial skills, abstraction, judgment, and new learning. The gait slows, strides become shorter, and step height decreases, producing a characteristic 'magnetic gait.' Incontinence is more likely to be urinary than fecal.

The correct answer is: Normal Pressure Hydrocephalus

Question 63

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 057
'Sometimes when people are very depressed, they think of hurting themselves. Has this been true for you?' What technique is being used in this question?

Select one:

- Facilitation
- Deception
- Normalisation
- Symptom exaggeration
- Suggestion

Your answer is incorrect.

Normalisation helps in reducing guilt.

The correct answer is: Normalisation

Question 64

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 058
Which of the following features correlate well with the severity of Alzheimer's dementia?

Select one:

- Age of onset
- Number of plaques
- Size of plaques
- Family history of dementia
- Gender of the patient

Your answer is incorrect.

Nevertheless, the burden of neurofibrillary tangles is a much better correlate of severity than the burden of plaques.

The correct answer is: Number of plaques

Question 65
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 059
A patient revealed his drug dependency to you after an eye drop test failed to dilate his pupils. Which of the following drug dependency will produce this effect?

Select one:
- Cocaine
- Alcohol
- Cannabis
- Opioids
- Amphetamines

Your answer is incorrect.

It has been shown that tolerance develops to the miotic effects more than to constipation when using μ-opioid agonists. It can be readily observed that patients taking large doses of opioids over a long term do not have miotic pupils, unless they are measured in bright light or have other conditions that produce miosis. Hence, dark pupillography can be useful to study opioid dependence.Senay E, Shick J: Pupillography response to methadone challenge: Aid to diagnosis of opioid dependence. Drug Alcohol Depend 1978; 3:133-8

The correct answer is: Opioids

Question 66
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 060
Which of the following symptoms are observed secondary to hyperventilation?

Select one:
- Nystagmus
- Hyper-reflexia
- Vertigo
- Ataxia
- Paraesthesia

Your answer is incorrect.

Patients with acute hyperventilation (often in the context of panic attack in psychiatry) often present with agitation, hyperpnea and tachypnea, chest pain, dyspnea, wheezing, dizziness, palpitations, tetanic cramps (carpopedal spasm), paresthesias, generalized weakness, and syncope. They may complain of a sense of suffocation. Paresthesias occur more commonly in the upper extremity and are usually bilateral. Unilateral paresthesias are left-sided in approximately 80% of cases. Perioral numbness is very common. http://www.emedicine.com/EMERG/topic270.htm

The correct answer is: Paraesthesia

Question 67
Not answered
Marked out of 1.00
Flag question

MoK Clinical Examination 061
Which of the following is the most prominent risk factor for depression that can be identified in a clinical interview?

Select one:
- Sub-average educational achievement
- Lack of positive life events
- Anxious personality traits
- Family history of depression
- Past history of depression

Your answer is incorrect.

The most prominent factor for depression that could be identified during a clinical interview is having a past history of depression. If measured using validated scales, neuroticism could be a risk factor too, but generally cross-sectional clinical interviews are not reliable in diagnosing enduring personality traits.

The correct answer is: Past history of depression

Question 68
Not answered
Marked out of 4.00
Flag question

MoK Assessment EMI019
Delusions in clinical practice
Which one of the following descriptions below correctly refers to the psychopathological terms above?

A 34-year-old psychotic patient sees two white cars pulling up in front of his home. He is convinced that he is about to be accused of being a paedophile.	Choose...
A 40-year-old psychotic patient who believes that parts of the Bible are about him directly.	Choose...
A 33-year-old man requested admission to a hospital because he had become convinced that God had granted him the greatest possible sort of mind and that coming into contact with him would cure others of mental illnesses.	Choose...
A 34-year-old man with psychotic patient on the ward recalled being anxious and a sense of 'something about to happen' prior to his admission	Choose...

Your answer is incorrect.

Explanation:

In delusional perception, a normally perceived object is given a new meaning, usually in the sense of self-reference - the conclusion being entirely unwarranted, the perception is normal. Hence, it is a two-staged process - ordinary perception preceding the attachment of delusional significance. The percept is a real external object and not a hallucinatory experience. The only type of delusion included in Schneider's first-rank symptoms is delusional perception.

Delusions of reference are beliefs that external events or situations are arranged in such a way as to have a particular significance for or to convey a message to the affected individual. In the above scenario, the patient believes that parts of the Bible 'refer' to him directly.

Grandiose delusion is a delusional belief that one has special powers, is unusually rich or powerful or that one has an exceptional destiny. It occurs in all psychotic illnesses but particularly in manic illness.

Delusional mood refers to the sense of perplexity and uncertainty that exists during a prodrome of psychosis, usually ending in an autochthonous delusion, which will make sense of the perplexity on arrival. Delusional mood/atmosphere can precede other primary delusions. It is the only psychiatric phenomenon that can directly precede and be causally related to primary autochthonous delusions. Note that delusional mood is a specific affective experience - not a thought or an idea. This abnormal mood state is characterized by anticipatory anxiety and a sense of 'something about to happen'.

(Ref: Oxford Handbook of psychiatry-Pg 84-87)

The correct answer is: A 34-year-old psychotic patient sees two white cars pulling up in front of his home. He is convinced that he is about to be accused of being a paedophile. – Delusional perception, A 40-year-old psychotic patient who believes that parts of the Bible are about him directly. – Delusions of reference, A 33-year-old man requested admission to a hospital because he had become convinced that God had granted him the greatest possible sort of mind and that coming into contact with him would cure others of mental illnesses. – Delusions of grandiosity, A 34-year-old man with psychotic patient on the ward recalled being anxious and a sense of 'something about to happen' prior to his admission – Delusional mood

Question 69

Not answered

Marked out of 4.00

Flag question

MoK Assessment EMI027

Defence mechanisms in operation

Identify the defence mechanism used in each of the following situations:

A boy who is being bullied at school takes on the identity of Superman	Choose...
A woman is not able to recall the abuse she sustained as a child	Choose...
An idle woman who is not performing well at her job is fired. She states this is because her colleague is bad-mouthing her rather than admitting her poor performance.	Choose...
A man who was diagnosed to have cancer says, "This cannot be true... I follow a healthy lifestyle."	Choose...

Your answer is incorrect.

Explanation:

Reaction formation is the transformation of unacceptable thoughts and feelings into their opposite.

Repression refers to the process by which impulses, thoughts and memories are pushed out or excluded from the conscious mind.

Rationalization involves offering rational explanations in an attempt to justify attitudes, beliefs, or behaviour that may otherwise be unacceptable. Such underlying motives are usually instinctually determined. It often involves finding excuses that will justify unacceptable behaviours when self-esteem is threatened.

Denial is the explicit refusal to acknowledge a threatening reality. It may persist despite persistent explanation of the facts.

The correct answer is: A boy who is being bullied at school takes on the identity of Superman – Reaction formation, A woman is not able to recall the abuse she sustained as a child – Repression, An idle woman who is not performing well at her job is fired. She states this is because her colleague is bad-mouthing her rather than admitting her poor performance. – Rationalization, A man who was diagnosed to have cancer says, "This cannot be true... I follow a healthy lifestyle." – Denial

Question 70

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI029

Diagnosing neurotic disorders

Choose the correct diagnosis for each of the following clinical situations;

The medical teams have reviewed a woman several times over four years for symptoms of abdominal pain and shortness of breath. No organic cause has ever been found	Choose...
A man presents with low mood and anhedonia. He also has fatigue, poor sleep and headache	Choose...
A man presents with an abscess in his left groin. He requires constant reassurance from the nursing staff. A member of the night staff observes him injecting from a soiled syringe into the area adjacent to the abscess.	Choose...

Your answer is incorrect.

Explanation:

Case 1: It is a case of somatisation, which is the experience of bodily symptoms with no, or no sufficient, physical cause for them, with presumed psychological causation.

Case 2: This man has core features of depression such as low mood, anhedonia and low energy levels.

Case 3: It is a case of factitious disorder in which a person deliberately produces, feigns, or exaggerates symptoms.

The correct answer is: The medical teams have reviewed a woman several times over four years for symptoms of abdominal pain and shortness of breath. No organic cause has ever been found – Somatisation, A man presents with low mood and anhedonia. He also has fatigue, poor sleep and headache – Moderate depressive episode, A man presents with an abscess in his left groin. He requires constant reassurance from the nursing staff. A member of the night staff observes him injecting from a soiled syringe into the area adjacent to the abscess. – Factitious disorder

Question 71

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI034

Diagnosing culture-bound syndromes

For each of the descriptions given below chose one most appropriate culture-bound syndrome as a diagnosis from the list above

A 32-year-old Greek woman presents with extreme sorrow, nausea, insomnia and fatigue	Choose...
A 44-year-old Mexican woman presents feeling despondent with involuntary tics and diarrhoea since her husband met with a sudden death in her presence	Choose...
A 22-year-old Nepalese man presents with the fear that he is losing semen in the urine. He describes symptoms suggestive of Urinary Tract infection along with tiredness.	Choose...

Your answer is incorrect.

Explanation:

Nerfiza (also called as nerves, nevra, and nervios) is seen in Egypt, northern Europe, Greece, Mexico, Central and South America. It involves recurrent or unremitting episodes of despair often with anxiety, and a plethora of somatic complaints including headaches, sluggishness, gastrointestinal intolerance, sleeplessness, fatigue and in some cases, psychomotor agitation. The syndrome is more common in women than in men.

Susto (also called as espanto) is seen in Mexico, Central and South America. It has a highly diverse presentation all of which are considered to be related to loss of one's soul that follows a severe fright reaction involving supernatural beliefs. In some cases, individuals may be stricken when others suffer a fright/sudden death. Symptoms include agitation, anorexia, insomnia, fever, diarrhoea, mental confusion and apathy, depression and introversion.
Ref: Christmas, D. Culture Specific Disorders, http://old.trickcyclists.co.uk/pdf/Culture_Specific_Disorders.PDF (accessed April 21, 2015).

The correct answer is: A 32-year-old Greek woman presents with extreme sorrow, nausea, insomnia and fatigue – Nerfiza, A 44-year-old Mexican woman presents feeling despondent with involuntary tics and diarrhoea since her husband met with a sudden death in her presence – Susto, A 22-year-old Nepalese man presents with the fear that he is

losing semen in the urine. He describes symptoms suggestive of Urinary Tract infection along with tiredness. – Dhat syndrome

Question 72
Not answered
Marked out of 5.00
Flag question

Mok Assessment CXEMI038

Subtypes of OCD
A 35-year-old gentleman has been diagnosed with Obsessive Compulsive Disorder (OCD). He enquires about the various forms of this illness.

1. Which one symptom-based subtype confers a higher genetic risk to first-degree relatives? [ ]

2. Which two types predict a poor response to treatment with SSRI antidepressants? [ ] [ ]

3. Which two types predict a poor response to CBT? [ ] [ ]

Explanation: Symmetry/ordering rituals tend to be chronic and confers a higher genetic risk on first-degree relatives.Sexual/religious obsessional thoughts and hoarding rituals predict a poor response to SSRIs and CBT. Compulsive hoarding may be a neurobiologically distinct form of obsessive-compulsive disorder. Hoarding is notoriously difficult to treat by either psychological or pharmacological means.

The correct answer is:
Which one symptom-based subtype confers a higher genetic risk to first-degree relatives? - Symmetry/ordering rituals,

Which TWO types predict a poor response to treatment with SSRI antidepressants?- Sexual/religious obsessional thoughts, Hoarding rituals,

Which TWO types predict a poor response to CBT? - Sexual/religious obsessional thoughts, Hoarding rituals

Question 73
Not answered
Marked out of 6.00
Flag question

Mok Assessment CXEMI039

Catatonic signs
From the above list chose the most appropriate terms describing each of the following clinical observations;

1. A patient moves his arm on slightest pressure regardless of any instruction given [ ]

2. Despite being asked to comply with, a patient resists with same pressure an attempt to move his arm. [ ]

3. When asked to put out his hand, a patient extends, withdraws and then extends his hand repeatedly for 23 times before allowing it to rest on the examiner's hand.
[ ]

4. On hearing a sudden noise, a patient feels that his knees are buckling. He falls and hurts himself. [ ]

5. A patient allows his arms to be manipulated freely without much resistance and maintains the posture in which the examiner leaves him for few minutes. (TWO)
[ ] [ ]

Explanation:

Mitgehen or "angle-poise lamp" sign: The patient yields to slightest of pressures, without much resistance, similar to an angle-poise lamp that bends easily. This happens even if the patient is instructed to resist any manipulation.

Gegenhalten is a milder form of resistance/negativism. Patients with negativism resist or oppose all passive movements attempted by the examiner. A mild form of this resistance is Gegenhalten or opposition.

In ambitendency, the patient makes a series of tentative, opposing alternate movements that do not reach the intended goal. This becomes evident when the patient is asked to carry out a motor act. Ambivalence is the inability to make a decision - a dilemma of volition.

Cataplexy is the abrupt loss of muscle tone resulting in a collapse. It occurs following emotional stress in patients with narcolepsy.

In catalepsy the patient's limbs can be passively moved to any posture which will then be held for prolonged periods of time. It is also called as waxy flexibility (flexibilitas cerea) here the patient shows wax-like plastic 'mouldable' quality. His limbs can be moved by the examiner to occupy certain postures, which are then maintained, even if these are uncomfortable and bizarre.

The correct answer is:
A patient moves his arm on slightest pressure regardless of any instruction given- Mitgehen,

Despite being asked to comply with, a patient resists with same pressure an attempt to move his arm.- Gegenhalten,

When asked to put out his hand, a patient extends, withdraws and then extends his hand repeatedly for 23 times before allowing it to rest on the examiner's hand.- Ambitendency,

On hearing a sudden noise, a patient feels that his knees are buckling. He falls and hurts himself - Cataplexy,

A patient allows his arms to be manipulated freely without much resistance and maintains the posture in which the examiner leaves him for few minutes. (TWO) - Catalepsy, Waxy flexibility

Question 74
Not answered
Marked out of 5.00
Flag question

Mok Assessment EMI040
Drug Detection in Urine
How long could each of the following drugs be detected in urine?

Cannabis (chronic user)	Choose...
Cocaine	Choose...
Amphetamine	Choose...
Heroin	Choose...
Methadone	Choose...

Your answer is incorrect.

Explanation: Occasional use of cannabis could be detected in urine for up to 3 days. High daily use for long time would last up to 4 weeks. The cocaine could be found in urine for 6-8 hours; metabolites found up to 2-4 days. The half-life of methadone is longer than heroin and could be detected for three days or more in the urine.

The correct answer is: Cannabis (chronic user) – 28 days, Cocaine – 6-8 hours, Amphetamine – Up to 48 hours, Heroin – 1-3 days, Methadone – 3 days or more

Question 75

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI037

Supportive techniques

For each of the following examples, identify the type of supportive techniques aimed at eliciting information

I note that these side effects are rather inconvenient for you. But you have shown some notable improvement, and if you continue with the treatment it is likely that you will achieve sustained response. — Choose...

I can see that you look anxious and upset when talking about those voices — Choose...

You have been through a lot. I am impressed at how you have hung in there and you must be a strong person — Choose...

Your answer is incorrect.

Explanation: Reassurance: Used to instil positive hope and avoid or reduce despair. Must not be falsely reassuring. Acknowledgement of affect: Making a remark about patient's affect can facilitate disclosure.Statement of respect: Affirmative statements (must be genuine and appropriate) indicating respect and dignity along with positive reinforcement. Ref: Adapted from Kay J & Tasman A. Essentials of Psychiatry, 2nd edition, 2006. John Wiley & Sons, Ltd.

The correct answer is: I note that these side effects are rather inconvenient for you. But you have shown some notable improvement, and if you continue with the treatment it is likely that you will achieve sustained response. – Reassurance, I can see that you look anxious and upset when talking about those voices – Acknowledgment of affect, You have been through a lot. I am impressed at how you have hung in there and you must be a strong person – Statement of respect

Finish review