Mock Paper A(1)

Started on	Thursday, 21 June 2018, 8:20 AM
State	Finished
Completed on	Thursday, 21 June 2018, 8:21 AM
Time taken	20 secs
Grade	**0.00** out of 100.00

Question 1
Not answered
Marked out of 1.00
Flag question

MoK Classification 083
Which of the following is a correct statement concerning adjustment disorders?

Select one:
- A stressful life event is not a core feature
- It does not include abnormal grief reactions
- It lasts for about 2 years
- The onset is usually within one month of a stressful life event
- Agitation and dissociation is an important feature

Your answer is incorrect.

Adjustment disorders are conceived of as developing in response to a variety of causal stressful events within a month, the symptoms representing an adaptation to these stressors or their continuing effects. The ICD-10 states that the diagnosis depends on a careful evaluation of the relationship between form, content and severity of symptoms; previous history and personality; and stressful event, situation or life crisis. The latter should be established clearly before the diagnosis can be made, and there should be strong presumptive evidence that the disorder would not have arisen without it.

The correct answer is: The onset is usually within one month of a stressful life event

Question 2
Not answered
Marked out of 1.00
Flag question

MoK Classification 084
A 32-year-old man wants to have a surgical operation to look like a woman. The most likely clinical diagnosis is

Select one:
- Dual role transvestism
- Transexualism
- Egodystonic homosexuality
- Body dysmorphophobia
- Fetishistic transvestism

Your answer is incorrect.

This man has a desire to 'appear like a woman'. This is a telltale feature of transsexualism. In transvestism, cross-dressing is episodic and occurs without a desire to have surgery and other extreme measures to correct sex. Fetishistic transvestites experience sexual arousal.

The correct answer is: Transexualism

Question 3
Not answered
Marked out of 1.00
Flag question

MoK Classification 085
Which of the following statements about REM sleep behavioural disorder is incorrect?

Select one:
- It can precede the diagnosis of a movement disorder by several years.
- The episodes arise during the middle to latter third of the night during REM sleep
- Treatment with carbamazepine has been shown to be effective
- It is associated with disorders such as Parkinson's disease
- There is no loss of muscle tone and the dreams are acted as complex behaviours.

Your answer is incorrect.

Normally REM sleep is associated with a loss of muscle tone and dreaming. In RBD, there is no loss of muscle tone, and the dreams are acted as complex behaviours. Patients act out their dreams, with limited awareness of surroundings. The episodes arise during the middle to the latter third of the night during REM sleep. It may occur idiopathically. It is associated with disorders such as Parkinson's disease, diffuse Lewy body disease, multiple system atrophy and Gullian-Barre syndrome. RBD may be the prodrome of neurodegenerative diseases, such as DLB or Parkinson disease. It can precede the diagnosis of a movement disorder by several years. It is likely that the associated lesions are situated in the brainstem. Treatment with clonazepam has been shown to be effectiv.

The correct answer is: Treatment with carbamazepine has been shown to be effective

Question 4
Not answered
Marked out of 1.00

MoK Classification 086
Select one atypical feature of schizophrenia

Flag question

Select one:

- Bizarre delusions
- Mood-congruent delusions
- Systematised delusions
- Mood-incongruent delusions
- Visual but not auditory hallucinations

Your answer is incorrect.

This is a tricky question. Almost all the listed symptoms have been recognized in schizophrenia. But presenting with visual hallucinations in the absence of auditory hallucinations is rare and must lead to further diagnostic evaluation to rule out organic causes.

The correct answer is: Visual but not auditory hallucinations

Question 5

Not answered

Marked out of 1.00

Flag question

MoK Classification 087

An 8-year-old child presents with multiple tics. Which of the following is a diagnostic feature of Tourette's syndrome?

Select one:

- Coprophagia
- Glossolalia
- Vocal tics
- Inattention
- All of the above

Your answer is incorrect.

Inattention may accompany Tourette's but it is not a diagnostic feature.

The correct answer is: Vocal tics

Question 6

Not answered

Marked out of 1.00

Flag question

MoK Classification 088

The original term that described disorganized schizophrenia as a specific diagnostic entity was coined by

Select one:

- Freud
- Pinel
- Morel
- Hecker
- Sullivan

Your answer is incorrect.

Hecker coined the term hebephrenia, which predates the DSM concept of disorganized type.

The correct answer is: Hecker

Question 7

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 072

You refer to something the patient said earlier in the interview to move to a new topic. This is called

Select one:

- Sudden transition
- Smooth transition
- Referred transition
- Distraction technique
- Introduced transition

Your answer is incorrect.

Referred transition is often used to 'come back' to a topic of importance during a clinical interview.

The correct answer is: Referred transition

Question 8

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 077

SPECT stands for which of the following?

Select one:

- Single proton emission computerised tomography
- Single positron emission computerised tomography
- Serially produced electronic computerised tomography

- Serially produced electro convulsive therapy
- Single photon emission computerised tomography

Your answer is incorrect.

Single-photon emission computed tomography (SPECT) is a nuclear tomographic imaging technique that uses gamma rays.

The correct answer is: Single photon emission computerised tomography

Question 9

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 078

Which of the following features is not commonly associated with Parkinson's disease?

Select one:

- Rigidity
- Visual hallucinations
- Bradykinesia
- Spinal flexion
- Postural instability

Your answer is incorrect.

Hallucinations are seen in nearly 40% of patients with Parkinson's Disease (PD), and fall into three categories: minor forms, consisting of a sensation of a presence (person), a sideways passage (commonly of an animal) or illusions in 25.5% of the patients, formed visual hallucinations in 22.2% and auditory hallucinations were present in 9.7%. (Ref: Fenelon et al., Brain (2000) 123 (4): 733-745.). The estimated prevalence of orthostatic hypotension in PD is 30%. (Ref: Velseboer et al. Parkinsonism Relat Disord. 2011;17(10):724-9.) Camptocormia is the extreme forward flexion of the spine associated with dystonia, Tourette syndrome, amyotrophic lateral sclerosis, and PD. While initially thought to be a rare manifestation of PD, recent estimates of the prevalence of camptocormia in patients with PD vary from 3-12%, making it a relatively uncommon feature of PD. (Ref: Ashour R, Jankovic J. Mov Disord 21:1856-1863, 2006)

The correct answer is: Spinal flexion

Question 10

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 079

A 35 year old man presents with high blood pressure, rapid pulse and a moist warm skin. His speech is pressured and on examination he has a fine tremor and hyperreflexia. Which of the following drugs has he taken?

Select one:

- Alcohol
- Stimulant
- Opiate
- Hallucinogen
- Inhalant

Your answer is incorrect.

Stimulants are substances that induce a number of characteristic symptoms. CNS effects include alertness with increased vigilance, a sense of well-being, and euphoria. Many users experience insomnia and anorexia, and some may develop psychotic symptoms. Stimulants have peripheral cardiovascular activity, including increased blood pressure and heart rate.

The correct answer is: Stimulant

Question 11

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 080

A 55-year-old businessman presents with headache, poor concentration, memory loss of a fluctuating nature, with unequal pupils and mild papilloedema on examination. The most likely diagnosis is

Select one:

- Sub-dural haematoma
- Dementia
- Migraine
- Sub-arachnoid haemorrhage
- Motor neurone disease

Your answer is incorrect.

Subarachnoid haemorrhage generally present more acutely with signs of increased intracranial tension and focal neurological deficits. Chronic SDH (male: female 2:1) is commonly seen in elderly, alcoholics, usually after a mild head injury with average time between the occurrence of the head trauma and the diagnosis of chronic SDH is 4-5 weeks. The presentation is often insidious, with decreased level of consciousness, headache, difficulty with gait or balance, memory loss, mild motor deficits (e.g., hemiparesis) and headache (especially in younger patients).

The correct answer is: Sub-dural haematoma

Question 12

Not answered

Marked out of 1.00

MoK Clinical Examination 081

Which one of the following is an appropriate test for orientation?

Select one:

Flag question

- Recalling a name and an address
- Knowing today's date
- Subtracting serial 7s from 100
- Knowing the role of the interviewer
- Drawing a clock face

Your answer is incorrect.

Orientation is usually assessed to time, place and person; it is not particularly sensitive, and intact orientation does not exclude a significant memory disorder, particularly if there is concern about memory from an informant. Time orientation is the most helpful and should include the time of day. Many normal people do not know the exact date, and being out by two days or less is considered normal when scoring this formally.

The correct answer is: Knowing today's date

Question 13

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 082

In a malnourished patient with long standing alcohol use, which of the following complications could worsen on immediate refeeding with a glucose rich infusion?

Select one:

- Sodium depletion
- Thiamine deficiency
- Alcoholic hepatitis
- Pancreatitis
- Hypoglycaemia

Your answer is incorrect.

Thiamine should always be administered prior to glucose infusion because glucose metabolism may rapidly deplete patients' thiamine reserves in cases of long-standing poor nutrition.

The correct answer is: Thiamine deficiency

Question 14

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 083

During psychiatric assessment the best time to carry out an examination of a patient's mental state is

Select one:

- Throughout the interview
- Immediately before discussing diagnosis
- During follow up contact with the patient
- Immediately after presenting complaints
- Immediately after physical examination

Your answer is incorrect.

Mental state examination takes place throughout the clinical interview.

The correct answer is: Throughout the interview

Question 15

Not answered

Marked out of 1.00

Flag question

MoK Clinical Examination 084

A 46-year-old woman has depression not responding to antidepressants. She is constipated and has gained weight. Which one is the best screening test for detecting subclinical hypothyroidism?

Select one:

- T4 measurement
- T3 measurement
- Thyroid antibody test
- Thyroid stimulating hormone assay
- Thyroid scan

Your answer is incorrect.

The best screening test for detecting subclinical hypothyroidism is an assay of TSH hormone levels.

The correct answer is: Thyroid stimulating hormone assay

Question 16

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 049

Which of the following supports a diagnosis of schizophrenia rather than mania?

Select one:

- Hearing voices telling the patient that he is 'powerful'
- Perception of colours as vivid

- Visual hallucinations of small animals
- Hyperacusis
- Hearing voices originating inside the body

Your answer is incorrect.

Coenaesthetic hallucinations (that emanate from body parts) are suggestive of schizophrenia

The correct answer is: Hearing voices originating inside the body

Question 17

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 056

Choose the most correct statement about the phenomenon of depersonalization seen in several psychiatric disorders?

Select one:

- It is easily distinguished from derealisation
- Insight is often impaired
- It is an objective experience
- It is associated with an unpleasant emotional state
- It is not experienced by people without any mental health issues

Your answer is incorrect.

Depersonalization is an unpleasant subjective experience where the patient feels as if they have become 'unreal'. It is a non-specific symptom occurring in many psychiatric disorders as well as in healthy people during periods of fatigue, stress, etc.

The correct answer is: It is associated with an unpleasant emotional state

Question 18

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 070

Obsessional slowness is common in which of the following types of obsessions?

Select one:

- Washing obsessions
- Obsession of symmetry
- Cleaning obsessions
- Religious obsessions
- Obsessions of contamination

Your answer is incorrect.

An obsessive need for symmetry and exactness and a compulsion to sort and arrange results in slowness.

The correct answer is: Obsession of symmetry

Question 19

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 071

A 24-year-old man says 'My nurse needlebottoms me weeks'. He is exhibiting

Select one:

- Paragrammatism
- Parapraxis
- Tangentiality
- Neologism
- Vorbeireden

Your answer is incorrect.

Paragrammatism refers to constructing sentences where words are jumbled giving rise to grammatically incorrect, but still meaningful sentences.

The correct answer is: Paragrammatism

Question 20

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 072

During ward rounds, a psychotic patient was enquired about his appetite and dietary intake. He described a good appetite but referred to his stomach as a 'Food vessel'. What kind of speech disorder is this?

Select one:

- Echolalia
- Paraphasia
- Neologisms
- Perseveration
- Verbigeration

Your answer is incorrect.

Paraphasia are called as 'word approximations'. These are normal words that are used in an unconventional or distorted way but the derivation can be understood, even if bizarre. Neologisms are newly formed words or phrases whose derivation cannot be understood. These are created to express a concept for which the subject has no dictionary word.

The correct answer is: Paraphasia

Question 21

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 073

An elderly woman believes that her neighbours enter her flat at night through the bathroom wall. This phenomenon is known as

Select one:

- Extracampine hallucination
- Doppelganger effect
- Capgras delusion
- Functional hallucination
- Partition delusion

Your answer is incorrect.

A partition delusion is the belief that people, objects or radiation can pass through what would normally constitute a barrier to such passage. These delusions have been reported to be common in late paraphrenia and late-onset schizophrenia.

The correct answer is: Partition delusion

Question 22

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 074

The most common type of delusion in delusional misidentification is

Select one:

- Jealousy
- Love
- Persecutory
- Reference
- Grandiose

Your answer is incorrect.

Delusional misidentification syndromes seldom appear as independent psychiatric features. They generally occur in association with other psychiatric disorders (60% to 75% of cases) or organic illnesses (25% to 40% of cases). The most common psychiatric diagnoses are paranoid schizophrenia, schizoaffective psychosis, and bipolar disorder. The clinical presentation is markedly paranoid, with intense suspiciousness. Misidentification syndromes are more frequent in females (75%). Age of onset varies from 12 to 78, with an average in the early 40's. In more than 80% of patients, the onset is after the age of 30. Family history of psychosis is reportedly present in 50% of patients. (Ref: Jocic, M. D. "Delusional misidentification syndromes." Jefferson Journal of Psychiatry 10.1 (2011): 4)

The correct answer is: Persecutory

Question 23

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 075

For every question in MMSE, a patient keeps giving the same answer 'Newcastle upon Tyne', which was the right answer for the first question regarding the city where she lives. She is exhibiting

Select one:

- Perseveration
- Metonymy
- Stereotypy
- Logorrhea
- Logoclonia

Your answer is incorrect.

Perseveration is defined as the contextually inappropriate and unintentional repetition of a verbal response or a motor behaviour.

The correct answer is: Perseveration

Question 24

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 077

A man saw a young girl in a pub and has repeated images of her all the time. He wonders why he gets these images so often and says that he never experienced any such thing before, even though it is enjoyable. This phenomenon is best termed as

Select one:

- Obsessive imagery
- Compulsions
- Eidetic imagery
- Flashback

- Preoccupation

Your answer is incorrect.

Pleasurable repetitions are unlikely to be obsessions

The correct answer is: Preoccupation

Question 25

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 078

A 46-year-old man suddenly believes that his wife is unfaithful to him. He arrived at this conclusion following seeing a blue car. This is a

Select one:

- Secondary delusion
- Delusional mood
- Delusions of love
- Primary delusion
- Erotomania

Your answer is incorrect.

According to Jaspers, primary delusions (sometimes called true delusions) are distinguished by a transformation of meaning, so that the world, or aspects of it, are interpreted in a radically different way by the delusional person. To others, this interpretation is 'un-understandable' in terms of the normal mental causality, mood, environmental influences and other psychological or psychopathological factors. Jaspers describes four types of primary delusion which includes delusional perception as described in this case.

The correct answer is: Primary delusion

Question 26

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 079

Which of the following is true regarding sensory deprivation?

Select one:

- Achieved by rendering stimuli patternless and meaningless
- Achieved using translucent goggles
- Prolonged sensory deprivation causes perceptual abnormalities
- Achieved using continuous white noise
- Prolonged sensory deprivation causes a sensation of euphoria

Your answer is incorrect.

Sensory deprivation must be differentiated from perceptual deprivation. In the former no sensations are allowed to be experienced by the subject; in the latter, sensations are experienced but in a form that is not conducive to form full perceptions e.g. continuous white noise, translucent goggles etc which render the stimuli patternless or meaningless. Prolonged sensory deprivation can cause perceptual errors and a sense of intense dysphoria.

The correct answer is: Prolonged sensory deprivation causes perceptual abnormalities

Question 27

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 080

Repeated grandiose lies of a patient who seems to believe in his own untruthful statements is best described as

Select one:

- paramnesia
- cryptamnesia
- pseudologia fantastica
- malingering
- confabulation

Your answer is incorrect.

Pseudologia fantastica is typified by these characteristics: (1) the stories are not entirely improbable and are often built upon a matrix of truth; (2) the stories are enduring; (3) the stories are not told for personal profit per se and have a self-aggrandizing quality; and (4) they are distinct from delusions in that the person, when confronted with facts, can acknowledge these falsehoods (King (2007) Pseudologia fantastica. Retrieved from http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0447.1988.tb05068.x/).

The correct answer is: pseudologia fantastica

Question 28

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 081

A man recalled seeing a red train when he was a child. He then added seeing his dad buying tickets on the other side of the platform. He reported that this was the last time he remembered seeing his dad. This phenomenon is called

Select one:

- Retrospective falsification
- Recollection
- Registration

- Confabulation
- Recognition

Your answer is incorrect.

The reintegration of a complete event from a variety of different components (or scenes) is called recollection.

The correct answer is: Recollection

Question 29

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 082
The fundamental psychopathology in a Capgras delusion is

Select one:

- Doppelganger
- Confabulation
- Dissociative amnesia
- Delusional perception
- Reduplicative paramnesia

Your answer is incorrect.

Capgras syndrome may be a form of reduplicative paramnesia (RP), a misidentification phenomenon where the individual believes in or experiences simultaneous duplication of a place, a person, or even one's self. Capgras and RP may have the same pathologic substrate (http://www.ncbi.nlm.nih.gov/pubmed/571979)

The correct answer is: Reduplicative paramnesia

Question 30

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 083
A 43-year-old man presents with symptoms of mania associated with grandiose delusions. What type of delusions are the most common in mania?

Select one:

- Autochthonous delusion
- Primary delusion
- Secondary delusion
- Delusional mood
- Delusional memory

Your answer is incorrect.

Primary delusions are the direct result of psychopathology while secondary delusions can be understood as having arisen in response to other primary psychiatric conditions (E.g. a manic patient developing delusions of grandiosity, or a depressed patient developing delusions of poverty, a patient with dementia developing a delusion that people are stealing from their house and moving items, etc.)

The correct answer is: Secondary delusion

Question 31

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 006
A 34 year old man who has a significant conflict with his partner has the following thoughts in the unconscious and the conscious level. "I hate him" (unconscious); "I don't hate him" (conscious). This refers to which of the following defence mechanisms?

Select one:

- Projection
- Reaction formation
- Paranoia
- Sublimation
- Denial

Your answer is incorrect.

Denial is the defence mechanism by means of which any aspect of reality, e.g., forbidden thoughts, is actively denied. With this defence mechanism, 'I hate him' becomes 'I don't hate him.'

The correct answer is: Denial

Question 32

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 007
A man with bilateral below knee amputation comes to vascular clinic but continues to talk about weather instead of his illness. The most likely defence mechanism employed is

Select one:

- Denial
- Splitting
- Reaction formation
- Projection

Displacement

Your answer is incorrect.

Denial is a refusal to accept external reality because it is too threatening - this is commonly used by people with severe physical illnesses.

The correct answer is: Denial

Question 33

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 008
Which of the following ego defence mechanism has been put forth as an explanation for phobia?

Select one:

- Denial
- Intellectualization
- Reaction formation
- Splitting
- Displacement

Your answer is incorrect.

Freud invoked the mechanism of displacement to explain the fear of horses in Little Hans. The fear of his father was displaced on to horses.

The correct answer is: Displacement

Question 34

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 009
A patient involuntarily admitted in a psychiatric ward always shouts at the new cleaner on the ward, but does not show his anger towards the doctor or social worker who committed him to the hospital. The most likely defence mechanism employed here is

Select one:

- Displacement
- Reaction formation
- Denial
- Projection
- Splitting

Your answer is incorrect.

Displacement is the redirecting of thoughts feelings and impulses from an object that gives rise to anxiety to a safer, more acceptable one. Being angry at the boss and kicking the dog can be an example of displacement.

The correct answer is: Displacement

Question 35

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 010
Identify the neurotic defence mechanism among the following options:

Select one:

- Acting out
- Sublimation
- Projection
- Intellectualisation
- Splitting

Your answer is incorrect.

Intellectualisation, repression, displacement, reaction formation, and dissociation are called neurotic defences.

The correct answer is: Intellectualisation

Question 36

Not answered

Marked out of 1.00

Flag question

MoK Dynamic Psychopathology 011
Which of the following defence mechanisms is thought to be related to the expression of paranoia?

Select one:

- undoing
- denial
- Projection
- reaction formation
- isolation

Your answer is incorrect.

The psychoanalytic understanding of paranoia was initiated by Freud, who linked the defence mechanism of projection to the paranoid personality. Via projection, the paranoid person defends against unacceptable impulses, especially hate and aggression, which are also related to paranoid defiance.

The correct answer is: Projection

Question 37
Not answered
Marked out of 1.00
Flag question

MoK Dynamic Psychopathology 012
A 34 year old man who has a significant conflict with his partner has the following thoughts in the unconscious and the conscious level. "I hate him" (unconscious); "He hates me" (conscious). This refers to which of the following defence mechanisms?

Select one:
- Paranoia
- Reaction formation
- Denial
- Projection
- Sublimation

Your answer is incorrect.

Projection is the process through which unacceptable impulses are at once denied and attributed to someone else or to something in the environment. Thus, in projection, 'I hate him' is converted into 'he hates me.'

The correct answer is: Projection

Question 38
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 071
There is no processing involved in which of the following types of memory?

Select one:
- Recent memory
- Short term memory
- Sensory memory
- Remote memory
- Long term memory

Your answer is incorrect.

Sensory memory: This is modality specific, has a large capacity but gets disrupted by an inflow of new information in the same modality. Each sense has its own sensory memory e.g. iconic (visual), echoic (auditory), etc. Iconic lasts for 0.5 seconds while echoic lasts for 2 seconds. No processing is involved in sensory memory. Information that is attended to is transferred to short-term memory store, and information that is not selected for processing is rapidly lost.

The correct answer is: Sensory memory

Question 39
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 072
All are examples of secondary drive except

Select one:
- Dominance
- Comfort
- Achievement
- Sex
- Socialization

Your answer is incorrect.

Drives refer to purposeful activity initially produced to satisfy an internal need. Drives are commonly divided into primary and secondary drives. Examples of primary drives include eating, drinking, sex, etc. The examples of secondary drives include affection, Comfort, Achievement, Dominance and Socialization. The secondary drives acquire their values through their association with primary drives and often through a social learning process.

The correct answer is: Sex

Question 40
Not answered
Marked out of 1.00
Flag question

MoK Basic Psychology 073
A child received generous praise from her parents every time when she wrote a letter of the alphabet. She was praised more when she managed to write a full word. She was rewarded more generously when she wrote a sentence. Which of the following reinforcement is taking place?

Select one:
- Incubation
- Negative reinforcement
- Covert reinforcement
- Shaping
- Sensitisation

Your answer is incorrect.

Shaping is an operant conditioning method for producing an entirely new behaviour by using rewards to guide an organism toward a desired behaviour (called Successive Approximations). The organism is rewarded with each small advancement in the right direction.

The correct answer is: Shaping

Question 41

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 074

A rat is positively reinforced by food pellets for each of the closer and closer approximations, such as approaching a bar or lever, rising upon hindlegs, putting front paws on bar, and pressing the bar. This process is best described as

Select one:

- Chaining
- Classical conditioning
- Shaping
- Operant conditioning
- Systematic desensitization

Your answer is incorrect.

Shaping is a reinforcement and learning process where a series of successive responses that approximate the desired response are reinforced until the desired response is learned. It is basically an operant conditioning procedure and was originally developed using the bar-pressing response of rats as the act to be learned. The rat was positively reinforced for each of the closer and closer approximations, such as approaching the bar, rising upon hind legs, putting front paws on the bar (lever), and pressing the bar. This is also known as the successive approximation shaping procedure. A discriminative stimulus can also be introduced, such as pressing the bar only when a certain light is on so that the animal will learn not to press the bar except when the light is on.

The correct answer is: Shaping

Question 42

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 075

Lucy is learning to write. Her father praises her for holding the pencil correctly, then for scribbling something on a piece of paper and writing something vaguely which resembles like a letter. The learning theory principle employed here is;

Select one:

- Chaining
- Positive reinforcement
- Shaping
- Stimulus generalization
- Stimulus discrimination

Your answer is incorrect.

Shaping, is a teaching technique by which a child is rewarded for a successful approximation of a target skill. If a child is learning to write his or her name, say "Alex," a teacher would shape the responses by starting with the letter A and providing the other letters: _lex. The next step would be perhaps for the child to write the first and last letters independently. The process would continue until the child can write his name independently.(Webster J, 2008. Retrieved from http://specialed.about.com/od/glossary/g/shaping.htm)

The correct answer is: Shaping

Question 43

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 076

The process of reinforcing gradually closer approximations to the desired behaviour is called as

Select one:

- Avoidance
- Chaining
- Escape behaviour
- Forward chaining
- Shaping

Your answer is incorrect.

Shaping is achieved by reinforcing gradually closer approximations to the desired behaviour. In chaining techniques, complex behaviour is broken down into a series of steps. Each step is then learnt individually, and the steps are linked together. These are used to teach behavioural skills to the learning disabled. Forward chaining can be used to teach toilet training.

The correct answer is: Shaping

Question 44

Not answered

Marked out of 1.00

Flag question

MoK Basic Psychology 077

Who proposed the two-factor theory of intelligence?

Select one:

- Lazarus
- James-Lange
- Sternberg

- Spearman
- Maslow

Your answer is incorrect.

The two-factor theory of intelligence was postulated by Spearman. Spearman carried out a factor analysis of the result of children's performance on a number of tests and concluded that all tests measured both a common factor of general intelligence (g) and a specific factor (s). He believed that individual differences were due to differences in g. According to Sternberg, component intelligence is used for executive tasks and experiential intelligence is used for routine tasks that have already been learnt or mastered.

The correct answer is: Spearman

Question 45
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 052
Which of the following pertains to human research ethics?

Select one:
- Birmingham code
- NICE Guidelines
- Newcastle declaration
- Nuremberg code
- None of the above

Your answer is incorrect.

The interest in research ethics was stimulated by the atrocities committed during Second World War. Numerous unethical experiments including forceful sterilization, treacherous poisoning, inducing malaria and typhus, high-altitude experiments and severe dehydration were conducted by Nazi doctors on prisoners at concentration camps. A series of trials took place at Nuremberg following the world war and a code for human experimentation was set up. This is popularly called as Nuremburg code

The correct answer is: Nuremberg code

Question 46
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 058
Which of the following culture bound syndromes literally means 'nerve weakness'?

Select one:
- Shenjing shuairuo
- Dhat
- Mal de mojo
- Koro
- Boufee delirante

Your answer is incorrect.

Shenjing shuairuo is a culture-bound syndrome seen in China. Literally means "nerve weakness." Symptoms include - chronic fatigue, dizziness, headaches, sleep difficulties, nonspecific, and multiple somatic complaints. These conditions are likely related to depression, anxiety, fibromyalgia, chronic fatigue, and irritable bowel syndromes.

The correct answer is: Shenjing shuairuo

Question 47
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 059
Social role valorisation is best described as

Select one:
- Loss of social role with advancing age
- An illness behaviour
- The basis of human interaction within a cost benefit framework
- A concept opposite to normalisation
- Social acceptance of people with disabilities without devaluation

Your answer is incorrect.

Social role valorisation is best described as a concept formulated in 1983 by Wolf Wolfensberger as the successor to the principle of normalization that deals with the enablement, establishment, enhancement, maintenance, and/or defense of valued social roles for people. SRV is primarily a response to the historically universal phenomenon of social devaluation and especially societal devaluation.

The correct answer is: Social acceptance of people with disabilities without devaluation

Question 48
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 060
The book 'Myth of Mental Illness' was written by

Select one:
- Mayer-Gross

- Freud
- Szasz
- Fromm
- Foucault

Your answer is incorrect.

In this book, Szasz raised the question 'Is there such a thing as mental illness?' and argued that there is not

The correct answer is: Szasz

Question 49

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 061

A 30 year old couple move from India to the UK. The man is a doctor and his wife is a teacher. They have two children who are pre-school. The couple soon settles down in a friendly neighbourhood. Later, the husband's parents join the family. Who is most likely to develop biculturalism?

Select one:

- The neighbours
- The husband
- The grandparents
- The wife
- The children

Your answer is incorrect.

Children adapt more easily and develop biculturalism more frequently than adults and the elderly when immigrating.

The correct answer is: The children

Question 50

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 068

"Mrs. X, affirms she has no brain, no nerves, no chest, no stomach, no intestines; there's only skin and bones of a decomposing body. She has no soul, and she is nothing more than a decomposing body". This description is characteristic of

Select one:

- Somatoform disorder
- Nihilistic delusions
- Hypochondriasis
- Factitious disorder
- Alexithymia

Your answer is incorrect.

Patients with psychotic depression may exhibit nihilistic delusions where they deny the normal functioning and existence of their body, self, others and the world around them. The example in this question is a translated excerpt from Cotard's original case of a 43-year-old woman described in 1880. (Ref: Debruyne et al. Mind & Brain:2011; 2(1))

The correct answer is: Nihilistic delusions

Question 51

Not answered

Marked out of 1.00

Flag question

MoK Descriptive Psychopathology 069

Which of the following describes a delusional perception?

Select one:

- Stimulus in one modality experienced in another
- No stimulus, abnormal perception
- Normal perception, delusional meaning
- No stimulus, delusional meaning
- Abnormal perception, abnormal meaning

Your answer is incorrect.

Delusional perception is a primary delusion, which arises as a result of a normal perception. The percept is a real external object and not a hallucinatory experience.

The correct answer is: Normal perception, delusional meaning

Question 52

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 046

In Piaget's theory the development of object permanence occurs during which of the following stages?

Select one:

- Sensorimotor stage
- Preoperational stage
- None of the above

- Formal operational stage
- Concrete operational stage

Your answer is incorrect.

Jean Piaget, a Swiss psychologist, believed that intelligence is the product of a natural and inevitable sequence of developmental stages. He did not suggest that it was simply born, but rather that it developed as a result of the constantly changing interaction of the child and the environment. He also believed that the child went through different stages of development, and each stage is characterised by qualitatively different ways of thinking about the world. The earliest of these stages is the sensorimotor stage (birth to 2) when the baby differentiates self from objects, recognises self as agent of action and begins to act intentionally. The baby also develops object permanence i.e. An object that is not seen can continue to exist.

The correct answer is: Sensorimotor stage

Question 53

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 047
A child who is observed to have a 'secure attachment pattern' in the strange situation experiment will show which of the following?

Select one:

- Shows discomfort for being alone and not for mother's absence
- Rejecting, hostile and intrusive
- Terrified and frozen when the mother returns
- Shows discomfort when mother leaves but not for being alone
- Strongly resists mother's attempts at reconciliation

Your answer is incorrect.

In secure attachment pattern, the child uses the mother as a secure base, explores freely, may be distressed at separation but greets positively on the reunion, seeks comfort, settles down and returns to exploration. Secure infants anticipate that their caregiver is accessible and available to them for comfort when necessary, and their primary carer is sensitive to the infants' signals and cues. (Ref: Thambirajah, MS. Psychological basis of psychiatry. Pg: 282)

The correct answer is: Shows discomfort when mother leaves but not for being alone

Question 54

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 048
Which of the following is a risk factor for abuse during childhood?

Select one:

- Single parent family
- Mother's age more than 28
- Internal conflicts that are resolved in the family
- Family having a network of frequently visiting friends
- Family with children aged older than 7

Your answer is incorrect.

The rate of child abuse in single parent households is 27.3 children per 1,000, which is nearly twice the rate of child abuse in two-parent households (15.5 children per 1,000).(Goldman et al., 2003)

The correct answer is: Single parent family

Question 55

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 049
All of the following are risk factors that could be targeted to reduce delayed language development in children except

Select one:

- smoking in pregnancy
- consumption of alcohol in pregnancy
- behaviour problems in the child
- inadequate cognitive stimulation
- Small family size

Your answer is incorrect.

A large sized, overcrowded family is associated with more delays in language development. (CR104: RCPsych)

The correct answer is: Small family size

Question 56

Not answered

Marked out of 1.00

Flag question

MoK HumanDevelopment 051
The social behaviour of buying dolls as gifts for girls and cars for boys is linked to which of the following concepts?

Select one:

- Imprinting
- Social learning
- Self-realisation

- Gender schema
- Cognitive mapping

Your answer is incorrect.

According to the social learning theory, a child learns several gender-related behaviours through reinforcement and modeling (Golombok & Fivush, 1994). This is acquired first through parents who give the child his or her initial social position. Parents begin this process by typically encouraging sons to be more independent, competitive and achieving than they do for daughters (Lamb, 1986; Block, 1979). Parents also encourage daughters to be more passive and to seek protection (Chafetz, 1978). There have been differences shown in the reinforcement fathers and mothers give to sons and daughters. Even parents who strive to be egalitarian in their dealings with their children have been found to discourage certain non-traditional play behaviors more in one gender than the other. For example, parents are more likely to discourage their sons from playing with dolls than they are to discourage their daughters from playing with trucks (Weisner & Wilson-Mitchell, 1990). This behavior on the part of parents (and others in the society) serves to model and reinforce gender stereotyped behaviors in children. (For more info on socialization theory refer to http://www3.uakron.edu/witt/father/parke5.htm)

The correct answer is: Social learning

Question 57
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 052
'A child studies inner and outer world via senses but perceives mother and self as one unit'. This refers to which stage of Mahler's theory?

Select one:
- Symbiosis
- Practising sub-phase of separation-individuation
- Differentiation sub-phase of separation-individuation
- Normal autism
- Rapprochement sub-phase of separation-individuation

Your answer is incorrect.

The stage of symbiosis lasts from 2 to 5 months. Here inner and outer world studied by the child via senses but perceives mother and self as one unit; the stage of normal autism lasts from 0 to 2 months; Here the child spends most time in sleep, as if the intrauterine aloofness continues

The correct answer is: Symbiosis

Question 58
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 062
Cultural formulation includes all of the following except

Select one:
- Acknowledging cultural elements in the patient-therapist relationship
- The therapist's view of the patient's cultural identity
- Considering cultural explanations of exhibited distress
- Identifying the influence of the psychosocial environment on disease presentation
- Making diagnosis in the context of patient's background culture

Your answer is incorrect.

Patients own view of his cultural identity is more important than the therapist's view.

The correct answer is: The therapist's view of the patient's cultural identity

Question 59
Not answered
Marked out of 1.00
Flag question

MoK Sociocultural Psychiatry 063
Who raised the question "Is there such a thing as mental illness?" and argued against the existence of mental illnesses?

Select one:
- Thomas Hardy
- Jacques Lacan
- Goffmann
- Foucault
- Thomas Szasz

Your answer is incorrect.

Thomas Szasz, a prominent anti-psychiatrist, argued against the existence of mental illness.

The correct answer is: Thomas Szasz

Question 60
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 050
Which of the following theores explains how boys 'learn to become boys' and girls 'learn to become girls'?

Select one:
- Insight learning
- Rule learning

- Concept learning
- Latent learning
- Social learning

Your answer is incorrect.

Social learning theorists identified specific sex-typed behaviors (Mischel, 1970). A behavior is sex-typed when it is more expected and therefore seen as appropriate when performed by one sex, but less expected and therefore seen as inappropriate when per- formed by the other sex. Gender socialization works, according to social learning theorists, by rewarding children for engaging in sex-typed behavior that is consistent with their assigned sex category. The classic example is crying; while a little girl may be soothed when she cries, a little boy may be told that boys don't cry. Crying is a sex-typed behavior, seen as OK for girls and therefore not a punishable behavior. But because it is not seen as an appropriate behavior for boys, the little boy may be punished or corrected for his crying behavior. Through these kinds of interactions, gender socialization occurs. (www.sagepub.com/upm-data/39367_4.pdf)

The correct answer is: Social learning

Question 61

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 065
The right action is the one that has the best foreseeable consequences. This is called as;

Select one:

- Engel's model
- Paternalistic model
- Utilitarian moral theory
- Hammurabi code
- Oath of Hippocrates

Your answer is incorrect.

Consequentialist moral theories are teleological: they aim at some goal state and evaluate the morality of actions in terms of progress toward that state. The best-known version of consequentialism is utilitarianism. As most clearly stated by Mill a proponent of the utilitarianism (teleology), the basic principle of utilitarianism is: Actions are right to the degree that they tend to promote the greatest good for the greatest number. In contrast, deontological principles are duty based. Kant's theory is an example of a deontological or duty-based ethics : it judges morality by examining the nature of actions and the will of agents rather than goals achieved. A deontological theory looks at inputs rather than outcomes.

The correct answer is: Utilitarian moral theory

Question 62

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 066
Which of the following studies are associated with deliberate infection in people with learning disabilities?

Select one:

- Belmont study
- Willow Brook school study
- Nuremberg study
- Tuskegee study
- Jewish chronic disease hospital study

Your answer is incorrect.

Willowbrook School Study (1963 - 1966): Willowbrook State School, situated in New York State, was an institution for mentally handicapped children. Parents of children in the institution gave consent for their children to participate in a study. The intent of the research study was to follow the course of viral hepatitis and study the effectiveness of an agent for inoculating against hepatitis. Parents were provided with study information describing the drug administration as vaccinations. However, the children were deliberately infected with the hepatitis virus. There is evidence that the school only admitted children to the school whose parents gave permission for them to be in the study. Jewish Chronic Disease Hospital (1963): Studies were conducted at the Jewish Chronic Disease Hospital in New York City to develop information on the nature of the human transplant rejection process. Chronically ill patients who did not have cancer were injected with live human cancer cells. The physicians did not inform the patients as to what they were doing. The physicians' rationalization for their actions was as follows: (i) they did not want to scare the patients and (ii) they thought the cells would be rejected. (http://iris.uwaterloo.ca/ethics/human/resources/index.htm)

The correct answer is: Willow Brook school study

Question 63

Not answered

Marked out of 1.00

Flag question

MoK Sociocultural Psychiatry 068
Fear of turning into a cannibal is one of the important features of which culture bound syndrome?

Select one:

- Latah
- Amok
- Dhat syndrome
- Windigo
- Koro

Your answer is incorrect.

In Windigo, a fear of turning into a demon or cannibal is often seen.

The correct answer is: Windigo

Question 64
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 084
A very religious woman has periods of elated mood when she believes that she has obtained a Divine Gift that puts her on par with Mother Teresa. This can be described as a/an

Select one:
- Magical thinking
- Primary delusion
- Religious belief
- Secondary delusion
- Overvalued idea

Your answer is incorrect.

This is an example of secondary delusions of grandeur, which are unfounded beliefs of being invested with special status, a special purpose or special abilities, that arise in relation to a euphoric mood state.

The correct answer is: Secondary delusion

Question 65
Not answered
Marked out of 1.00
Flag question

MoK Descriptive Psychopathology 085
"I have tingling feelings in my hands caused by magnetic currents from an alternator". Identify the psychopathological terms used to describe the following experience;

Select one:
- Thought broadcasting
- Delusions of reference
- Delusions of control
- Somatic passivity
- Made impulse

Your answer is incorrect.

Somatic passivity is a first rank symptom. It consists of either somatic hallucinations or normal perceptions associated with the belief that an outside agent is responsible.

The correct answer is: Somatic passivity

Question 66
Not answered
Marked out of 1.00
Flag question

MoK HumanDevelopment 035
A 22-year-old man is most likely to fall under which stage of Erikson's psychosocial development?

Select one:
- Initiative vs. guilt
- Identity vs. role confusion
- Industry vs. inferiority
- Integrity vs. despair
- Intimacy vs. isolation

Your answer is incorrect.

During young adulthood between the ages of 20 and 40, a life crisis of Intimacy vs. isolation occurs. The outcomes are love and commitment/superficial relationships.

The correct answer is: Intimacy vs. isolation

Question 67
Not answered
Marked out of 3.00
Flag question

MoK General Adult Psychiatry EMI 004
Personality disorders (5)
Choose one option from the list above for each question below.

A 28-year-old man has complained to local council numerous times about his neighbours throwing rubbish into his garden. Being vengeful, he emptied his weekly rubbish collection into their backyard before going in person to the council office to make a complaint. He has always had trouble with different neighbours and has changed 9 houses in last 3 years. — Choose...

A 34-year-old lady was attending the outpatient clinic, and she becomes angry when she was asked to see a registrar as the consultant was on holiday. She swears vehemently at the receptionist and kicks a flower vase in the waiting room. She threatens to kill herself if the consultant does not see her. — Choose...

A 37-year-old lady believes in clairvoyance and sixth sense. She and her sister belong to an occult group, which believes in communicating with 'medium' to enhance one's spirit. She collects carcasses of animals that die on country roads to preserve their hides. — Choose...

Your answer is incorrect.

Explanation:

1) Traits of paranoid personality disorder- Suspicious of other people and their motives, hold longstanding grudges against people, believe others are not trustworthy, emotionally detached and feel other people are deceiving, threatening, or making plans against them. Tenacious sense or personal rights, excessive self-importance with self-referential nature is seen in paranoid personality.

2) In emotionally unstable personality, minimal ability to plan ahead may be seen, similar to the trait seen in individuals with antisocial traits. In the impulsive variant, lack of self-control and emotional instability are prominent; in the borderline variant, poor self-image, and chronic emptiness are prominent.

3) Traits of schizotypal personality disorder: Individuals appear odd or eccentric, may have illusions and magical thinking, obsessions without resistance, may be members of quasi-cultural groups, may believe in ESP, clairvoyance etc., may have transient psychotic features.

The correct answer is: A 28-year-old man has complained to local council numerous times about his neighbours throwing rubbish into his garden. Being vengeful, he emptied his weekly rubbish collection into their backyard before going in person to the council office to make a complaint. He has always had trouble with different neighbours and has changed 9 houses in last 3 years. – Paranoid, A 34-year-old lady was attending the outpatient clinic, and she becomes angry when she was asked to see a registrar as the consultant was on holiday. She swears vehemently at the receptionist and kicks a flower vase in the waiting room. She threatens to kill herself if the consultant does not see her. – Emotionally unstable: impulsive type, A 37-year-old lady believes in clairvoyance and sixth sense. She and her sister belong to an occult group, which believes in communicating with 'medium' to enhance one's spirit. She collects carcasses of animals that die on country roads to preserve their hides. – Schizotypal

Question 68

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI043

Alcohol-induced physical symptoms

Choose the symptoms which would best support each diagnosis in an alcoholic, malnourished middle-aged man who becomes confused two days after emergency surgery for a femoral shaft fracture.

Bacterial septicaemia: Choose...

Wernicke syndrome: Choose...

Acute hepatic failure: Choose...

Your answer is incorrect.

Please note that this patient has recently had an emergency surgery of the femur. Don't try to do Kernig's test on him; also gait ataxia may not be demonstrable. Petechial rashes and neck stiffness may be observed when septicaemia is present.

Wernicke's syndrome is an acute condition characterized by the well-known triad of ophthalmoplegia, ataxia and global confusional state. The classic triad is only present in 10% of patients, and 80% of patients are not diagnosed before postmortem. The eye signs are often bilateral though need not be always symmetrical.

Jaundice and flapping tremor (Asterixis) are features of hepatic failure. Asterixis can be elicited by having the patient extend both arms with the wrists dorsiflexed and palms facing forward, and eyes closed. Brief jerky downward movements of the wrist are considered a positive sign. Asterixis is commonly seen with metabolic encephalopathies. (Note pronator drift is elicited by having the patient extend both arms with the wrists supinated and palms facing upwards and eyes closed - slow unequal drift towards pronation indicates hemiparetic weakness). Elevated JVP is not seen in hepatic failure that is due to non-cardiac causes.

The correct answer is: Bacterial septicaemia – Neck stiffness, Wernicke syndrome – Ophthalmoplegia, Acute hepatic failure – Jaundice

Question 69

Not answered

Marked out of 3.00

Flag question

MoK Assessment EMI044

Dementia

Choose salient features for each item below from the list shown:

A salient features of Lewy Body dementia: Choose...

A salient feature of CJD: Choose...

A salient feature of dementia with Parkinson's disease: Choose...

Your answer is incorrect.

Dementia with Lewy Bodies is characterised by spontaneous motor features of Parkinsonism, along with a fluctuating cognition, recurrent visual hallucinations of well formed and detailed imageries. The cognitive decline is severe enough to affect normal social and occupational functioning. In Parkinson's disease dementia, affective blunting is prominent often due to well established Parkinson's disease.

Creutzfeldt-Jakob disease: The clinical picture is one of rapidly deteriorating dementia, myoclonus, cerebellar and extrapyramidal signs leading to death within a year. Patients may present with non-specific symptoms such as lethargy, depression and fatigue. Within weeks, more fulminant symptoms develop, including progressive cortical-pattern dementia, myoclonus and pyramidal and extrapyramidal signs. Myoclonus becomes prominent as the disease progresses. Patients may develop cortical blindness.

The correct answer is: A salient features of Lewy Body dementia
– Demential with prominent but short lucid intervals, A salient feature of CJD
– Rapidly progressing dementia, A salient feature of dementia with Parkinson's disease – Emotional blunting

Question 70

Not answered

Marked out of 7.00

Flag question

Eating disorders

Identify the metabolic abnormalities commonly seen in the following clinical situations

1. A 16-year-old girl with history of significant weight loss, body image distortions and morbid fear of fatness have some endocrine abnormalities in her blood

2. A 23-year-old woman with history of bulimia nervosa and is determined to reduce weight by inducing repetitive vomiting

3. A 20-year-old woman uses regular laxatives for last 2 years to reduce weight has some electrolyte abnormalities (Choose TWO)

4. A 16-year-old girl was admitted to the psychiatric unit for re-feeding as her weight was dangerously low. She died suddenly during re-feeding (choose TWO)

5. A 15-year-old girl with a history of anorexia was admitted to the medical ward for severe dehydration. During fluid resuscitation, she went into a state of coma.

Explanation: The diagnosis is anorexia nervosa. The common endocrine changes seen are low concentrations of luteinising hormone, follicle stimulating hormone, oestradiol, low T3, T4 in low normal range, normal concentrations of thyroid stimulating hormone (low T3 syndrome, Mild increase in plasma cortisol and raised growth hormone concentration. Electrolyte disturbances are common in those who frequently vomit or misuse large quantities of laxatives or diuretics. In repetitive vomiting, loss of hydrochloric acid from gastric juices leads to metabolic alkalosis (loss of acid - alkalosis) along with hypokalemia. Laxative misuse can lead to metabolic acidosis, hyponatraemia, hypokalaemia. A large amount of bicarbonate may be lost in the stool in laxative induced diarrhoea. With normal functioning kidneys, the lost bicarbonate is replaced effectively, and, therefore, a serious base deficit does not develop. When there is poor renal blood flow due to hypovolaemia or starvation, base deficit, and acidosis develop rapidly. Acidosis also results from excessive production of lactic acid when patients have severe diarrhoea. Refeeding syndrome usually occurs within four days of starting to feed. Patients can develop fluid and electrolyte disorders, especially hypophosphatemia along with neurologic, pulmonary, cardiac, neuromuscular, and hematologic complications. Most effects result from a sudden shift from fat to carbohydrate metabolism and a sudden increase in insulin levels after refeeding which leads to increased cellular uptake of phosphate.This syndrome can occur at the beginning of treatment for anorexia nervosa when patients are reintroduced to a healthy diet. It can lead to acute heart failure. If hypovolemia is rapidly corrected, it can cause hyponatraemia leading to central pontine myelinolysis and coma

Correct Answer is : 1. Low T3 and high growth hormone 2. Hypokalemia 3. Hyponatraemia, Hypokalemia 4. Hypokalemia, Hypophosphatemia 5. Hyponatraemia

Question 71
Not answered
Marked out of 3.00
Flag question

MoK Assessment EMI036
Features of defence mechanisms
For each of the characteristic features described below chose the most appropriate defence mechanism suitable from the above list

Moving consciously available material to the unconscious in a way that the material cannot be recalled at will when required — Choose...

Moving consciously available material to the unconscious in a way that the material can be recalled at will when required — Choose...

Expressing feelings without causing unpleasantness or distress to others — Choose...

Your answer is incorrect.

Explanation:

In repression, recalling at will is absent. Repression can form the basis of dissociative / conversion disorders. By contrast, suppression is a mature defense that involves conscious postponement of an issue - recalling at will is possible in suppression. Focusing on funny aspects of a painful situation is called humour. It is a mature defence strategy.

In projection, intolerable feelings, impulses or thoughts are falsely attributed to other people. Passive aggression can manifest itself as repeated postponements, rigidity in task performance, resentment, sullenness, or repeated failure to take up the responsibility to complete tasks.

The correct answer is: Moving consciously available material to the unconscious in a way that the material cannot be recalled at will when required – Repression, Moving consciously available material to the unconscious in a way that the material can be recalled at will when required – Suppression, Expressing feelings without causing unpleasantness or distress to others – Humour

Question 72
Not answered
Marked out of 3.00
Flag question

MoK Assessment EMI041
DSM Axes
Identify the descriptions from the given list that are best suited for each of the following DSM-IV axes.

Axis-2 Choose...

Axis-3 Choose...

Axis-5 Choose...

Your answer is incorrect.

The multi-axial system of DSM-IV used five axes. Though these axes are now not employed in DSM-5, the multiaxial concept is still being used by researchers and health service analysts.

Axis I - Clinical Disorders (e.g. anorexia, alcohol intoxication, psychosis due to medical condition), Axis II - Personality Disorders/ Mental Retardation (e.g. moderate Mental Retardation, anxious personality traits), Axis III - General Medical Conditions (e.g. epilepsy, hypertension), Axis IV - Psychosocial and Environmental Problems (e.g. Unemployment), Axis V - Global Assessment of Functioning (e.g. GAF score of 60)

The correct answer is: Axis-2
– Schizoid traits, Axis-3 – Hypertension, Axis-5 – Global assessment of functioning=60

Question 73
Not answered
Marked out of 3.00
Flag question

MoK Assessment EMI042
Clinical neurological signs
Identify the neurological sign seen in each of the following situations:

A 60-year-old man develops alcohol related hepatic failure, which results in anoxic brain damage. — Choose...

A 35-year-old man is a known binge drinker with significant malnourishment. He present with acute onset confusion and disorientation. — Choose...

An 38-year-old woman developed opthalmoplegia. A T1-weighted MRI reveals multiple hypointense lesions in the corpus callosum. — Choose...

Your answer is incorrect.

A flapping tremor is seen in cases of respiratory, hepatic or cardiac failure with encephalopathy.

Ataxia and ophthalmoplegia with nystagmus in a background of impaired consciousness are characteristic of Wernicke's encephalopathy.

Lhermitte's sign is characterised by a sudden unpleasant (but not painful) electric shock-like sensation starting in the neck and radiating along the spine towards distal limbs. It is seen in patients with multiple sclerosis.

The correct answer is: A 60-year-old man develops alcohol related hepatic failure, which results in anoxic brain damage.
– Flapping tremor, A 35-year-old man is a known binge drinker with significant malnourishment. He present with acute onset confusion and disorientation.
– Ataxia, An 38-year-old woman developed opthalmoplegia. A T1-weighted MRI reveals multiple hypointense lesions in the corpus callosum. – Lhermitte's sign

Question 74

Not answered

Marked out of 4.00

Flag question

MoK General Adult Psychiatry EMI 019
Prevention & types
Identify one correct option for each of the following preventive measures in schizophrenia

Urban living for schizophrenia	Choose...
Identification of a preschizophrenic state	Choose...
Cannabis and psychosis	Choose...
Environmental adjustments and aids in learning disabled adult.	Choose...

Your answer is incorrect.

Explanation:

Universal prevention/interventions are directed to a general population group. For schizophrenia, some epidemiological factors such as urban living, poor social capital including low social cohesion, exclusion and discrimination, low socioeconomic status are so widespread that their targeting can be considered a universal intervention.

Indicated interventions target high-risk individuals with minimal but detectable signs or symptoms foreshadowing mental disorder, but who do not meet diagnostic levels e.g identification of a preschizophrenic state/prodrome of schizophrenia.

Selective interventions are targeted to individuals or subgroups whose risk of developing disorder is significantly higher than average. Perinatal complications and cannabis use have stimulated interest as a putative risk factors for schizophrenia. Both selective and indicated approaches are secondary prevention methods.

Tertiary prevention helps an individual to attain his or her full developmental potential through rehabilitation, which includes education, support, environmental adjustments and aids.

The correct answer is: Urban living for schizophrenia – Universal prevention, Identification of a preschizophrenic state – Indicated prevention, Cannabis and psychosis – Selective prevention, Environmental adjustments and aids in learning disabled adult. – Tertiary prevention

Question 75

Not answered

Marked out of 5.00

Flag question

MoK General Adult Psychiatry EMI 008
Eponymous syndromes (1)
Find one eponym each for each of the syndromes described below:

A 73-year-old gentleman who has been grossly neglecting himself, his flat being untidy and filthy, hoards up objects of no practical value.	Choose...
A 46-year-old man is convinced that is skin is infested with multiple, tiny mites and insects.	Choose...
Mrs. Zakaria is a 30-year-old woman who has recently become pregnant. Her husband has developed morning sickness, abdominal pain, and unusual food cravings after he found out that she was pregnant	Choose...
Mr. Yardley is a prisoner awaiting trial and when he was asked 'What is the capital of England, he answered 'Paris'.	Choose...
A 34-year-old gentleman is convinced that his wife is not his real wife and has been replaced by an imposter who looks just like her.	Choose...

Your answer is incorrect.

Explanation:

1) Diogenes syndrome (case 1) is characterized by hoarding of objects, usually of no practical use, and the neglect of one's home or the environment. It may present as a behavioural manifestation of various conditions including organic disorders, schizophrenia, depressive disorder, or obsessive-compulsive disorder, or reflect a reaction late in life to stress in a certain type of personality.

2) Ekbom syndrome (case 2) is a monosymptomatic delusional disorder where the core delusion is a delusion of infestation. A conversion reaction with symptoms mimicking pregnancy with symptoms like nausea, vomiting, abdominal pain, and food cravings. It is sometimes seen in partners of expectant mothers during their pregnancy.

3) Somatising features of pregnancy is called Couvade syndrome (case 3). It is not delusional in nature, and the affected person does not believe they are pregnant (c.f. pseudocyesis).

4) Ganser symptom refers to the production of approximate answers as seen in case 4. Here the patient gives repeated wrong responses to questions, which are nonetheless approximately right.

5) Capgras syndrome is a type of delusional misidentification. The patient believes that a person known to them has been replaced by a 'double' who is to all external appearances identical, but is not the real person.

The correct answer is: A 73-year-old gentleman who has been grossly neglecting himself, his flat being untidy and filthy, hoards up objects of no practical value. – Diogenes syndrome, A 46-year-old man is convinced that is skin is infested with multiple, tiny mites and insects. – Ekbom's syndrome, Mrs. Zakaria is a 30-year-old woman who has recently become pregnant. Her husband has developed morning sickness, abdominal pain, and unusual food cravings after he found out that she was pregnant – Couvade syndrome, Mr. Yardley is a prisoner awaiting trial and when he was asked 'What is the capital of England, he answered 'Paris'. – Ganser's syndrome, A 34-year-old gentleman is convinced that his wife is not his real wife and has been replaced by an imposter who looks just like her. – Capgras syndrome

Finish review