Started on	Saturday, 23 July 2022, 11:18 AM
State	Finished
Completed on	Saturday, 23 July 2022, 11:18 AM
Time taken	8 secs
Marks	0.00/25.00
Grade	**0.00** out of 100.00

Question **1**

Not answered

Marked out of 1.00

Flag question

James Williams is a 2-year-old boy who is walking confidently. When he attempts to run he falls over and becomes very tearful and upset. According to Erikson's Psychosocial model, which of the following crises is he most likely to be experiencing?

Select one:

- Initiative vs guilt
- Industry vs inferiority
- Basic trust vs basic mistrust
- Autonomy vs inferiority
- Autonomy vs shame

Your answer is incorrect.

Explanation:

Erik Erikson created an original and highly influential theory of psychological development and crisis occurring in periods that extended across the entire life cycle. Stage 2 takes place from **about 18 months to about 3 years**. Its focus is **autonomy versus shame and doubt**. Erikson believed that this stage "becomes decisive for the ratio between loving goodwill and hateful self-insistence, between cooperation and willfulness, and between self-expression and compulsive self-restraint or meek compliance". Where that ratio is favourable, the child develops an appropriate sense of autonomy and the capacity to 'have and to hold'; where it is unfavourable, doubt and shame will undermine free will.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. p. 1074.

The correct answer is: Autonomy vs shame

Question **2**

Not answered

Marked out of 1.00

Flag question

You are working with a Child and Adolescent Mental Health team, and reading about child psychosexual development. Sigmund Freud proposed a number of concepts concerning psychosexual development. Which of the following is true regarding Freud's theory?

Select one:

- The phallic stage precedes the anal stage
- In the oral phase the Oedipus complex comes into play

- Between the ages of 6 and puberty, the child‘s libido is dormant
- The genital and the phallic stages are interchangeable
- The Oedipus complex describes a boy‘s psychosexual competition with his mother for possession of his father

Your answer is incorrect.

Explanation:

The **latency stage** is the stage of relative instinctual quiescence or inactivity of sexual drive during the period from the resolution of the Oedipus complex until pubescence (from about 5-6 years until about 11-13 years). The oral phase (age 0-1) is followed by the anal (2-3), then phallic (3-5) during which the Oedipus complex becomes activated, then latency (6-puberty), then genital (puberty).

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. p. 1063.

The correct answer is: Between the ages of 6 and puberty, the child‘s libido is dormant

Question **3**

Not answered

Marked out of 1.00

Flag question

Ms Coyle tells you that Lauren, her second eldest child, behaved in a puzzling and often upsetting way at times when she had to leave her for. She describes that Lauren would cry very dramatically at her departure, try to cling onto her, become inconsolable, would sometimes throw herself down onto the floor once she‘s left the room. The friend she left Lauren with told her that Lauren would cry for a long time and could not be comforted. When Ms Coyle returned to pick her up she‘d find Lauren to be very quiet, to look at her with a 'frozen‘ stare and wouldn‘t reach out for her for comfort. This was quite disturbing to Ms Coyle, who was expecting that Lauren would be pleased to see her, given she was so upset by the separation. What attachment style in Lauren is this vignette illustrating?

Select one:


- Disorganised
- Anxious ambivalent
- Good enough
- Avoidant
- Secure

Your answer is incorrect.

This attachment style describes often unpredictable, confusing and erratic styles of behaving towards the primary attachment figure, often born out of inconsistent or abusive care-giving.

To differentiate the various attachment patterns and to learn more about Ainsworth's experiments, please watch this





The correct answer is: Disorganised

Question **4**

Not answered

Marked out of 1.00

Flag question

Sally Beech's sister is telling you about her family history of mental illness. She believes her sister has recently been diagnosed with a personality disorder. She tells you which type. Which of the following is not a type of personality disorder recognised in the DSM-5?

Select one:

- Paranoid
- Schizoid
- Obsessive-compulsive
- Disorganised
- Narcissistic

Your answer is incorrect.

Disorganised relates to a type of attachment pattern, not to a type of personality disorder.

The correct answer is: Disorganised

Question **5**

Not answered

Marked out of 1.00

Flag question

Jan Marchland is a 22-year-old woman with mixed anxiety and depressive disorder, who has very recently had her first baby, Sonia who was born at full term. She has been observing Sonia's eyes closely and wonders whether everything is working as it should. What visual capacities should be expected of a newborn baby?

Select one:

- Following objects
- 20/20 Acuity
- Accommodation
- Convergence
- Pupillary reflex

Your answer is incorrect.

Explanation:

The pupil light reflex has been reported to be absent in premature infants of <30 weeks gestational age but is well developed by 35 weeks. At birth, full-term newborns can see around 8-10 inches. They can track objects within a few months and focus on a nearby face by 8 weeks. Depth perception and colour vision are generally not present until 5 months of age. Accommodation develops around 3-4 months of age.

Ref: Ikeda T et al. Pupillary size and light reflex in premature infants. Neuro-Ophthalmology. 2015 Jul 4;39(4):175-8.

The correct answer is: Pupillary reflex

Question **6**

Not answered

Marked out of 1.00

Flag question

John Roberts is an 18 year old who has been considering attending university but has decided not to go and stay at home and help his father on the farm. According to Marcia's theory on adolescence, which of the following states is he most likely to experiencing?

Select one:

- Role confusion
- Identity foreclosure
- Identity dissolution
- Identity moratorium
- Identity achievement

Your answer is incorrect.

Explanation:

Marcia distinguished four identity statuses, based on the amount of exploration and commitment the adolescent experiences (or has experienced). In **identity diffusion**, the adolescent has not yet made commitments regarding a specific developmental task and may or may not have explored different developmental alternatives in that domain. In **foreclosure**, the adolescent has made a commitment without exploration. In **moratorium**, the adolescent is in a state of active exploration and has made no commitment, or at best an unclear one. In **identity achievement**, the adolescent has finished a period of active exploration and has made a related commitment. Role confusion is seen in Erikson's psychosocial model.

Ref: Meeus W et al. Identity statuses as developmental trajectories: A five-wave longitudinal study in early-to-middle and middle-to-late adolescents. Journal of youth and adolescence. 2012 Aug;41(8):1008-21.

The correct answer is: Identity foreclosure

Question **7**

Not answered

Marked out of 1.00

Flag question

In Ainsworth's Strange Situation Experiments, if a baby was found to be Type A (Anxious Avoidant), which of the following traits could be seen as an adult?

Select one:

- More likely to be victims of bullying
- Greater incidence of alcohol abuse
- More likely to be perpetrators of bullying
- Higher degree of psychopathic behaviour
- More likely to be victims of domestic violence

Your answer is incorrect.

Explanation:

Having an insecure parent attachment may be related to greater involvement in bullying for many reasons. Insecure individuals that had anxious-avoidant attachment pattern in childhood often have lower emotion regulation abilities, maladaptive social information processing, and poorer social problem-solving skills, which can all contribute to a greater propensity for bullying. Insecure individuals also tend to form negative working models of others and relationships and behave (possibly aggressively) in accordance with this perspective.

Ref: Murphy TP et al. The influences of parent and peer attachment on bullying. Journal of child and family studies. 2017 May;26(5):1388-97.

The correct answer is: More likely to be perpetrators of bullying

Question **8**

Not answered

Marked out of 1.00

Flag question

According to Piaget's model of cognitive development, which of the following does NOT arise during the pre-operational stage?

Select one:

- Object permanence
- Transductive Reasoning
- Animism
- Egocentrism
- Phenomenalistic causality

Your answer is incorrect.

Explanation:

In the **sensorimotor stage** (birth to 2 years), infants learn to differentiate themselves from the world. They also become able to maintain a mental image of an object, even when it is not visible (**object permanence**).

Transductive reasoning is the term used by Piaget to denote the type of thinking characteristic of children during the pre-operational stage of development. It is so called because it focuses on concrete instances and does not follow the principle of either induction or deductive reasoning. In the pre-operational stage, children also use animistic thinking, which is the tendency to endow physical events and objects with life-like psychological attributes, such as feelings and intentions. Also, children in this stage use magical thinking, called phenomenalistic causality, in which events that occur together are thought to cause one another (e.g. bad thoughts cause accidents). Egocentrism is a term given a technical meaning by Piaget to denote a cognitive state in which a child in the pre-operational stage of development comprehends the world only from its own point of view and is unaware that other people's points of view differ from their own.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. pp. 1007-1008.

Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Object permanence

Question **9**

Which of the following is TRUE regarding first-born children?

Not answered

Marked out of 1.00

Flag question

Select one:

- They are more liberal
- They are likely to have a higher IQ
- They receive the most attention
- They are more rebellious
- They are less achievement driven

Your answer is incorrect.

Explanation:

As early as age one, latter-born children score lower on cognitive assessments than their siblings, and the birth order gap in cognitive assessment increases until the time of school entry and remains statistically significant thereafter.

Ref: Lehmann JY et al. The early origins of birth order differences in children's outcomes and parental behavior. Journal of Human Resources. 2018 Jan 1;53(1):123-56.

The correct answer is: They are likely to have a higher IQ

Question **10**

Not answered

Marked out of 1.00

Flag question

The following is true about attachment:

Select one:

- Secure attachment occurs in about 12 to 20 months in human development
- Attachment styles are only evident from the age of 5 years
- Monotropy is an uncommon phenomenon
- Attachment behaviour does not continue into adulthood
- Clear cut attachment is evident at 12 weeks

Your answer is incorrect.

Explanation:

Clear-cut attachment occurs at 6 through 24 months of age. Attachment is initially indiscriminate but becomes increasingly specific, particularly after 7 months. Monotropy, attachment to a specific individual, is seen as the rule, although children can form other bonds and attachments in time. According to Mary Ainsworth's studies, about 65% of infants are securely attached by 24 months. Attachment behaviour continues into adulthood with the attachment figures increasingly moving to peers and, in particular, romantic partners.

Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. pp. 1011-1012.

The correct answer is: Secure attachment occurs in about 12 to 20 months in human development

Question **11**

Not answered

Mr Ranil Premadasa is a 42-year-old Sri Lankan man who presents to his GP with concerns around persistent fatigue and various non-specific physical complaints. He attributes his

Marked out of 1.00

Flag question

symptoms to losing semen in his urine. Which of the following conditions is he most likely to be experiencing?

Select one:

- Koro
- Dhat
- Susto
- Latah
- Amok

Your answer is incorrect.

Explanation:

Dhat syndrome has been studied in South Asia and is rooted in Ayurvedic traditions about bodily production of semen as representing an end-product of energy-demanding metabolism. Dhat is recognised by a whitish discharge in the urine assumed to be semen. This ‘loss of semen’ is associated with somatic symptoms (weakness, exhaustion), severe anxiety, hypochondriasis, and sexual dysfunction.

Koro is a culture-bound syndrome in which an individual has an overpowering belief that one's sex organs are retracting and will disappear, despite the lack of any true longstanding changes to the genitals. Latah, from Southeast Asia, is a condition in which abnormal behaviours result from a person experiencing a sudden shock. When surprised, the affected person typically engages in such behaviours as screaming, cursing, dance movements, and uncontrollable laughter, and will typically mimic the words or actions of those around them. Susto is a culturally specific disorder primarily occurring among Latin American cultures. It is described as a condition of being frightened and “chronic somatic suffering stemming from emotional trauma or from witnessing traumatic experiences lived by others". "Running amok" is used to refer to the behavior of someone who, in the grip of strong emotion, obtains a weapon and begins attacking people indiscriminately, often with multiple injuries. An episode of amok may be triggered by a period of depression or highly aggressive behaviour.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 990.

The correct answer is: Dhat

Question **12**

Not answered

Marked out of 1.00

Flag question

Children can experience emotional distress if their parents or caregivers place conflicting demands on them that allow no right or satisfactory response. Which of the following best describes this phenomenon?

Select one:

- No win situation
- Expressed emotion
- Refrigerator mother
- Doublethink
- Double bind

Your answer is incorrect.

Explanation:

Double bind is an inescapable dilemma involving conflicting demands that allow no right or satisfactory response. An influential theory of the aetiology of schizophrenia was put forward by Gregory Bateson and colleagues in 1956, according to which schizophrenia is caused by parenting styles that create double binds for children, as when a mother complains to her son for not giving her a kiss but recoils physically whenever the child does kiss her. Empirical evidence has not been forthcoming in support of this theory.

Ref: Colman AM. Oxford Dictionary of Psychology, 4th Edition. 2015.

The correct answer is: Double bind

Question **13**

Not answered

Marked out of 1.00

Flag question

George Wooley is an 11-year-old boy who is trying to be more productive as now he is in secondary school. Which of the following stages of Erikson's theory of psychosocial development is he most likely to be going through?

Select one:

- Industry vs inferiority
- Identity vs role confusion
- Autonomy vs shame
- Intimacy vs isolation
- Initiative vs guilt

Your answer is incorrect.

Explanation:

Erik Erikson created an original and highly influential theory of psychological development and crisis occurring in periods that extended across the entire life cycle. Stage 4 takes place from about 5 years to about 13 years. Its focus is industry versus inferiority. The child develops industry by learning new skills and takes pride in the things made. A child unprepared for this stage of psychosocial development, either through an insufficient resolution of previous stages or by current interference, may develop a sense of inferiority and inadequacy.

Erikson's Psychosocial Stage	Age	Associated Virtue	Enduring Aspects of Identity Formation
Trust vs. mistrust	Birth-18 months	Hope	Temporal perspective vs. time confusion
Autonomy vs. shame and doubt	18 months-3 years	Will	Self-certainty vs. self-consciousness
Initiative vs. guilt	3-5 years	Purpose	Role experimentation vs. role fixation
Industry vs. inferiority	5-13 years	Competence	Apprenticeship vs. work paralysis
Identity vs. role confusion	13-21 years	Fidelity	Identity vs. identity confusion
Intimacy vs. isolation	21-40 years	Love	Self-abandonment vs. self-absorption
Generativity vs. stagnation	40-60 years	Care	Leadership and followership vs. abdication of responsibility
Integrity vs. despair	60 years-death	Wisdom	Ideological commitment vs. confusion of values

Adapted from Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition, 2022. pp. 1073-1075.



Ref: Boland R, Verduin M. Kaplan and Sadock's Synopsis of Psychiatry, 12th Edition. 2022. pp. 1071-1075.

The correct answer is: Industry vs inferiority

Question **14**

Not answered

Marked out of 1.00

Flag question

Mr Prashant Rubasingham is a 34-year-old Sri Lankan man who moved to the UK when he was 14 years of age. He happily takes part in Sri Lankan festivities and celebrations when with his family but is also involved with his local 5-a-side football league and goes out to pubs regularly with his colleagues. Which of the following best describes this?

Select one:

- Separation
- Melting pot
- Marginalisation
- Integration
- Assimilation

Your answer is incorrect.

Integration occurs when individuals are able to adopt the cultural norms of the dominant or host culture while maintaining their culture of origin. Integration leads to, and is often synonymous with biculturalism. Assimilation occurs when individuals adopt the cultural norms of a dominant or host culture, over their original culture. Separation occurs when individuals reject the dominant or host culture in favor of preserving their culture of origin. Marginalization occurs when individuals reject both their culture of origin and the dominant host culture.

The correct answer is: Integration

Question **15**

Not answered

Stigma against people with mental health difficulties continues to be a problem around the world. Which of the following measures is most likely to reduce discrimination faced by the

Marked out of 1.00

Flag question

mentally ill in our society?

Select one:

- Legislative intervention
- The belief that mentally ill can “pull themselves up"
- Perception of dangerousness
- Perceived poor prognosis
- Perception of being less able to work

Your answer is incorrect.

The evidence on which stigma-reducing strategy is the most effective is lacking to date. Legislative interventions can be effective in reducing discriminant behaviour, while mass public campaigns can improve the attitudes. To quote the Committee on the Science of Changing Behavioral Health Social Norms, “Stigma researchers and mental health advocates suggest that anti-stigma efforts should not focus narrowly on “soft goals" of public education and attitude change but should expand their focus to address “hard goals," such as legislative and policy change that can promote social equity and improve overall quality of life for people with mental and substance use disorders". (Ref: https://www.ncbi.nlm.nih.gov/books/NBK384914/)

The correct answer is: Legislative intervention

Question **16**

Not answered

Marked out of 1.00

Flag question

SF 36 is used to measure which of the following?

Select one:

- Quality of life scale
- For assessment of physical illness alone
- For assessment of mental illness alone
- Outcome measurement
- Assess psychotic symptoms

Your answer is incorrect.

Explanation:

The 36-Item Short Form Health Survey questionnaire (SF-36) is a very popular instrument for evaluating Health-Related Quality of Life. The SF-36 measures eight scales: physical functioning, role physical, bodily pain, general health, vitality, social functioning, role emotional, and mental health.

Ref: Lins L, Carvalho FM. SF-36 total score as a single measure of health-related quality of life: Scoping review. SAGE open medicine. 2016 Sep 30;4:2050312116671725.

The correct answer is: Quality of life scale

Question **17**

Negative mental health outcomes in later life relate to childhood abuse. Which of the following statements is true about childhood trauma and later outcomes?

Not answered

Marked out of 1.00

Flag question

Select one:

- Childhood trauma has no significant effect on late-life depression with onset after age 60
- Psychological, but not physical abuse, is strongly associated with depression
- Experiencing more than one type of childhood trauma escalates the risk for later negative outcomes outcomes
- Individuals with depression are less likely to remember negative events from their childhood
- Physical abuse in childhood increases risk of suicidal attempts in adolescence but not in adulthood

Your answer is incorrect.

Explanation:

All of the various types of childhood trauma (emotional, physical, and sexual abuse, physical and emotional neglect) increase the risk of depression in adulthood (odds ratio of 3). The highest odds ratios were for emotional abuse and multiple forms of maltreatment (3.82 and 4.13, respectively). Childhood emotional neglect is the most common form of maltreatment reported by patients with depression, in terms of absolute prevalence (reported by 44% of patients). Severity of depression correlates most strongly with emotional abuse. A dose-response effect where multiple types of childhood adversity increase the risk for negative health outcomes (Nelson et al., 2017)

The modes of childhood trauma that most contribute to suicidal attempts in later life (adulthood) are physical, emotional, and sexual abuse and physical neglect (Zatti et al., 2017).

The modes of childhood trauma that most contribute to late-life depression are physical and emotional abuse and physical neglect. Sexual abuse in childhood does not have a strong association with late-life depression (Wang et al., 2022)

Retrospective reports of childhood abuse are subject to mood-congruent recall bias. Depressed subjects are more likely to remember negative events from their early life; this may inflate the strength of association between abuse and depression in clinical samples. (Radell et al., 2021)

References:

Nelson J, Klumparendt A, Doebler P, Ehring T. Childhood maltreatment and characteristics of adult depression: meta-analysis. The British Journal of Psychiatry. 2017 Feb;210(2):96-104.

Zatti C, Rosa V, Barros A, Valdivia L, Calegaro VC, Freitas LH, Ceresér KM, da Rocha NS, Bastos AG, Schuch FB. Childhood trauma and suicide attempt: A meta-analysis of longitudinal studies from the last decade. Psychiatry research. 2017 Oct 1;256:353-8.

Wang Y, Chen X, Zhou K, Zhang H. A Meta-Analysis of the Effects of Childhood Maltreatment on Elderly Depression. Trauma, Violence, & Abuse. 2022 Mar 1:15248380211073838.

Radell ML, Abo Hamza EG, Daghustani WH, Perveen A, Moustafa AA. The impact of different types of abuse on depression. Depression research and treatment. 2021 Apr 13;2021.

The correct answer is: Experiencing more than one type of childhood trauma escalates the risk for later negative outcomes outcomes

Question **18**

Not answered

Marked out of 1.00

Flag question

The feeling of being sexually attracted and interested in a person of a particular sex denotes which of the following?

Select one:

- Sex
- Gender role
- Gender identity
- Sexuality
- Sexual attraction

Your answer is incorrect.

Explanation:

Sexuality is the range of people to whom a person is sexually attracted (including, but not limited to, heterosexuality, homosexuality, bisexuality, etc.) and unrelated to a person's gender identity.

Ref: Semple D, Smyth R. Oxford handbook of psychiatry. Oxford university press; 2019 Jul 30. p. 509.

The correct answer is: Sexuality

Question **19**

Not answered

Marked out of 1.00

Flag question

Agomelatine is a relatively new antidepressant which is a melatonin MT1 and MT2 receptor agonist, and antagonist at the serotonin 5-HT2C receptor, thereby increasing levels of dopamine and noradrenaline in areas of the brain involved in mood control. Which of the following need to be monitoring during treatment initiation and monitoring?

Select one:

- FBC
- LFT
- ECG
- U&Es
- Serum calcium

Your answer is incorrect.

Agomelatine has been associated with dose-related hepatotoxicity and so LFTs must be checked at initiation, at 3,6, 12 and 24 months and periodically thereafter, as well as when doses are increased or it is otherwise indicated.

The correct answer is: LFT

Question **20**

Not answered

Marked out of 1.00

Abstract reasoning can be impaired in a variety of psychiatric disorders, including dementia syndromes and schizophrenia. Which of the following is a test of abstract reasoning?

Select one:

Flag question

- Proverb test
- Sentence completion
- Brixton Spatial Anticipation Test
- Rey–Osterrieth complex figure
- Bender-Gestalt

Your answer is incorrect.

Proverb tests involve asking an individual to interpret a number of common proverbs. Patients with impairments of abstract reasoning interpret these in concrete ways. The Bender-Gestalt test assesses visual memory. Sentence completion tests are usually used as a projective assessment of beliefs and attitudes. The Brixton test is a visuospatial sequencing task with rule changes. The Rey–Osterrieth complex figure asks participants to reproduce a complicated line drawing, first by copying it freehand (recognition), and then drawing from memory (recall).

The correct answer is: Proverb test

Question **21**

Not answered

Marked out of 1.00

Flag question

A core trainee working in a dementia inpatient ward is wanting to measure the impact of music therapy on the behavioural disturbance of the patients under her care. She decides to use the Neuropsychiatric Inventory (NPI). Which of the following statements is correct with regards to the NPI?

Select one:

- The NPI is insensitive to change associated with treatment effects
- The NPI includes a subscale for assessing medication side effects
- The NPI assesses 10 types of neuropsychiatric disturbances
- The NPI can be administered by anyone observing the patient for one hour
- The NPI includes a measure of caregiver distress for each item

Your answer is incorrect.

Neuropsychiatric Inventory (NPI) was developed to assess psychopathology in patients with dementia. It evaluates 12 neuropsychiatric disturbances: delusions, hallucinations, agitation, dysphoria, anxiety, apathy, irritability, euphoria, disinhibition, aberrant motor behavior, night-time behavior disturbances, and appetite and eating abnormalities. The severity and frequency of each neuropsychiatric symptom are rated on the basis of scripted questions administered to the patient's caregiver. Caregivers familiar with the patient were chosen to report as they will be aware of behaviour, which may not be exhibited during a single clinic visit. The NPI also assesses the amount of caregiver distress engendered by each of the neuropsychiatric disorders. The NPI is sensitive to treatment effects and has demonstrated the amelioration of behavioral symptoms in Alzheimer's disease by cholinergic agents. (Ref: Cummings JL. The Neuropsychiatric Inventory Assessing psychopathology in dementia patients. Neurology. 1997 May 1;48(5 Suppl 6):10S-6S).

The correct answer is: The NPI includes a measure of caregiver distress for each item

Question **22**

Not answered

Marked out of 1.00

Flag question

Which of the following psychological tests involves an individual being shown a series of pictures and then being asked to describe a story from what they have seen?

Select one:

- Picture completion test
- Rorschach test
- Thematic Apperception test
- Animal Metaphor test
- MMPI

Your answer is incorrect.

The Thematic Apperception Test (TAT) is also known as the picture interpretation technique as it uses a series of provocative yet ambiguous pictures about which the subject is asked to tell a story. The Rorschach test involves an individual's perceptions of an inkblot are interpreted in terms of psychodynamic theory or some other method. The MMPI is the Minnesota Multiphasic Personality Inventory. The Animal Metaphor test consists of a series of creative and analytical prompts in which the person filling out the test is asked to create a story and then interpret its personal significance.

The correct answer is: Thematic Apperception test

Question **23**

Not answered

Marked out of 1.00

Flag question

Brian Lean is a 42-year-old man with a long-standing diagnosis of obsessive-compulsive disorder and is about to start CBT. Which of the following is FALSE concerning the ICD-10 definition of obsessive-compulsive disorder?

Select one:

- Carrying out the compulsive act is not pleasurable
- Obsessions are recognized as originating in the mind of the patient
- Obsessions and compulsions are not seen as excessive or unreasonable
- Compulsions are unsuccessfully resisted
- Obsession and compulsions must be present on most days for two weeks

Your answer is incorrect.

In obsessive-compulsive disorder the individual afflicted is aware that their thoughts and behaviours are unreasonable and excessive.

The correct answer is: Obsessions and compulsions are not seen as excessive or unreasonable

Question **24**

Not answered

Marked out of 1.00

Which of the following drugs can remain present in urine for up to 8 days?

Select one:

- Amphetamine

Flag question

- LSD
- Heroin
- Diazepam
- Phencyclidine

Your answer is incorrect.

Phencyclidine (PCP) can be detectable in the urine for up to 7-14 days. Diazepam can be detectable in urine for up to 6 weeks.

The correct answer is: Phencyclidine

Question **25**

Not answered

Marked out of 1.00

Flag question

A type of obstructive technique in clinical history taking is:

Select one:

- Suggestive questions
- Redirecting
- Symptom exaggeration
- Closed questions
- Confrontation

Your answer is incorrect.

Suggestive or leading questions are best avoided during history taking. They tend to lead the patient down an avenue that is framed by your own assumptions and prevent accurate information from being gathered.

The correct answer is: Suggestive questions

Finish review

PREVIOUS ACTIVITY
Fresh Practice Questions 2019 Set 4

NEXT ACTIVITY
NEW 105Qs Fresh Practice Questions (2020-2021) Set 6

Jump to...

Drop here!

© 2022 SPMM Course Limited, UK.

Refund Policy | Terms & Conditions

