queries.sql

```sql
-- CREATE TABLE
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);

ALTER TABLE student
ADD GENDER VARCHAR(10);
DESC student;
```

I/O | AI Agent | 209 ms

STDIN

Input for the program (Optional)

Output:

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI	NULL	
student_name	varchar(100)	NO		NULL	
email	varchar(100)	YES	UNI	NULL	
phone	varchar(15)	YES		NULL	
department_id	int	YES		NULL	
GENDER	varchar(10)	YES		NULL	

queries.sql

```sql
-- CREATE TABLE
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);

ALTER TABLE student
ADD GENDER VARCHAR(10);
DESC student;

ALTER TABLE student
MODIFY GENDER VARCHAR(18);
DESC student;

ALTER TABLE student
RENAME COLUMN student_id TO ID;
DESC student;

ALTER TABLE student
DROP COLUMN department_id;
DESC student;

```

I/O | AI Agent

STDIN

Input for the program (Optional)

Output:

```
| phone         | varchar(15)  | YES  |
| department_id | int          | YES  |
| GENDER        | varchar(18)  | YES  |
+---------------+--------------+------+---
+---------------+--------------+------+---
| Field         | Type         | Null | Ke
+---------------+--------------+------+---
| ID            | int          | NO   | PR
| student_name  | varchar(100) | NO   |
| email         | varchar(100) | YES  | UN
| phone         | varchar(15)  | YES  |
| department_id | int          | YES  |
| GENDER        | varchar(18)  | YES  |
+---------------+--------------+------+---
+--------------+--------------+------+---
| Field        | Type         | Null | Key
+--------------+--------------+------+---
```

queries.sql

```sql
-- CREATE TABLE
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);

ALTER TABLE student
ADD GENDER VARCHAR(10);
DESC student;

ALTER TABLE student
MODIFY GENDER VARCHAR(18);
DESC student;

ALTER TABLE student
RENAME COLUMN student_id TO ID;
DESC student;

ALTER TABLE student
DROP COLUMN department_id;
DESC student;

SELECT * FROM student;

DROP TABLE student ;
```

I/O | AI Agent

STDIN

Input for the program (Optional)

Output:

```
| phone         | varchar(15)  | YES  |     | NULL    |       |
| department_id | int          | YES  |     | NULL    |       |
| GENDER        | varchar(18)  | YES  |     | NULL    |       |
+---------------+--------------+------+-----+---------+-------+
+---------------+--------------+------+-----+---------+-------+
| Field         | Type         | Null | Key | Default | Extra |
+---------------+--------------+------+-----+---------+-------+
| ID            | int          | NO   | PRI | NULL    |       |
| student_name  | varchar(100) | NO   |     | NULL    |       |
| email         | varchar(100) | YES  | UNI | NULL    |       |
| phone         | varchar(15)  | YES  |     | NULL    |       |
| department_id | int          | YES  |     | NULL    |       |
| GENDER        | varchar(18)  | YES  |     | NULL    |       |
+---------------+--------------+------+-----+---------+-------+
+-------------+--------------+------+-----+---------+-------+
| Field       | Type         | Null | Key | Default | Extra |
+-------------+--------------+------+-----+---------+-------+
| ID          | int          | NO   | PRI | NULL    |       |
| student_name | varchar(100) | NO   |     | NULL    |       |
| email       | varchar(100) | YES  | UNI | NULL    |       |
| phone       | varchar(15)  | YES  |     | NULL    |       |
| GENDER      | varchar(18)  | YES  |     | NULL    |       |
+-------------+--------------+------+-----+---------+-------+
```