queries.sql

```sql
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);
INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(201, 'Rahul', 'rahul201@univ.edu', '9876543210', '405');

INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(202, 'sharma', 'sharma202@univ.edu', '9901997355', '235');


SELECT * FROM student;
```

I/O AI Agent

STDIN

Input for the program (Optional)

Output:

student_id	student_name	email	phone	department_i
201	Rahul	rahul201@univ.edu	9876543210	40
202	sharma	sharma202@univ.edu	9901997355	23

queries.sql

```sql
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);
INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(201, 'Rahul', 'rahul201@univ.edu', '9876543210', '405');

INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(202, 'sharma', 'sharma202@univ.edu', '9901997355', '235');

UPDATE student
SET phone=7795426633
WHERE student_id=202;

SELECT * FROM student;
```

I/O AI Agent 131 ms

STDIN

Input for the program (Optional)

Output:

```
+------------+--------------+-------------------+------------+-------------
| student_id | student_name | email             | phone      | department_i
+------------+--------------+-------------------+------------+-------------
|        201 | Rahul        | rahul201@univ.edu | 9876543210 |           40
|        202 | sharma       | sharma202@univ.edu | 7795426633 |           23
+------------+--------------+-------------------+------------+-------------
```

```sql
CREATE TABLE student (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE,
    phone VARCHAR(15),
    department_id INT
);
INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(201, 'Rahul', 'rahul201@univ.edu', '9876543210', '405');

INSERT INTO student
(student_id, student_name, email, phone,department_id )
VALUES
(202, 'sharma', 'sharma202@univ.edu', '9901997355', '235');

UPDATE student
SET phone=7795426633
WHERE student_id=202;

DELETE FROM student
WHERE student_id=202;

SELECT * FROM student;
```

Input for the program (Optional)

Output:

```
+------------+--------------+-------------------+------------+-------------
| student_id | student_name | email             | phone      | department_i
+------------+--------------+-------------------+------------+-------------
|        201 | Rahul        | rahul201@univ.edu | 9876543210 |          40
+------------+--------------+-------------------+------------+-------------
```