INDEX

1. STUDENT MANAGEMENT SYSTEM PROJECT -ABSTRACT

A)EXISTING SYSTEM
B)PRESENT SYSTEM
C)OBJECTIVE OF NEW SYSTEM

2. PROJECT STRUCTURE

3. DATABASE DESIGN AND AUXILIARY QUERIES

sms/Firebase.js

4.WEB APPLICATION

SMS/index.html sms/style.css sms/aboutus/aboutus.html sms/aboutus/aboustus.css sms/circulars/circulars.html sms/circulars/circulars.css sms/contactus/contactus.html sms/contactus/contactus.css sms/contactus/contactus.js sms/courses_offered/courses_offered.html sms/courses offered/courses offered.css sms/login/login.html sms/login/login.css sms/login/alogin/alogin.html sms/login/alogin/alogin.css sms/login/alogin/alogin.js sms/login/slogin/slogin.html sms/login/slogin/slogin.css

5.OUTPUTS

STUDENT MANAGEMENT SYSTEM PROJECT

ABSTRACT:

The project entitled "STUDENT MANAGEMENT" is aimed to keep all student records and administrative operations ,including exams ,attendance,and marks .The main objective of our software is to efficiently maintain student records that allows a particular company/institute to collect,and manage student information and maintain search results.

The project has two main users namely administrator ,and student. The admin has control over entire process of the examination ,while the student has permission to visit and view his/her details only.

SYSTEM STUDY:

STUDY OF EXISTING SYSTEM:

- Existing System is manual collection of records ,,that requires a lot of paper and a lot of time for retrieval .
- This System has to prepare application forms and separate records for students.
- This may lead to a easily losable and more error-prone.
- Also student-verification requires lot of effort.
- The main drawback of this system is that it is not all personalized and no security .It cannot be used for personal and quick reference.

STUDY OF PROPOSED SYSTEM:

- Our Proposed System is the automation of this existing procedure.
- This requires fast retrieval and data accuracy will be the major benefit of the system .Also errors can be Minimized.
- PASSWORD PROTECTION facility is also incorporated ,that protects the system from unauthorized access to data.
- Our system overcomes the drawback of existing system as our system doesn't require any paper work.

ADVANTAGES OF PROPOSED SYSTEM:

- 1. Secured access of data
- 2. Doesn't involve any paper work

- 3. Easy to understand and work with.
- 4. Quick retrieval of data is possible.
- 5. Stores data permanently.

SOFTWARE REQUIREMENTS:

Operating System: Any OS capale of running Java Runtime Environment.

TECHNOLOGY: Java Enterprise Edition.

WEB TECHNOLOGIES: HTML, JAVASCRIPT, CSS, FIREBASE.

WEB SERVER: Any server capable of running Java Enterprise Edition 7.0+

APPLICATIONS.


DATABASE: FIREBASE


SOFTWARE: JRE 8.0+

HARDWARE REQUIREMENTS:

HARDWARE: Any Thin Client capable of accessing Web from a modern web browser.

RAM: 512 MB.





About us.css

```
*{margin:0;padding:0;box-sizing:border-box;}
body{font-size:20px;font-style:bold;background-image: url('paraabout.png');
  background-repeat: no-repeat;background-attachment: fixed;background-size: 100% 100%;}
                        About Us.html
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About AU</title>
    <link rel="stylesheet" href="aboutus.css">
    klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
</script>
  </head>
  <body>
  <div class='container'>
    <h1 class='text-center'>ANDHRA UNIVERSITY COLLEGE OF ENGINEERING(A)</h1>
  <br>
  <hr size="3" noshade>
  Andhra University was constituted in the year 1926 by the Madras Act of 1926.
The 94-year-old institution is fortunate to have Sir C.R. Reddy as its founder
Vice-Chancellor, as the steps taken by this visionary proved to be fruitful in the
long run.
Former President of India Dr. Sarvepalli Radhakrishnan was one of its Vice-
Chancellors who succeed Dr. C. R. Reddy in 1931. The University College of Arts was
inaugurated on 1 st July, 1931. The inaugural courses were Telugu language and
literature, History, Economics and Politics. A year later, the College of Science and
Technology came into being with Honours courses in Physics and Chemistry. The
University pioneered in introducing many new courses in Science, Arts, Management and
Engineering in the country.
The University is spread in a sprawling campus of 422 acres dotted with 121
buildings of Academic, Administrative and support services with a plinth area of
about 20 lakhs sq.ft., and 324 staff quarters. Presently the University catering
the Educational needs of five green districts of Andhra Pradesh namely
Visakhapatnam, East Godavari, West Godavari, Vizinagaram and Srikakulam.
There are 365 affiliated colleges spread across five districts under the
territorial jurisdiction of Andhra University. The enrolment in Affiliated
Colleges is about one Lakh.
  </div>
</body>
</html>
```

Alogin.css

```
*{
       margin:0;
       padding:0;
       box-sizing:border-box;
   }
  body{
     display:flex; justify-content:center; align-items:center;
 8
     height:100vh;
 9
     background:url("bg.png");
10
     background-repeat: no-repeat;
11
     background-attachment: fixed;
12
     background-size: 100% 100%;
13
14 }
_{15} \mid button{
     transition:all .5s ease;
16
     width:100%;
17
     background:dodgerblue;
18
     color: white;
19
     padding:.5rem 1.5rem ;margin: .5rem 0;
20
     border: none;
21
     cursor: pointer;
22
     opacity: 0.8;
23
     font-size:1.5rem;
24
25 | }
26 .clearfix button{
27 padding:.7rem 1rem;
28 font-size:1.3rem;
29 width:100%;
30 }h1{
     background:#000;color:#fff;
31
     width:100%;
32
     padding:.5rem 2.5rem ;
33
     margin-bottom:1.5rem;
34
35 }
36 .container {
     padding: 16px;
37
     text-align: center;
38
39 | }
40 label{
     display:block;
41
     text-align:left;
42
     font-size:1.2rem;
43
44 | }
45 input{
     width:100%;display:block;
46
     margin:1rem 0;padding:.5rem;
47
```

localhost:4649/?mode=css 1/1

6/23/22, 9:40 AM alogin.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
     <head>
 4
       <meta charset="UTF-8">
 5
       <link rel="stylesheet" href="alogin.css">
       <title>AUTHENTICATION</title>
 7
       <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
   awesome/4.7.0/css/font-awesome.min.css">
 8
     </head>
 9
     <body>
10
       <div class='container'>
11
         <h1>AUTHENTICATION</h1>
12
         <button onclick="document.getElementById('id01').style.display='block'">Login
   As Admin</button>
         <div id="id01" class="modal modal1">
13
14
           <span onclick="document.getElementById('id01').style.display='none'"</pre>
   class="close" title="Close Modal">x</span>
15
           <form class="modal-content">
16
             <div class="container">
               <h1>Admin Login</h1>
17
18
               <form>
19
                  <label for="emailValue1"><b>Email</b></label>
20
                  <input id='emailValue1' type="email" placeholder="Enter Email"</pre>
   name="emailValue1" required>
                  <label for="passwordValue1"><b>Password</b></label>
21
22
                  <input id='passwordValue1' type="password" placeholder="Enter Password"</pre>
   name="passwordValue1" required>
23
               </form>
                  <button type="button" id="sub1">Login</button>
24
                  <button type="button" id="sub2"><i class="fa fa-google" aria-</pre>
25
   hidden="true"></i>Login With Google</button>
26
             </div>
27
           </form>
28
         </div>
           <form class="modal-content">
29
             <div class="container">
30
               <h1>Guest Login</h1>
31
32
               <form>
                  <label for="emailValue2"><b>Email</b></label>
33
34
                  <input id='emailValue2' type="email" placeholder="Enter Email"</pre>
   name="emailValue2" required>
35
                  <label for="passwordValue2"><b>Password</b></label>
                  <input id='passwordValue2' type="password" placeholder="Enter Password"</pre>
36
   name="passwordValue2" required>
37
               </form>
                  <button type="button" id="sub3">Login</button>
38
                  <button type="button" id="sub4"><i class="fa fa-google" aria-</pre>
39
   hidden="true"></i>Login With Google</button>
40
             </div>
41
           </form>
42
       </div>
43
       <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-auth.js">
   </script>
44
       <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-firestore.js">
   </script>
45
       <script src="alogin.js"></script>
46
     </body>
47 </html>
```

6/23/22, 9:41 AM alogin.js

```
1 const firebaseConfig = {
 2
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
       authDomain: "smsproject-ecd2d.firebaseapp.com",
 3
 4
       projectId: "smsproject-ecd2d",
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
       measurementId: "G-SED0D8TV4G"
8
9
       };
10
11 firebase.initializeApp(firebaseConfig);
12 const db=firebase.firestore();
13 const auth = firebase.auth();
14 const provider = new firebase.auth.GoogleAuthProvider();
15 provider.setCustomParameters({
       prompt: 'select_account'
16
17|});
18 var email1 = document.getElementById('emailValue1');
19 var password1 = document.getElementById('passwordValue1');
20 var email2 = document.getElementById('emailValue2');
21 var password2 = document.getElementById('passwordValue2');
22 var submit1=document.querySelector('#sub1');
23 | submit1.addEventListener('click', signIn1);
24 var submit2=document.querySelector('#sub2');
25 | submit2.addEventListener('click',provider1);
26 var submit3=document.querySelector('#sub3');
27 submit3.addEventListener('click', signIn2);
28 var submit4=document.querySelector('#sub4');
29 | submit4.addEventListener('click',provider2);
30
31 function signIn1(e){
32
       e.preventDefault();
       if(email1.value==='' || password1.value===''){
33
34
           alert('Please Fill all the Fields');
35
           return;
36
       }
37
       auth.signInWithEmailAndPassword(email1.value,password1.value).then(function(){
38
           location.href='valid/valid.html';
39
       }).catch(function(error){
40
           alert('Error : '+error.message);
41
       });
42 }
43
44 function signIn2(e){
45
       e.preventDefault();
       if(email2.value==='' || password2.value===''){
46
           alert('Please Fill all the Fields');
47
48
           return;
49
       auth.createUserWithEmailAndPassword(email2.value,password2.value).then(function()
50
   {
51
           db.collection('emailPassword').add({
52
               Email:email2.value,
53
               Password:password2.value
54
           })
           setTimeout(()=>{
55
56
               auth.currentUser.delete();
57
               location.href='valid/valid.html';
58
           },1500);
```

```
59
        }).catch(function(error){
            alert('Error : '+error.message);
 60
 61
        });
 62 }
 63
    function provider1(e){
 64
 65
        e.preventDefault();
        auth.signInWithPopup(provider)
 66
            .then((result) => {
 67
                let isNewUser = result.additionalUserInfo.isNewUser;
  68
  69
                let email= result.additionalUserInfo.profile.email;
  70
                if(isNewUser){
  71
                     //delete the created user
  72
                     auth.currentUser.delete();
  73
                     alert('Error : No user found with '+email);
  74
                }
  75
                else{
  76
                     // your sign in flow
  77
                     location.href='valid/valid.html';
  78
                }
 79
            }).catch((error) => {
            // Handle Errors here.
 80
            alert("Error : "+error.message);
 81
 82
        });
 83 }
 84
 85 function provider2(e){
        e.preventDefault();
 86
        auth.signInWithPopup(provider)
 87
 88
            .then((result) => {
                let isNewUser = result.additionalUserInfo.isNewUser;
 89
 90
                let email= result.additionalUserInfo.profile.email;
 91
                if(isNewUser){
 92
                     db.collection('googleProvider').add({
 93
                         Email: email
 94
                     })
 95
                     setTimeout(()=>{
 96
                         //delete the created user
 97
                         auth.currentUser.delete();
 98
                     },1500)
 99
                }
 100
                setTimeout(()=>{
                     location.href='valid/valid.html';
 101
 102
                },1000);
            }).catch((error) => {
103
            // Handle Errors here.
104
            alert("Error : "+error.message);
105
106
        });
107 }
108
109
110
```

6/23/22, 9:25 AM attendance.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
       <head>
4
           <meta charset="UTF-8">
 5
           <link rel="stylesheet" href="attendance.css">
 6
           <title>ATTENDANCE</title>
 7
           ink
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
 8
           <script src='https://cdn.firebase.com/js/client/2.2.1/firebase.js'></script>
 9
           <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-</pre>
   firestore.js"></script>
10
       </head>
       <body>
11
           <h2 class='text-center bg-dark text-white py-2'>MARK ATTENDANCE</h2>
12
13
           <div class="container">
14
               <form>
15
                    <div class="my-2">
16
                        <label for="rnoValue">Registration Number :</label>
17
                        <input id='rnoValue' type="tel" class="form-control my-</pre>
   2"placeholder="Enter Registration Number" name="rnoValue">
18
                    </div>
                    <div class="mv-2">
19
20
                        <label for="datetimeValue">Select Date :</label>
21
                        <input id='datetimeValue' type="datetime-local" class="form-</pre>
   control my-2" name="datetimeValue">
22
                    </div>
23
                    <label for="subjectValue" class="form-label my-1">Select subject :
   </label>
24
                    <select class="form-select my-1" id="subjectValue"</pre>
   name="subjectValue">
25
                        <option>AI</option>
26
                        <option>ES</option>
27
                        <option>SN</option>
28
                        <option>WT</option>
29
                        <option>ES LAB</option>
30
                        <option>WT LAB</option>
31
                        <option>LOW CODE</option>
32
                    </select>
33
                    <label for="attValue" class="form-label my-1">Select Attendance :
   </label>
34
                    <select class="form-select my-1" id="attValue" name="attValue">
35
                        <option>PRESENT</option>
                        <option>ABSENT</option>
36
37
                    </select>
38
                    <div class="my-2 text-center">
                        <button class="btn btn-primary" id='sub1'>SUBMIT</button>
39
                    </div>
40
41
                    <div class="my-2 text-center">
42
                        <button class="btn btn-primary" id='sub2'>FETCH PAST
   DATA</button>
43
                    </div>
               </form>
44
45
           </div>
46
           <script src='attendance.js'></script>
47
       </body>
48 </html>
49
50
```

6/23/22, 9:22 AM attendance.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
 3
       authDomain: "smsproject-ecd2d.firebaseapp.com",
       projectId: "smsproject-ecd2d",
 4
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
 8
       measurementId: "G-SED0D8TV4G"
 9
       };
10 firebase.initializeApp(firebaseConfig);
11 const db=firebase.firestore();
12 var rno=document.getElementById("rnoValue");
13 var date=document.getElementById("datetimeValue");
14 var subject=document.getElementById("subjectValue");
15 var att=document.getElementById("attValue");
16 var start,content,end,items=[];
17 document.getElementById("sub1").addEventListener('click',setItems);
18 document.getElementById("sub2").addEventListener('click',getItems);
19 function setItems(e){
       e.preventDefault();
20
       if(rno.value===""||date.value===""||subject.value===""|| att.value===''){
21
22
           alert("Please fill all the fields");
23
           return;
24
25
       db.collection('attendance').add({
26
           Rno:rno.value,
27
           Date:date.value,
28
           Subject:subject.value,
29
           Att:att.value
       })
30
31
       .then(function(docRef) {
32
           console.log("Document written with ID: ", docRef.id);
33
           alert('Record Added Successfully');
34
       .catch(function(error) {
35
           console.error("Error adding document: ", error);
36
37
       });
38
39 }
40
41 ATTENDANCE.CSS
42 *{
43
       margin:0;
44
       padding:0;
45
       box-sizing:border-box;
46 }
47 body{
48
       font-size:20px;
49
       color:black;
       background:url("bg.jpg");
50
51
       background-repeat: no-repeat;
52
       background-attachment: fixed;
53
       background-size: 100% 100%;
54
       height:100vh;
55 }
56 label{
57
       font-size:1.3rem;
58
       color:#fff;
59 }
```

6/23/22, 10:13 AM circulars.html

```
1 <!DOCTYPE html>
2 <html lang="en" dir="ltr">
3
    <head>
4
      <meta charset="UTF-8">
5
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6
7
      <link rel="stylesheet" href="circulars.css">
8
      <title>AU CIRCULARS</title>
9
      link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
  rel="stylesheet">
10
      <script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
  </script>
11
      </head>
12
    <body>
13
      <div class="container">
        14
         <thead bgcolor="pink">
15
16
           17
            DATE
18
            CIRCULAR
19
           20
          </thead>
21
          22
            23
              07/05/2022
24
              Semester exams for B.Tech, B.Tech+M.Tech (6th semester) will
  commence from 20/06/2022
25
            26
            27
              04/05/2022
28
              Commencement of B.Tech+M.Tech, MCA First year Classwork
29
            30
          31
       32
      </div>
33
      </body>
34 </html>
35 CIRCULAR.CSS
36 *{
37
    margin:0;
38
    padding:0;
39
    box-sizing:border-box;
40 }
41 body
42
    {
43
        font-size:20px;
44
        color:black;
45
        margin:auto;
46
        background:url("circular.png");
47
        background-repeat: no-repeat;
48
        background-attachment: fixed;
49
        background-size: 100% 100%;
        display:flex;
50
51
        justify-content: center;
52
        align-items: center;
53
        height:100vh;
54 }
```

6/23/22, 10:15 AM contactus.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
     <head>
       <link rel="stylesheet" href="contactus.css">
 4
 5
       link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
 6
       <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-firestore.js">
 7
       <title>CONTACT US</title>
8
     </head>
9
     <body>
10
       <h1 class='text-center bg-dark text-white py-2'>CONTACT US</h1>
       <div class="container my-2">
11
12
         <form>
13
           <div class="my-2">
14
             <label for="rnoValue">Registration Number :</label>
             <input type="tel" class="form-control my-2" id="rnoValue"</pre>
15
   placeholder="Enter Registration Number" name="rnoValue">
16
           </div>
17
           <div class="my-2">
18
             <label for="nameValue">Name :</label>
             <input type="text" class="form-control my-2" id="nameValue"</pre>
19
   placeholder="Enter Your Name" name="nameValue">
20
           </div>
21
           <label for="yearValue" class="form-label my-2">Select Year :</label>
           <select class="form-select my-2" id="yearValue" name="yearValue">
22
23
             <option>1</option><option>2</option>
24
             <option>3</option><option>4</option>
25
           </select>
           <label for="branchValue" class="form-label my-2">Select Branch :</label>
26
           <select class="form-select my-2" id="branchValue" name="branchValue">
27
28
             <option>CSE</option><option>IT</option><option>ECE</option>
29
             <option>EEE</option><option>CIVIL</option><option>MECHANIC</option>
30
           </select>
           <div class="my-2">
31
32
             <label for="emailValue">Email :</label>
             <input type="email" class="form-control my-2" id="emailValue"</pre>
33
   placeholder="Enter Your Email" name="emailValue">
34
           </div>
           <div class="my-2">
35
             <label for="msgValue">Message :</label>
36
             <textarea class="form-control my-2" rows="4" id="msgValue" name="msgValue"</pre>
37
   placeholder="Briefly Describe Your Queries..."></textarea>
38
           </div>
39
           <div class="text-center my-2">
            <button type="submit" id='sub' class="btn btn-primary my-2">SUBMIT</button>
40
41
           </div>
42
         </form>
43
       </div>
44
45
     <script src="contactus.js"></script>
     </body>
46
47 </html>
```

6/23/22, 10:18 AM contactus.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
       authDomain: "smsproject-ecd2d.firebaseapp.com",
 3
       projectId: "smsproject-ecd2d",
 4
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
       measurementId: "G-SED0D8TV4G"
 8
 9
       };
10 firebase.initializeApp(firebaseConfig);
11 const db=firebase.firestore();
12 var rno=document.getElementById("rnoValue");
13 var names=document.getElementById("nameValue");
14 var branch=document.getElementById("branchValue");
15 var year=document.getElementById("yearValue");
16 var email=document.getElementById("emailValue");
17 var phone=document.getElementById("phoneValue");
18 var msg=document.getElementById("msgValue");
19 document.getElementById("sub").addEventListener('click',setItems);
20 function setItems(e){
21
       e.preventDefault();
22
    if(rno.value===''||branch.value===''||year.value===''||names.value===''||email.value
   ===''||phone.value===''||msg.value===''){
23
           alert("Please fill all the fields");
24
           return; }
25
       db.collection('contactus').add({
26
           Rno:rno.value,
27
           Name:names.value,
28
           Year:year.value,
29
           Branch: branch.value,
30
           Email:email.value,
31
           Phone:phone.value,
32
           Message:msg.value
33
       })
34
       .then(function(docRef) {
           console.log("Document written with ID: ", docRef.id);
35
36
           alert('Your Query is recorded with us. Our team will get back to you soon.');
37
       .catch(function(error) { console.error("Error adding document: ",
38
   error.message);});}
39 CONTACTUS.CSS
40 *{
41
       margin:0;
42
       padding:0;
       box-sizing:border-box;
43
44 }
45 body
46
       background-image:url("bg.jpg");
47
48
       background-repeat: no-repeat;
49
       background-size: 100% 100%;
50
       background-position:center;
51
       background-attachment: fixed;
52
53
     label{
54
       font-size:1.3rem;
55
       font-weight:600;
56
```

```
1 *{
 2
    margin:0;
 3
    padding:0;
 4
    box-sizing:border-box;
 5 }
 6 body{
7
    background:url("bg.jpg");
8
    background-repeat: no-repeat;
9
    background-attachment: fixed;
10
    background-size: 100% 100%;
11 }
12 button{
13
    font-weight:bold;
14 }
15 label{
    font-size:1.3rem;
16
17 }.modal {
18
    display: none; position: fixed; /* Stay in place */
19
    z-index: 1; /* Sit on top */
20
     padding-top: 100px; /* Location of the box */
21
    left: 0;top: 0;
    width: 100%; /* Full width */height: 100%; /* Full height */
22
23
    overflow: auto; /* Enable scroll if needed */
    background-color: rgb(0,0,0); /* Fallback color */
24
    background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
25
26 }
27 /* modal Content */
28 .modal-content {
29
    position: relative; background-color: #fefefe;
30
    margin: auto; padding: 0;
31
    border: 1px solid #888; width: 100%;
32
    box-shadow: 0 4px 8px 0 rgba(0,0,0,0.2),0 6px 20px 0 rgba(0,0,0,0.19);
33
     animation-name: animatetop; animation-duration: 0.4s; transition: all 0.5s;
34 }
35 #close, #close1{
36
    color: #000;font-weight: bold;
37
    transition:all .5s;
38
    font-size:2.5rem; font-weight:bold;
39
    user-select:none;
40 }
41 | #close: hover, #close: focus, #close1: hover, #close1: focus {
42
     color: red;text-decoration: none; cursor: pointer;
43 }
44 i.fa-question-circle{
45
    font-size:1.3rem;margin:0 0 0 .5rem;
46 }
47
48 VALID. HTML
49 <!DOCTYPE html>
50 <html lang="en" dir="ltr">
51
       <head>
52
           <meta charset="UTF-8">
53
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
54
           <meta name="viewport" content="width=device-width, initial-</pre>
55
           scale=1.0"> <link rel="stylesheet" href="valid.css"> <title>ADMIN
56
           LOGIN</title>
57
           k
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
```

localhost:4649/?mode=css 1/3

```
58
            <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
    </script>
 59
        </head>
 60
        <body>
 61
            <h1 class='text-center bg-dark text-white py-1'>ADMIN LOGIN</h1>
 62
            <div class='container'>
  63
                <div class='logins'>
                    <a href="attendance/attendance.html">
  64
                         <div class='login'>
  65
  66
                             <img class='img-fluid' src="attendance.jpg" alt="attendance">
                             <h2>MARK ATTENDANCE</h2>
  67
  68
                         </div>
                    </a>
  69
                    <a href="grades/grades.html">
  70
  71
                         <div class='login'>
  72
                             <img class='img-fluid' src="grades.jpg" alt="grades">
  73
                             <h2>ENROLL GRADES</h2>
  74
                         </div>
  75
                    </a>
                    <a href="register/register.html">
  76
  77
                         <div class='login'>
  78
                             <img class='img-fluid' src="register.jpg" alt="register">
  79
                             <h2>REGISTRATION</h2>
                         </div>
  80
  81
                    </a>
  82
                </div>
 83
            </div>
 84
        </body>
 85 </html>
 86 FEE.HTML
 87 <!DOCTYPE html>
 88 <html lang="en" dir="ltr">
      <head>
 89
        <link rel="stylesheet" href="fee.css">
 90
 91
        <title>FEE PAYMENT</title>
 92 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/4.7.0/css/font-awesome.min.css">
 93
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    rel="stylesheet">
 94
      </head>
      <body>
 95
        <h2 class='text-center bg-dark text-white py-2'>FEE PAYMENT</h2>
 96
        <div class="container"><form><div class="my-2">
 97
              <label for="rnoValue">Registration Number :</label>
 98
 99 <input id='rnoValue' type="tel" class="form-control my-2"
    placeholder="Enter Registration Number" name="rnoValue">
100
            </div>
            <div class="my-2">
101
102
              <label for="nameValue">Student Name :</label>
103 <input id='nameValue' type="text" class="form-control my-2"</pre>
    placeholder="Enter Your Name" name="nameValue">
104
            </div>
105
            <div class="my-2">
              <label for="emailValue">Email :</label>
106
107 cinput id='emailValue' type="email" class="form-control my-2"
    placeholder="Enter Your Email" name="emailValue">
            </div>
108
            <label for="genderValue" class="form-label my-2">Select Gender :</label>
109
```

localhost:4649/?mode=css 2/3

6/23/22, 9:48 AM fee.css

```
110
            <select class="form-select my-2" id="genderValue" name="genderValue">
              <option>MALE</option><option>FEMALE</option>
111
112
            </select>
            <label for="branchValue" class="form-label my-2">Select Branch :</label>
113
                    <select class="form-select my-2" id="branchValue" name="branchValue">
 114
 115
                        <option>CSE</option><option>IT</option><option>ECE</option>
 116
                        <option>EEE</option><option>CIVIL</option>
                    </select>
 117
            <div class="my-2">
118
              <label for="cfeeValue">College Fee :</label>
119
120 kinput id='cfeeValue' type="tel" class="form-control my-2"
    placeholder="Enter Fee Amount" name="cfeeValue">
121
            </div>
            <label for="quarterValue" class="form-label my-2">Select Quarter :</label>
122
            <select class="form-select my-2" id="quarterValue" name="quarterValue">
123
              <option>1</option><option>2</option><option>3</option><option>4</option>
124
125
            <div class="my-2 text-center">
126
127 <button type='submit' class="btn btn-primary my-2" id='sub1' >PROCEED TO
    CHECKOUT</button>
128
            </div></form></div>
               <script src='fee.js'></script>
129
130 <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-firestore.js">
    </script>
131
        </body>
132 </html>
133 LOGIN.HTML
134 <!DOCTYPE html>
135 <html lang="en" dir="ltr">
      <head>
136
        <meta charset="UTF-8">
137
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
138
139
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet" href="login.css">
140
141
        <title>LOGIN</title>
142
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    rel="stylesheet">
143
        <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
    </script>
      </head>
144
145
      <body>
        <h2>LOGIN</h2>
146
          <div class='container'>
147
              <div class='logins'>
148
                  <a href="alogin/alogin.html">
 149
 150
                      <div class='login'>
 151
                        <img class='img-fluid' src="adminlog.png" alt="admin">
                        <h3>ADMIN LOGIN</h3>
 152
 153
                      </div>
 154
                  </a>
                  <a href="slogin/slogin.html">
 155
 156
                      <div class='login'>
                        <img class='img-fluid' src="stulog.png" alt="student">
 157
                        <h3>STUDENT LOGIN</h3>
 158
 159
                      </div>
                  </a></div></div>
 160
161
      </body>
162 </html>
```

localhost:4649/?mode=css 3/3

6/23/22, 9:55 AM fee.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
 3
       authDomain: "smsproject-ecd2d.firebaseapp.com",
       projectId: "smsproject-ecd2d",
 4
       storageBucket: "smsproject-ecd2d.appspot.com",
 5
       messagingSenderId: "263965204952",
 6
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
 8
       measurementId: "G-SED0D8TV4G"
 9
       };
10 firebase.initializeApp(firebaseConfig);const db=firebase.firestore();
11 var cfee=document.getElementById('cfeeValue');
12 var fine=document.getElementById('fineValue');
13 var rno=document.getElementById('rnoValue');
14 var year=document.getElementById('yearValue');
15 var quarter=document.getElementById('quarterValue');
16 var gender=document.getElementById('genderValue');
17 var remarks=document.getElementById('remarksValue');
18 var names=document.getElementById('nameValue');
19 var email=document.getElementById('emailValue');
20 var phone=document.getElementById('phoneValue');
21 var branch=document.getElementById('branchValue');
22 var items=[],password='',isEmpty=true,content,start,end;
23 var modal = document.getElementById("myModal");
24 var modal1=document.getElementById('myModal1');
25 var span = document.getElementById("close");
26 var span1 =
27 document.getElementById("close1"); var
   submit1=document.getElementById('sub1');submit1.addEventListener('click',setItems);
28 var
   submit2=document.getElementById('sub2');submit2.addEventListener('click',getItems);
29 function setItems(e){
30
       e.preventDefault();
31
   if(cfee.value==""||fine.value==""||rno.value==""||year.value==""||quarter.value==""|
   |names.value==""||gender.value==''||email.value==''||phone.value==''){
32
           alert("Please fill all the fields"); return;
33
       db.collection('fee').add({
34
35
           Cfee:cfee.value,Fine:fine.value,
           Rno:rno.value,Year:year.value,
36
37
           Quarter:quarter.value,Name:names.value,
           Remarks:remarks.value,Gender:gender.value,
38
           Phone:phone.value, Email:email.value,
39
           Branch: branch. value
40
41
       }).then(function(){
42
               location.href='https://services.andhrauniversity.edu.in/Feetut/t-fee-
   all.php'
43
           }).catch(function(error){
44
           alert(error.message);
45
       });
46 }
```

6/23/22, 9:27 AM grades.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
       <head>
           <meta charset="UTF-8">
4
5
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
 6
           <link rel="stylesheet" href="grades.css">
7
 8
           <title>GRADES</title>
 9
           k
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
10
           <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-app.js">
   </script>
11
           <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-</pre>
   firestore.js"></script>
12
       </head>
13
       <body>
           <h1 class='text-center bg-dark text-white py-2'>ENROLL GRADES</h1>
14
15
           <div class="container">
16
               <form>
17
                    <div class="my-2">
18
                        <label for="rnoValue">Registration Number :</label>
19
                        <input id='rnoValue' type="tel" class="form-control my-</pre>
   2"placeholder="Enter Registration Number" name="rnoValue">
20
                   </div>
                   <label for="yearValue" class="form-label my-1">Select Year :</label>
21
                   <select class="form-select my-1" id="yearValue" name="yearValue">
22
23
                        <option>1</option>
24
                        <option>2</option>
                        <option>3</option>
25
26
                        <option>4</option>
27
                    </select>
                   <label for="semesterValue" class="form-label my-1">Select Semester :
28
   </label>
29
                   <select class="form-select my-1" id="semesterValue"</pre>
   name="semesterValue">
30
                        <option>1</option>
31
                        <option>2</option>
32
                   </select>
33
                   <div class="my-2">
                        <label for="cgpValue">Enter CGPA :</label>
34
35
                        <input id='cgpValue' type="text" class="form-control my-2"</pre>
   name="cgpValue">
36
37
                   <div class="my-3 text-center">
38
                        <button class="btn btn-primary" id='sub1'>SUBMIT</button>
39
                   </div>
40
                   <div class="my-3 text-center">
                        <button class="btn btn-primary" id='sub2'>FETCH PAST
41
   DATA</button>
42
                    </div>
43
               </form>
44
           </div>
45
           <script src="grades.js"></script>
46
       </body>
47
  </html>
48
```

1/1

6/23/22, 9:30 AM grades.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
 3
       authDomain: "smsproject-ecd2d.firebaseapp.com",
       projectId: "smsproject-ecd2d",
 4
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
 8
       measurementId: "G-SED0D8TV4G"
 9
       };
10
11 firebase.initializeApp(firebaseConfig);
12 const db=firebase.firestore();
13 | var rno=document.getElementById("rnoValue");
14 var year=document.getElementById("yearValue");
15 var semester=document.getElementById("semesterValue");
16 var cgp=document.getElementById("cgpValue");
17 var start, content, end;
18 var items=[];
19 document.getElementById("sub1").addEventListener('click', setItems);
20 document.getElementById("sub2").addEventListener('click',getItems);
21
22
23
24 function setItems(e){
25
       e.preventDefault();
       if(rno.value==""||year.value==""||semester.value==""||cgp.value==""){
26
27
           alert("Please fill all the fields");
28
           return;
29
       db.collection('grades').add({
30
31
           Rno:rno.value,
32
           Year:year.value,
33
           Semester:semester.value,
34
           Cgp:cgp.value
35
       })
       .then(function(docRef) {
36
37
           console.log("Document written with ID: ",
38
           docRef.id); alert('Record Added Successfully');
39
       .catch(function(error) {
40
41
           console.error("Error adding document: ", error.message);
42
       });
43 }
44 GRADES.CSS
45 *{
46
       margin:0;
47
       padding:0;
48
       box-sizing:border-box;
49 }
50 body{
51
       background:url("bg.png");
52
       background-repeat: no-repeat;
53
       background-attachment: fixed;
54
       background-size: 100% 100%;
55|}
56
57 label{
58
       font-size:1.3rem;
59 }
```

```
1 | *{
 2
       margin:0;
 3
       padding:0;
 4
       box-sizing:border-box;
 5 }
 6 body{
 7
     font-size:20px;
 8
     color:black;
 9
     background:url("admin.png");
10
     background-repeat: no-repeat;
11
     background-attachment: fixed;
12
     background-size: 100% 100%;
13
     height:100vh;
14 }
15 .container{
16
     height:90vh;
17
     display:grid;
18
     place-items:center;
19 }
20 img{
21
     width:100px;
22
     height:100px;
23
     border-radius:50%;
24 }
25 .logins{
26
     display:grid;
27
     grid-template-columns: 1fr 1fr;
28
     place-items:center;
29
     transition:all .5s; gap:5rem;
30 }
31 .login{
32
     border:5px solid blue; padding:1.5rem;
33
     opacity:.8; transition:all .5s;
34
     background-color: #fff;
35
     width:350px; height:200px;
36|}
37
   .login:hover{
38
     background:#000;
39
     color:#fff;
40
     transform:scale(1.1);
41 | }
42 h2{
43 background:#000;
44 color:#fff;margin:auto;
45 text-align:center;padding:.5rem 0;
46 }
47
48 SLOGIN.CSS
49
50 *{
51
     margin:0;
52
     padding:0;
53
     box-sizing:border-box;
54 }
55 body{
56
     font-size:20px;
57
     color:black;
58
     background:url("bg.jpg");
59
     background-repeat: no-repeat;
```

```
60
       background-attachment: fixed;
       background-size: 100% 100%;
  61
  62 }
  63 .container{
  64
      height:90vh;
  65
       display:grid;
       place-items:center;
  66
  67 }
  68 .container a{
  69
      text-decoration:none;
  70
       color:black;
  71
  72 img{
      width:100px;
  73
  74
       height:100px;
  75
       border-radius:50%;
  76 }
  77 .boxes{
  78
       display:grid;
  79
       grid-template-columns: 1fr 1fr;
       place-items:center;
  80
       transition:all .5s;
  81
  82
       gap:5rem;
  83 }
  84 .box{
  85
       display:grid;
  86
       place-items:center;
  87
       transition:all .5s;
  88
       border:5px solid blue;
  89
      background-color: #fff;
  90
      width:350px;
  91
       height: 200px;
  92 }
  93 .box:hover{
  94
       border:5px solid green;
  95
       transform:scale(1.1);
  96 }
  97
  98 SLOGIN.HTML
99
 100 <!DOCTYPE html>
 101 <html lang="en" dir="ltr">
       <head>
 102
 103
         <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible" content="IE=edge">
 104
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
 105
 106
         <link rel="stylesheet" href="slogin.css">
         <title> STUDENT LOGIN</title>
 107
 108
         k
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
     rel="stylesheet">
 109
         <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
     </script>
 110
       </head>
 111
       <body>
         <h1 class='text-center bg-dark text-white py-1'>STUDENT LOGIN</h1>
 112
           <div class='container'>
 113
             <div class='boxes'>
 114
               <a href="results/results.html">
 115
```

localhost:4649/?mode=css 2/3

```
6/23/22, 10:02 AM
                                                    login.css
                <div class='box'>
116
                  <img class='img-fluid' src="results.jpg" alt="results">
117
118
                  <h2>VIEW RESULTS</h2>
119
                </div>
120
              </a>
              <a href="fee/fee.html">
121
 122
                <div class='box'>
                  <img class='img-fluid' src="fee.webp" alt="fee">
 123
 124
                  <h2>FEE PAYMENT</h2>
 125
                </div>
126
              </a>
            </div>
127
128
          </div>
129
     </body>
130 </html>
131
```

localhost:4649/?mode=css 3/3

6/23/22, 9:31 AM register.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
       <head>
           <meta charset="UTF-8">
4
5
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
 6
           <link rel="stylesheet" href="register.css">
7
 8
           <title>REGISTRATION</title>
 9
           k
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
10
           <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
   </script>
           <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-app.js">
11
   </script>
12
           <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-</pre>
   firestore.js"></script>
13
       </head>
14
       <body>
15
           <h1 class='text-center bg-dark text-white py-2'>REGISTRATION</h1>
           <div class="container">
16
17
               <form>
                   <div class="my-2">
18
19
                        <label for="rnoValue">Registration Number :</label>
20
                        <input id='rnoValue' type="tel" class="form-control my-</pre>
   2"placeholder="Enter Registration Number" name="rnoValue">
21
                   </div>
                   <div class="my-2">
22
23
                        <label for="fnameValue">First Name :</label>
24
                        <input id='fnameValue' type="text" class="form-control my-</pre>
   2"placeholder="Enter First Name" name="fnameValue">
25
                   </div>
                   <div class="my-2">
26
                        <label for="lnameValue">Last Name :</label>
27
                        <input id='lnameValue' type="text" class="form-control my-</pre>
28
   2"placeholder="Enter Last Name" name="lnameValue">
29
                   </div>
30
                   <label for="courseValue" class="form-label my-2">Select Course :
   </label>
31
                   <select class="form-select my-2" id="courseValue" name="courseValue">
32
                        <option>4</option>
33
                        <option>6</option>
34
                   </select>
35
                   <label for="branchValue" class="form-label my-2">Select Branch :
   </label>
36
                   <select class="form-select my-2" id="branchValue" name="branchValue">
37
                        <option>CSE</option>
38
                        <option>IT</option>
                        <option>ECE</option>
39
40
                        <option>EEE</option>
41
                        <option>CIVIL</option>
42
                        <option>MECHANIC</option>
43
                        <option>CHEMICAL</option>
44
                        <option>METALLURGY</option>
45
                        <option>INSTRUMENTAL</option>
46
                        <option>MARINE</option>
47
                   </select>
48
                   <div class="my-2">
```

6/23/22, 9:31 AM register.html 49 <label for="dojValue">Date Of Joining :</label> <input id='dojValue' type="date" class="form-control my-</pre> 50 2"placeholder="Enter Joining Date" name="dojValue"> 51 </div> <div class="my-2"> 52 53 <label for="emailValue">Email :</label> <input id='emailValue' type="email" class="form-control my-</pre> 54 2"placeholder="Enter Email" name="emailValue"> 55 </div> <div class="my-2"> 56 57 <label for="phoneValue">Phone Number :</label> 58 <input id='phoneValue' type="tel" class="form-control my-</pre> 2"placeholder="Enter Phone Number" name="phoneValue"> 59 </div> <div class="my-2"> 60 <label for="dobValue">Date Of Birth :</label> 61 <input id='dobValue' type="date" class="form-control my-</pre> 62 2"placeholder="Enter DOB" name="dobValue"> </div> 63 64 <div class="my-2"> <label for="fanameValue">Father Name :</label> 65 <input id='fanameValue' type="text" class="form-control my-</pre> 66 2"placeholder="Enter Father Name" name="fanameValue"> 67 </div> <div class="my-2"> 68 69 <label for="manameValue">Mother Name :</label> <input id='manameValue' type="text" class="form-control my-</pre> 70 2"placeholder="Enter Mother Name" name="manameValue"> </div> 71 72 <div class="my-2"> 73 <label for="addressValue">Address :</label> 74 <input id='addressValue' type="text" class="form-control my-</pre> 2"placeholder="Enter Address" name="addressValue"> 75 </div> 76 <div class="my-2 text-center"> 77 <button class="btn btn-primary my-2" id='sub1'>REGISTER</button> 78 </div> <div class="my-2 text-center"> 79 80 <button class="btn btn-primary my-2" id='sub2'>FETCH PAST DATA</button> </div> 81 </form> 82 83 <div id="myModal" class="modal"> <!-- Modal content --> 84 <div class="modal-content"> 85 <div class="modal-body text-center"> 86 × 87 <div id="mytable"></div> 88 89 </div> </div> 90 91 </div> </div> 92 93 <script src="register.js"></script> 94 95 </html>

localhost:4649/?mode=htmlmixed 2/2

96

6/23/22, 9:34 AM register.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
 3
       authDomain: "smsproject-ecd2d.firebaseapp.com",
       projectId: "smsproject-ecd2d",
 4
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
 8
       measurementId: "G-SED0D8TV4G"
 9
       };
10 firebase.initializeApp(firebaseConfig);
11 const db=firebase.firestore();
12 var rno=document.getElementById("rnoValue");
13 var branch=document.getElementById("branchValue");
14 var course=document.getElementById("courseValue");
15 | var fname=document.getElementById("fnameValue"); var
16 | lname=document.getElementById("lnameValue"); var
17 faname=document.getElementById("fanameValue"); var
18 maname=document.getElementById("manameValue"); var
19 email=document.getElementById("emailValue"); var
20 phone=document.getElementById("phoneValue"); var
21 address=document.getElementById("addressValue"); var
22 dob=document.getElementById("dobValue"); var
23 doj=document.getElementById("dojValue"); var
24 start, content, end, items=[];
25 document.getElementById("sub1").addEventListener('click',setItems);
26 document.getElementById("sub2").addEventListener('click',getItems);
27 function setItems(e){e.preventDefault();
28
    if(rno.value===''||branch.value===''||fname.value===''||lname.value===''||faname.val
   ue===''||maname.value===''||email.value===''||phone.value===''||address.value===''||d
   ob.value===''||doj.value===''){
29
           alert("Please fill all the fields"); return;}
30
       db.collection('register').add({
31
           Rno:rno.value,Branch:branch.value,Course:course.value,
           First_Name:fname.value,Last_Name:lname.value,
32
33
           Father_Name:faname.value,Mother_Name:maname.value,
34
           Email:email.value, Phone:phone.value, Address:address.value,
35
           DOB:dob.value,DOJ:doj.value })
       .then(function(docRef) {console.log("Document written with ID: ", docRef.id);
36
37
           alert('Record Added Successfully');})
       .catch(function(error) {console.error("Error adding document: ", error);});}
38
39 REGISTER.CSS
40 *{
41
       margin:0;
42
       padding:0;
43
       box-sizing:border-box;
44 }
45 body{
       font-size:20px;
46
47
       color:black;
48
       background:url("bg.jpg");
49
       background-repeat: no-repeat;
50
       background-attachment: fixed;
51
       background-size: 100% 100%;
52 }
53 label{
54
       font-size:1.3rem;
55
       font-weight:600;
56 }
```

6/23/22, 9:56 AM results.html

```
1 <!DOCTYPE html>
 2 <html lang="en" dir="ltr">
 3
     <head>
       <meta charset="UTF-8">
 4
 5
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
 6
 7
       <link rel="stylesheet" href="results.css">
 8
       <title>RESULTS</title>
 9
       <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
   awesome/4.7.0/css/font-awesome.min.css">
10
       link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
   rel="stylesheet">
11
       <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
   </script>
12
     </head>
13
     <body>
14
       <div class="container">
15
         <h1 class='text-center bg-dark text-white'>RESULTS</h1>
16
         <form>
17
           <div class="my-2">
18
             <label for="rno">Registration Number :</label>
19
             <input id='rnoValue' type="tel" class="form-control my-2" id="rno"</pre>
   placeholder="Enter Registration Number" name="rno">
20
           </div>
           <div class="my-2">
21
22
             <label for="passwordValue">Password :</label>
             <input id='passwordValue' type="password" class="form-control my-2"</pre>
23
   placeholder="Enter password" name="passwordValue">
24
           </div>
           <div class="text-center my-2">
25
             <button class="btn btn-primary my-2" id='sub'>VIEW RESULTS</button>
26
27
           </div>
28
         </form>
         <div id="myModal" class="modal">
29
30
           <!-- Modal content -->
           <div class="modal-content">
31
32
               <div class="modal-body text-center">
33
                   <span id="close" title="close">&times;</span>
                    <div id="mytable"></div>
34
35
               </div>
36
           </div>
37
         </div>
38
       </div>
39
         <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-app.js">
   </script>
40
         <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-auth.js">
   </script>
41
         <script src="https://www.gstatic.com/firebasejs/8.10.1/firebase-firestore.js">
   </script>
42
         <script src="results.js"></script>
43
       </body>
44 </html>
45
```

6/23/22, 9:57 AM results.js

```
1 const firebaseConfig = {
       apiKey: "AIzaSyBmRb0aKxPiB7EV2LQYb7U5SjEyfUMr-ig",
 2
 3
       authDomain: "smsproject-ecd2d.firebaseapp.com",
       projectId: "smsproject-ecd2d",
4
 5
       storageBucket: "smsproject-ecd2d.appspot.com",
 6
       messagingSenderId: "263965204952",
 7
       appId: "1:263965204952:web:8f4ee00d7db469338092ad",
8
       measurementId: "G-SED0D8TV4G"
9
       };
10
11 firebase.initializeApp(firebaseConfig);
12 const db=firebase.firestore();
13 let submit=document.getElementById('sub');
14 submit.addEventListener('click',getItems);
15 let rno=document.getElementById('rnoValue');
16 let password=document.getElementById('passwordValue');
17 var isEmpty=true;
18 var items=[];
19 let modal = document.getElementById("myModal");
20 let modal1=document.getElementById('myModal1');
21 let span = document.getElementById("close");
22 let span1 = document.getElementById("close1");
23 let submit3=document.getElementById('sub3');
24 submit3.addEventListener('click',getHelp);
25
26 function register(e){
27
       e.preventDefault();
       if(rno.value==""||password.value==""){
28
29
           alert("Please fill all the fields");
30
           return;
31
32
       getItems();
33 }
34
   async function getItems(e){
35
       e.preventDefault();
36
       if(rno.value==""||password.value==""){
37
38
           alert("Please Enter all the fields");
39
           return;
40
       }
41
       if(!(password.value==(rno.value+'@123'))){
42
           alert('Incorrect Password');
43
           return;
44
45
       await db.collection('grades').onSnapshot((snapshot)=>{
           items=[];
46
47
           snapshot.docs.forEach((doc)=>{
48
               items.push({
49
                   id:doc.id,
50
                    ...doc.data()
51
               });
52
           })
53
           for(let i=0; i<items.length; i++){</pre>
54
               if(items[i].Rno==rno.value){
55
                   isEmpty=false;
56
                   break;
57
               }
58
               else isEmpty=true;
59
           } displayTable();
```


6/23/22, 9:57 AM results.js 60 }) 61 } 62 function displayTable(){ modal.style.display = "block";content=''; 63 if(isEmpty){ 64 65 document.getElementById("mytable").innerHTML=`<h1>No Records Found</h1>`;return; } 66 67 <div class="table-responsive"> 68 69 <thead> 70 R No. 71 72 Year 73 Quarter 74 CGP 75 76 </thead> 77 `; for(let i=0;i<items.length;i++){</pre> 78 79 if(items[i].Rno==rno.value){ 80 content+=` 81 82 \${items[i].Rno} 83 \${items[i].Year} 84 \${items[i].Semester} 85 \${items[i].Cgp} 86 87 88 } } 89 end= 90 91 </div> document.getElementById("mytable").innerHTML=start+content+end; 92 93 } 94 span.onclick = function() {

modal.style.display = "none";

95 96 }







ANDHRA UNIVERSITY COLLEGE OF ENGINEERING(A)

Andhra University was constituted in the year 1926 by the Madras Act of 1926. The 94-year-old institution is fortunate to have Sir C.R. Reddy as its founder Vice-Chancellor, as the steps taken by this visionary proved to be fruitful in the long run.

Former President of India Dr. Sarvepalli Radhakrishnan was one of its Vice-Chancellors who succeed Dr. C. R. Reddy in 1931. The University College of Arts was inaugurated on 1 st July, 1931. The inaugural courses were Telugu language and literature, History, Economics and Politics. A year later, the College of Science and Technology came into being with Honours courses in Physics and Chemistry. The University pioneered in introducing many new courses in Science, Arts, Management and Engineering in the courty.

The University Presently is Offering 313 Courses in Arts, Commerce, Management, Science & Technology, Engineering, Law, Pharmacy and Education. The University has five constituent colleges and four AU Campuses. The Colleges of Arts and Commerce is the biggest constituent college in the University with 26 Departments offering 42-accuraces including four Diploma Courses. The College of Science and Technology has 21 Departments, which offers 63 Courses including one PG Diploma. The College of Engineering has 15 Departments offering Undergraduate, Postgraduate and Research Programmes. The College of Law has been identified as an advanced Center in Law by UGC. The college of Pharmaceutical Sciences is first of its kind in South India, which is offering one UG Programme and six PG Programmes, besides Research Programmes leading to Ph.D. Degree. The AU campus at Kakinada (East Godavari District) has five Departments and the AU Campus at Etcherla (Srikakulam Dist) has Eleven Departments. The AU Campus at Tadepalli Gudem has four departments and AU Campus at Vizianagaram has five Departments.

The University is spread in a sprawling campus of 422 acres dotted with 121 buildings of Academic, Administrative and support services with a plinth area of about 20 lakhs sq.ft., and 324 staff quarters. Presently the University catering the Educational needs of five green districts of Andhra Pradesh namely Visakhapatnam, East Godavari, West Godavari, Vizinagaram and Srikakulam.

The alumni of the University occupy important positions in government administration, Industry and research organizations with in and out side the country. The Government of Andhra Pradesh has appointed the professors of the University as chairman and vice-chairman of the APSCHE and presently ten Universities had Vice-chancellors from Andhra University.

There are 365 affiliated colleges spread across five districts under the territorial jurisdiction of Andhra University. The enrolment in Affiliated Colleges is about one Lakh.

