KrishiZest

2026-01-01 → 2026-03-31
Uttar Pradesh

FIELD INFORMATION		
Field Name	L1	Area: 2.6672 ha (~6.59 acre)
Village	Dariyabad	District: Barabanki
State	Uttar Pradesh	Crop: Wheat
Coordinates	26.90132° N, 81.53172° E	Sowing Date: 2026-01-05

1. SEASON SUMMARY

Average performance

Satellite observations suggest the wheat crop in Field L1 showed average performance this season. While some areas developed well, about a quarter of the field showed weaker growth. Early establishment was slow, but mid-season growth was generally good, followed by natural maturation.

Area of Interest Map

2. WHAT HAPPENED DURING THE SEASON

Season Stage	Field Condition	Simple Interpretation
Early season	Seedling emergence was slow, and initial ground cover was sparse.	This indicated a delayed start to crop establishment.
Middle of season	The crop showed active vegetative growth with good canopy spread in most areas.	This reflected a period of strong plant development and vigor.
End of season	Leaves began their natural drying-down process as the crop matured and filled grains.	This signaled the crop was nearing readiness for harvest.

3. KEY SEASONAL FINDINGS

- Overall Crop Condition was strong in most parts, but about a quarter of the field showed lagging growth.
- Leaf Greenness was generally good, indicating healthy plant function.
- Plant Cover and Crop Density developed well, forming a dense canopy across much of the field.
- Available Soil Moisture was adequate for crop needs throughout the season.
- Performance was uneven, with some areas consistently better than others, suggesting localized issues.

4. NEXT SEASON ACTION PLAN

Priority	Action	When to do it
High	Conduct a field walk in lagging areas to check for soil compaction or nutrient deficiencies.	Before next sowing
High	Review planting depth and seed quality in areas with poor early emergence.	Before next sowing
Medium	Monitor irrigation uniformity, especially in zones that showed lower moisture.	Next growing season
Medium	Consider soil testing in areas with consistently lower growth.	Before next sowing
Low	Document observations from the field walk for future planning.	After field walk

Field Condition Maps

These maps show relative variation within the field during the season. Use them to decide where the field should receive more attention.

Overall Crop Condition



What this map shows: The map shows most of the field in dark green, indicating 'Highest' to 'High' Overall Crop Condition. However, some patches are in pale green, suggesting 'Low' to 'Lowest' condition.

What to do: A field visit is recommended to confirm the health of plants in the 'Low' and 'Lowest' pale green zones.

Leaf Greenness

What this map shows: Most of the field appears in dark green, showing 'Highest' to 'High' Leaf Greenness. Smaller areas are in lighter green, indicating 'Low' to 'Lowest' greenness.

What to do: Inspect the 'Low' and 'Lowest' greenness zones to check for any signs of nutrient shortage.

Plant Cover and Crop Density



What this map shows: The map displays large areas in dark green, representing 'Highest' to 'High' Plant Cover and Crop Density. Lighter green patches indicate 'Low' to 'Lowest' density.

What to do: Check the 'Low' and 'Lowest' density areas for plant spacing issues or poor establishment.

Available Soil Moisture



What this map shows: The map shows most of the field in dark purple, indicating 'Highest' to 'High' Available Soil Moisture. Some areas are in pale lavender, suggesting 'Low' to 'Lowest' moisture.

What to do: A field visit is recommended to verify soil moisture levels in the 'Low' and 'Lowest' pale lavender zones.

Legend Bar Guide: All condition maps above use a relative 5-level classification from **Highest** (darkest shade) to **Lowest** (lightest pale shade). Darker areas indicate stronger crop vigor or higher moisture. Zones marked as **Low** or **Lowest** indicate field areas lagging behind and should be prioritized for ground inspection.

Important Note

This report is based on satellite observations and is intended to help identify areas that may need attention. Field inspection, soil testing, and advice from a qualified agriculture expert may be required to confirm the exact cause and decide the suitable treatment.