

Cucumber Report

28-Sep-2022, 10:31:38 am

Start : Sep 28, 10:29:18.826 am

End : Sep 28, 10:31:37.329 am

Duration : 2 m 18.503 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 1
FAILED - 7
SKIPPED - 0


Steps

PASSED - 15
FAILED - 3
SKIPPED - 55






#	Feature Name	T	P	F	S	Duration
1	<u>To search for the ikigai book in amazon site</u>	8	1	7	0	2 m 18.503 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To search for the ikigai book in amazon site</u>	<u>Validate Username in Login page</u>	8	8	0	0	13.441 s
2	<u>To search for the ikigai book in amazon site</u>	<u>Validate Username in Login page</u>	8	5	1	2	56.267 s
3	<u>To search for the ikigai book in amazon site</u>	<u>Validate Username in Login page</u>	8	1	1	6	52.064 s
4	<u>To search for the ikigai book in amazon site</u>	<u>Validate password in Login page</u>	10	1	1	8	16.569 s
5	<u>To search for the ikigai book in amazon site</u>	<u>Validate password in Login page</u>	10	0	0	10	0.016 s
6	<u>To search for the ikigai book in amazon site</u>	<u>Validate password in Login page</u>	10	0	0	10	0.011 s
7	<u>To search for the ikigai book in amazon site</u>	<u>User Searching ikigai book</u>	11	0	0	11	0.014 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>To search for the ikigai book in amazon site</u>	<u>User enters invalid book name in search box and get unavailability</u>	8	0	0	8	0.013 s

(F)- To search for the ikigai book in amazon site



(S)- Validate Username in Login page




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) successfully takescreenshot before testcaes +	PASSED	0.109 s
1	Given user launch the Amazon website AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) successfully takescreenshot after testcaes +	PASSED	1.930 s
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
		PASSED	0.104 s

#	Step / Hook Details	Status	Duration
	<p>successfully takescreenshot before testcaes</p>  +		
2	<p>When User Enter the UserName "9976188853"</p> <p>AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot after testcaes</p>  +	PASSED	0.073 s
	<p>BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot before testcaes</p>  +	PASSED	0.118 s
3	<p>And User click on the sign in button and its navigate to password page</p> <p>AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot after testcaes</p>  +	PASSED	1.132 s
	<p>BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot before testcaes</p>  +	PASSED	0.125 s
4	<p>And User Enter the password "9788188673"</p>	PASSED	0.048 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot after testcaes</p> 	PASSED	0.118 s
	<p>BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot before testcaes</p> 	PASSED	0.107 s
5	Then User click on the login button and its navigate to my account page	PASSED	0.071 s
	<p>AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot after testcaes</p> 	PASSED	4.591 s
	<p>BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot before testcaes</p> 	PASSED	0.389 s
6	When User click on signout buttons	PASSED	2.498 s
	<p>AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)</p> <p>successfully takescreenshot after testcaes</p>	PASSED	0.175 s

#	Step / Hook Details	Status	Duration
	+ 		
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes + 	PASSED	0.128 s
7	And User Enters the Username "99761888" AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes + 	PASSED	0.050 s
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes + 	PASSED	0.120 s
8	And User clicks on the sign in button and its navigate to password page AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes + 	PASSED	0.761 s
		PASSED	0.114 s
		PASSED	0.148 s

(S)- Validate Username in Login page




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes 	PASSED	0.108 s
1	Given user launch the Amazon website AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes 	PASSED	0.541 s
	BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes 	PASSED	0.119 s
2	When User Enter the UserName "9976188853" AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes	PASSED	0.049 s
		PASSED	0.154 s

#	Step / Hook Details	Status	Duration
	 +		
	BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes	PASSED	0.185 s
3	And User click on the sign in button and its navigate to password page	PASSED	0.910 s
	AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes	PASSED	0.127 s
	 +		
	BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes	PASSED	0.142 s
4	And User Enter the password "9788188673"	PASSED	0.040 s
	AFTER_STEP - com.stepdefinition_ik.lkigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes	PASSED	0.117 s
	 +		
	BEFORE_STEP - com.stepdefinition_ik.lkigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes	PASSED	0.119 s

#	Step / Hook Details	Status	Duration
	 +		
5	Then User click on the login button and its navigate to my account page AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes  +	PASSED PASSED	0.064 s 2.152 s
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes  +	PASSED	0.512 s
6	When User click on signout buttons org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Sign Out']"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, findElement {using=xpath, value=/a[text()='Sign Out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Ro...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	50.149 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy26.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:498) at com.baseclass.Baseclass_ikiga.javascript(Baseclass_ikiga.java:74) at com.stepdefinition_ik.Ikigai_stepdefinition.user_click_on_signout_buttons(Ikigai_stepdefinition.java:75) at ?.User click on signout buttons(file:///C:/Users/TZ167UZ/eclipse-workspace/AmazonAuto/src/main/resources/ik.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)	PASSED	0.627 s
	successfully takescreenshot after testcases		
7	And User Enters the Username "99761889"	SKIPPED	0.002 s
8	And User clicks on the sign in button and its navigate to password page	SKIPPED	0.000 s

(S)- Validate Username in Login page




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes  +	PASSED	0.312 s
1	Given user launch the Amazon website AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes  +	PASSED	1.253 s
	BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes  +	PASSED	0.145 s
2	When User Enter the UserName "9976188853" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@type='email']"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip:	FAILED	50.064 s

#	Step / Hook Details	Status	Duration
	<pre>'192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, findElement {using=xpath, value=/input[@type='email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source) at com.baseclass.Baseclass_ikiga.inputvalue(Baseclass_ikiga.java:51) at com.stepdefinition_ik.Ikigai_stepdefinition.user_Enter_the_UserName(Ikigai_stepdefinition.java:53) at ?.User Enter the UserName "9976188853"(file:///C:/Users/TZ167UZ/eclipse-workspace/AmazonAuto/src/main/resources/ik.feature:4)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario) successfully takescreenshot after testcaes 	PASSED	0.169 s
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.000 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When User click on signout buttons	SKIPPED	0.000 s
7	And User Enters the Username "9976188853"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And User clicks on the sign in button and its navigate to password page	SKIPPED	0.000 s

(S)- Validate password in Login page




#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes	PASSED	0.163 s
1	Given user launch the Amazon website	PASSED	0.966 s
	AFTER_STEP - com.stepdefination_ik.Ikigai_stepdefination.afterScreenShot(io.cucumber.java.Scenario) sucessfully takescreenshot after testcaes	PASSED	0.126 s
	BEFORE_STEP - com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(io.cucumber.java.Scenario) sucessfully takescreenshot before testcaes	PASSED	0.097 s
2	When User Enter the UserName "9976188853"	FAILED	15.200 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //input[@type='email'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source) at com.baseclass.Baseclass_ikiga.inputvalue(Baseclass_ikiga.java:51) at com.stepdefintion_ik.Ikigai_stepdefintion.user_Enter_the_UserName(Ikigai_stepdefintion.java:53) at ?.User Enter the UserName "9976188853"(file:///C:/Users/TZ167UZ/eclipse-workspace/AmazonAuto/src/main/resources/ik.feature:4) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.stepdefintion_ik.Ikigai_stepdefintion.afterScreenShot(io.cucumber.java.Scenario)	FAILED	0.007 s
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefintion_ik.Ikigai_stepdefintion.afterScreenShot(Ikigai_stepdefintion.java:36)</pre>		
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.001 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When User click on signout button in the signout field	SKIPPED	0.000 s
7	And User Enter the valid Usernames "username"	SKIPPED	0.000 s
8	And User clicks on the signin button and its navigates to password page	SKIPPED	0.000 s
9	And User Enters the passwords "password"	SKIPPED	0.000 s
10	Then User click on login button and its navigates to my account page	SKIPPED	0.000 s


(S)- Validate password in Login page



#	Step / Hook Details	Status	Duration
	<p>BEFORE_STEP - com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...}, userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(Ikigai_stepdefinition.java:26)		
1	Given user launch the Amazon website AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)	SKIPPED FAILED	0.000 s 0.002 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(Ikigai_stepdefinition.java:36)		
2	When User Enter the UserName "9976188853"	SKIPPED	0.000 s
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.000 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When User click on signout button in the signout field	SKIPPED	0.000 s
7	And User Enter the valid Usernames "username"	SKIPPED	0.000 s
8	And User clicks on the signin button and its navigates to password page	SKIPPED	0.000 s
9	And User Enters the passwords "password"	SKIPPED	0.000 s
10	Then User click on login button and its navigates to my account page	SKIPPED	0.000 s


(S)- Validate password in Login page



#	Step / Hook Details	Status	Duration
	<p>BEFORE_STEP - com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(Ikigai_stepdefination.java:26)</pre>	FAILED	0.002 s
1	Given user launch the Amazon website	SKIPPED	0.000 s
	<p>AFTER_STEP - com.stepdefination_ik.Ikigai_stepdefination.afterScreenShot(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</pre>	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	[054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...}, userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(Ikigai_stepdefinition.java:36)		
2	When User Enter the UserName "9976188853"	SKIPPED	0.000 s
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.000 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When User click on signout button in the signout field	SKIPPED	0.000 s
7	And User Enter the valid Usernames "username"	SKIPPED	0.000 s
8	And User clicks on the signin button and its navigates to password page	SKIPPED	0.001 s
9	And User Enters the passwords "password"	SKIPPED	0.000 s
10	Then User click on login button and its navigates to my account page	SKIPPED	0.000 s

(S)- User Searching ikigai book



#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefinat_ik.Ikigai_stepdefinat.beforeScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...}, userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinat_ik.Ikigai_stepdefinat.beforeScreenshot(Ikigai_stepdefinat.java:26)	FAILED	0.003 s
1	Given user launch the Amazon website	SKIPPED	0.000 s
	AFTER_STEP - com.stepdefinat_ik.Ikigai_stepdefinat.afterScreenShot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	[054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...}, userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(Ikigai_stepdefinition.java:36)		
2	When User Enter the UserName "9976188853"	SKIPPED	0.000 s
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.000 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When user click on the categories drop down and user select on the book option	SKIPPED	0.001 s
7	And user enter the ikigai on search box	SKIPPED	0.000 s
8	And user click the search button	SKIPPED	0.000 s
9	And user select the ikigai book	SKIPPED	0.000 s
10	Then user click on add to cart button and It Navigate to add to cart page	SKIPPED	0.000 s
11	And User click on log out buttons	SKIPPED	0.000 s

(S)- User enters invalid book name in search box and get unavailability

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefination_ik.Ikigai_stepdefination.beforeScreenshot(Ikigai_stepdefination.java:26)	FAILED	0.004 s
1	Given user launch the Amazon website	SKIPPED	0.000 s
	AFTER_STEP - com.stepdefination_ik.Ikigai_stepdefination.afterScreenShot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=105.0.5195.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'IN3234427W1', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	[054890d0fd6bc2223a2bcdcf85b2c0ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883...), userDataDir: C:\Users\TZ167UZ\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49234}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49234/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 054890d0fd6bc2223a2bcdcf85b2c0ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqaqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(Ikigai_stepdefinition.java:36)		
2	When User Enter the UserName "9976188853"	SKIPPED	0.000 s
3	And User click on the sign in button and its navigate to password page	SKIPPED	0.000 s
4	And User Enter the password "9788188673"	SKIPPED	0.000 s
5	Then User click on the login button and its navigate to my account page	SKIPPED	0.000 s
6	When user enter the ikgi on search box	SKIPPED	0.000 s
7	And user click on search button	SKIPPED	0.000 s
8	Then user verify the book and get unavailability message	SKIPPED	0.000 s

(Step) BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in amazon site

(Step) AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in amazon site



Sign in

Email or mobile phone number

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site



Sign in

Email or mobile phone number

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

Email or mobile phone number

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

Email or mobile phone number

9976188853

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

|

Sign in

Keep me signed in. [Details](#) ▾

or

[Get an OTP on your phone](#)

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

|

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

.....|

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

+919976188853 Change

Password

Forgot Password

.....

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

Conditions of Use Privacy Notice Help

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 Change

Password

Forgot Password

.....

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.


Conditions of Use Privacy Notice Help

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site



(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site



Sign in

Email or mobile phone number

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

Email or mobile phone number

 99761888

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

Email or mobile phone number

99761888

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



⚠ Incorrect phone number
We cannot find an account with that mobile number

Sign in

Email or mobile phone number

99761888

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site



Incorrect phone number

We cannot find an account with that mobile
number

Sign in

Email or mobile phone number

99761888

Continue

By continuing, you agree to Amazon's [Conditions of
Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account



Sign in

Email or mobile phone number

|

Continue

By continuing, you agree to Amazon's [Conditions of
Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site



Sign in

Email or mobile phone number

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

Email or mobile phone number

 9976188853

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

Email or mobile phone number

9976188853

Continue

By continuing, you agree to Amazon's [Conditions of Use](#) and [Privacy Notice](#).

Need help?

New to Amazon?

Create your Amazon account

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

Sign in

Keep me signed in. [Details](#) ▾

or

[Get an OTP on your phone](#)

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

|

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

.....|

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

**(F) To search for the ikigai book in
amazon site**



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

.....

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates



Sign in

+919976188853 [Change](#)

Password

[Forgot Password](#)

.....

Sign in

Keep me signed in. [Details](#) ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

[Conditions of Use](#) [Privacy Notice](#) [Help](#)

© 1996-2022, Amazon.com, Inc. or its affiliates

(Step) BEFORE_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
beforeScreenshot(io.cucumber.java.
Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) AFTER_STEP - com.
stepdefinition_ik.Ikigai_stepdefinition.
afterScreenShot(io.cucumber.java.
Scenario)


(S) Validate Username in Login page

(F) To search for the ikigai book in
amazon site

(Step) BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)

(S) Validate Username in Login page


(F) To search for the ikigai book in amazon site



(Step) AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in amazon site



(Step) BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in amazon site

(Step) AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)

(S) Validate Username in Login page

(F) To search for the ikigai book in amazon site



Sign in

Switch accounts



deepak

+919976188853

Password

Forgot Password

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.



Sign in

Switch accounts



deepak

+919976188853

Password

Forgot Password

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

(Step) BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)

(S) Validate password in Login page

(F) To search for the ikigai book in amazon site

(Step) AFTER_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.afterScreenShot(io.cucumber.java.Scenario)

(S) Validate password in Login page

(F) To search for the ikigai book in amazon site



Sign in

Switch accounts



deepak

+919976188853

Password

Forgot Password

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.



Sign in

Switch accounts



deepak

+919976188853

Password

Forgot Password

Sign in

Keep me signed in. Details ▾

or

Get an OTP on your phone

i Message and Data rates may apply.

(Step) BEFORE_STEP - com.stepdefinition_ik.Ikigai_stepdefinition.beforeScreenshot(io.cucumber.java.Scenario)

(S) Validate password in Login page

(F) To search for the ikigai book in amazon site

