Internetworking with Routers

Exp. no: 10a

Date: 29/8/26

Aim:

To implement internetworking with routers in cisco packet Tracer simulator.

Designing and Configuring a simple Internetwork:

In this network, a router and 2 pc's are used. Computers are connected with routers using a copper straight-through cable.

procedure:

Step 1: Configuring Router

1) Select the router and open CLI
2) press enter to start configuring the network.
3) Type enable to activate the privileged mode.

Command for Router

```
# enable
# config it
# interface Fast Ethernet 0/10
# ip address 192.168.101.255.255.255.0
# no shutdown
# interface Fast Ethernet 011
# ip address 192.168.20.1.255.255.255.0
# no shutdown
```

Step 2 : Configuring pc's

1.) Assign Ip address to every pc.


2.) Select the pc, go to the desktop and select Ip configuration and assign an Ip address Default Gateway, subnet mask.

3.) Assign the default gateway of pc0 and pc1 as 192.168.10.1 and 192.168.20.1 respectively.


Step 3 : Connecting pc's with router


1.) Connect the Fast Ethernet 0 port of pc0 with Fast Ethernet 0/0 port of Router 1.

2.) Connect the Fast Ethernet 0 port of pc1 with Fast Ethernet 0/1 port of Router.



Scanned with OKEN Scanner





Result :

Thus Internetworking with routers in Cisco packet Tracer simulator was implemented successfully.