Design and Configure an Internetwork using wireless router, DHCP server and Internet cloud

Exp. no: 10 b

Date: 10/9/26

Aim:

To design and configure an internetwork using wireless router, DHCP server and internet cloud.

Addressing Table:

Device	Interface	IP Address	Subnet Mask	Default Gateway
PC	Ethernet 0	DHCP		192.168.0.1
WirelessRouter	LAN	192.168.0.1	255.255.255.0	
Wireless Router	Internet	DHCP		
Cisco.comserver	Ethernet 0	208.67.220.220	255.255.255.0	
Laptop	Wireless 0	DHCP		

procedure:

Part 1: Building a simple network

Step 1: Build the topology

1.) Add network devices using the device selection box into the workspace

2.) Change the display name of the devices by clicking on the device icon and click on the

Config tab and type in the new name.

3.) Add the physical cabling between devices

part 2: Configure the ~~wireless~~ Network Devices

Step 1: configure the wireless router

1.) Click on the wireless router icon and click on GUI tab to view configuration options.

2.) Then click on the wireless tab and the only thing that needs to be changed is network name (SSID)

3.) Then save the ~~el~~ settings.

Step 2: Configure the Laptop

1.) Configure the Laptop by clicking on its icon and then selecting physical tab.

2.) There remove the Ethernet copper module and replace it with the wireless WPC 300N module

Step 3: Configure the PC

1.) Configure the PC for wired network.

Step 4: Configure the Internet Cloud.

1.) Click on the Internet cloud icon and then click on the physical tab.

2.) The cloud device needs 2 modules, PT-CLOUD-NM-1CX and PT-CLOUD-NM-1CFE

3.) Identify the from and to ports and

add them.

4.) In the Config tab click Ethernet under Interface, select cable as the provider.


Step 5 : Configure the Cisco.com server

1.) Configure the Cisco.com server as a DHCP server.

2.) Configure the server as DNS server to provide domain name to IPV4 address resolution.

3.) Configure the Global settings in the config table

4.) Configure the Fast Ethernet 0 interface settings in the server.





Scanned with OKEN Scanner

part 3 : verify the connectivity


1.) verify that the pc is receiving IPV4 configuration from DHCP.

2.) Test connectivity to the server from the pc.






Scanned with OKEN Scanner







Result :

Thus, the wireless router, DHCP server and Internet cloud were designed and configured with Internetworks successfully.

Scanned with OKEN Scanner