

Website Deployment Guide — Energy Society IIT Delhi

This document explains the **standard procedure to deploy (push) the website** to the IIT Delhi server. It is intended for **future coordinators / developers** so deployments remain consistent and safe.

1. Overview

This deployment process: - Builds the website locally - Packages the production build - Uploads it to the IITD web server - Replaces the currently live website with the new version

The server serves files from:

```
/var/www/energysoc/https/html/
```

2. Prerequisites

Before deploying, ensure: - You have **SSH access** to `energysoc.iitd.ac.in` - You have the correct username (e.g. `es1230XXX`) - `npm` is installed locally - The project builds successfully without errors

3. Step-by-Step Deployment Commands

Step 1: Build the website locally

Run this in the project root:

```
npm run build
```

This creates a production-ready build (usually inside a `dist/` folder).

Step 2: Verify build output

Ensure the build folder exists:

```
ls
```

You should see:

```
dist/
```

Step 3: Zip the build folder

Create a zip archive of the build:

```
zip -r dist.zip dist
```

After this, the file should exist:

```
dist.zip
```

Step 4: Upload build to server

Upload the zip file to the server:

```
scp dist.zip es1230XXX@energysoc.iitd.ac.in:/var/www/energysoc/https/
```

Step 5: SSH into the server

```
ssh es1230XXX@energysoc.iitd.ac.in
```

Step 6: Deploy on server

Inside the SSH shell:

```
cd /var/www/energysoc/https/  
unzip dist.zip
```

```
rm -r html
mv dist html
```

What these commands do

- `unzip dist.zip` → extracts the new build
- `rm -r html` → removes the currently live website
- `mv dist html` → replaces it with the new build

After this step, the **new website goes live immediately**.

4. Important Notes & Warnings

⚠ Downtime risk

Between `rm -r html` and `mv dist html`, the site is briefly unavailable.

⚠ Irreversible deletion

`rm -r html` permanently deletes the old site.

Recommended safety improvement (optional)

Instead of deleting immediately:

```
mv html html_backup
mv dist html
```

This allows rollback if something goes wrong.

5. Post-Deployment Checklist

After deployment, verify: - Website loads correctly:

<https://energysoc.iitd.ac.in/> - All pages work (about, team, events) - Images and assets load correctly

Optional: - Remove old files:

```
rm dist.zip
rm -r html_backup
```

6. Common Issues & Fixes

Issue: Website shows blank page

- Check build completed successfully
- Verify `index.html` exists inside `html/`

Issue: Assets not loading

- Ensure relative paths are correct in build
- Confirm `dist` was built for production

Issue: Permission errors

Fix permissions:

```
chmod -R 755 html
```

7. Summary

✓ Build locally using `npm run build` ✓ Zip and upload `dist` ✓ Replace server `html` directory ✓
Verify website after deployment

This process is the **official deployment workflow** for the Energy Society IIT Delhi website.

This document should be shared with future web coordinators and maintainers.