# **COMET SALE**



# Team 5

### **Team Members:**

Jiawei Gu

Ankita Ahir

**Melvin James** 

Deepan Verma

Akhilesh Kumar Kagalvadi Chinnaswamy

# **Table of Contents**

1.	OVE	RVIEW	5
2.	VISI	ON	5
3.	REQ	UIREMENT SPECIFICATION:	5
3	.1.	Functional Requirement:	5
	3.1.1	1. User Registration and Login	5
	3.1.2	2. Sell Product	5
	3.1.3	3. Buy Product	5
3	.2.	Non-Functional Requirement:	6
	3.2.1	1. Performance requirements	6
	3.2.2	2. Quality requirements	6
	3.2.3	3. Security requirements	6
	3.2.3	3 Interface requirements	6
4.	DON	MAIN MODEL	6
5.	USE	CASE DIAGRAMS	7
5	.1.	UC-001 REGISTER	7
5	.2.	UC-002 POST PRODUCT	8
5	.3.	UC-003 DISPLAY PRODUCTS	8
5	.4.	UC-004 SEARCH PRODUCTS	9
5	.5.	UC-005 ADD PRODUCT TO WISH LIST	9
5	.6.	UC-006 REMOVE A PRODUCT FROM WISH LIST	. 10
5	.7.	UC-007 Make Offer	. 10
5	.8.	UC-008 LOCK PRODUCT	. 11
5	.9.	UC-009 FINALIZE SALE	. 11
5	.10.	UC-010 LOG-IN	. 12
5	.11.	UC-011 VIEW HISTORY	. 12
6.	CLA	SS DIAGRAM	13
7	SEO	UENCE DIAGRAM	14
	•	Registration	
		Add Product	
	.3.	Search Product	
		Add Product to Wish List	
	.5.	Remove Product from Wish List	
	.6.	Display Products	
	.7.	Make Offer	
	.8.	Lock Product	
	.9.	Finalize Sale	
	.10.	Log-in	
	.11.	View History	
8.	INT	ERACTION DIAGRAMS	17
8	.1.	Registration	. 17
		Add Product	
	.3.	Search Product	
		Add Product to WishList	
	.5.	Remove From Wish-List	
	.6.	Make Offer	
	.7.	Finalize Sale -1	
	.8.	Finalize Sale -2	
		Lock Product	

8.1	LO. Log-in	22
9. 1	TESTING	22
9.1	L. TEST PLANS:	22
9.2	2. TEST CASES	23
10.	ScreenShots	24
11.	SOFTWARE AND TOOLS USED:	25
12.	Glossary	25

# Table of Figures

Figure 4.1:Domain Model	6
Figure 5.1: Use Case Diagram	7
Figure 6.1: Class Diagram	13
Figure 7.1: Registration	14
Figure 7.2 Add Product	14
Figure 7.3 Search Product	14
Figure 7.4 Add Product to Wish List	15
Figure 7.5 Remove Product from Wish List	15
Figure 7.6 Display Products	15
Figure 8.1 Interaction: Registration	17
Figure 8.2 Interaction: Add Product	18
Figure 8.3 Interaction: Search Product	18
Figure 8.4 Add to Wish-List	19
Figure 8.5 Remove from wish-list	19
Figure 8.6 Make Offer	20
Figure 8.7 Finalize Sale-1	20
Figure 8.8 Finalize Sale-2	21
Figure 8.9 Lock Product	21
Figure 10.1 Display Products	25

### **ITERATION - 3**

#### 1. OVERVIEW

The Comet Goods application is a comprehensive selling and buying portal with a minimalistic design that allows students to buy and sell goods within their community. This application has been created with the intention that only students can buy and sell products thus ensuring convenience and trust in the process.

#### Iteration 3 consists of:

- 1. Understating the Use Case scenarios of the system.
- 2. Working on the Domains Model, Class Diagram, Sequence diagrams and Interaction diagrams.
- 3. Designing the system architecture and deciding on how the system interacts with the user.
- 4. User can view different products posted by various sellers on the home screen.
- 5. A user can search for a particular product according to need.
- 6. From the display screen the user can add the desired product into wish-list.

### 2. VISION

We are developing a system which will ease out the buying and selling the goods by incorporating the searching ability of items. Further, the system will be trustworthy as only UTDallas students are allowed in the application. The system will also allow the students to search for any prospective buyers or seller so that they can plan their sales accordingly.

In addition to that, the students can get good deals on the applications and will be able to compare the prices of the interested goods. Further, the system will also notify all the interested users of the item when the item changes. For example, when an item is sold off, the users who are interested in buying those items will be notified via an email.

Comet Sale is a web based application for students of UTD to exclusively buy and sell items. The proposed features of this application have been discussed in the next section

### 3. REQUIREMENT SPECIFICATION:

Comet Sale application requirement are described below into three categories.

#### 3.1. Functional Requirement:

This section deals with requirement that deals with direct functionality of the system.

#### 3.1.1. User Registration and Login

UR.001 The system shall allow only UTD Students to register with application and provide details. UR.002 The system shall allow registered students to log-in.

#### 3.1.2. Sell Product

SP.001 The system shall allow student user to post an item.

SP.002 The system shall allow student seller to lock a buyer for item, until the sale is complete.

SP.003 The system shall allow the student seller to view the seller history

#### 3.1.3. Buy Product

BP.001 The system shall allow student buyer to search items based on category.

BP.002 The system shall allow student buyer to add/remove an item to wish-list for buying.

BP.003 The system shall allow student buyer to make offer for an item.

BP.004 The system shall allow student to rate the seller.

BP.005 The system shall allow to get the contact information of seller.

BP.006 The system shall allow student buyer to view the buyer history.

### 3.2. Non-Functional Requirement:

This section deals with requirement which include performance, quality,

Interface requirements.

#### 3.2.1. Performance requirements

- 3.2.1.1 The system must be capable of handling registering 4000 students.
- 3.2.1.2 The system must be capable of running more than 50 users at time.
- 3.2.1.3 The system must run on a 4 GB RAM on a single machine.

#### 3.2.2. Quality requirements

3.2.2.1 The system must support HTML 5.

#### 3.2.3. Security requirements

- 3.2.3.1 The system should protect the user information from outside UTD user.
- 3.2.3.2 The system must be capable of authenticating UTD students with help of net id.

#### 3.2.3 Interface requirements

3.2.4.1 The system will be a web application accessed by a browser in phone or laptop.

### 4. DOMAIN MODEL

Some of the important conceptual classes in the system are identified and the association and the interactions between the various classes are represented in the above diagram. Some of the key interactions and associations are:




Figure 4.1:Domain Model

- 1. User can Login.
- 2. Users can search for products to buy.
- 3. User can sell a product.
- 4. Users can create wish lists.
- 5. Users can have Buyer and Seller history.
- 6. Seller can lock the product.

### 5. USE CASE DIAGRAMS

The following diagram is the generalized use case diagram for the entire system. The use case scenarios that follow it correspond to each use case.




Figure 5.1: Use Case Diagram

### 5.1.UC-001 REGISTER

USE CASE NAME	Register	
SCOPE	Comet Sale	
LEVEL	User-goal	
ACTORS	A student user who can use his UTD net-Id for login who intend	
	to buy or sell a product and has not registered yet.	
STAKEHOLDERS	1. Student who registers to the system using his UTD net-Id.	
	2. The system which validates the student registration details	
	and sends the confirmation to the user.	
PRECONDITIONS	The Student has click on the "register now" button	
MAIN SUCCESS FLOW	1. The user enters in their information.	
	2. User clicks on the Register button.	
	3. System verifies information and registers the user.	
ALTERNATE FLOW	1a. Cancel Registration:	
	1. The user clicks on the cancel option.	

	The system returns the user to the home page without the user being logged in and any information entered has been erased.
	2a. Invalid Information Entered:
	<ol> <li>User clicks submit after entering information system asked for.</li> </ol>
	<ol><li>System displays information with appropriate message to correct invalid information.</li></ol>
	3. User re-enters information.
POSTCONDITIONS	Successful Condition:
	The user entered successful information and is given a success confirmation message.
	Failure Condition:
	User enters some invalid registration details and given an error message.

# 5.2.UC-002 POST PRODUCT

1105 0405 114445		
USE CASE NAME	Post Product	
SCOPE	Comet Sale	
LEVEL	User-goal	
ACTORS	Registered User	
STAKEHOLDERS	Registered User of the system.	
	2. The system which validates the product details entered by	
	the user and sends the confirmation to the user.	
PRECONDITIONS	The Student has click on the Sell Product button.	
MAIN SUCCESS FLOW	The user enters in the product information.	
	2. User clicks on the 'Add Product button'	
	3. System verifies information and posts a product for sale.	
ALTERNATE FLOW	2a Invalid Information Entered:	
	User clicks submit after entering information system	
	asked for.	
	2. System displays information with appropriate message to	
	correct invalid information.	
	3. User re-enters information.	
POSTCONDITIONS	Successful Condition:	
	The user entered successful information and is given a	
	success confirmation message.	
	Failure Condition:	
	User enters some invalid registration details and given an	
	error message.	

### 5.3.UC-003 DISPLAY PRODUCTS

USE CASE NAME	Display products
SCOPE	Comet Sale
LEVEL	User-goal
ACTORS	Registered User
PRECONDITIONS	User should be logged in to the system.

MAIN SUCCESS FLOW	User is shown the list of all the available products in the system and the use case completes successfully.	
ALTERNATE FLOW	2a If there are no products available in the system that are	
	available for purchase.	
POSTCONDITIONS	Successful Condition:	
	<ol> <li>System displays the list of all the products available in the system with all the product details for the products.</li> </ol>	
	<ol><li>System displays the list of the products whose category matches with the search keyword.</li></ol>	
	Failure Condition:	
	<ol> <li>If there are no products, user is shown a message:</li> <li>"No products available".</li> </ol>	

# 5.4.UC-004 SEARCH PRODUCTS

USE CASE NAME	Search products	
SCOPE	Comet Sale	
LEVEL	User-goal	
ACTORS	Registered User(Primary)	
STAKEHOLDERS	User -Enters the search keyword for the category he wants to search.  System- Displays the results according to the search criteria.	
PRECONDITIONS	User should be logged in to the system.	
MAIN SUCCESS FLOW  ALTERNATE FLOW	<ol> <li>User enters the search keyword and press the enter button or clicks on the search button.</li> <li>The system searches the results according to the search criteria given by the user.</li> <li>System displays the list of the products to the user and the use case ends successfully.</li> <li>1a User does not enter anything in the search box and clicks</li> </ol>	
ALTERIVATE FLOW	on the search button.  1b User enters invalid input like just white spaces or invalid characters.	
POSTCONDITIONS	Successful Condition:  System displays the list of the products whose category matches with the search keyword.  Failure Condition:  If there are no products that matches the search criteria, user is shown a message: "No products available with this search criteria."	

# 5.5.UC-005 ADD PRODUCT TO WISH LIST

USE CASE NAME	Add a product to wish list
SCOPE	Comet Sale
LEVEL	User-goal
ACTORS	Registered User(Primary)

STAKEHOLDERS	User- Add the product to wish list	
	System- Adds the product to the wish list of the user.	
PRECONDITIONS	ITIONS User should be logged in to the system.	
MAIN SUCCESS FLOW	1. User clicks on the 'Add to Wish List' button of a product	
	from the list of the products available to buy.	
	2. The system adds the product in the wish list of the buyer.	
	3. User can see the product in his/her wish list and the use	
	case ends successfully.	
ALTERNATE FLOW	1a If the product is already in the users wish list then the user	
	is not shown "Add to wish list" button.	
POSTCONDITIONS	Successful Condition:	
	User can see the product in his/her wish list	

### 5.6.UC-006 REMOVE A PRODUCT FROM WISH LIST

USE CASE NAME	Remove a product from wish list	
SCOPE	Comet Sale	
LEVEL	User-goal User-goal	
ACTORS	Registered User(Primary)	
STAKEHOLDERS	User- Remove a product from wish list	
	System- Removes the product from the wish list of the user.	
PRECONDITIONS	1. User should be logged in to the system.	
	2. The user should have at least one item in the wish list.	
MAIN SUCCESS FLOW	1. User is shown list of the products in the wish list he has	
	added previously.	
	2. User clicks on 'Remove from Wish List' button.	
	3. The system removes that particular product from the wish	
	list of the user and the use case completes successfully.	
ALTERNATE FLOW	2a User has no products in the wish list.	
POSTCONDITIONS Successful Condition:		
	System removes the product from the users wish list and	
	notifies the user with message: "Removed from wish list	
	successfully."	
	Failure Condition:	
	The product is not removed from the wish list if not	
	removed properly.	

# 5.7.UC-007 Make Offer

USE CASE NAME	Make Offer		
SCOPE	Comet Sale		
LEVEL	User-goal		
ACTORS	Registered User(Buyer)		
PRECONDITIONS	The user should be logged on to the system.		
	The buyer should have at least one product in the wish-list.		
MAIN SUCCESS FLOW	1. The user clicks on the Make Offer button in the wish-list.		
	2. The name of the buyer gets added in the list of users		
	interested in the product.		
	3. User receives an acknowledgement that the offer has		
	been made successfully.		

ALTERNATE FLOW	2a If the product has already been sold then, the user gets a	
	message that an offer can no longer be made.	
POSTCONDITIONS	Successful Condition:	
	Offer is successfully made and acknowledgment is	
	received.	
	Failure Condition:	
	Offer is unsuccessful if the product is already sold.	

# 5.8.UC-008 LOCK PRODUCT

USE CASE NAME	Lock Product		
SCOPE	Comet Sale		
LEVEL	User-goal		
ACTORS	Registered User(Seller)		
PRECONDITIONS	The user who is the seller is shown the list of all the users interested in the product.		
MAIN SUCCESS FLOW	<ol> <li>Seller clicks the lock button for the buyer of his/her choice.</li> <li>A message is sent to the respective buyer saying that the product has been locked successfully with an option to confirm the sale.</li> <li>The product status changes to 'Locked' and the use case completes successfully.</li> </ol>		
ALTERNATE FLOW			
POSTCONDITIONS	<ol> <li>Successful Condition:</li> <li>The seller will have locked the buyer for sale.</li> <li>The product involved will be in locked status when viewed by other users.</li> </ol>		

### 5.9.UC-009 FINALIZE SALE

USE CASE NAME	Finalize Sale		
SCOPE	Comet Sale		
LEVEL	User-goal		
ACTORS	Registered User(Buyer)		
PRECONDITIONS	The user should be logged on to the system.		
	The buyer should have got a message with an option to		
	confirm the sale from the seller.		
MAIN SUCCESS FLOW	The buyer clicks on the 'Accept' button to confirm the sale.		
	2. The seller receives an acknowledgement that the sale has been finalized.		
	3. The product status changes to 'Sold' and the use case completes successfully.		
ALTERNATE FLOW	1a The buyer clicks on 'Reject' button.		
	2a The seller receives the message about the rejection.		
POSTCONDITIONS	Successful Condition:		
	Sale is successfully finalized and product status is 'Sold'.		
	Failure Condition:		
	Sale is unsuccessful and the product status becomes 'Available'.		

# 5.10. UC-010 LOG-IN

USE CASE NAME	Log-in			
SCOPE	Comet Sale			
LEVEL	User-goal			
ACTORS	Registered User			
PRECONDITIONS	The Student has to be registered in CometSale.			
MAIN SUCCESS FLOW	User fills out the NetID and password in the appropriate			
	fields.			
	2. User clicks on the Log-in button.			
	3. User is logged in and the use case completes successfully			
ALTERNATE FLOW	1a User fills out incorrect details.			
	2a Log-in fails and user is prompted to re-enter details			
POSTCONDITIONS	Successful Condition:			
	User is directed to the home page of CometSale.			
	Failure Condition:			
	User is asked to re-enter details on the Log-in page.			

# 5.11. UC-011 VIEW HISTORY

USE CASE NAME	View History	
SCOPE	Comet Sale	
LEVEL	User-goal	
ACTORS	Registered User	
PRECONDITIONS	The Student has to click on the History button.	
MAIN SUCCESS FLOW	1. User is shown the list of all the sales and purchases done by the user and the use case completes successfully.	
ALTERNATE FLOW	<b>1a</b> If the user has not done any sale or purchase then the list would be empty.	
POSTCONDITIONS	Successful Condition:	
	System displays the list of all the sales and purchases by	
	the user with all the product details.	

### 6. CLASS DIAGRAM




Figure 6.1: Class Diagram

### 7. SEQUENCE DIAGRAM

A Sequence diagram is an interaction diagram that shows how processes operate with one another and in what order.

UML sequence diagrams model the flow of logic within your system in a visual manner, enabling us to document and validate the system logic, and are commonly used for both analysis and design purposes.

### 7.1.Registration




Figure 7.1: Registration

### 7.2.Add Product




Figure 7.2 Add Product

### 7.3. Search Product




Figure 7.3 Search Product

### 7.4.Add Product to Wish List




Figure 7.4 Add Product to Wish List

### 7.5. Remove Product from Wish List




Figure 7.5 Remove Product from Wish List

### 7.6. Display Products




Figure 7.6 Display Products


### 7.7. Make Offer




### 7.8.Lock Product




### 7.9. Finalize Sale



### 7.10. Log-in



### 7.11. View History



### 8. INTERACTION DIAGRAMS

### 8.1. Registration




Figure 8.1 Interaction: Registration

### 8.2.Add Product




Figure 8.2 Interaction: Add Product

### 8.3. Search Product




Figure 8.3 Interaction: Search Product

### 8.4.Add Product to WishList




Figure 8.4 Add to Wish-List

### 8.5. Remove From Wish-List




Figure 8.5 Remove from wish-list

### 8.6. Make Offer




Figure 8.6 Make Offer

### 8.7. Finalize Sale -1




Figure 8.7 Finalize Sale-1

### 8.8. Finalize Sale -2




Figure 8.8 Finalize Sale-2

### 8.9.Lock Product




Figure 8.9 Lock Product

### 8.10. Log-in




Figure 8.10 Log-in

### 8.11. View History




Figure 8.11 View History

### 9. TESTING

Testing is done on the software to check if the quality is maintained and implementation is according to requirements stated earlier.

- 1. Meets the requirements that guided its design and development
- 2. Works for correct inputs and handles incorrect inputs
- 3. The system should provide output within an acceptable time limit
- 4. Is sufficiently usable
- 5. Achieves the general result expected by Stakeholder.

### 9.1.TEST PLANS:

• The following activities and test cases are used to check for the quality of code and to map the implementation with the requirements of the system.

- Test the code with various inputs and make sure that the Use cases related to buy and sell methods are working.
- The testing was performed on this iteration by providing inputs to the application and checking if the application worked as per the requirements and the use cases.

### 9.2.TEST CASES

### **For User Registration**

Test	Test Case	Test Case Description	Expected Output	Actual Output
No:				
1	User Registration With valid information	<ul> <li>User opens the application</li> <li>Enter all correct details to register himself to the system</li> </ul>	The user is able to register himself to the system	The user is able to register himself to the system
2	User Registration With invalid information	<ul> <li>User opens the application</li> <li>Enter some incorrect details to register himself to the system</li> </ul>	The user is unable to register himself to the system	The user is unable to register himself to the system

### **For Adding Product Details**

Test	Test Case	Test Case Description	Expected Output	Actual Output
No:				
1	Add Product using With valid information	<ul> <li>User opens the application and clicks on add product for sale</li> <li>Enter all correct details to add product into system</li> </ul>	The user is able to add the product details he wants to sell to the system	The user is able to add the product details he wants to sell to the system
2	Add Product using With invalid information	<ul> <li>User opens the application and clicks on add product for sale</li> <li>Enter some incorrect details to add product into system</li> </ul>	The user is unable to add the product details he wants to sell to the system	The user is unable to add the product details he wants to sell to the system

### **For Searching Products**

Test	Test Case	Test Case Description	Expected Output	Actual Output
No:				
1	Search Product	User opens the	The user is able to	The user is able to
	using	application and clicks on search	view the details of	view the details of
	With valid	bar	the products from	the products from
	keyword	<ul> <li>Enter name of the</li> </ul>	Database	Database
		product to be searched		
2	Search Product	User opens the	The user is unable	The user is unable
	using	application and clicks on search	to view the	to view the
	With invalid	bar	details of the	details of the
	keyword	Enter some invalid inputs	products from	products from
		like special symbol to be searched	Database	Database

### For Adding Product to Wish List

Test	Test Case	Test Case Description	Expected Output	Actual Output
No:				

1	Click on the	Message is displayed that	The user is able to	The user is able to
	"Add to	says that it is successfully added to	view the details of	view the details of
	wish-list	wish-list.	the products from	the products from
	button"		Database in wish-	Database in wish-
			list	list

### For Removing Product to Wish List

Test	Test Case	Test Case Description	Expected Output	Actual Output
No:				
1	Click on the	<ul> <li>Message is displayed that says</li> </ul>	The user is able to	The user is able to
	"Remove	that it is successfully removed from	see that it is no	see that it is no
	from wish	wish list.	longer present in	longer present in
	list button"		wish-list	wish-list

# 10. ScreenShots




### Welcome COMETS!!

sample1	ername
Pa	ssword
L	.ogin
New User	? SignUp here



Welcome COMETS!!

Neds | Liverage |
FirstName | Fronzes |
LastName | LestName |
PhoeNumber |
FirstName | Fronzes |
FirstName | Fronz






Figure 10.1 Display Products

### 11. SOFTWARE AND TOOLS USED:

- StarUML for creating class diagrams, Use cases.
- Eclipse as IDE.
- Java Spring MVC Framework
- MongoDB
- Trello

# 12. Glossary

**CometSale:** Comet Sale is the name of application being developed, that helps UTD student to buy/sell within the group.

**Student**: Refers to the UTD student who will be using the system.

Post an item: Student, who is wishing to sell an item can post his description of the item.

Make offer: Student can provide a price to seller by using make offer option.

**Delivery:** Student can get to know about the delivery information.

**Item Category:** student can maintain category of item like Phone, Laptop, Clothes for easy identification of items.

**Lock buyer:** The capability in a system, where a seller can freeze other buyers from offering by locking a buyer.

**Comments:** The part of system, where user and buyer can interact for buying and selling.

**Seller**: The role of student in a system, where his functionality is to sell an item.

**Buyer:** The role of student in a system, where his functionality is to look for an item to buy.

**net ID:** The Unique id used by UTD student for uniquely identifying a student.