


Project 2: Employee Management System

Create Employees table and create Departments table.



```
1      create table employee(  
2      emp_name varchar(20),  
3      emp_salary decimal(10,2),  
4      emp_dept varchar(20),  
5      age int,  
6      city varchar(20)  
7      );  
8  
9      create table departments(  
10     dept_name varchar(20),  
11     dept_id int  
12     );
```

100 % No issues found

Messages

Commands completed successfully.

Completion time: 2026-07-31T15:45:13.7372784+05:30

```
# Insert 20 employee records.
```

```
SQLQuery2.s...deepa (56)* X Credo - Proje...A\deepa (86))  
11 dept_id int  
12 );  
13  
14 INSERT INTO employee VALUES ('Arun', 45000.00, 'HR', 25, 'Chennai');  
15 INSERT INTO employee VALUES ('Priya', 55000.00, 'Finance', 28, 'Bangalore');  
16 INSERT INTO employee VALUES ('Rahul', 62000.00, 'IT', 30, 'Hyderabad');  
17 INSERT INTO employee VALUES ('Sneha', 48000.00, 'Marketing', 26, 'Chennai');  
18 INSERT INTO employee VALUES ('Karthik', 70000.00, 'Sales', 32, 'Mumbai');  
19 INSERT INTO employee VALUES ('Divya', 51000.00, 'HR', 27, 'Pune');  
20 INSERT INTO employee VALUES ('Vignesh', 80000.00, 'IT', 35, 'Coimbatore');  
21 INSERT INTO employee VALUES ('Ananya', 46000.00, 'Support', 24, 'Madurai');  
22 INSERT INTO employee VALUES ('Suresh', 75000.00, 'Finance', 33, 'Delhi');  
23 INSERT INTO employee VALUES ('Meena', 53000.00, 'Marketing', 29, 'Chennai');  
24 INSERT INTO employee VALUES ('Ajay', 68000.00, 'IT', 31, 'Bangalore');  
25 INSERT INTO employee VALUES ('Keerthi', 49000.00, 'Support', 26, 'Hyderabad');  
26 INSERT INTO employee VALUES ('Naveen', 72000.00, 'Sales', 34, 'Mumbai');  
27 INSERT INTO employee VALUES ('Pooja', 58000.00, 'HR', 28, 'Trichy');  
28 INSERT INTO employee VALUES ('Manoj', 61000.00, 'Finance', 30, 'Salem');
```

100 % No issues found

Messages

(1 row affected)

(1 row affected)

(1 row affected)

(1 row affected)

(1 row affected)

(1 row affected)

Display all employees.

The screenshot shows the SQL Developer interface. The top toolbar contains various icons for file operations, editing, and execution. The main window has two tabs: 'SQLQuery2.s...deepa (56)*' and 'Credo - Proje...A\deepa (86)'. The SQL editor in the first tab contains the query `select * from employee;` on line 46. A vertical line is positioned at the end of the query. Below the editor, the 'Results' tab is active, displaying a table with 17 rows of employee data. The table has columns for emp_name, emp_salary, emp_dept, age, and city. A status bar at the bottom indicates 'Query executed successfully.'

100 % ✓ No issues found

Results Messages

	emp_name	emp_salary	emp_dept	age	city
1	Arun	45000.00	HR	25	Chennai
2	Priya	55000.00	Finance	28	Bangalore
3	Rahul	62000.00	IT	30	Hyderabad
4	Sneha	48000.00	Marketing	26	Chennai
5	Karthik	70000.00	Sales	32	Mumbai
6	Divya	51000.00	HR	27	Pune
7	Vignesh	80000.00	IT	35	Coimbatore
8	Ananya	46000.00	Support	24	Madurai
9	Suresh	75000.00	Finance	33	Delhi
10	Meena	53000.00	Marketing	29	Chennai
11	Ajay	68000.00	IT	31	Bangalore
12	Keerthi	49000.00	Support	26	Hyderabad
13	Naveen	72000.00	Sales	34	Mumbai
14	Pooja	58000.00	HR	28	Trichy
15	Manoj	61000.00	Finance	30	Salem
16	Harini	56000.00	Marketing	27	Chennai
17	Lokesh	84000.00	IT	36	Pune

✓ Query executed successfully.

Display employees whose salary is greater than 50000.

The screenshot shows a SQL query execution window. The query entered is `select * from employee where emp_salary >=50000;`. The results are displayed in a table with 15 rows. The columns are `emp_name`, `emp_salary`, `emp_dept`, `age`, and `city`. The status bar at the bottom indicates "Query executed successfully."

SQLQuery2.s...deepa (56)* Credo - Proje...A\deepa (86)

```
select * from employee where emp_salary >=50000;
```

100 % No issues found

Results Messages

	emp_name	emp_salary	emp_dept	age	city
1	Priya	55000.00	Finance	28	Bangalore
2	Rahul				
3	Karthik	70000.00	Sales	32	Mumbai
4	Divya	51000.00	HR	27	Pune
5	Vignesh	80000.00	IT	35	Coimbatore
6	Suresh	75000.00	Finance	33	Delhi
7	Meena	53000.00	Marketing	29	Chennai
8	Ajay	68000.00	IT	31	Bangalore
9	Naveen	72000.00	Sales	34	Mumbai
10	Pooja	58000.00	HR	28	Trichy
11	Manoj	61000.00	Finance	30	Salem
12	Harini	56000.00	Marketing	27	Chennai
13	Lokesh	84000.00	IT	36	Pune
14	Ramesh	69000.00	Sales	32	Delhi
15	Kavya	52000.00	HR	29	Madurai

Query executed successfully.

Display employees working in IT.

SQLQuery2.s...deepa (56))* Credo - Proje...A\deepa (86))

```
select emp_name, emp_dept, emp_salary, age from employee where emp_dept='IT';
```

100 % No issues found

Results Messages

	emp_name	emp_dept	emp_salary	age
1	Rahul	IT		
2	Vignesh	IT		
3	Ajay	IT	68000.00	31
4	Lokesh	IT	84000.00	36

Click to select the whole column

Display employees aged between 25 and 35.

SQLQuery2.s...deepa (56)* Credo - Proje...A\deepa (86)

```
select emp_name, emp_dept, age from employee where age between 25 and 35;
```

100 % No issues found

Results Messages

	emp_name	emp_dept	age
1	Arun	HR	25
2	Priya	Finance	28
3	Rahul	IT	30
4	Sneha	Marketing	26
5	Karthik	Sales	32
6	Divya	HR	27
7	Vignesh	IT	35
8	Suresh	Finance	33
9	Meena	Marketing	29
10	Ajay	IT	31
11	Keerthi	Support	26
12	Naveen	Sales	34
13	Pooja	HR	28
14	Manoj	Finance	30
15	Harini	Marketing	27
16	Nisha	Support	25
17	Ramesh	Sales	32

Query executed successfully.

Display employees from Chennai or Bangalore.

The screenshot shows a SQL query editor with two queries entered. The first query uses the `IN` operator, and the second uses the `OR` operator. Both queries return the same set of six employees from the `employee` table. The results are displayed in two tables, one for each query. A status bar at the bottom indicates the query was executed successfully.

SQLQuery2.s...deepa (56)* Credo - Proje...A\deepa (86))

```
53  
54 select * from employee where city in ('chennai','bangalore');  
55  
56 select * from employee where city = 'chennai' or city = 'bangalore';  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68
```

100 % No issues found

Results Messages

	emp_name	emp_salary	emp_dept	age	city
1	Arun	45000.00	HR	25	Chennai
2	Priya	55000.00	Finance	28	Bangalore
3	Sneha	48000.00	Marketing	26	Chennai
4	Meena	53000.00	Marketing	29	Chennai
5	Ajay	68000.00	IT	31	Bangalore
6	Harini	56000.00	Marketing	27	Chennai

	emp_name	emp_salary	emp_dept	age	city
1	Arun	45000.00	HR	25	Chennai
2	Priya	55000.00	Finance	28	Bangalore
3	Sneha	48000.00	Marketing	26	Chennai
4	Meena	53000.00	Marketing	29	Chennai
5	Ajay	68000.00	IT	31	Bangalore
6	Harini	56000.00	Marketing	27	Chennai

Query executed successfully.

Display employees whose name ends with 'K'.

The screenshot shows a SQL query editor window titled "SQLQuery2.s...deepa (56)". The query is: `select * from employee where emp_name like '%k';`. The results pane shows a single row for employee "Karthik" with a salary of 70000.00, working in the Sales department, aged 32, in Mumbai.

emp_name	emp_salary	emp_dept	age	city
Karthik	70000.00	Sales	32	Mumbai

Update salary by 10% for HR employees.

The screenshot shows a SQL query editor window titled "SQLQuery2.s...deepa (56)". The query is: `select emp_name, emp_dept, emp_salary, emp_salary*0.10 as Bonus from employee;`. The results pane shows a list of employees with their salaries and bonuses. The status bar indicates "Query executed successfully."

emp_name	emp_dept	emp_salary	bonus	Total_salary
Arun	HR	45000.00	4500.0000	49500.0000
Priya	Finance	55000.00	5500.0000	60500.0000
Rahul	IT	62000.00	6200.0000	68200.0000
Sneha	Marketing	48000.00	4800.0000	52800.0000
Karthik	Sales	70000.00	7000.0000	77000.0000
Divya	HR	51000.00	5100.0000	56100.0000
Vignesh	IT	80000.00	8000.0000	88000.0000
Ananya	Support	46000.00	4600.0000	50600.0000
Suresh	Finance	75000.00	7500.0000	82500.0000
Meena	Marketing	53000.00	5300.0000	58300.0000
Ajay	IT	68000.00	6800.0000	74800.0000
Keerthi	Support	49000.00	4900.0000	53900.0000
Naveen	Sales	72000.00	7200.0000	79200.0000
Pooja	HR	58000.00	5800.0000	63800.0000
Manoj	Finance	61000.00	6100.0000	67100.0000

Delete employees whose age is above 60.

SQLQuery2.s...deepa (56)) * Credo - Proje...A\deepa (86))

```
65  
66  
67 delete employee where age >60;  
68 select* from employee;  
69  
70
```

100 % No issues found Ln: 67, Ch: 1 (22 chars)

Results Messages

	emp_name	emp_salary	emp_dept	age	city
1	Arun	45000.00	HR	25	Chennai
2	Priya	55000.00	Finance	28	Bangalore
3	Rahul	62000.00	IT	30	Hyderabad
4	Sneha	48000.00	Marketing	26	Chennai
5	Karthik	70000.00	Sales	32	Mumbai
6	Diya	51000.00	HR	27	Pune
7	Vignesh	80000.00	IT	35	Coimbatore
8	Ananya	46000.00	Support	24	Madurai
9	Suresh	75000.00	Finance	33	Delhi
10	Meena	53000.00	Marketing	29	Chennai
11	Ajay	68000.00	IT	31	Bangalore
12	Keerthi	49000.00	Support	26	Hyderabad
13	Naveen	72000.00	Sales	34	Mumbai
14	Pooja	58000.00	HR	28	Trichy
15	Manni	61000.00	Finance	30	Salem

Query executed successfully. DEEPA\ (17.0 RTM) DEEPA\deepa (56) credo 00:00

Display Salary Category using CASE. 70000 High, 50000 Medium, Else Low

SQLQuery2.s...deepa (56)) * Credo - Proje...A\deepa (86))

```
68  
69 select *,  
70 case  
71 when emp_salary>=70000 then 'High'  
72 when emp_salary>=50000 then 'Medium'  
73 else 'Low'  
74 end as Salary_range  
75 from employee;  
76  
77  
78
```

100 % No issues found Ln: 68, Ch: 1 (140 chars, 8 lines) TAE

Results Messages

	emp_name	emp_salary	emp_dept	age	city	Salary_range
1	Arun	45000.00	HR	25	Chennai	Low
2	Priya	55000.00	Finance	28	Bangalore	Medium
3	Rahul	62000.00	IT	30	Hyderabad	Medium
4	Sneha	48000.00	Marketing	26	Chennai	Low
5	Karthik	70000.00	Sales	32	Mumbai	High
6	Diya	51000.00	HR	27	Pune	Medium
7	Vignesh	80000.00	IT	35	Coimbatore	High
8	Ananya	46000.00	Support	24	Madurai	Low
9	Suresh	75000.00	Finance	33	Delhi	High
10	Meena	53000.00	Marketing	29	Chennai	Medium
11	Ajay	68000.00	IT	31	Bangalore	Medium
12	Keerthi	49000.00	Support	26	Hyderabad	Low
13	Naveen	72000.00	Sales	34	Mumbai	High
14	Pooja	58000.00	HR	28	Trichy	Medium
15	Manni	61000.00	Finance	30	Salem	Medium

Query executed successfully. DEEPA\ (17.0 RTM) DEEPA\deepa (56) credo 00:00:00 Row: 15, C

Display employees ordered by salary.

The screenshot shows the SQL Developer interface with a query window titled 'SQLQuery2.s...deepa (56)*'. The query is: `select emp_name, emp_dept, emp_salary from employee order by emp_salary desc;`. The Results pane shows a table with 15 rows of employee data, ordered by salary in descending order.

	emp_name	emp_dept	emp_salary
1	Lokesh	IT	84000.00
2	Vignesh	IT	80000.00
3	Suresh	Finance	75000.00
4	Naveen	Sales	72000.00
5	Karthik	Sales	70000.00
6	Ramesh	Sales	69000.00
7	Ajay	IT	68000.00
8	Rahul	IT	62000.00
9	Manoj	Finance	61000.00
10	Pooja	HR	58000.00
11	Harini	Marketing	56000.00
12	Priya	Finance	55000.00
13	Meena	Marketing	53000.00
14	Kavya	HR	52000.00
15	Divya	HR	51000.00

Query executed successfully. DEEPA\ (17.0 RTM) DEEPA\deepa (56) credo 00:00:00 Row: 15,4

Add Email column.

The screenshot shows the SQL Developer interface with a query window titled 'SQLQuery2.s...deepa (56)*'. The query is: `alter table employee add email varchar(20);` followed by `select * from employee;`. The Results pane shows a table with 15 rows of employee data, including the new email column, which is currently NULL for all entries.

	emp_name	emp_salary	emp_dept	age	city	email
1	Arun	45000.00	HR	25	Chennai	NULL
2	Priya	55000.00	Finance	28	Bangalore	NULL
3	Rahul	62000.00	IT	30	Hyderabad	NULL
4	Sneha	48000.00	Marketing	26	Chennai	NULL
5	Karthik	70000.00	Sales	32	Mumbai	NULL
6	Divya	51000.00	HR	27	Pune	NULL
7	Vignesh	80000.00	IT	35	Coimbatore	NULL
8	Ananya	46000.00	Support	24	Madurai	NULL
9	Suresh	75000.00	Finance	33	Delhi	NULL
10	Meena	53000.00	Marketing	29	Chennai	NULL
11	Ajay	68000.00	IT	31	Bangalore	NULL
12	Keerthi	49000.00	Support	26	Hyderabad	NULL
13	Naveen	72000.00	Sales	34	Mumbai	NULL
14	Pooja	58000.00	HR	28	Trichy	NULL
15	Manoj	61000.00	Finance	30	Salem	NULL

Query executed successfully. DEEPA\ (17.0 RTM) DEEPA\deepa (56) credo 00:00:00

Drop Departments table.

The screenshot shows the SQL Server Enterprise Manager interface. The query editor displays the following SQL statement:

```
select * from departments;
```

The query was executed successfully, and the results are shown in the Results pane. The results pane displays a table with two columns: dept_name and dept_id. The table contains 10 rows of data.

	dept_name	dept_id
1	HR	101
2	Finance	102
3	IT	103
4	Marketing	104
5	Sales	105
6	Support	106
7	Operations	107
8	Admin	108
9	Legal	109
10	Research	110

The screenshot shows the SQL Server Enterprise Manager interface. The query editor displays the following SQL statement:

```
select * from departments;  
drop table departments;
```

The query was executed, but an error message was displayed in the Messages pane. The error message is:

```
Msg 208, Level 16, State 1, Line 83  
Invalid object name 'departments'.
```

The error message indicates that the table 'departments' does not exist, which is expected since it was dropped in the previous query. The completion time is 2026-07-31T16:27:41.1069548+05:30.

