

```
1 /Library/Java/JavaVirtualMachines/jdk-17.0.2.jdk/
  Contents/Home/bin/java -javaagent:/Applications/
  IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=59128
  :/Applications/IntelliJ IDEA CE.app/Contents/bin -
  Dfile.encoding=UTF-8 -classpath /Volumes/Data/Deepa
  /TechReturn/Projects/book-manager-api-main/target/
  classes:/Users/deepa/.m2/repository/org/
  springframework/boot/spring-boot-starter-data-jpa/2
  .5.5/spring-boot-starter-data-jpa-2.5.5.jar:/Users/
  deepa/.m2/repository/org/springframework/boot/
  spring-boot-starter-aop/2.5.5/spring-boot-starter-
  aop-2.5.5.jar:/Users/deepa/.m2/repository/org/
  springframework/spring-aop/5.3.10/spring-aop-5.3.10
  .jar:/Users/deepa/.m2/repository/org/aspectj/
  aspectjweaver/1.9.7/aspectjweaver-1.9.7.jar:/Users/
  deepa/.m2/repository/org/springframework/boot/
  spring-boot-starter-jdbc/2.5.5/spring-boot-starter-
  jdbc-2.5.5.jar:/Users/deepa/.m2/repository/com/
  zaxxer/HikariCP/4.0.3/HikariCP-4.0.3.jar:/Users/
  deepa/.m2/repository/org/springframework/spring-
  jdbc/5.3.10/spring-jdbc-5.3.10.jar:/Users/deepa/.m2
  /repository/jakarta/transaction/jakarta.transaction
  -api/1.3.3/jakarta.transaction-api-1.3.3.jar:/Users
  /deepa/.m2/repository/jakarta/persistence/jakarta.
  persistence-api/2.2.3/jakarta.persistence-api-2.2.3
  .jar:/Users/deepa/.m2/repository/org/hibernate/
  hibernate-core/5.4.32.Final/hibernate-core-5.4.32.
  Final.jar:/Users/deepa/.m2/repository/org/jboss/
  logging/jboss-logging/3.4.2.Final/jboss-logging-3.4
  .2.Final.jar:/Users/deepa/.m2/repository/org/
  javassist/javassist/3.27.0-GA/javassist-3.27.0-GA.
  jar:/Users/deepa/.m2/repository/net/bytebuddy/byte-
  buddy/1.10.22/byte-buddy-1.10.22.jar:/Users/deepa/.
  m2/repository/antlr/antlr/2.7.7/antlr-2.7.7.jar:/
  Users/deepa/.m2/repository/org/jboss/jandex/2.2.3.
  Final/jandex-2.2.3.Final.jar:/Users/deepa/.m2/
  repository/com/fasterxml/classmate/1.5.1/classmate-
  1.5.1.jar:/Users/deepa/.m2/repository/org/dom4j/
  dom4j/2.1.3/dom4j-2.1.3.jar:/Users/deepa/.m2/
  repository/org/hibernate/common/hibernate-commons-
  annotations/5.1.2.Final/hibernate-commons-
```

```
1 annotations-5.1.2.Final.jar:/Users/deepa/.m2/
  repository/org/glassfish/jaxb/jaxb-runtime/2.3.5/
  jaxb-runtime-2.3.5.jar:/Users/deepa/.m2/repository/
  org/glassfish/jaxb/txw2/2.3.5/txw2-2.3.5.jar:/Users
  /deepa/.m2/repository/com/sun/istack/istack-commons
  -runtime/3.0.12/istack-commons-runtime-3.0.12.jar:/
  Users/deepa/.m2/repository/com/sun/activation/
  jakarta.activation/1.2.2/jakarta.activation-1.2.2.
  jar:/Users/deepa/.m2/repository/org/springframework
  /data/spring-data-jpa/2.5.5/spring-data-jpa-2.5.5.
  jar:/Users/deepa/.m2/repository/org/springframework
  /data/spring-data-commons/2.5.5/spring-data-commons
  -2.5.5.jar:/Users/deepa/.m2/repository/org/
  springframework/spring-orm/5.3.10/spring-orm-5.3.10
  .jar:/Users/deepa/.m2/repository/org/
  springframework/spring-context/5.3.10/spring-
  context-5.3.10.jar:/Users/deepa/.m2/repository/org/
  springframework/spring-tx/5.3.10/spring-tx-5.3.10.
  jar:/Users/deepa/.m2/repository/org/springframework
  /spring-beans/5.3.10/spring-beans-5.3.10.jar:/Users
  /deepa/.m2/repository/org/slf4j/slf4j-api/1.7.32/
  slf4j-api-1.7.32.jar:/Users/deepa/.m2/repository/
  org/springframework/spring-aspects/5.3.10/spring-
  aspects-5.3.10.jar:/Users/deepa/.m2/repository/org/
  springframework/boot/spring-boot-starter-web/2.5.5/
  spring-boot-starter-web-2.5.5.jar:/Users/deepa/.m2/
  repository/org/springframework/boot/spring-boot-
  starter/2.5.5/spring-boot-starter-2.5.5.jar:/Users/
  deepa/.m2/repository/org/springframework/boot/
  spring-boot/2.5.5/spring-boot-2.5.5.jar:/Users/
  deepa/.m2/repository/org/springframework/boot/
  spring-boot-autoconfigure/2.5.5/spring-boot-
  autoconfigure-2.5.5.jar:/Users/deepa/.m2/repository
  /org/springframework/boot/spring-boot-starter-
  logging/2.5.5/spring-boot-starter-logging-2.5.5.jar
  :/Users/deepa/.m2/repository/ch/qos/logback/logback
  -classic/1.2.6/logback-classic-1.2.6.jar:/Users/
  deepa/.m2/repository/ch/qos/logback/logback-core/1.
  2.6/logback-core-1.2.6.jar:/Users/deepa/.m2/
  repository/org/apache/logging/log4j/log4j-to-slf4j/
  2.14.1/log4j-to-slf4j-2.14.1.jar:/Users/deepa/.m2/
```

```
1 repository/org/apache/logging/log4j/log4j-api/2.14.1/log4j-api-2.14.1.jar:/Users/deepa/.m2/repository/org/slf4j/jul-to-slf4j/1.7.32/jul-to-slf4j-1.7.32.jar:/Users/deepa/.m2/repository/jakarta/annotation/jakarta.annotation-api/1.3.5/jakarta.annotation-api-1.3.5.jar:/Users/deepa/.m2/repository/org/yaml/snakeyaml/1.28/snakeyaml-1.28.jar:/Users/deepa/.m2/repository/org/springframework/boot/spring-boot-starter-json/2.5.5/spring-boot-starter-json-2.5.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/core/jackson-databind/2.12.5/jackson-databind-2.12.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/core/jackson-annotations/2.12.5/jackson-annotations-2.12.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/core/jackson-core/2.12.5/jackson-core-2.12.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/datatype/jackson-datatype-jdk8/2.12.5/jackson-datatype-jdk8-2.12.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/datatype/jackson-datatype-jsr310/2.12.5/jackson-datatype-jsr310-2.12.5.jar:/Users/deepa/.m2/repository/com/fasterxml/jackson/module/jackson-module-parameter-names/2.12.5/jackson-module-parameter-names-2.12.5.jar:/Users/deepa/.m2/repository/org/springframework/boot/spring-boot-starter-tomcat/2.5.5/spring-boot-starter-tomcat-2.5.5.jar:/Users/deepa/.m2/repository/org/apache/tomcat/embed/tomcat-embed-core/9.0.53/tomcat-embed-core-9.0.53.jar:/Users/deepa/.m2/repository/org/apache/tomcat/embed/tomcat-embed-el/9.0.53/tomcat-embed-el-9.0.53.jar:/Users/deepa/.m2/repository/org/apache/tomcat/embed/tomcat-embed-websocket/9.0.53/tomcat-embed-websocket-9.0.53.jar:/Users/deepa/.m2/repository/org/springframework/spring-web/5.3.10/spring-web-5.3.10.jar:/Users/deepa/.m2/repository/org/springframework/spring-webmvc/5.3.10/spring-webmvc-5.3.10.jar:/Users/deepa/.m2/repository/org/springframework/spring-expression/5.3.10/spring-expression-5.3.10.jar:/Users/deepa/.m2/repository/mysql/mysql-connector-java/8.0.26/mysql-connector-java-8.0.26.jar:/Users/deepa/.m2/repository/com/
```

```

1 h2database/h2/1.4.200/h2-1.4.200.jar:/Users/deepa/.  
m2/repository/org/projectlombok/lombok/1.18.20/  
lombok-1.18.20.jar:/Users/deepa/.m2/repository/  
jakarta/xml/bind/jakarta.xml.bind-api/2.3.3/jakarta  
.xml.bind-api-2.3.3.jar:/Users/deepa/.m2/repository  
/jakarta/activation/jakarta.activation-api/1.2.2/  
jakarta.activation-api-1.2.2.jar:/Users/deepa/.m2/  
repository/org.springframework/spring-core/5.3.10/  
spring-core-5.3.10.jar:/Users/deepa/.m2/repository/  
org.springframework/spring-jcl/5.3.10/spring-jcl-5.  
3.10.jar:/Users/deepa/.m2/repository/org/apache/  
velocity/velocity/1.7/velocity-1.7.jar:/Users/deepa  
/.m2/repository/commons-collections/commons-  
collections/3.2.1/commons-collections-3.2.1.jar:/  
Users/deepa/.m2/repository/commons-lang/commons-  
lang/2.4/commons-lang-2.4.jar com.techreturners.  
bookmanager.BookmanagerApplication
2
3
4 .      _--_   _\ \ \ \ \  
/\ / ___' -- _(_)-- _\ \ \ \  
5 ( )\_ |'_|_|'\_/_'|\ \ \ \  
6 \|___)|_|_|_|_|(|_|)) )) )  
7 '|___|.__|_|_|_|_\__, || ///'  
8 ===== |_|=====|___/=/_/_/_/'  
9 :: Spring Boot ::               (v2.5.5)
10
11 2022-05-11 19:07:27.116 INFO 12796  
--- [ main] c.t.bookmanager.  
BookmanagerApplication : Starting  
BookmanagerApplication using Java 17.0.2 on  
Senthils-MacBook-Pro.local with PID 12796 (/Volumes  
/Data/Deepa/TechReturn/Projects/book-manager-api-  
main/target/classes started by deepa in /Volumes/  
Data/Deepa/TechReturn/Projects/book-manager-api-  
main)  
12 2022-05-11 19:07:27.118 INFO 12796  
--- [ main] c.t.bookmanager.  
BookmanagerApplication : The following profiles  
are active: dev
13 2022-05-11 19:07:27.569 INFO 12796  
--- [ main] s.d.r.c.
```

```
13 RepositoryConfigurationDelegate : Bootstrapping
    Spring Data JPA repositories in DEFAULT mode.
14 2022-05-11 19:07:27.603 INFO 12796
    --- [main] .s.d.r.c.
    RepositoryConfigurationDelegate : Finished Spring
    Data repository scanning in 28 ms. Found 1 JPA
    repository interfaces.
15 2022-05-11 19:07:28.007 INFO 12796
    --- [main] o.s.b.w.embedded.tomcat.
    TomcatWebServer : Tomcat initialized with port(s
    ): 8080 (http)
16 2022-05-11 19:07:28.017 INFO 12796
    --- [main] o.apache.catalina.core.
    StandardService : Starting service [Tomcat]
17 2022-05-11 19:07:28.017 INFO 12796
    --- [main] org.apache.catalina.core.
    StandardEngine : Starting Servlet engine: [Apache
    Tomcat/9.0.53]
18 2022-05-11 19:07:28.074 INFO 12796
    --- [main] o.a.c.c.C.[Tomcat].[
    localhost].[/] : Initializing Spring embedded
    WebApplicationContext
19 2022-05-11 19:07:28.074 INFO 12796
    --- [main] w.s.c.
    ServletWebServerApplicationContext : Root
    WebApplicationContext: initialization completed in
    923 ms
20 2022-05-11 19:07:28.185 INFO 12796
    --- [main] com.zaxxer.hikari.
    HikariDataSource : HikariPool-1 - Starting...
21 2022-05-11 19:07:28.402 INFO 12796
    --- [main] com.zaxxer.hikari.
    HikariDataSource : HikariPool-1 - Start
    completed.
22 2022-05-11 19:07:28.453 INFO 12796
    --- [main] o.hibernate.jpa.internal.
    util.LogHelper : HHH000204: Processing
    PersistenceUnitInfo [name: default]
23 2022-05-11 19:07:28.492 INFO 12796
    --- [main] org.hibernate.Version
    : HHH000412: Hibernate ORM core
```

```
23 version 5.4.32.Final
24 2022-05-11 19:07:28.581 INFO 12796
   --- [main] o.hibernate.annotations.
common.Version : HCANN000001: Hibernate Commons
Annotations {5.1.2.Final}
25 2022-05-11 19:07:28.655 INFO 12796
   --- [main] org.hibernate.dialect.
Dialect : HHH000400: Using dialect: org.
hibernate.dialect.H2Dialect
26 2022-05-11 19:07:29.056 INFO 12796
   --- [main] o.h.e.t.j.p.i.
JtaPlatformInitiator : HHH000490: Using
JtaPlatform implementation: [org.hibernate.engine.
transaction.jta.platform.internal.NoJtaPlatform]
27 2022-05-11 19:07:29.061 INFO 12796
   --- [main] j.
LocalContainerEntityManagerFactoryBean :
Initialized JPA EntityManagerFactory for
persistence unit 'default'
28 2022-05-11 19:07:29.238 WARN 12796
   --- [main]
JpaBaseConfiguration$JpaWebConfiguration : spring.
jpa.open-in-view is enabled by default. Therefore,
database queries may be performed during view
rendering. Explicitly configure spring.jpa.open-in-
view to disable this warning
29 2022-05-11 19:07:29.465 INFO 12796
   --- [main] o.s.b.w.embedded.tomcat.
TomcatWebServer : Tomcat started on port(s): 8080
(http) with context path ''
30 2022-05-11 19:07:29.473 INFO 12796
   --- [main] c.t.bookmanager.
BookmanagerApplication : Started
BookmanagerApplication in 7.671 seconds (JVM
running for 8.073)
```

31